










































































































Database Documentation







































NS_20221128







































Table of Contents







































Table of Contents	2
 NLPDev.TheNLP.com	17
 User databases.....	19
 NS_20221128 Database.....	20
 Tables	21
 [dbo].[CERPx_APVendorSyncLog].....	35
 [dbo].[ERPx_APChillType].....	36
 [dbo].[ERPx_APCondition]	38
 [dbo].[ERPx_APDeliveryTicketADFGIntegrationStatus].....	40
 [dbo].[ERPx_APDeliveryTicketADFGLandingImportHeader]	41
 [dbo].[ERPx_APDeliveryTicketADFGLandingImportHeaderDiagnostic]	42
 [dbo].[ERPx_APDeliveryTicketADFGLandingType]	43
 [dbo].[ERPx_APDeliveryTicketADFGNumber]	44
 [dbo].[ERPx_APDeliveryTicketADFGStatus]	45
 [dbo].[ERPx_APDeliveryTicketAttributes]	46
 [dbo].[ERPx_APDeliveryTicketEligiblePremium].....	47
 [dbo].[ERPx_APDeliveryTicketHeader].....	49
 [dbo].[ERPx_APDeliveryTicketHeader_SearchMetadata]	56
 [dbo].[ERPx_APDeliveryTicketHeaderNote]	58
 [dbo].[ERPx_APDeliveryTicketItem]	60
 [dbo].[ERPx_APDeliveryTicketItemDefinition].....	63
 [dbo].[ERPx_APDeliveryTicketItemDefinitionGroup]	64
 [dbo].[ERPx_APDeliveryTicketLine]	65
 [dbo].[ERPx_APDeliveryTicketLineCommentCode]	69
 [dbo].[ERPx_APDeliveryTicketLineProgram]	70
 [dbo].[ERPx_APDeliveryTicketMixSalmonCriteria]	72
 [dbo].[ERPx_APDeliveryTicketMixSalmonSplitDeliveriesTemp].....	73
 [dbo].[ERPx_APDeliveryTicketProperty].....	74
 [dbo].[ERPx_APDeliveryTicketRepriceCriteria].....	75
 [dbo].[ERPx_APDeliveryTicketRepriceItemsAndPremiums]	77
 [dbo].[ERPx_APDeliveryTicketRSW].....	79
 [dbo].[ERPx_APDeliveryTicketStatArea]	81
 [dbo].[ERPx_APDisposition]	83
 [dbo].[ERPx_APGear]	85
 [dbo].[ERPx_APGradeAttributes].....	87
 [dbo].[ERPx_APGrades].....	88
 [dbo].[ERPx_APManagementPrograms]	90







































 [dbo].[ERPx_APPoAttributes]	92
 [dbo].[ERPx_APPoHeader]	93
 [dbo].[ERPx_APPoHeader_SearchMetadata]	97
 [dbo].[ERPx_APPoHeaderNote]	99
 [dbo].[ERPx_APPoHeaderProperty]	100
 [dbo].[ERPx_APPoLine]	101
 [dbo].[ERPx_APPoLine_SearchMetadata]	104
 [dbo].[ERPx_APPort]	106
 [dbo].[ERPx_APPOStatus]	108
 [dbo].[ERPx_APProgram]	109
 [dbo].[ERPx_APProgramClass]	113
 [dbo].[ERPx_APProgramEntity]	114
 [dbo].[ERPx_APSeasons]	116
 [dbo].[ERPx_APSettlementApplication]	118
 [dbo].[ERPx_APSettlementApplicationTransaction]	120
 [dbo].[ERPx_APSettlementTransaction]	121
 [dbo].[ERPx_APSpecie]	124
 [dbo].[ERPx_APStatAreas]	126
 [dbo].[ERPx_APTenNinetyNineType]	128
 [dbo].[ERPx_APTransaction_SearchMetadata]	129
 [dbo].[ERPx_APTransactionAttributes]	131
 [dbo].[ERPx_APTransactionClass]	133
 [dbo].[ERPx_APTransactionClassPriceList]	139
 [dbo].[ERPx_APTransactionClassProperty]	141
 [dbo].[ERPx_APTransactionHeader]	143
 [dbo].[ERPx_APTransactionHeaderProperty]	149
 [dbo].[ERPx_APTransactionLine]	150
 [dbo].[ERPx_APTransactionLine_SearchMetadata]	154
 [dbo].[ERPx_APTransactionMoreActionsCriteria]	156
 [dbo].[ERPx_APTransactionNote]	158
 [dbo].[ERPx_APTransactionStatus]	160
 [dbo].[ERPx_APTransactionTax]	162
 [dbo].[ERPx_APTransactionType]	164
 [dbo].[ERPx_APVendor]	167
 [dbo].[ERPx_APVendorACH]	175
 [dbo].[ERPx_APVendorAddress]	177
 [dbo].[ERPx_APVendorAttributeAssignment]	180
 [dbo].[ERPx_APVendorClass]	181







































 [dbo].[ERPx_APVendorClassExcludedTransactions].....	184
 [dbo].[ERPx_APVendorClassProperty].....	185
 [dbo].[ERPx_APVendorContact].....	187
 [dbo].[ERPx_APVendorExcludedTransactions].....	189
 [dbo].[ERPx_APVendorFavorite].....	191
 [dbo].[ERPx_APVendorInterestCalculationHeader].....	192
 [dbo].[ERPx_APVendorInterestCalculationLine].....	194
 [dbo].[ERPx_APVendorNote].....	196
 [dbo].[ERPx_APVendorPermit].....	197
 [dbo].[ERPx_APVendorPriceList].....	199
 [dbo].[ERPx_APVendorProperty].....	201
 [dbo].[ERPx_APVessels].....	202
 [dbo].[ERPx_ARCustomer].....	204
 [dbo].[ERPx_ARCustomerAddress].....	211
 [dbo].[ERPx_ARCustomerAddressAttribute].....	215
 [dbo].[ERPx_ARCustomerAddressNote].....	217
 [dbo].[ERPx_ARCustomerAddrSet].....	219
 [dbo].[ERPx_ARCustomerAddrSetRule].....	220
 [dbo].[ERPx_ARCustomerAttribute].....	221
 [dbo].[ERPx_ARCustomerCertification].....	222
 [dbo].[ERPx_ARCustomerClass].....	223
 [dbo].[ERPx_ARCustomerContact].....	226
 [dbo].[ERPx_ARCustomerFavorite].....	228
 [dbo].[ERPx_ARCustomerFavoriteAttributes].....	230
 [dbo].[ERPx_ARCustomerItemSet].....	232
 [dbo].[ERPx_ARCustomerNote].....	234
 [dbo].[ERPx_ARCustomerPriceList].....	235
 [dbo].[ERPx_ARCustomerSubstituteltem].....	237
 [dbo].[ERPx_ARPaymentReceiptProperty].....	239
 [dbo].[ERPx_ARSettlementApplication].....	240
 [dbo].[ERPx_ARSettlementApplicationTransaction].....	242
 [dbo].[ERPx_ARSettlementTransaction].....	243
 [dbo].[ERPx_ARtransactionAttributes].....	246
 [dbo].[ERPx_ARtransactionClass].....	247
 [dbo].[ERPx_ARtransactionHeader].....	250
 [dbo].[ERPx_ARtransactionHeaderNote].....	254
 [dbo].[ERPx_ARtransactionLine].....	255
 [dbo].[ERPx_ARtransactionStatus].....	257







































 [dbo].[ERPx_ARTransactionType].....	258
 [dbo].[ERPx_CPAccrual]	260
 [dbo].[ERPx_CPAccrualCrop].....	262
 [dbo].[ERPx_CPAccrualItem]	263
 [dbo].[ERPx_CPAccrualProperty]	264
 [dbo].[ERPx_CPCharge]	265
 [dbo].[ERPx_CPChargeCrop].....	267
 [dbo].[ERPx_CPChargeItem].....	268
 [dbo].[ERPx_CPChargeProperty]	269
 [dbo].[ERPx_CPCrop]	270
 [dbo].[ERPx_CPFarmer].....	272
 [dbo].[ERPx_CPField]	274
 [dbo].[ERPx_CPFieldAttributes].....	276
 [dbo].[ERPx_CPHarvester].....	277
 [dbo].[ERPx_CPHarvestMethod]	279
 [dbo].[ERPx_CPHauler].....	280
 [dbo].[ERPx_CPItem]	282
 [dbo].[ERPx_CPItemAttributes]	284
 [dbo].[ERPx_CPItemCrop].....	285
 [dbo].[ERPx_CPItemProperty].....	286
 [dbo].[ERPx_CPPriceListAccrual].....	287
 [dbo].[ERPx_CPPriceListCharge].....	289
 [dbo].[ERPx_CPPriceListHeader].....	291
 [dbo].[ERPx_CPPriceListItem].....	292
 [dbo].[ERPx_CPTicketAccrual].....	294
 [dbo].[ERPx_CPTicketAttributes].....	296
 [dbo].[ERPx_CPTicketCharge]	297
 [dbo].[ERPx_CPTicketContainer]	299
 [dbo].[ERPx_CPTicketHeader]	300
 [dbo].[ERPx_CPTicketHeader_SearchMetadata]	304
 [dbo].[ERPx_CPTicketHeaderHold].....	306
 [dbo].[ERPx_CPTicketHeaderNote].....	308
 [dbo].[ERPx_CPTicketHeaderProperty].....	309
 [dbo].[ERPx_CPTicketItem].....	310
 [dbo].[ERPx_CPTicketItem_SearchMetadata]	312
 [dbo].[ERPx_CPTicketItemNote]	313
 [dbo].[ERPx_CPTicketLineNote].....	314
 [dbo].[ERPx_CPTicketReprice].....	315

 [dbo].[ERPx_CPTicketRepriceCriteria]	316
 [dbo].[ERPx_CPTicketStatus].....	317
 [dbo].[ERPx_CPTransactionClass].....	318
 [dbo].[ERPx_CPTransactionClassCrop]	320
 [dbo].[ERPx_CPTransactionClassProperty].....	321
 [dbo].[ERPx_CPTransactionType].....	322
 [dbo].[ERPx_DW_FATicketHistory]	323
 [dbo].[ERPx_DW_FATicketItemHistory]	326
 [dbo].[ERPx_DW_FATicketStatAreaLineHistory].....	329
 [dbo].[ERPx_DW_FNJournalLine]	332
 [dbo].[ERPx_DW_IMLotHistory]	334
 [dbo].[ERPx_DW_SOBillingHistory].....	336
 [dbo].[ERPx_DW_SOItemHistory]	338
 [dbo].[ERPx_DWSOHeader]	341
 [dbo].[ERPx_DWSOItem]	342
 [dbo].[ERPx_GLAccount]	343
 [dbo].[ERPx_GLAccountClass].....	349
 [dbo].[ERPx_GLAccountFormat]	350
 [dbo].[ERPx_GLAccountPeriodSummary]	352
 [dbo].[ERPx_GLAccountSegmentNumber]	354
 [dbo].[ERPx_GLACHFile]	355
 [dbo].[ERPx_GLCheckbookTransactionNote].....	356
 [dbo].[ERPx_GLCheckbookTransactionProperty].....	357
 [dbo].[ERPx_GLJournalHeader]	358
 [dbo].[ERPx_GLJournalHeaderNote].....	363
 [dbo].[ERPx_GLJournalLine]	365
 [dbo].[ERPx_GLJournalLineDetail]	367
 [dbo].[ERPx_GLJournalLineType]	369
 [dbo].[ERPx_GLJournalMoreActionsCriteria].....	370
 [dbo].[ERPx_GLProject]	371
 [dbo].[ERPx_GLProjectClass]	373
 [dbo].[ERPx_GLProjectModule].....	374
 [dbo].[ERPx_GLTransactionClass].....	375
 [dbo].[ERPx_GLTransactionStatus].....	376
 [dbo].[ERPx_GLTransactionType]	377
 [dbo].[ERPx_IMBin].....	378
 [dbo].[ERPx_IMBinBalance]	379
 [dbo].[ERPx_IMCertification]	380





































 [dbo].[ERPx_IMCertificationAssignment]	382
 [dbo].[ERPx_IMCostGroup]	384
 [dbo].[ERPx_IMCountryOfOrigin]	385
 [dbo].[ERPx_IMCountryOfOrigin_Company]	386
 [dbo].[ERPx_IMCycleCountFilter]	387
 [dbo].[ERPx_IMCycleCountLog]	389
 [dbo].[ERPx_IMCycleCountTransactionLog]	390
 [dbo].[ERPx_IMItem]	391
 [dbo].[ERPx_IMItemAttributes]	403
 [dbo].[ERPx_IMItemClass]	405
 [dbo].[ERPx_IMItemClassProperty]	409
 [dbo].[ERPx_IMItemNote]	410
 [dbo].[ERPx_IMItemProperty]	411
 [dbo].[ERPx_IMItemSet]	412
 [dbo].[ERPx_IMItemSetItems]	414
 [dbo].[ERPx_IMItemSetRule]	415
 [dbo].[ERPx_IMItemType]	416
 [dbo].[ERPx_IMLotBalance]	418
 [dbo].[ERPx_IMLotBalance_SearchMetadata]	422
 [dbo].[ERPx_IMLotBalanceHold]	424
 [dbo].[ERPx_IMLotBalanceRollupLog]	426
 [dbo].[ERPx_IMLotBin]	428
 [dbo].[ERPx_IMLotClass]	429
 [dbo].[ERPx_IMLotCostHistory]	430
 [dbo].[ERPx_IMLotCostPostingLog]	432
 [dbo].[ERPx_IMLotNote]	435
 [dbo].[ERPx_IMLotOwner]	436
 [dbo].[ERPx_IMPalletConfiguration]	438
 [dbo].[ERPx_IMPProductionLot]	440
 [dbo].[ERPx_IMPProductionLotAttributeAssignment]	444
 [dbo].[ERPx_IMPProductionLotAttributeValues]	446
 [dbo].[ERPx_IMPProductionLotCountryOfOrigin]	447
 [dbo].[ERPx_IMPProductionLotNote]	448
 [dbo].[ERPx_IMPProductionLotProperty]	449
 [dbo].[ERPx_IMPProductionOrderDetail]	450
 [dbo].[ERPx_IMPProductionOrderHeader]	452
 [dbo].[ERPx_IMPProductionOrderHeaderNote]	454
 [dbo].[ERPx_IMQualityTest]	455







































 [dbo].[ERPx_IMQualityTestAttributeValues]	457
 [dbo].[ERPx_IMQualityTestStatus]	458
 [dbo].[ERPx_IMReceivedFrom]	459
 [dbo].[ERPx_IMTemplateDetail]	460
 [dbo].[ERPx_IMTemplateHeader]	462
 [dbo].[ERPx_IMTransactionAttributes]	463
 [dbo].[ERPx_IMTransactionClass]	465
 [dbo].[ERPx_IMTransactionClassPriceList]	469
 [dbo].[ERPx_IMTransactionClassProperty]	471
 [dbo].[ERPx_IMTransactionDetail]	473
 [dbo].[ERPx_IMTransactionDetailNote]	478
 [dbo].[ERPx_IMTransactionDetailPallet]	479
 [dbo].[ERPx_IMTransactionHeader]	481
 [dbo].[ERPx_IMTransactionHeaderNote]	487
 [dbo].[ERPx_IMTransactionHeaderProperty]	489
 [dbo].[ERPx_IMTransactionMoreActionsCriteria]	491
 [dbo].[ERPx_IMTransactionStatus]	493
 [dbo].[ERPx_IMTransactionType]	494
 [dbo].[ERPx_IMTransactionTypeDocument]	496
 [dbo].[ERPx_IMUOM]	497
 [dbo].[ERPx_IMUOMConversion]	503
 [dbo].[ERPx_IMUOMSchedule]	505
 [dbo].[ERPx_IMUOMScheduleConversion]	507
 [dbo].[ERPx_IMUOMScheduleConversionValue]	509
 [dbo].[ERPx_IMWarehouseLot]	512
 [dbo].[ERPx_IMWarehouseLotAllowedItems]	515
 [dbo].[ERPx_IMWarehouseLotAttributes]	516
 [dbo].[ERPx_IMWarehouseLotNote]	517
 [dbo].[ERPx_INTEG_Inbound]	518
 [dbo].[ERPx_INTEG_InboundArchive]	520
 [dbo].[ERPx_INTEG_InboundProcessBatch]	521
 [dbo].[ERPx_INTEG_InboundSupportedTransactions]	522
 [dbo].[ERPx_INTEG_Outbound]	524
 [dbo].[ERPx_INTEG_OutboundArchive]	526
 [dbo].[ERPx_INTEG_OutboundSupportedTransactions]	527
 [dbo].[ERPx_IODatabase]	530
 [dbo].[ERPx_IODatabaseQuery]	531
 [dbo].[ERPx_IODatabaseQueryPropertyHeader]	533






































 [dbo].[ERPx_IODestination].....	534
 [dbo].[ERPx_IOEnvelopeTemplate].....	536
 [dbo].[ERPx_IOFile]	537
 [dbo].[ERPx_IOFilePropertyHeader].....	538
 [dbo].[ERPx_IOFTP].....	539
 [dbo].[ERPx_IOFTPPropertyHeader].....	540
 [dbo].[ERPx_IOService]	541
 [dbo].[ERPx_IOServiceAuthenticationStyle]	543
 [dbo].[ERPx_IOServicePropertyHeader].....	544
 [dbo].[ERPx_IOServiceRequest]	545
 [dbo].[ERPx_IOServiceResponse].....	546
 [dbo].[ERPx_IOServiceResultCode]	547
 [dbo].[ERPx_IOSource]	548
 [dbo].[ERPx_IOTransfer]	550
 [dbo].[ERPx_IOTransferHistory]	552
 [dbo].[ERPx_IOTransferType]	553
 [dbo].[ERPx_IOTransformation].....	554
 [dbo].[ERPx_IOTransformationType].....	555
 [dbo].[ERPx_LMLoadAttributes]	556
 [dbo].[ERPx_LMLoadGroupsToProcess]	558
 [dbo].[ERPx_LMLoadHeader].....	559
 [dbo].[ERPx_LMLoadHeaderNote]	564
 [dbo].[ERPx_LMLoadHeaderProperty]	565
 [dbo].[ERPx_LMLoadOrderNote].....	566
 [dbo].[ERPx_LMLoadSOOrder]	567
 [dbo].[ERPx_LMLoadTransaction].....	568
 [dbo].[ERPx_LMLoadTransactionBOLHistory]	572
 [dbo].[ERPx_LMLoadTransactionContainer].....	573
 [dbo].[ERPx_LMLoadTransactionLeg]	575
 [dbo].[ERPx_LMLoadTransactionLegBalanceDetail]	578
 [dbo].[ERPx_LMLoadTransactionLegNote].....	582
 [dbo].[ERPx_LMLoadTransactionLegPayment]	583
 [dbo].[ERPx_LMTruck]	585
 [dbo].[ERPx_MFActions]	587
 [dbo].[ERPx_MFActionsDataField]	588
 [dbo].[ERPx_MFActionsForm]	589
 [dbo].[ERPx_MFActionsType]	590
 [dbo].[ERPx_MFAddress].....	591







































 [dbo].[ERPx_MFAddressNote]	593
 [dbo].[ERPx_MFagingPeriods]	594
 [dbo].[ERPx_MFAPILog]	595
 [dbo].[ERPx_MFAPIRequests]	596
 [dbo].[ERPx_MFAttribute]	597
 [dbo].[ERPx_MFAttribute_APDeliveryTicketHeader]	602
 [dbo].[ERPx_MFAttribute_APGrade]	603
 [dbo].[ERPx_MFAttribute_APPoHeader]	604
 [dbo].[ERPx_MFAttribute_APTtransactionHeader]	605
 [dbo].[ERPx_MFAttribute_APTtransactionHeader_FA]	606
 [dbo].[ERPx_MFAttribute_APVendor]	607
 [dbo].[ERPx_MFAttribute_ARCustomer]	608
 [dbo].[ERPx_MFAttribute_ARCustomerAddress]	609
 [dbo].[ERPx_MFAttribute_ARCustomerFavorite]	610
 [dbo].[ERPx_MFAttribute_ARTransactionHeader]	611
 [dbo].[ERPx_MFAttribute_CPField]	612
 [dbo].[ERPx_MFAttribute_CPIItem]	613
 [dbo].[ERPx_MFAttribute_CPTicketHeader]	614
 [dbo].[ERPx_MFAttribute_IMItem]	615
 [dbo].[ERPx_MFAttribute_IMPProductionLot]	617
 [dbo].[ERPx_MFAttribute_IMQualityTest]	618
 [dbo].[ERPx_MFAttribute_IMTransactionHeader]	619
 [dbo].[ERPx_MFAttribute_IMWarehouseLot]	620
 [dbo].[ERPx_MFAttribute_LMLoadHeader]	621
 [dbo].[ERPx_MFAttribute_SCContractHeader]	622
 [dbo].[ERPx_MFAttribute_SOOrderHeader]	623
 [dbo].[ERPx_MFAttribute_SOOrderItem]	624
 [dbo].[ERPx_MFAttributeClass]	625
 [dbo].[ERPx_MFAttributeClassAttribute]	629
 [dbo].[ERPx_MFAttributeReservedNames]	632
 [dbo].[ERPx_MFAttributeType]	633
 [dbo].[ERPx_MFAttributeTypeDefinition]	635
 [dbo].[ERPx_MFAttributeValue]	637
 [dbo].[ERPx_MFCertification_IMPProductionLot]	639
 [dbo].[ERPx_MFCertificationSetup_IMItem]	640
 [dbo].[ERPx_MFCertificationSetup_MFSite]	641
 [dbo].[ERPx_MFCheckbook]	642
 [dbo].[ERPx_MFCheckbookDetail]	645
























[dbo].[ERPx_MFCheckbookReconciliation]	647
[dbo].[ERPx_MFCheckbookTransaction]	649
[dbo].[ERPx_MFContactType]	654
[dbo].[ERPx_MFContactTypeReportMapping]	656
[dbo].[ERPx_MFContactTypeReportMappingDistributionFilter]	657
[dbo].[ERPx_MFContactTypeReportMappingTypeDocumentStatus]	658
[dbo].[ERPx_MFContactTypeReportMappingWorkflowList]	660
[dbo].[ERPx_MFCurrency]	661
[dbo].[ERPx_MFCurrencyExchange]	666
[dbo].[ERPx_MFCurrencyExchangeRate]	668
[dbo].[ERPx_MFDataEntityAccess]	669
[dbo].[ERPx_MFDataEntityCompany]	671
[dbo].[ERPx_MFDataEntityCompanyCurrency]	679
[dbo].[ERPx_MFDataEntityCompanyCurrencyExchange]	681
[dbo].[ERPx_MFDataEntityCompanySystem]	682
[dbo].[ERPx_MFDataEntityType]	683
[dbo].[ERPx_MFDBVersion]	684
[dbo].[ERPx_MFDBVersionInstallation]	685
[dbo].[ERPx_MFEmployee]	686
[dbo].[ERPx_MFException]	690
[dbo].[ERPx_MFExceptionDetail]	691
[dbo].[ERPx_MFExceptionGroup]	692
[dbo].[ERPx_MFExportFile]	693
[dbo].[ERPx_MFFiscalPeriod]	694
[dbo].[ERPx_MFFiscalYear]	697
[dbo].[ERPx_MFFunctionalArea]	700
[dbo].[ERPx_MFHoldAvailableControl]	701
[dbo].[ERPx_MFHoldCode]	702
[dbo].[ERPx_MFHoldCodeControl]	704
[dbo].[ERPx_MFHoldCodeOverrideUser]	706
[dbo].[ERPx_MFImport]	707
[dbo].[ERPx_MFImportColumn]	708
[dbo].[ERPx_MFImportTemplate]	709
[dbo].[ERPx_MFImportTemplateOwnership]	710
[dbo].[ERPx_MFLoadScript]	711
[dbo].[ERPx_MFMassUpdateSettings]	712
[dbo].[ERPx_MFMessageQueue]	714
[dbo].[ERPx_MFModule]	716

 [dbo].[ERPx_MFModuleForm]	718
 [dbo].[ERPx_MFModuleFormControl]	721
 [dbo].[ERPx_MFModuleFormPage]	723
 [dbo].[ERPx_MFModuleFormUserFavorite]	725
 [dbo].[ERPx_MFModuleTransaction]	726
 [dbo].[ERPx_MFNoteEditorToolbarGroup]	727
 [dbo].[ERPx_MFNoteType]	728
 [dbo].[ERPx_MFNoteTypeReasonCode]	730
 [dbo].[ERPx_MFPaymentTerms]	732
 [dbo].[ERPx_MFPriceListFormulaStep]	735
 [dbo].[ERPx_MFPriceListHeader]	737
 [dbo].[ERPx_MFPriceListItem]	740
 [dbo].[ERPx_MFPriceListItemHistory]	742
 [dbo].[ERPx_MFPriceListNote]	744
 [dbo].[ERPx_MFPrintFilter]	745
 [dbo].[ERPx_MFProcessMailQueueLog]	746
 [dbo].[ERPx_MFPropertyDefinition]	747
 [dbo].[ERPx_MFSecurityGroup]	749
 [dbo].[ERPx_MFSecurityGroupAccess]	751
 [dbo].[ERPx_MFSecurityGroupUser]	753
 [dbo].[ERPx_MFServiceBrokerLogs]	755
 [dbo].[ERPx_MFShift]	756
 [dbo].[ERPx_MFSite]	757
 [dbo].[ERPx_MFSiteContact]	764
 [dbo].[ERPx_MFSiteLine]	765
 [dbo].[ERPx_MFSiteNote]	767
 [dbo].[ERPx_MFSiteRelatedSite]	768
 [dbo].[ERPx_MFSiteShift]	769
 [dbo].[ERPx_MFSpecialCharacters]	771
 [dbo].[ERPx_MFSysAccountingRule]	772
 [dbo].[ERPx_MFSysEnumeration]	773
 [dbo].[ERPx_MFSysLicense]	779
 [dbo].[ERPx_MFSysListView]	780
 [dbo].[ERPx_MFSysLogDBException]	781
 [dbo].[ERPx_MFSysObjects]	782
 [dbo].[ERPx_MFSysPreferences]	783
 [dbo].[ERPx_MFSysRecordView]	786
 [dbo].[ERPx_MFSysTable]	787

 [dbo].[ERPx_MFSysTransactionLogTables]	788
 [dbo].[ERPx_MFSysUserPreferences].....	789
 [dbo].[ERPx_MFTaxClass]	791
 [dbo].[ERPx_MFTaxClassDetail]	793
 [dbo].[ERPx_MFTaxDetail]	794
 [dbo].[ERPx_MFTaxSchedule]	796
 [dbo].[ERPx_MFTtransactionBatch]	797
 [dbo].[ERPx_MFTtransactionBatchApplication]	800
 [dbo].[ERPx_MFTtransactionBatchTransaction]	801
 [dbo].[ERPx_MFTtransactionLog].....	803
 [dbo].[ERPx_MFTtransactionLogReportFilter]	804
 [dbo].[ERPx_MFTtransactionLogReportTableGroupDetail].....	805
 [dbo].[ERPx_MFTtransactionLogReportTableGroupHeader]	807
 [dbo].[ERPx_MFTtransactionLogReportUserPreferences].....	808
 [dbo].[ERPx_MFTtransactionLogTable].....	809
 [dbo].[ERPx_MFTtransactionLogTableSQL].....	810
 [dbo].[ERPx_MFTtransactionLogTableTrackedColumns]	811
 [dbo].[ERPx_MFTtransactionStatus]	812
 [dbo].[ERPx_MFTtransactionTax].....	813
 [dbo].[ERPx_MFTtransactionTypeListView].....	814
 [dbo].[ERPx_MFTtransLog]	815
 [dbo].[ERPx_MFUser]	816
 [dbo].[ERPx_MFUserCompany]	819
 [dbo].[ERPx_MFUserDefinedField].....	821
 [dbo].[ERPx_MFUserEnumeration]	822
 [dbo].[ERPx_MFUserFormFavorite]	823
 [dbo].[ERPx_MFUserGridSettings]	825
 [dbo].[ERPx_MFUserLoginHistory].....	827
 [dbo].[ERPx_MFUserLoginRequest].....	828
 [dbo].[ERPx_MFUserSession].....	829
 [dbo].[ERPx_MFUserSessionHistory]	830
 [dbo].[ERPx_MPBOM].....	831
 [dbo].[ERPx_MPBOMClass].....	833
 [dbo].[ERPx_MPBOMCostHistory]	834
 [dbo].[ERPx_MPBOMCostItemHistory].....	835
 [dbo].[ERPx_MPBOMItem].....	836
 [dbo].[ERPx_MPBOMOutput]	838
 [dbo].[ERPx_MPBOMSite].....	839


 [dbo].[ERPx_MPPlanningItem]	840
 [dbo].[ERPx_PRBatch]	841
 [dbo].[ERPx_PRBatchDetail]	843
 [dbo].[ERPx_PRCheckbookTransaction]	845
 [dbo].[ERPx_PRCheckbookTransactionDeduction]	848
 [dbo].[ERPx_PRCClass]	849
 [dbo].[ERPx_PRCCode]	850
 [dbo].[ERPx_PRCCodeEmployee]	852
 [dbo].[ERPx_PRCCodeEmployeeSummary]	853
 [dbo].[ERPx_PRCrew]	854
 [dbo].[ERPx_PRDeduction]	855
 [dbo].[ERPx_PRDepartment]	856
 [dbo].[ERPx_PRDivision]	857
 [dbo].[ERPx_PRFedWithholdingAllowance]	858
 [dbo].[ERPx_PRPosition]	859
 [dbo].[ERPx_PRTaxBracket]	860
 [dbo].[ERPx_RS_DashboardPreferences]	861
 [dbo].[ERPx_RSMailQueue]	862
 [dbo].[ERPx_RSMailQueue_Archive]	864
 [dbo].[ERPx_RSPrinter]	866
 [dbo].[ERPx_RSPrinterQueue]	867
 [dbo].[ERPx_RSReport]	868
 [dbo].[ERPx_RSReportCompany]	870
 [dbo].[ERPx_RSReportDefinition]	871
 [dbo].[ERPx_RSReportDeployHistory]	873
 [dbo].[ERPx_RSReportForm]	874
 [dbo].[ERPx_RSReportFunctionalArea]	875
 [dbo].[ERPx_RSReportParameter]	876
 [dbo].[ERPx_RSReportParameterProfile]	878
 [dbo].[ERPx_RSReportParameterProfileValue]	879
 [dbo].[ERPx_RSReportParameterType]	880
 [dbo].[ERPx_RSReportSubscription]	881
 [dbo].[ERPx_RSReportSubscriptionParameter]	882
 [dbo].[ERPx_RSReportTrustedLocation]	883
 [dbo].[ERPx_RSReportUserFavorite]	884
 [dbo].[ERPx_RSSalesInvoice_ExecutionHistory]	885
 [dbo].[ERPx_SCContractAttribute]	887
 [dbo].[ERPx_SCContractHeader]	888

 [dbo].[ERPx_SCContractItem].....	890
 [dbo].[ERPx_SOCarrier].....	892
 [dbo].[ERPx_SOCarrierContact].....	895
 [dbo].[ERPx_SOCarrierNote].....	896
 [dbo].[ERPx_SOCarrierProperty].....	897
 [dbo].[ERPx_SOFreightTerms].....	898
 [dbo].[ERPx_SOHeaderNotes].....	900
 [dbo].[ERPx_SOInvoiceHeader].....	901
 [dbo].[ERPx_SOInvoiceHistory].....	904
 [dbo].[ERPx_SOLastReturnHistory].....	905
 [dbo].[ERPx_SOOrderHeader].....	906
 [dbo].[ERPx_SOOrderHeaderAttributes].....	914
 [dbo].[ERPx_SOOrderHeaderCertification].....	916
 [dbo].[ERPx_SOOrderHeaderHold].....	917
 [dbo].[ERPx_SOOrderHeaderNote].....	919
 [dbo].[ERPx_SOOrderHeaderShipmentTemp].....	920
 [dbo].[ERPx_SOOrderItem].....	921
 [dbo].[ERPx_SOOrderItemAttributes].....	926
 [dbo].[ERPx_SOOrderItemCertification].....	928
 [dbo].[ERPx_SOOrderItemLot].....	930
 [dbo].[ERPx_SOOrderItemLot_OriginalReservation].....	933
 [dbo].[ERPx_SOOrderItemLotNote].....	934
 [dbo].[ERPx_SOOrderItemNote].....	935
 [dbo].[ERPx_SOOrderItemSubstitution].....	937
 [dbo].[ERPx_SOOrderPending].....	939
 [dbo].[ERPx_SOOrderProperty].....	941
 [dbo].[ERPx_SOOrderStatus].....	942
 [dbo].[ERPx_SOOrderStatusRule].....	944
 [dbo].[ERPx_SOOrderType].....	946
 [dbo].[ERPx_SOOrderTypeDocument].....	948
 [dbo].[ERPx_SOSalesperson].....	953
 [dbo].[ERPx_SOTransactionTax].....	955
 [dbo].[ERPx_SPPProgramCarrier].....	957
 [dbo].[ERPx_SPPProgramClass].....	958
 [dbo].[ERPx_SPPProgramCustomerAddress].....	960
 [dbo].[ERPx_SPPProgramCustomerAddrSet].....	962
 [dbo].[ERPx_SPPProgramHeader].....	963
 [dbo].[ERPx_SPPProgramHeaderNote].....	966

 [dbo].[ERPx_SPPProgramHeaderProperty]	967
 [dbo].[ERPx_SPPProgramItemSet]	968
 [dbo].[ERPx_SPPProgramSettlementBatch]	970
 [dbo].[ERPx_SPPProgramSettlementBatchItem]	972
 [dbo].[ERPx_SPPProgramSettlementBatchPayment]	974
 [dbo].[ERPx_SPPProgramSettlementHeader]	976
 [dbo].[ERPx_SPPProgramSettlementItem]	979
 [dbo].[ERPx_SPPProgramSettlementPayment]	982
 [dbo].[ERPx_SPPProgramSite]	983
 [dbo].[ERPx_SPSettlementHeaderCurrency]	984
 [dbo].[ERPx_WKWorkflow]	986
 [dbo].[ERPx_WKWorkflowGroup]	988
 [dbo].[ERPx_WKWorkflowSite]	990
 [hist].[ERPh_IMTransactionDetail]	992
 [hist].[ERPh_IMTransactionHeader]	995
 [hist].[ERPh_LMLoadHeader]	998
 [hist].[ERPh_LMLoadTransaction]	1001
 [hist].[ERPh_LMLoadTransactionLeg]	1003
 [hist].[ERPh_SOInvoiceHeader]	1005
 [hist].[ERPh_SOOrder_SearchMetadata]	1006
 [hist].[ERPh_SOOrderHeader]	1008
 [hist].[ERPh_SOOrderItem]	1012
 [hist].[ERPh_SOOrderItemLot]	1015

NLPDev.TheNLP.com

Databases (1)

-  NS_20221128

Server Properties

Property	Value
Product	Microsoft SQL Server
Version	15.0.2095.3
Language	English (United States)
Platform	NT x64
Edition	Developer Edition (64-bit)
Engine Edition	3 (Enterprise)
Processors	4
OS Version	6.3 (17763)
Physical Memory	16384
Is Clustered	False
Root Directory	C:\Program Files\Microsoft SQL Server\MSSQL15.MSSQLSERVER\MSSQL
Collation	SQL_Latin1_General_CP1_CI_AS

Server Settings

Property	Value
Default data file path	C:\Program Files\Microsoft SQL Server\MSSQL15.MSSQLSERVER\MSSQL\DATA\
Default backup file path	C:\Program Files\Microsoft SQL Server\MSSQL15.MSSQLSERVER\MSSQL\Backup
Default log file path	C:\Program Files\Microsoft SQL Server\MSSQL15.MSSQLSERVER\MSSQL\DATA\
Recovery Interval (minutes)	0
Default index fill factor	0
Default backup media retention	0
Compress Backup	False


Advanced Server Settings

Property	Value
Full text upgrade option	2
Locks	0
Nested triggers enabled	True
Allow triggers to fire others	True

Default language	English
Network packet size	4096
Default fulltext language LCID	1033
Two-digit year cutoff	2049
Remote login timeout	10
Cursor threshold	-1
Max text replication size	65536
Parallelism cost threshold	5
Max degree of parallelism	4
Min server memory	16
Max server memory	8000
Scan for startup procs	False
Transform noise words	False
CLR enabled	False
Blocked process threshold	0
Filestream access level	False
Optimize for ad hoc workloads	False
CLR strict security	True

User databases

Databases (1)

-  NS_20221128

 **NS_20221128 Database**

 **Tables**
Objects

Name
dbo.CERPx_APVendorSyncLog
dbo.ERPx_APChillType
dbo.ERPx_APCondition
dbo.ERPx_APDeliveryTicketADFGIntegrationStatus
dbo.ERPx_APDeliveryTicketADFGLandingImportHeader
dbo.ERPx_APDeliveryTicketADFGLandingImportHeaderDiagnostic
dbo.ERPx_APDeliveryTicketADFGLandingType
dbo.ERPx_APDeliveryTicketADFGNumber
dbo.ERPx_APDeliveryTicketADFGStatus
dbo.ERPx_APDeliveryTicketAttributes
dbo.ERPx_APDeliveryTicketEligiblePremium
dbo.ERPx_APDeliveryTicketHeader
dbo.ERPx_APDeliveryTicketHeader_SearchMetadata
dbo.ERPx_APDeliveryTicketHeaderNote
dbo.ERPx_APDeliveryTicketItem
dbo.ERPx_APDeliveryTicketItemDefinition
dbo.ERPx_APDeliveryTicketItemDefinitionGroup
dbo.ERPx_APDeliveryTicketLine
dbo.ERPx_APDeliveryTicketLineCommentCode
dbo.ERPx_APDeliveryTicketLineProgram
dbo.ERPx_APDeliveryTicketMixSalmonCriteria
dbo.ERPx_APDeliveryTicketMixSalmonSplitDeliveriesTemp
dbo.ERPx_APDeliveryTicketProperty
dbo.ERPx_APDeliveryTicketRepriceCriteria
dbo.ERPx_APDeliveryTicketRepriceItemsAndPremiums
dbo.ERPx_APDeliveryTicketRSW
dbo.ERPx_APDeliveryTicketStatArea
dbo.ERPx_APDisposition
dbo.ERPx_APGear
dbo.ERPx_APGradeAttributes
dbo.ERPx_APGrades
dbo.ERPx_APManagementPrograms
dbo.ERPx_APPoAttributes
dbo.ERPx_APPoHeader

dbo.ERPx_APPOHeader_SearchMetadata
dbo.ERPx_APPoHeaderNote
dbo.ERPx_APPoHeaderProperty
dbo.ERPx_APPoLine
dbo.ERPx_APPOLine_SearchMetadata
dbo.ERPx_APPort
dbo.ERPx_APPOStatus
dbo.ERPx_APProgram
dbo.ERPx_APProgramClass
dbo.ERPx_APProgramEntity
dbo.ERPx_APSeasons
dbo.ERPx_APSettlementApplication
dbo.ERPx_APSettlementApplicationTransaction
dbo.ERPx_APSettlementTransaction
dbo.ERPx_APSpecie
dbo.ERPx_APStatAreas
dbo.ERPx_APTenNinetyNineType
dbo.ERPx_APTransaction_SearchMetadata
dbo.ERPx_APTransactionAttributes
dbo.ERPx_APTransactionClass
dbo.ERPx_APTransactionClassPriceList
dbo.ERPx_APTransactionClassProperty
dbo.ERPx_APTransactionHeader
dbo.ERPx_APTransactionHeaderProperty
dbo.ERPx_APTransactionLine
dbo.ERPx_APTransactionLine_SearchMetadata
dbo.ERPx_APTransactionMoreActionsCriteria
dbo.ERPx_APTransactionNote
dbo.ERPx_APTransactionStatus
dbo.ERPx_APTransactionTax
dbo.ERPx_APTransactionType
dbo.ERPx_APVendor
dbo.ERPx_APVendorACH
dbo.ERPx_APVendorAddress
dbo.ERPx_APVendorAttributeAssignment
dbo.ERPx_APVendorClass
dbo.ERPx_APVendorClassExcludedTransactions
dbo.ERPx_APVendorClassProperty
dbo.ERPx_APVendorContact
dbo.ERPx_APVendorExcludedTransactions
dbo.ERPx_APVendorFavorite

dbo.ERPx_APVendorInterestCalculationHeader
dbo.ERPx_APVendorInterestCalculationLine
dbo.ERPx_APVendorNote
dbo.ERPx_APVendorPermit
dbo.ERPx_APVendorPriceList
dbo.ERPx_APVendorProperty
dbo.ERPx_APVessels
dbo.ERPx_ARCustomer
dbo.ERPx_ARCustomerAddress
dbo.ERPx_ARCustomerAddressAttribute
dbo.ERPx_ARCustomerAddressNote
dbo.ERPx_ARCustomerAddrSet
dbo.ERPx_ARCustomerAddrSetRule
dbo.ERPx_ARCustomerAttribute
dbo.ERPx_ARCustomerCertification
dbo.ERPx_ARCustomerClass
dbo.ERPx_ARCustomerContact
dbo.ERPx_ARCustomerFavorite
dbo.ERPx_ARCustomerFavoriteAttributes
dbo.ERPx_ARCustomerItemSet
dbo.ERPx_ARCustomerNote
dbo.ERPx_ARCustomerPriceList
dbo.ERPx_ARCustomerSubstituteltem
dbo.ERPx_ARPaymentReceiptProperty
dbo.ERPx_ARSettlementApplication
dbo.ERPx_ARSettlementApplicationTransaction
dbo.ERPx_ARSettlementTransaction
dbo.ERPx_ARTransactionAttributes
dbo.ERPx_ARTransactionClass
dbo.ERPx_ARTransactionHeader
dbo.ERPx_ARTransactionHeaderNote
dbo.ERPx_ARTransactionLine
dbo.ERPx_ARTransactionStatus
dbo.ERPx_ARTransactionType
dbo.ERPx_CPAccrual
dbo.ERPx_CPAccrualCrop
dbo.ERPx_CPAccrualItem
dbo.ERPx_CPAccrualProperty
dbo.ERPx_CPCharge
dbo.ERPx_CPChargeCrop
dbo.ERPx_CPChargeItem

dbo.ERPx_CPChargeProperty
dbo.ERPx_CPCrop
dbo.ERPx_CPFarmer
dbo.ERPx_CPField
dbo.ERPx_CPFieldAttributes
dbo.ERPx_CPHarvester
dbo.ERPx_CPHarvestMethod
dbo.ERPx_CPHauler
dbo.ERPx_CPItem
dbo.ERPx_CPItemAttributes
dbo.ERPx_CPItemCrop
dbo.ERPx_CPItemProperty
dbo.ERPx_CPPriceListAccrual
dbo.ERPx_CPPriceListCharge
dbo.ERPx_CPPriceListHeader
dbo.ERPx_CPPriceListItem
dbo.ERPx_CPTicketAccrual
dbo.ERPx_CPTicketAttributes
dbo.ERPx_CPTicketCharge
dbo.ERPx_CPTicketContainer
dbo.ERPx_CPTicketHeader
dbo.ERPx_CPTicketHeader_SearchMetadata
dbo.ERPx_CPTicketHeaderHold
dbo.ERPx_CPTicketHeaderNote
dbo.ERPx_CPTicketHeaderProperty
dbo.ERPx_CPTicketItem
dbo.ERPx_CPTicketItem_SearchMetadata
dbo.ERPx_CPTicketItemNote
dbo.ERPx_CPTicketLineNote
dbo.ERPx_CPTicketReprice
dbo.ERPx_CPTicketRepriceCriteria
dbo.ERPx_CPTicketStatus
dbo.ERPx_CPTransactionClass
dbo.ERPx_CPTransactionClassCrop
dbo.ERPx_CPTransactionClassProperty
dbo.ERPx_CPTransactionType
dbo.ERPx_DW_FATicketHistory
dbo.ERPx_DW_FATicketItemHistory
dbo.ERPx_DW_FATicketStatAreaLineHistory
dbo.ERPx_DW_FNJournalLine
dbo.ERPx_DW_IMLotHistory

dbo.ERPx_DW_SOBillingHistory
dbo.ERPx_DW_SOItemHistory
dbo.ERPx_DWSOHeader
dbo.ERPx_DWSOItem
dbo.ERPx_GLAccount
dbo.ERPx_GLAccountClass
dbo.ERPx_GLAccountFormat
dbo.ERPx_GLAccountPeriodSummary
dbo.ERPx_GLAccountSegmentNumber
dbo.ERPx_GLACHFile
dbo.ERPx_GLCheckbookTransactionNote
dbo.ERPx_GLCheckbookTransactionProperty
dbo.ERPx_GLJournalHeader
dbo.ERPx_GLJournalHeaderNote
dbo.ERPx_GLJournalLine
dbo.ERPx_GLJournalLineDetail
dbo.ERPx_GLJournalLineType
dbo.ERPx_GLJournalMoreActionsCriteria
dbo.ERPx_GLProject
dbo.ERPx_GLProjectClass
dbo.ERPx_GLProjectModule
dbo.ERPx_GLTransactionClass
dbo.ERPx_GLTransactionStatus
dbo.ERPx_GLTransactionType
dbo.ERPx_IMBin
dbo.ERPx_IMBinBalance
dbo.ERPx_IMCertification
dbo.ERPx_IMCertificationAssignment
dbo.ERPx_IMCostGroup
dbo.ERPx_IMCountryOfOrigin
dbo.ERPx_IMCountryOfOrigin_Company
dbo.ERPx_IMCycleCountFilter
dbo.ERPx_IMCycleCountLog
dbo.ERPx_IMCycleCountTransactionLog
dbo.ERPx_IMItem
dbo.ERPx_IMItemAttributes
dbo.ERPx_IMItemClass
dbo.ERPx_IMItemClassProperty
dbo.ERPx_IMItemNote
dbo.ERPx_IMItemProperty
dbo.ERPx_IMItemSet

dbo.ERPx_IMItemSetItems
dbo.ERPx_IMItemSetRule
dbo.ERPx_IMItemType
dbo.ERPx_IMLotBalance
dbo.ERPx_IMLotBalance_SearchMetadata
dbo.ERPx_IMLotBalanceHold
dbo.ERPx_IMLotBalanceRollupLog
dbo.ERPx_IMLotBin
dbo.ERPx_IMLotClass
dbo.ERPx_IMLotCostHistory
dbo.ERPx_IMLotCostPostingLog
dbo.ERPx_IMLotNote
dbo.ERPx_IMLotOwner
dbo.ERPx_IMPalletConfiguration
dbo.ERPx_IMProductionLot
dbo.ERPx_IMProductionLotAttributeAssignment
dbo.ERPx_IMProductionLotAttributeValues
dbo.ERPx_IMProductionLotCountryOfOrigin
dbo.ERPx_IMProductionLotNote
dbo.ERPx_IMProductionLotProperty
dbo.ERPx_IMProductionOrderDetail
dbo.ERPx_IMProductionOrderHeader
dbo.ERPx_IMProductionOrderHeaderNote
dbo.ERPx_IMQualityTest
dbo.ERPx_IMQualityTestAttributeValues
dbo.ERPx_IMQualityTestStatus
dbo.ERPx_IMReceivedFrom
dbo.ERPx_IMTemplateDetail
dbo.ERPx_IMTemplateHeader
dbo.ERPx_IMTransactionAttributes
dbo.ERPx_IMTransactionClass
dbo.ERPx_IMTransactionClassPriceList
dbo.ERPx_IMTransactionClassProperty
dbo.ERPx_IMTransactionDetail
dbo.ERPx_IMTransactionDetailNote
dbo.ERPx_IMTransactionDetailPallet
dbo.ERPx_IMTransactionHeader
dbo.ERPx_IMTransactionHeaderNote
dbo.ERPx_IMTransactionHeaderProperty
dbo.ERPx_IMTransactionMoreActionsCriteria
dbo.ERPx_IMTransactionStatus

dbo.ERPx_IMTransactionType
dbo.ERPx_IMTransactionTypeDocument
dbo.ERPx_IMUOM
dbo.ERPx_IMUOMConversion
dbo.ERPx_IMUOMSchedule
dbo.ERPx_IMUOMScheduleConversion
dbo.ERPx_IMUOMScheduleConversionValue
dbo.ERPx_IMWarehouseLot
dbo.ERPx_IMWarehouseLotAllowedItems
dbo.ERPx_IMWarehouseLotAttributes
dbo.ERPx_IMWarehouseLotNote
dbo.ERPx_INTEG_Inbound
dbo.ERPx_INTEG_InboundArchive
dbo.ERPx_INTEG_InboundProcessBatch
dbo.ERPx_INTEG_InboundSupportedTransactions
dbo.ERPx_INTEG_Outbound
dbo.ERPx_INTEG_OutboundArchive
dbo.ERPx_INTEG_OutboundSupportedTransactions
dbo.ERPx_IODatabase
dbo.ERPx_IODatabaseQuery
dbo.ERPx_IODatabaseQueryPropertyHeader
dbo.ERPx_IODestination
dbo.ERPx_IOEnvelopeTemplate
dbo.ERPx_IOFile
dbo.ERPx_IOFilePropertyHeader
dbo.ERPx_IOFTP
dbo.ERPx_IOFTPPropertyHeader
dbo.ERPx_IOService
dbo.ERPx_IOServiceAuthenticationStyle
dbo.ERPx_IOServicePropertyHeader
dbo.ERPx_IOServiceRequest
dbo.ERPx_IOServiceResponse
dbo.ERPx_IOServiceResultCode
dbo.ERPx_IOSource
dbo.ERPx_IOTransfer
dbo.ERPx_IOTransferHistory
dbo.ERPx_IOTransferType
dbo.ERPx_IOTransformation
dbo.ERPx_IOTransformationType
dbo.ERPx_LMLoadAttributes
dbo.ERPx_LMLoadGroupsToProcess

dbo.ERPx_LMLoadHeader
dbo.ERPx_LMLoadHeaderNote
dbo.ERPx_LMLoadHeaderProperty
dbo.ERPx_LMLoadOrderNote
dbo.ERPx_LMLoadSOOrder
dbo.ERPx_LMLoadTransaction
dbo.ERPx_LMLoadTransactionBOLHistory
dbo.ERPx_LMLoadTransactionContainer
dbo.ERPx_LMLoadTransactionLeg
dbo.ERPx_LMLoadTransactionLegBalanceDetail
dbo.ERPx_LMLoadTransactionLegNote
dbo.ERPx_LMLoadTransactionLegPayment
dbo.ERPx_LMTruck
dbo.ERPx_MFActions
dbo.ERPx_MFActionsDataField
dbo.ERPx_MFActionsForm
dbo.ERPx_MFActionsType
dbo.ERPx_MFAddress
dbo.ERPx_MFAddressNote
dbo.ERPx_MFAgingPeriods
dbo.ERPx_MFAPILog
dbo.ERPx_MFAPIRequests
dbo.ERPx_MFAttribute
dbo.ERPx_MFAttribute_APDeliveryTicketHeader
dbo.ERPx_MFAttribute_APGrade
dbo.ERPx_MFAttribute_APPoHeader
dbo.ERPx_MFAttribute_APTransactionHeader
dbo.ERPx_MFAttribute_APTransactionHeader_FA
dbo.ERPx_MFAttribute_APVendor
dbo.ERPx_MFAttribute_ARCustomer
dbo.ERPx_MFAttribute_ARCustomerAddress
dbo.ERPx_MFAttribute_ARCustomerFavorite
dbo.ERPx_MFAttribute_ARTransactionHeader
dbo.ERPx_MFAttribute_CPField
dbo.ERPx_MFAttribute_CPIItem
dbo.ERPx_MFAttribute_CPTicketHeader
dbo.ERPx_MFAttribute_IMItem
dbo.ERPx_MFAttribute_IMPProductionLot
dbo.ERPx_MFAttribute_IMQualityTest
dbo.ERPx_MFAttribute_IMTransactionHeader
dbo.ERPx_MFAttribute_IMWarehouseLot

dbo.ERPx_MFAttribute_LMLoadHeader
dbo.ERPx_MFAttribute_SCContractHeader
dbo.ERPx_MFAttribute_SOOrderHeader
dbo.ERPx_MFAttribute_SOOrderItem
dbo.ERPx_MFAttributeClass
dbo.ERPx_MFAttributeClassAttribute
dbo.ERPx_MFAttributeReservedNames
dbo.ERPx_MFAttributeType
dbo.ERPx_MFAttributeTypeDefinition
dbo.ERPx_MFAttributeValue
dbo.ERPx_MFCertification_IMProductionLot
dbo.ERPx_MFCertificationSetup_IMItem
dbo.ERPx_MFCertificationSetup_MFSite
dbo.ERPx_MFCheckbook
dbo.ERPx_MFCheckbookDetail
dbo.ERPx_MFCheckbookReconciliation
dbo.ERPx_MFCheckbookTransaction
dbo.ERPx_MFContactType
dbo.ERPx_MFContactTypeReportMapping
dbo.ERPx_MFContactTypeReportMappingDistributionFilter
dbo.ERPx_MFContactTypeReportMappingTypeDocumentStatus
dbo.ERPx_MFContactTypeReportMappingWorkflowList
dbo.ERPx_MFCurrency
dbo.ERPx_MFCurrencyExchange
dbo.ERPx_MFCurrencyExchangeRate
dbo.ERPx_MFDataEntityAccess
dbo.ERPx_MFDataEntityCompany
dbo.ERPx_MFDataEntityCompanyCurrency
dbo.ERPx_MFDataEntityCompanyCurrencyExchange
dbo.ERPx_MFDataEntityCompanySystem
dbo.ERPx_MFDataEntityType
dbo.ERPx_MFDBVersion
dbo.ERPx_MFDBVersionInstallation
dbo.ERPx_MFEmployee
dbo.ERPx_MFException
dbo.ERPx_MFExceptionDetail
dbo.ERPx_MFExceptionGroup
dbo.ERPx_MFExportFile
dbo.ERPx_MFFiscalPeriod
dbo.ERPx_MFFiscalYear
dbo.ERPx_MFFunctionalArea

dbo.ERPx_MFHoldAvailableControl
dbo.ERPx_MFHoldCode
dbo.ERPx_MFHoldCodeControl
dbo.ERPx_MFHoldCodeOverrideUser
dbo.ERPx_MFImport
dbo.ERPx_MFImportColumn
dbo.ERPx_MFImportTemplate
dbo.ERPx_MFImportTemplateOwnership
dbo.ERPx_MFLoadScript
dbo.ERPx_MFMassUpdateSettings
dbo.ERPx_MFMessageQueue
dbo.ERPx_MFModule
dbo.ERPx_MFModuleForm
dbo.ERPx_MFModuleFormControl
dbo.ERPx_MFModuleFormPage
dbo.ERPx_MFModuleFormUserFavorite
dbo.ERPx_MFModuleTransaction
dbo.ERPx_MFNoteEditorToolbarGroup
dbo.ERPx_MFNoteType
dbo.ERPx_MFNoteTypeReasonCode
dbo.ERPx_MFPaymentTerms
dbo.ERPx_MFPriceListFormulaStep
dbo.ERPx_MFPriceListHeader
dbo.ERPx_MFPriceListItem
dbo.ERPx_MFPriceListItemHistory
dbo.ERPx_MFPriceListNote
dbo.ERPx_MFPrintFilter
dbo.ERPx_MFProcessMailQueueLog
dbo.ERPx_MFPropertyDefinition
dbo.ERPx_MFSecurityGroup
dbo.ERPx_MFSecurityGroupAccess
dbo.ERPx_MFSecurityGroupUser
dbo.ERPx_MFServiceBrokerLogs
dbo.ERPx_MFShift
dbo.ERPx_MFSite
dbo.ERPx_MFSiteContact
dbo.ERPx_MFSiteLine
dbo.ERPx_MFSiteNote
dbo.ERPx_MFSiteRelatedSite
dbo.ERPx_MFSiteShift
dbo.ERPx_MFSpecialCharacters

dbo.ERPx_MFSysAccountingRule
dbo.ERPx_MFSysEnumeration
dbo.ERPx_MFSysLicense
dbo.ERPx_MFSysListView
dbo.ERPx_MFSysLogDBException
dbo.ERPx_MFSysObjects
dbo.ERPx_MFSysPreferences
dbo.ERPx_MFSysRecordView
dbo.ERPx_MFSysTable
dbo.ERPx_MFSysTransactionLogTables
dbo.ERPx_MFSysUserPreferences
dbo.ERPx_MFTaxClass
dbo.ERPx_MFTaxClassDetail
dbo.ERPx_MFTaxDetail
dbo.ERPx_MFTaxSchedule
dbo.ERPx_MFTtransactionBatch
dbo.ERPx_MFTtransactionBatchApplication
dbo.ERPx_MFTtransactionBatchTransaction
dbo.ERPx_MFTtransactionLog
dbo.ERPx_MFTtransactionLogReportFilter
dbo.ERPx_MFTtransactionLogReportTableGroupDetail
dbo.ERPx_MFTtransactionLogReportTableGroupHeader
dbo.ERPx_MFTtransactionLogReportUserPreferences
dbo.ERPx_MFTtransactionLogTable
dbo.ERPx_MFTtransactionLogTableSQL
dbo.ERPx_MFTtransactionLogTableTrackedColumns
dbo.ERPx_MFTtransactionStatus
dbo.ERPx_MFTtransactionTax
dbo.ERPx_MFTtransactionTypeListView
dbo.ERPx_MFTtransLog
dbo.ERPx_MFUser
dbo.ERPx_MFUserCompany
dbo.ERPx_MFUserDefinedField
dbo.ERPx_MFUserEnumeration
dbo.ERPx_MFUserFormFavorite
dbo.ERPx_MFUserGridSettings
dbo.ERPx_MFUserLoginHistory
dbo.ERPx_MFUserLoginRequest
dbo.ERPx_MFUserSession
dbo.ERPx_MFUserSessionHistory
dbo.ERPx_MPBOM


dbo.ERPx_MPBOMClass
dbo.ERPx_MPBOMCostHistory
dbo.ERPx_MPBOMCostItemHistory
dbo.ERPx_MPBOMItem
dbo.ERPx_MPBOMOutput
dbo.ERPx_MPBOMSite
dbo.ERPx_MPPlanningItem
dbo.ERPx_PRBatch
dbo.ERPx_PRBatchDetail
dbo.ERPx_PRCheckbookTransaction
dbo.ERPx_PRCheckbookTransactionDeduction
dbo.ERPx_PRCClass
dbo.ERPx_PRCCode
dbo.ERPx_PRCCodeEmployee
dbo.ERPx_PRCCodeEmployeeSummary
dbo.ERPx_PRCrew
dbo.ERPx_PRDeduction
dbo.ERPx_PRDepartment
dbo.ERPx_PRDivision
dbo.ERPx_PRFedWithholdingAllowance
dbo.ERPx_PRPosition
dbo.ERPx_PRTaxBracket
dbo.ERPx_RS_DashboardPreferences
dbo.ERPx_RSMailQueue
dbo.ERPx_RSMailQueue_Archive
dbo.ERPx_RSPrinter
dbo.ERPx_RSPrinterQueue
dbo.ERPx_RSReport
dbo.ERPx_RSReportCompany
dbo.ERPx_RSReportDefinition
dbo.ERPx_RSReportDeployHistory
dbo.ERPx_RSReportForm
dbo.ERPx_RSReportFunctionalArea
dbo.ERPx_RSReportParameter
dbo.ERPx_RSReportParameterProfile
dbo.ERPx_RSReportParameterProfileValue
dbo.ERPx_RSReportParameterType
dbo.ERPx_RSReportSubscription
dbo.ERPx_RSReportSubscriptionParameter
dbo.ERPx_RSReportTrustedLocation
dbo.ERPx_RSReportUserFavorite

dbo.ERPx_RSSalesInvoice_ExecutionHistory
dbo.ERPx_SCContractAttribute
dbo.ERPx_SCContractHeader
dbo.ERPx_SCContractItem
dbo.ERPx_SOCarrier
dbo.ERPx_SOCarrierContact
dbo.ERPx_SOCarrierNote
dbo.ERPx_SOCarrierProperty
dbo.ERPx_SOFreightTerms
dbo.ERPx_SOHeaderNotes
dbo.ERPx_SOInvoiceHeader
dbo.ERPx_SOInvoiceHistory
dbo.ERPx_SOLastReturnHistory
dbo.ERPx_SOOrderHeader
dbo.ERPx_SOOrderHeaderAttributes
dbo.ERPx_SOOrderHeaderCertification
dbo.ERPx_SOOrderHeaderHold
dbo.ERPx_SOOrderHeaderNote
dbo.ERPx_SOOrderHeaderShipmentTemp
dbo.ERPx_SOOrderItem
dbo.ERPx_SOOrderItemAttributes
dbo.ERPx_SOOrderItemCertification
dbo.ERPx_SOOrderItemLot
dbo.ERPx_SOOrderItemLot_OriginalReservation
dbo.ERPx_SOOrderItemLotNote
dbo.ERPx_SOOrderItemNote
dbo.ERPx_SOOrderItemSubstitution
dbo.ERPx_SOOrderPending
dbo.ERPx_SOOrderProperty
dbo.ERPx_SOOrderStatus
dbo.ERPx_SOOrderStatusRule
dbo.ERPx_SOOrderType
dbo.ERPx_SOOrderTypeDocument
dbo.ERPx_SOSalesperson
dbo.ERPx_SOTransactionTax
dbo.ERPx_SPPProgramCarrier
dbo.ERPx_SPPProgramClass
dbo.ERPx_SPPProgramCustomerAddress
dbo.ERPx_SPPProgramCustomerAddrSet
dbo.ERPx_SPPProgramHeader
dbo.ERPx_SPPProgramHeaderNote

dbo.ERPx_SPPProgramHeaderProperty
dbo.ERPx_SPPProgramItemSet
dbo.ERPx_SPPProgramSettlementBatch
dbo.ERPx_SPPProgramSettlementBatchItem
dbo.ERPx_SPPProgramSettlementBatchPayment
dbo.ERPx_SPPProgramSettlementHeader
dbo.ERPx_SPPProgramSettlementItem
dbo.ERPx_SPPProgramSettlementPayment
dbo.ERPx_SPPProgramSite
dbo.ERPx_SPSettlementHeaderCurrency
dbo.ERPx_WKWorkflow
dbo.ERPx_WKWorkflowGroup
dbo.ERPx_WKWorkflowSite
hist.ERPh_IMTransactionDetail
hist.ERPh_IMTransactionHeader
hist.ERPh_LMLoadHeader
hist.ERPh_LMLoadTransaction
hist.ERPh_LMLoadTransactionLeg
hist.ERPh_SOInvoiceHeader
hist.ERPh_SOOrder_SearchMetadata
hist.ERPh_SOOrderHeader
hist.ERPh_SOOrderItem
hist.ERPh_SOOrderItemLot

 [dbo].[CERPx_APVendorSyncLog]

Columns




Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity	Default
	VendorSyncLogSK	bigint	8	NOT NULL	1 - 1	
	LogId	uniqueidentifier	16	NOT NULL		
	Operation	varchar(100)	100	NOT NULL		
	VendorSksToProcess	varchar(1000)	1000	NULL allowed		
	AdditionalInfo	varchar(max)	max	NULL allowed		
	VendorXML	xml	max	NULL allowed		
	CreatedDateTime	datetime	8	NULL allowed		(getdate())
	CreatedBy	varchar(150)	150	NOT NULL		

Indexes


Key	Name	Key Columns	Unique
	PK_CERPx_APVendorSyncLog	VendorSyncLogSK	True

 **[dbo].[ERPx_APChillType]**

Columns

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity	Default
	ChillTypeSK	bigint	8	NOT NULL	1 - 1	
	ChillTypeID	varchar(20)	20	NOT NULL		
	ChillTypeDescription	varchar(100)	100	NOT NULL		
	IsInactive	bit	1	NOT NULL		((0))
	LastUpdated	datetime	8	NOT NULL		
	LastUser	varchar(100)	100	NOT NULL		
	DataEntityCompanySK	bigint	8	NOT NULL		

Indexes

Key	Name	Key Columns	Unique
	PK_ERPx_APChillType	ChillTypeSK	True
	IX_ERPx_APChillType	ChillTypeID, DataEntityCompanySK	True

Foreign Keys

Name	Columns
FK_ERPx_APChillType_ERPx_MFDataEntity-Company	DataEntityCompanySK->[dbo].[ERPx_MFDataEntityCompany].[DataEntity-CompanySK]

Uses

[dbo].[ERPx_MFDataEntityCompany]


Used By

[dbo].[ERPx_APDeliveryTicketHeader]
 [dbo].[IQx_APSEL_TicketLinelist]
 [dbo].[IQx_APSEL_TicketList]
 [dbo].[IQx_APSEL_TicketStatAreaLinelist]
 [dbo].[SPx_APSEL_ChillType]
 [dbo].[SPx_APSEL_ChillTypeLookup]
 [dbo].[SPx_APSEL_ProgramChillTypeLookup]
 [dbo].[SPx_APSEL_ProgramPremiumEntityChillType]
 [dbo].[SPx_APSEL_ProgramTaxEntityChillType]
 [dbo].[SPx_APSEL_TicketLinelist]
 [dbo].[SPx_APSEL_TicketList]




[dbo].[SPx_APSEL_TransactionMoreActionsTicketList]

[dbo].[SPx_APUUpdate_ChillType]


[dbo].[SPx_INTEG_NSAPDeliveryTicket_XML]

 **[dbo].[ERPx_APCondition]**

Columns

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity
	ConditionSK	bigint	8	NOT NULL	1 - 1
	ConditionID	varchar(20)	20	NOT NULL	
	ConditionName	varchar(100)	100	NOT NULL	
	PrimaryAncillary	varchar(20)	20	NOT NULL	
	IsInactive	bit	1	NOT NULL	
	LastUpdated	datetime	8	NOT NULL	
	LastUser	varchar(100)	100	NOT NULL	
	DataEntityCompanySK	bigint	8	NOT NULL	

Indexes

Key	Name	Key Columns	Unique
	PK_ERPx_APCondition	ConditionSK	True
	IX_ERPx_APCondition	ConditionID, DataEntityCompanySK	True

Foreign Keys

Name	Columns
FK_ERPx_APCondition_ERPx_MFDataEntity-Company	DataEntityCompanySK->[dbo].[ERPx_MFDataEntityCompany].[DataEntity-CompanySK]

Uses

[dbo].[ERPx_MFDataEntityCompany]


Used By

[dbo].[ERPx_APDeliveryTicketItem]
 [dbo].[IQx_APSEL_TicketLinelist]
 [dbo].[IQx_APSEL_TicketStatAreaLinelist]
 [dbo].[SPx_APPProcess_DeliveryTicket]
 [dbo].[SPx_APSEL_ConditionList]
 [dbo].[SPx_APSEL_DeliveryTicketConditionLookup]
 [dbo].[SPx_APSEL_DeliveryTicketItem]
 [dbo].[SPx_APSEL_DeliveryTicketItem_ConditionLookup]
 [dbo].[SPx_APSEL_DeliveryTicketItem_SoldConditionLookup]
 [dbo].[SPx_APSEL_DeliveryTicketLine]

[dbo].[SPx_APSEL_DeliveryTicketPremium]
[dbo].[SPx_APSEL_DeliveryTicketReprice_ConditionLookup]
[dbo].[SPx_APSEL_DeliveryTicketRepriceItemlist]
[dbo].[SPx_APSEL_DeliveryTicketRepricePremiumlist]
[dbo].[SPx_APSEL_DeliveryTicketSplitLine]
[dbo].[SPx_APSEL_DeliveryTicketTax]
[dbo].[SPx_APSEL_TicketLinelist]
[dbo].[SPx_APUPD_DeliveryTicketADFGGLandingIntegrationStatus]
[dbo].[SPx_APUUpdate_Condition]
[dbo].[SPx_APUUpdate_DeliveryTicketItem]
[dbo].[SPx_INTEG_NSAPDeliveryTicket_XML]
[dbo].[SPx_MFDEL_DeleteCompany]
[dbo].[SPx_MFSEL_FAPreferences]
[dbo].[SPx_MFSEL_PriceListItemList]
[dbo].[SPx_MFUpdate_MassUpdate]

 [dbo].[ERPx_APDeliveryTicketADFGIntegrationStatus]

Columns

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity
	ADFGIntegrationStatusSK	bigint	8	NOT NULL	1 - 1
	StatusDescription	varchar(50)	50	NOT NULL	
	Sort	bigint	8	NOT NULL	

Indexes


Key	Name	Key Columns	Unique
	PK_ERPx_APDeliveryTicketADFGIntegrationStatus	ADFGIntegrationStatusSK	True

Used By

[dbo].[ERPx_APDeliveryTicketHeader]
[dbo].[SPx_APSEL_DeliveryTicketADFGIntegrationStatusLookup]
[dbo].[SPx_APSEL_DeliveryTicketList]
[dbo].[SPx_MFDEL_DeleteCompany]

 [dbo].[ERPx_APDeliveryTicketADFGLandingImportHeader]

Columns

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity	Default
	ADFGLandingSK	bigint	8	NOT NULL	1 - 1	
	LandingReportID	varchar(50)	50	NOT NULL		
	ADFGLandingTypeID	varchar(1)	1	NULL allowed		
	VesselID	varchar(10)	10	NULL allowed		
	LandingDate	datetime	8	NULL allowed		
	LandingPortID	varchar(20)	20	NULL allowed		
	ProcessorID	varchar(50)	50	NULL allowed		
	CrabReceiver	varchar(50)	50	NULL allowed		
	ADFGLandingStatusID	varchar(3)	3	NULL allowed		
	IsChumPercentageEligible	bit	1	NOT NULL		((0))
	LastChangeDateTime	datetime	8	NULL allowed		
	LastChangeUserID	varchar(50)	50	NULL allowed		
	DataEntrySubmitDateTime	datetime	8	NULL allowed		
	DataEntrySubmitOrganization	varchar(200)	200	NULL allowed		
	DataEntrySubmitUserID	varchar(50)	50	NULL allowed		
	IsImportedToNorthScope	bit	1	NOT NULL		((0))
	LastUpdated	datetime	8	NOT NULL		(getdate())
	LastUser	varchar(150)	150	NOT NULL		
	DataEntityCompanySK	bigint	8	NOT NULL		
	ADFGLandingStatusName	varchar(50)	50	NULL allowed		
	CountFishTicket	bigint	8	NOT NULL		((0))
	TenderVesselID	varchar(50)	50	NULL allowed		

Indexes


Key	Name	Key Columns	Unique
	PK_ERPx_APDeliveryLandingImportHeader	ADFGLandingSK	True

Used By


[dbo].[SPx_APDEL_DeliveryTicketADFGLandingImportHeader]
 [dbo].[SPx_APSEL_DeliveryTicketADFGLandingImportHeaderList]
 [dbo].[SPx_INTEG_NSAPDeliveryTicket_XML]
 [dbo].[SPx_INTEG_NSAPDeliveryTicketADFGLandingHeader_XML]
 [dbo].[SPx_MFDEL_DeleteCompany]

[dbo].[ERPx_APDeliveryTicketADFGGLandingImportHeaderDiagnostic]

Columns

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity
	RowNum	bigint	8	NOT NULL	1 - 1
	Username	varchar(50)	50	NULL allowed	
	FishTicketNumber	varchar(50)	50	NULL allowed	
	TenderBatchNumber	varchar(50)	50	NULL allowed	
	ADFGResponseText	varchar(max)	max	NULL allowed	
	RequestStartDateTime	datetime	8	NULL allowed	
	RequestEndDateTime	datetime	8	NULL allowed	

Indexes


Key	Name	Key Columns	Unique
	PK_ERPx_APDeliveryTicketADFGGLandingImportHeaderDiagnostic	RowNum	True

Used By

[dbo].[SPx_APINS_DeliveryTicketADFGHeaderDiagnostic]
[dbo].[SPx_APUdate_DeliveryTicketADFGHeaderDiagnosticBatch]

 **[dbo].[ERPx_APDeliveryTicketADFGGLandingType]**

Columns

Key	Name	Data Type	Max Length (Bytes)	Nullability
	LandingTypeID	varchar(1)	1	NOT NULL
	LandingTypeName	varchar(50)	50	NOT NULL


Indexes

Key	Name	Key Columns	Unique
	PK_ERPx_APDeliveryTicketADFGGLandingType	LandingTypeID	True

Used By

[dbo].[SPx_APSEL_DeliveryTicketADFGAvailableNumbers]
 [dbo].[SPx_APSEL_DeliveryTicketADFGGLandingImportHeaderList]
 [dbo].[SPx_APSEL_DeliveryTicketADFGGLandingTypeList]
 [dbo].[SPx_APSEL_TicketClassList]
 [dbo].[SPx_APSEL_TicketClassRecordProperties]
 [dbo].[SPx_MFDEL_DeleteCompany]

 **[dbo].[ERPx_APDeliveryTicketADFGNumber]**
Columns


Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity	Default
	ADFGNumberSK	bigint	8	NOT NULL	1 - 1	
	ADFGLandingTypeID	varchar(1)	1	NULL allowed		
	ADFGNumber	varchar(50)	50	NOT NULL		
	IsLandingNumber	bit	1	NOT NULL		((0))
	IsDeliveryTicketNumber	bit	1	NOT NULL		((0))
	IsUsed	bit	1	NOT NULL		((0))
	RetrievedByUserSK	bigint	8	NOT NULL		
	LastUpdated	datetime	8	NOT NULL		(getdate())
	LastUser	varchar(150)	150	NOT NULL		
	DataEntityCompanySK	bigint	8	NOT NULL		

Indexes



Key	Name	Key Columns	Unique
	PK_ERPx_APDeliveryTicketADFGNumber	ADFGNumberSK	True

Used By

[dbo].[SPx_APPProcess_DeliveryTicket]
 [dbo].[SPx_APSEL_DeliveryTicketADFGAvailableNumbers]
 [dbo].[SPx_APUUpdate_NewDeliveryTicket]
 [dbo].[SPx_INTEG_NSAPDeliveryTicketADFGDeliveryTicketNumber_XML]
 [dbo].[SPx_INTEG_NSAPDeliveryTicketADFGLandingNumber_XML]
 [dbo].[SPx_MFDEL_DeleteCompany]

 [dbo].[ERPx_APDeliveryTicketADFGStatus]

Columns

Key	Name	Data Type	Max Length (Bytes)	Nullability
 	TransactionStatusSK	bigint	8	NOT NULL
	ADFGStatusID	int	4	NOT NULL




Indexes

Key	Name	Key Columns	Unique
 	PK_ERPx_APDeliveryTicketADFGStatus	TransactionStatusSK	True


Used By

[dbo].[SPx_MFDEL_DeleteCompany]

[dbo].[ERPx_APDeliveryTicketAttributes]**Columns**

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity
	DeliveryTicketAttributeSK	bigint	8	NOT NULL	1 - 1
	DeliveryTicketHeaderSK	bigint	8	NOT NULL	
	AttributeSK	bigint	8	NOT NULL	
	AttributeValue	varchar(200)	200	NULL allowed	
	DataEntityCompanySK	bigint	8	NOT NULL	

Indexes

Key	Name	Key Columns	Unique
	PK_ERPx_APDeliveryTicketAttributes	DeliveryTicketAttributeSK	True
	UK_ERPx_APDeliveryTicketAttributes_DeliveryTicketHeaderSK_AttributeSK	DeliveryTicketHeaderSK, AttributeSK	True

Foreign Keys

Name	No Check	Columns
FK_ERPx_APDeliveryTicketAttributes_ERPx_APDeliveryTicketHeader	True	DeliveryTicketHeaderSK->[dbo].[ERPx_APDeliveryTicketHeader].[DeliveryTicketHeaderSK]
FK_ERPx_APDeliveryTicketAttributes_ERPx_MFAttribute		AttributeSK->[dbo].[ERPx_MFAttribute].[AttributeSK]





Uses

[dbo].[ERPx_APDeliveryTicketHeader]
[dbo].[ERPx_MFAttribute]


Used By

[dbo].[SPx_APPProcess_DeliveryTicket]
[dbo].[SPx_APSEL_DeliveryTicketAttributeList]
[dbo].[SPx_APUUpdate_DeliveryTicketReprice]
[dbo].[SPx_APUUpdate_DuplicateTransaction]
[dbo].[SPx_MFDEL_Attribute]

[dbo].[ERPx_APDeliveryTicketEligiblePremium]**Columns**

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity	Default
	DeliveryTicketEligiblePremiumSK	bigint	8	NOT NULL	1 - 1	
	DeliveryTicketHeaderSK	bigint	8	NOT NULL		
	APPProgramSK	bigint	8	NOT NULL		
	LastUpdated	datetime	8	NOT NULL		(getdate())
	LastUser	varchar(150)	150	NOT NULL		
	DataEntityCompanySK	bigint	8	NOT NULL		

Indexes

Key	Name	Key Columns	Unique
	PK_ERPx_APDeliveryTicketEligiblePremium	DeliveryTicketEligiblePremiumSK	True
	IX_ERPx_APDeliveryTicketEligiblePremium	DeliveryTicketHeaderSK, APPProgramSK	True

Foreign Keys

Name	Columns
FK_ERPx_APDeliveryTicketEligiblePremium_ERPx_APDeliveryTicketHeader	DeliveryTicketHeaderSK->[dbo].[ERPx_APDeliveryTicketHeader].[DeliveryTicketHeaderSK]
FK_ERPx_APDeliveryTicketEligiblePremium_ERPx_APPProgram	APPProgramSK->[dbo].[ERPx_APPProgram].[APPProgramSK]
FK_ERPx_APDeliveryTicketEligiblePremium_ERPx_MFDataEntityCompany	DataEntityCompanySK->[dbo].[ERPx_MFDataEntityCompany].[DataEntityCompanySK]

Uses

[dbo].[ERPx_APDeliveryTicketHeader]
 [dbo].[ERPx_APPProgram]
 [dbo].[ERPx_MFDataEntityCompany]

Used By





[dbo].[SPx_APPProcess_DeliveryTicket]
 [dbo].[SPx_APSEL_DeliveryTicketHeader]
 [dbo].[SPx_APUUpdate_DeliveryTicket]
 [dbo].[SPx_APUUpdate_DeliveryTicketProgramRollup]
 [dbo].[SPx_APUUpdate_DeliveryTicketReprice]
 [dbo].[SPx_APUUpdate_DuplicateTransaction]







[dbo].[SPx_MFDEL_DeleteCompany]

[dbo].[SPx_MFUpdate_MassUpdate]

[dbo].[ERPx_APDeliveryTicketHeader]**Columns**

Key	Name	Data Type	Persisted	Computed	Max Length (Bytes)	Nullability	Identity	Default
	DeliveryTicketHeaderSK	bigint			8	NOT NULL	1 - 1	
	MasterNumber	bigint	True	True	8	NOT NULL		
	MasterNumberOverride	bigint			8	NULL allowed		
	Version	bigint			8	NULL allowed		
	TotalAmount	numeric(18,5)			9	NULL allowed		((0.00))
	TotalPremiumAmount	numeric(18,5)			9	NULL allowed		((0))
	TotalGrossAmount	numeric(18,5)			9	NULL allowed		((0))
	TotalTaxAmount	numeric(18,5)			9	NULL allowed		((0))
	TotalNetAmount	numeric(18,5)			9	NULL allowed		
	LastUpdated	datetime			8	NOT NULL		
	LastUser	varchar(150)			150	NOT NULL		
	DataEntityCompanySK	bigint			8	NOT NULL		
	PreviousVersionDelivery-TicketHeaderSK	bigint			8	NULL allowed		
	PermitHolderVendorSK	bigint			8	NULL allowed		
	VesselSK	bigint			8	NULL allowed		
	TransactionClassSK	bigint			8	NULL allowed		
	TicketNumber	varchar(50)			50	NULL allowed		
	TicketDate	date			3	NULL allowed		
	VendorPermitSK	bigint			8	NULL allowed		
	CrewSize	smallint			2	NULL allowed		
	TenderDeliveredVendorSK	bigint			8	NULL allowed		
	TenderBuyerVendorSK	bigint			8	NULL allowed		
	FishingBegan	datetime			8	NULL		


						allowed		
	DaysFished	smallint			2	NULL allowed		
	DeliveryNumber	varchar(50)			50	NULL allowed		
	TransactionStatusSK	bigint			8	NULL allowed		
	NumberObservers	smallint			2	NULL allowed		
	DiscardReportEN	bigint			8	NULL allowed		
	Headland	varchar(200)			200	NULL allowed		
	LandingNumber	varchar(50)			50	NULL allowed		
	LandingTime	varchar(20)			20	NULL allowed		
	PartialDelivery	bit			1	NOT NULL		((0))
	SeasonSK	bigint			8	NULL allowed		
	CustomProcessorID	varchar(200)			200	NULL allowed		
	Source	varchar(20)			20	NULL allowed		
	FederalPermitNumber	varchar(20)			20	NULL allowed		
	PortSK	bigint			8	NULL allowed		
	ProcessorID	varchar(10)			10	NULL allowed		
	RegisteredBuyer	varchar(10)			10	NULL allowed		
	RegisteredCrabReceiver	varchar(10)			10	NULL allowed		
	ManagementProgramSK	bigint			8	NULL allowed		
	CFECID	varchar(50)			50	NULL allowed		
	GLDate	date			3	NULL allowed		
	RepriceComment	varchar(200)			200	NULL allowed		
	DeliveryTicketVersion- TypeEN	bigint			8	NULL allowed		((1))
	LastDeliveryForTrip	bit			1	NOT NULL		((0))
	MultipleIFQPermits	bit			1	NOT NULL		((0))
	ManuallFQReport	bit			1	NOT NULL		((0))
	DualPermit	bit			1	NOT NULL		((0))
	OutOfState	bit			1	NOT NULL		((0))
	Floating	bit			1	NOT NULL		((0))

	Slide	bit			1	NOT NULL		((0))
	FishingPeriod	varchar(20)			20	NULL allowed		
	MovedToAvoidSalmon	bit			1	NOT NULL		((0))
	CQEDelivery	bit			1	NOT NULL		((0))
	MagStripeRead	bit			1	NOT NULL		((0))
	ADFGIntegrationStatusSK	bigint			8	NULL allowed		
	ELandingStatusEN	bigint			8	NULL allowed		
	PaperTicketNumber	varchar(50)			50	NULL allowed		
	FishermanAccountVendor-SK	bigint			8	NULL allowed		
	SiteProcessedSiteSK	bigint			8	NULL allowed		
	CreatedDate	datetime			8	NULL allowed		
	CreatedBy	varchar(150)			150	NULL allowed		
	PostedDate	datetime			8	NULL allowed		
	DualPermitVendorPermit-SK	bigint			8	NULL allowed		
	ChillTypeSK	bigint			8	NULL allowed		
	DockDeliveryEN	bigint			8	NOT NULL		((1))
	PriceListHeaderSK	bigint			8	NULL allowed		
	DeliveryDate	date			3	NULL allowed		
	CurrencySK	bigint			8	NULL allowed		
	BuyingStationName	varchar(100)			100	NULL allowed		
	TotalFishermanTaxAmount	numeric(18,5)			9	NOT NULL		((0))
	TotalCompanyTaxAmount	numeric(18,5)			9	NOT NULL		((0))
	TotalNetWeight	numeric(18,5)			9	NOT NULL		((0))
	TotalUnits	numeric(18,5)			9	NOT NULL		((0))
	SplitFromDeliveryTicket-HeaderSK	bigint			8	NULL allowed		

Computed columns

Name	Column definition
MasterNumber	(isnull([MasterNumberOverride],[DeliveryTicketHeaderSK]))

Indexes

Key	Name	Key Columns	Unique
	PK_ERPx_APDeliveryTicketHeader	DeliveryTicketHeaderSK	True
	IX_ERPx_APDeliveryTicketHeader	Version, MasterNumber	True

Foreign Keys

Name	Columns
FK_ERPx_APDeliveryTicketHeader_ERPx_APChill-Type	ChillTypeSK->[dbo].[ERPx_APChillType].[ChillTypeSK]
FK_ERPx_APDeliveryTicketHeader_ERPx_APDeliveryTicketADFGIntegrationStatus	ADFGIntegrationStatusSK->[dbo].[ERPx_APDeliveryTicket-ADFGIntegrationStatus].[ADFGIntegrationStatusSK]
FK_ERPx_APDeliveryTicketHeader_ERPx_APMangementPrograms	ManagementProgramSK->[dbo].[ERPx_APMangement-Programs].[ManagementProgramSK]
FK_ERPx_APDeliveryTicketHeader_ERPx_APPort	PortSK->[dbo].[ERPx_APPort].[PortSK]
FK_ERPx_APDeliveryTicketHeader_ERPx_APSeasons	SeasonSK->[dbo].[ERPx_APSeasons].[SeasonSK]
FK_ERPx_APDeliveryTicketHeader_ERPx_APTransactionClass	TransactionClassSK->[dbo].[ERPx_APTransactionClass].[Transaction-ClassSK]
FK_ERPx_APDeliveryTicketHeader_ERPx_APTransactionStatus	TransactionStatusSK->[dbo].[ERPx_APTransactionStatus].[Transaction-StatusSK]
FK_ERPx_APDeliveryTicketHeader_ERPx_APVendor	PermitHolderVendorSK->[dbo].[ERPx_APVendor].[VendorSK]
FK_ERPx_APDeliveryTicketHeader_ERPx_APVendor1	TenderDeliveredVendorSK->[dbo].[ERPx_APVendor].[VendorSK]
FK_ERPx_APDeliveryTicketHeader_ERPx_APVendor2	TenderBuyerVendorSK->[dbo].[ERPx_APVendor].[VendorSK]
FK_ERPx_APDeliveryTicketHeader_ERPx_APVendor4	FishermanAccountVendorSK->[dbo].[ERPx_APVendor].[VendorSK]
FK_ERPx_APDeliveryTicketHeader_ERPx_APVendor-Permit	VendorPermitSK->[dbo].[ERPx_APVendorPermit].[VendorPermitSK]
FK_ERPx_APDeliveryTicketHeader_ERPx_APVendor-Permit1	DualPermitVendorPermitSK->[dbo].[ERPx_APVendorPermit].[Vendor-PermitSK]
FK_ERPx_APDeliveryTicketHeader_ERPx_MFCurrency	CurrencySK->[dbo].[ERPx_MFCurrency].[CurrencySK]
FK_ERPx_APDeliveryTicketHeader_ERPx_MFData-EntityCompany	DataEntityCompanySK->[dbo].[ERPx_MFDataEntityCompany].[Data-EntityCompanySK]
FK_ERPx_APDeliveryTicketHeader_ERPx_MFSite	SiteProcessedSiteSK->[dbo].[ERPx_MFSite].[SiteSK]

Uses

[dbo].[ERPx_APChillType]
 [dbo].[ERPx_APDeliveryTicketADFGIntegrationStatus]
 [dbo].[ERPx_APMangementPrograms]
 [dbo].[ERPx_APPort]
 [dbo].[ERPx_APSeasons]
 [dbo].[ERPx_APTransactionClass]
 [dbo].[ERPx_APTransactionStatus]

[dbo].[ERPx_APVendor]
[dbo].[ERPx_APVendorPermit]
[dbo].[ERPx_MFCurrency]
[dbo].[ERPx_MFDataEntityCompany]
[dbo].[ERPx_MFSite]

Used By










[dbo].[ERPx_APDeliveryTicketAttributes]
[dbo].[ERPx_APDeliveryTicketEligiblePremium]
[dbo].[ERPx_APDeliveryTicketHeader_SearchMetadata]
[dbo].[ERPx_APDeliveryTicketHeaderNote]
[dbo].[ERPx_APDeliveryTicketLine]
[dbo].[ERPx_APDeliveryTicketRSW]
[dbo].[ERPx_APDeliveryTicketStatArea]
[dbo].[ERPx_MFAttribute_APDeliveryTicketHeader]
[dbo].[FNx_APDeliveryTicketProgramClassGroups]
[dbo].[FNx_GetMasterDeliveryTicketHeader]
[dbo].[FNx_GetTransactionAccounts]
[dbo].[FNx_GetTransactionAmounts]
[dbo].[IQx_APSEL_Activity]
[dbo].[IQx_APSEL_FishermanBalanceDetail]
[dbo].[IQx_APSEL_TicketLinelist]
[dbo].[IQx_APSEL_TicketList]
[dbo].[IQx_APSEL_TicketStatAreaLinelist]
[dbo].[IQx_SettlementTransactionInquiry]
[dbo].[RPx_SettlementBalancesSummary]
[dbo].[SPx_APINS_SettlementTransaction]
[dbo].[SPx_APPProcess_DeliveryTicket]
[dbo].[SPx_APPProcess_SearchMetadata_RefreshDeliveryTicketHeader]
[dbo].[SPx_APPProcess_Vendor]
[dbo].[SPx_APSEL_ApplyFishingDocumentList]
[dbo].[SPx_APSEL_BuildFishermanSettlementList]
[dbo].[SPx_APSEL_ChillTypeLookup]
[dbo].[SPx_APSEL_DeliveryTicketAttributeList]
[dbo].[SPx_APSEL_DeliveryTicketClassLookup]
[dbo].[SPx_APSEL_DeliveryTicketDualPermitLookup]
[dbo].[SPx_APSEL_DeliveryTicketFishermen]
[dbo].[SPx_APSEL_DeliveryTicketGearLookup]
[dbo].[SPx_APSEL_DeliveryTicketHeader]
[dbo].[SPx_APSEL_DeliveryTicketLine]
[dbo].[SPx_APSEL_DeliveryTicketLineNewRow]
[dbo].[SPx_APSEL_DeliveryTicketList]
[dbo].[SPx_APSEL_DeliveryTicketManagementProgramLookup]
[dbo].[SPx_APSEL_DeliveryTicketMasterVendorLookup]
[dbo].[SPx_APSEL_DeliveryTicketPermitHolderLookup]
[dbo].[SPx_APSEL_DeliveryTicketPermitLookup]
[dbo].[SPx_APSEL_DeliveryTicketPortLookup]
[dbo].[SPx_APSEL_DeliveryTicketPremium]
[dbo].[SPx_APSEL_DeliveryTicketPremiumLookup]
[dbo].[SPx_APSEL_DeliveryTicketPriceListLookup]
[dbo].[SPx_APSEL_DeliveryTicketProperty]
[dbo].[SPx_APSEL_DeliveryTicketRepricelist]

[dbo].[SPx_APSEL_DeliveryTicketRepricePremiumlist]
[dbo].[SPx_APSEL_DeliveryTicketRSWTemp]
[dbo].[SPx_APSEL_DeliveryTicketSeasonLookup]
[dbo].[SPx_APSEL_DeliveryTicketSiteProcessedLookup]
[dbo].[SPx_APSEL_DeliveryTicketSplitHeader]
[dbo].[SPx_APSEL_DeliveryTicketSplitLine]
[dbo].[SPx_APSEL_DeliveryTicketStatArea]
[dbo].[SPx_APSEL_DeliveryTicketStatusLookup]
[dbo].[SPx_APSEL_DeliveryTicketTax]
[dbo].[SPx_APSEL_DeliveryTicketTenderLookup]
[dbo].[SPx_APSEL_DeliveryTicketVesselLookup]
[dbo].[SPx_APSEL_FishermanBalancesList]
[dbo].[SPx_APSEL_TicketLinelist]
[dbo].[SPx_APSEL_TicketList]
[dbo].[SPx_APSEL_TransactionMoreActionsTicketList]
[dbo].[SPx_APUPD_DeliveryTicketADFGLandingIntegrationStatus]
[dbo].[SPx_APUPD_DeliveryTicketHeaderRollup]
[dbo].[SPx_APUUpdate_AutoPayFishermanBalance]
[dbo].[SPx_APUUpdate_BuildFishermanSettlement]
[dbo].[SPx_APUUpdate_ChillType]
[dbo].[SPx_APUUpdate_DeliveryTicket]
[dbo].[SPx_APUUpdate_DeliveryTicketCorrectFisherman]
[dbo].[SPx_APUUpdate_DeliveryTicketProgramRollup]
[dbo].[SPx_APUUpdate_DeliveryTicketReprice]
[dbo].[SPx_APUUpdate_DeliveryTicketSplit]
[dbo].[SPx_APUUpdate_DuplicateTransaction]
[dbo].[SPx_APUUpdate_ManagementPrograms]
[dbo].[SPx_APUUpdate_NewDeliveryTicket]
[dbo].[SPx_APUUpdate_Port]
[dbo].[SPx_APUUpdate_Seasons]
[dbo].[SPx_APUUpdate_TicketClassList]
[dbo].[SPx_APUUpdate_TicketList]
[dbo].[SPx_APUUpdate_TransactionClass]
[dbo].[SPx_APUUpdate_TransactionMoreActions]
[dbo].[SPx_APUUpdate_VendorInterestCalculation]
[dbo].[SPx_APUUpdate_VendorList]
[dbo].[SPx_APUUpdate_VesselList]
[dbo].[SPx_APUUpdate_VoidSettlementTransaction]
[dbo].[SPx_FASEL_FishermanBalancesWithInterest]
[dbo].[SPx_FAUpdate_FishermanTenderList]
[dbo].[SPx_FAUpdate_LoanList]
[dbo].[SPx_GLSEL_JournalDetailHeader]
[dbo].[SPx_GLUpdate_FiscalYear]
[dbo].[SPx_GLUpdate_FiscalYearList]
[dbo].[SPx_INTEG_NSAPDeliveryTicket_XML]
[dbo].[SPx_MFDEL_DeleteCompany]
[dbo].[SPx_MFINSUPDDEL_Site_XML]
[dbo].[SPx_MFSEL_ApplyDocumentRecordTransactionLookup]
[dbo].[SPx_MFSEL_FAApplyDocumentRecordList]
[dbo].[SPx_MFSEL_IntegOutboundADFG]
[dbo].[SPx_MFSEL_VoidTransactionApplicationList]
[dbo].[SPx_MFUpdate_JournalDetails]
[dbo].[SPx_MFUpdate_MassUpdate]

[dbo].[SPx_MFUpdate_PriceList]
[dbo].[SPx_MFUpdate_PriceListList]
[dbo].[SPx_MFUpdate_Site]

 [dbo].[ERPx_APDeliveryTicketHeader_SearchMetadata]


Columns

Key	Name	Data Type	Persisted	Computed	Max Length (Bytes)	Nullability
	DeliveryTicketHeaderSK	bigint			8	NOT NULL
	Site	varchar(250)			250	NULL allowed
	Ticket	varchar(50)			50	NOT NULL
	Delivery	varchar(50)			50	NULL allowed
	Class	varchar(200)			200	NOT NULL
	Permit	varchar(250)			250	NULL allowed
	Vessel	varchar(100)			100	NULL allowed
	Tender	varchar(250)			250	NULL allowed
	SearchText	varchar(1157)	True	True	1157	NOT NULL
	DataEntityCompanySK	bigint			8	NOT NULL

Computed columns

Name	Column definition
Search-Text	(((((((((((((((isnull([Site], '')+ ' ') + isnull([Ticket], '')) + ' ') + isnull([Delivery], '')) + ' ') + isnull([Class], '')) + ' ') + isnull([Permit], '')) + ' ') + isnull([Vessel], '')) + ' ') + isnull([Tender], '')) + ' ')

Indexes

Key	Name	Key Columns	Unique
	PK_ERPx_APDeliveryTicketHeader_SearchMetadata	DeliveryTicketHeaderSK	True
	IX_ERPx_APDeliveryTicketHeader_SearchMetadata	Site, Ticket, Delivery, Class, Permit, Vessel, Tender, DataEntity-CompanySK	

Foreign Keys

Name	Columns
FK_ERPx_APDeliveryTicketHeader_SearchMetadata - ERPx_APDeliveryTicketHeader	DeliveryTicketHeaderSK->[dbo].[ERPx_APDeliveryTicketHeader].[DeliveryTicketHeaderSK]
FK_ERPx_APDeliveryTicketHeader_SearchMetadata - ERPx_MFDataEntityCompany	DataEntityCompanySK->[dbo].[ERPx_MFDataEntityCompany].[DataEntityCompanySK]

Uses





[dbo].[ERPx_APDeliveryTicketHeader]
[dbo].[ERPx_MFDataEntityCompany]

Used By


[dbo].[SPx_APPProcess_DeliveryTicket]
[dbo].[SPx_APPProcess_SearchMetadata_RefreshDeliveryTicketHeader]

 [dbo].[ERPx_APDeliveryTicketHeaderNote]

Columns

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity	Default
	DeliveryTicketHeaderNoteSK	bigint	8	NOT NULL	1 - 1	
	DeliveryTicketHeaderSK	bigint	8	NOT NULL		
	NoteTypeSK	bigint	8	NOT NULL		
	Note	varchar(max)	max	NULL allowed		
	LastUpdated	datetime	8	NOT NULL		(getdate())
	LastUser	varchar(150)	150	NOT NULL		
	DataEntityCompanySK	bigint	8	NOT NULL		

Indexes

Key	Name	Key Columns	Unique
	PK_ERPx_APDeliveryTicketHeaderNote	DeliveryTicketHeaderNoteSK	True
	IX_ERPx_APDeliveryTicketHeaderNote	NoteTypeSK, DeliveryTicketHeaderSK	True

Foreign Keys

Name	Columns
FK_ERPx_APDeliveryTicketHeaderNote_ERPx_APDeliveryTicketHeader	DeliveryTicketHeaderSK->[dbo].[ERPx_APDeliveryTicketHeader].[DeliveryTicketHeaderSK]
FK_ERPx_APDeliveryTicketHeaderNote_ERPx_MFDataEntityCompany	DataEntityCompanySK->[dbo].[ERPx_MFDataEntityCompany].[DataEntityCompanySK]
FK_ERPx_APDeliveryTicketHeaderNote_ERPx_MFNoteType	NoteTypeSK->[dbo].[ERPx_MFNoteType].[NoteTypeSK]

Uses









[dbo].[ERPx_APDeliveryTicketHeader]
 [dbo].[ERPx_MFDataEntityCompany]
 [dbo].[ERPx_MFNoteType]

Used By


[dbo].[SPx_APProcess_DeliveryTicket]
 [dbo].[SPx_APUUpdate_DeliveryTicketReprice]
 [dbo].[SPx_APUUpdate_DuplicateTransaction]
 [dbo].[SPx_MFDEL_DeleteCompany]
 [dbo].[SPx_MFManage_NoteAssignment]

[dbo].[SPx_MFSEL_NoteList]

[dbo].[ERPx_APDeliveryTicketItem]**Columns**

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity	Default
	DeliveryTicketItemSK	bigint	8	NOT NULL	1 - 1	
	DeliveryTicketItemDefinitionGroupSK	bigint	8	NOT NULL		
	SpecieSK	bigint	8	NULL allowed		
	ConditionSK	bigint	8	NULL allowed		
	GradeSK	bigint	8	NULL allowed		
	DispositionSK	bigint	8	NULL allowed		
	GeneratedItemDescription	varchar(600)	600	NOT NULL		
	LastUpdate	datetime	8	NOT NULL		(getdate())
	LastUser	varchar(150)	150	NOT NULL		
	DataEntityCompanySK	bigint	8	NOT NULL		
	SoldConditionSK	bigint	8	NULL allowed		
	CurrentCost	numeric(18,5)	9	NOT NULL		((0.00000))
	DefaultPrice	numeric(18,5)	9	NOT NULL		((0.00000))
	ItemID	varchar(105)	105	NULL allowed		
	PurchaseAccountSK	bigint	8	NULL allowed		
	IsInactive	bit	1	NOT NULL		((0))
	PriceDecimals	bigint	8	NULL allowed		

Indexes

Key	Name	Key Columns	Unique
	PK_ERPx_APDeliveryTicket-Item	DeliveryTicketItemSK	True
	IX_ERPx_APDeliveryTicket-Item	SpecieSK, ConditionSK, DispositionSK, GradeSK, DataEntityCompanySK, Sold-ConditionSK	True

Foreign Keys

Name	Columns
FK_ERPx_APDeliveryTicketItem_ERPx_APCondition	ConditionSK->[dbo].[ERPx_APCondition].[ConditionSK]
FK_ERPx_APDeliveryTicketItem_ERPx_APDisposition	DispositionSK->[dbo].[ERPx_APDisposition].[DispositionSK]
FK_ERPx_APDeliveryTicketItem_ERPx_APGrades	GradeSK->[dbo].[ERPx_APGrades].[GradeSK]
FK_ERPx_APDeliveryTicketItem_ERPx_APSpecie	SpecieSK->[dbo].[ERPx_APSpecie].[SpecieSK]

FK_ERPx_APDeliveryTicketItem_ERPx_GLAccount	PurchaseAccountSK->[dbo].[ERPx_GLAccount].[AccountSK]
FK_ERPx_APDeliveryTicketItem_ERPx_MFData-EntityCompany	DataEntityCompanySK->[dbo].[ERPx_MFDataEntityCompany].[DataEntity-CompanySK]

Uses

[dbo].[ERPx_APCondition]
 [dbo].[ERPx_APDisposition]
 [dbo].[ERPx_APGrades]
 [dbo].[ERPx_APSpecie]
 [dbo].[ERPx_GLAccount]
 [dbo].[ERPx_MFDataEntityCompany]





Used By

[dbo].[ERPx_APDeliveryTicketLine]
 [dbo].[IQx_APDeliveryTicketDetailSpecieLookup]
 [dbo].[IQx_APSEL_TicketLinelist]
 [dbo].[IQx_APSEL_TicketStatAreaLinelist]
 [dbo].[IQx_SettlementTransactionInquiry]
 [dbo].[SPx_APPProcess_DeliveryTicket]
 [dbo].[SPx_APPProcess_Grades]
 [dbo].[SPx_APSEL_DeliveryTicketConditionLookup]
 [dbo].[SPx_APSEL_DeliveryTicketDispositionLookup]
 [dbo].[SPx_APSEL_DeliveryTicketGradeLookup]
 [dbo].[SPx_APSEL_DeliveryTicketItem]
 [dbo].[SPx_APSEL_DeliveryTicketItem_ConditionLookup]
 [dbo].[SPx_APSEL_DeliveryTicketItem_DispositionLookup]
 [dbo].[SPx_APSEL_DeliveryTicketItem_GradeLookup]
 [dbo].[SPx_APSEL_DeliveryTicketItem_PurchaseAccountLookup]
 [dbo].[SPx_APSEL_DeliveryTicketItem_SoldConditionLookup]
 [dbo].[SPx_APSEL_DeliveryTicketItem_SpecieLookup]
 [dbo].[SPx_APSEL_DeliveryTicketItemLookup]
 [dbo].[SPx_APSEL_DeliveryTicketLine]
 [dbo].[SPx_APSEL_DeliveryTicketPremium]
 [dbo].[SPx_APSEL_DeliveryTicketRepriceItemlist]
 [dbo].[SPx_APSEL_DeliveryTicketRepricePremiumlist]
 [dbo].[SPx_APSEL_DeliveryTicketSpecieLookup]
 [dbo].[SPx_APSEL_DeliveryTicketSplitLine]
 [dbo].[SPx_APSEL_DeliveryTicketTax]
 [dbo].[SPx_APSEL_ProgramPremiumEntityTicketItem]
 [dbo].[SPx_APSEL_ProgramTaxEntityTicketItem]
 [dbo].[SPx_APSEL_ProgramTicketItemLookup]
 [dbo].[SPx_APSEL_TicketLinelist]
 [dbo].[SPx_APUPD_DeliveryTicketADFGGLandingIntegrationStatus]
 [dbo].[SPx_APUPD_Specie]
 [dbo].[SPx_APUUpdate_Condition]
 [dbo].[SPx_APUUpdate_DeliveryTicket]
 [dbo].[SPx_APUUpdate_DeliveryTicketItem]
 [dbo].[SPx_APUUpdate_DeliveryTicketProgramRollup]
 [dbo].[SPx_APUUpdate_DeliveryTicketReprice]
 [dbo].[SPx_APUUpdate_Disposition]


[dbo].[SPx_INTEG_NSAPDeliveryTicket_XML]
[dbo].[SPx_MFDEL_DeleteCompany]
[dbo].[SPx_MFSEL_PriceListItemList]
[dbo].[SPx_MFSEL_PriceListTicketItemLookup]
[dbo].[SPx_MFUpdate_JournalDetails]
[dbo].[SPx_MFUpdate_MassUpdate]

 [dbo].[ERPx_APDeliveryTicketItemDefinition]

Columns

Key	Name	Data Type	Max Length (Bytes)	Nullability	Default
	DeliveryTicketItemDefinitionSK	bigint	8	NOT NULL	
	DeliveryTicketItemDefinitionGroupSK	bigint	8	NOT NULL	
	ColumnName	varchar(100)	100	NOT NULL	
	LastUpdated	datetime	8	NOT NULL	(getdate())
	LastUser	varchar(100)	100	NOT NULL	
	DataEntityCompanySK	bigint	8	NOT NULL	

Indexes

Key	Name	Key Columns	Unique
	PK_ERPx_APDeliveryTicketItemDefinition	DeliveryTicketItemDefinitionSK	True
	IX_ERPx_APDeliveryTicketItemDefinition	DeliveryTicketItemDefinitionGroupSK, ColumnName	True

Foreign Keys

Name	Columns
FK_ERPx_APDeliveryTicketItemDefinition_ERPx_MFDataEntityCompany	DataEntityCompanySK->[dbo].[ERPx_MFDataEntityCompany].[DataEntityCompanySK]

Uses





[dbo].[ERPx_MFDataEntityCompany]

Used By


[dbo].[SPx_MFDEL_DeleteCompany]

 [dbo].[ERPx_APDeliveryTicketItemDefinitionGroup]

Columns

Key	Name	Data Type	Max Length (Bytes)	Nullability	Default
	DeliveryTicketItemDefinitionGroupSK	bigint	8	NOT NULL	
	DefinitionGroupID	varchar(50)	50	NOT NULL	
	LastUpdated	datetime	8	NOT NULL	(getdate())
	LastUser	varchar(150)	150	NOT NULL	
	DataEntityCompanySK	bigint	8	NOT NULL	

Indexes

Key	Name	Key Columns	Unique
	PK_ERPx_APDeliveryTicketItemDefinitionGroup	DeliveryTicketItemDefinitionGroupSK	True
	IX_ERPx_APDeliveryTicketItemDefinitionGroup	DefinitionGroupID, LastUpdated, DataEntityCompanySK	True

Foreign Keys

Name	Columns
FK_ERPx_APDeliveryTicketItemDefinitionGroup_ERPx_MFDataEntityCompany	DataEntityCompanySK->[dbo].[ERPx_MFDataEntityCompany].[DataEntityCompanySK]








Uses





[dbo].[ERPx_MFDataEntityCompany]

Used By


[dbo].[SPx_APProcess_DeliveryTicket]
 [dbo].[SPx_APUupdate_DeliveryTicketItem]
 [dbo].[SPx_MFDEL_DeleteCompany]

[dbo].[ERPx_APDeliveryTicketLine]**Columns**

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity	Default
	DeliveryTicketLineSK	bigint	8	NOT NULL	1 - 1	
 (3)	DeliveryTicketHeaderSK	bigint	8	NOT NULL		
 (2)	DeliveryTicketItemSK	bigint	8	NOT NULL		
	PurchaseGLAccountSK	bigint	8	NULL allowed		
 (2)	Sequence	bigint	8	NOT NULL		
	Units	numeric(18,5)	9	NOT NULL		
	UnitsUOMSK	bigint	8	NULL allowed		
	DeliveredWeight	numeric(18,5)	9	NOT NULL		
	WeightModifier	numeric(18,5)	9	NOT NULL		
	NetWeight	numeric(18,5)	9	NULL allowed		
	WeightUOMSK	bigint	8	NOT NULL		
	Price	numeric(18,5)	9	NOT NULL		
	PriceUOMSK	bigint	8	NOT NULL		
	Amount	numeric(18,5)	9	NOT NULL		
	PremiumAmount	numeric(18,5)	9	NOT NULL		
	GrossAmount	numeric(18,5)	9	NOT NULL		
	TaxAmount	numeric(18,5)	9	NOT NULL		
	NetAmount	numeric(18,5)	9	NULL allowed		
	LastUpdated	datetime	8	NOT NULL		(getdate())
	LastUser	varchar(150)	150	NOT NULL		
	DataEntityCompanySK	bigint	8	NOT NULL		

	LineUniqueID1 <i>Used to support eLanding Item Number</i>	varchar(50)	50	NULL allowed	
	LineUniqueID2 <i>Used to support eLanding Item Product Number</i>	varchar(50)	50	NULL allowed	
	CommentCodeSK	bigint	8	NULL allowed	
	CommentText	varchar(500)	500	NULL allowed	
	PriceListItemSK	bigint	8	NULL allowed	
	PriceListPrice	numeric(18,5)	9	NULL allowed	
	FishermanTaxAmount	numeric(18,5)	9	NOT NULL	((0))
	CompanyTaxAmount	numeric(18,5)	9	NOT NULL	((0))
	TaxPrice	numeric(18,5)	9	NULL allowed	
	GrossTaxableAmount	numeric(18,5)	9	NULL allowed	
	RepriceComment	varchar(100)	100	NULL allowed	
	PriceDecimals	bigint	8	NULL allowed	
	MixedFishTicketItemSK	bigint	8	NULL allowed	
	SplitFromDeliveryTicketLineSK	bigint	8	NULL allowed	

Indexes

Key	Name	Key Columns	Included Columns	Unique
	PK_ERPx_APDeliveryTicketLine	DeliveryTicketLineSK		True
	IX_ERPx_APDeliveryTicketLine	DeliveryTicketHeaderSK, DeliveryTicketItemSK, DataEntityCompanySK, Sequence, LineUniqueID1, LineUniqueID2		True
	UK_ERPx_APDeliveryTicketLine_1	DeliveryTicketHeaderSK, Sequence		True
	IX_APDeliveryTicketLine_DeliveryTicketItemSK	DeliveryTicketItemSK		
	IX_ERPx_APDeliveryTicketLine_-AmountPremiumAmountGrossAmountTaxAmountNetAmount	DeliveryTicketHeaderSK	GrossAmount, NetAmount, PremiumAmount, TaxAmount, Amount	

Foreign Keys

Name	Columns
FK_ERPx_APDeliveryTicketLine_ERPx_APDeliveryTicketHeader	DeliveryTicketHeaderSK->[dbo].[ERPx_APDeliveryTicketHeader].[DeliveryTicketHeaderSK]

FK_ERPx_APDeliveryTicketLine_ERPx_APDelivery-TicketItem	DeliveryTicketItemSK->[dbo].[ERPx_APDeliveryTicketItem].[Delivery-TicketItemSK]
FK_ERPx_APDeliveryTicketLine_ERPx_APDelivery-TicketLine	DeliveryTicketLineSK->[dbo].[ERPx_APDeliveryTicketLine].[Delivery-TicketLineSK]
FK_ERPx_APDeliveryTicketLine_ERPx_GLAccount	PurchaseGLAccountSK->[dbo].[ERPx_GLAccount].[AccountSK]
FK_ERPx_APDeliveryTicketLine_ERPx_IMUOM	UnitsUOMSK->[dbo].[ERPx_IMUOM].[UOMSK]
FK_ERPx_APDeliveryTicketLine_ERPx_IMUOM1	WeightUOMSK->[dbo].[ERPx_IMUOM].[UOMSK]
FK_ERPx_APDeliveryTicketLine_ERPx_IMUOM2	PriceUOMSK->[dbo].[ERPx_IMUOM].[UOMSK]
FK_ERPx_APDeliveryTicketLine_ERPx_MFData-EntityCompany	DataEntityCompanySK->[dbo].[ERPx_MFDataEntityCompany].[Data-EntityCompanySK]
FK_ERPx_APDeliveryTicketLine_ERPx_MFPriceList-Item	PriceListItemSK->[dbo].[ERPx_MFPriceListItem].[PriceListItemSK]
FK_ERPx_APDeliveryTicketLine_Mixed_ERPx_-APDeliveryTicketItem	MixedFishTicketItemSK->[dbo].[ERPx_APDeliveryTicketItem].[Delivery-TicketItemSK]

Uses

[dbo].[ERPx_APDeliveryTicketHeader]
 [dbo].[ERPx_APDeliveryTicketItem]
 [dbo].[ERPx_GLAccount]
 [dbo].[ERPx_IMUOM]
 [dbo].[ERPx_MFDataEntityCompany]
 [dbo].[ERPx_MFPriceListItem]


Used By

[dbo].[ERPx_APDeliveryTicketLineProgram]
 [dbo].[ERPx_APDeliveryTicketRSW]
 [dbo].[ERPx_APDeliveryTicketStatArea]
 [dbo].[FNx_APDeliveryTicketProgramClassGroups]
 [dbo].[FNx_GetTransactionAccounts]
 [dbo].[FNx_GetTransactionAmounts]
 [dbo].[IQx_APDeliveryTicketDetailSpecieLookup]
 [dbo].[IQx_APSEL_TicketLinelist]
 [dbo].[IQx_APSEL_TicketList]
 [dbo].[IQx_APSEL_TicketStatAreaLinelist]
 [dbo].[IQx_SettlementTransactionInquiry]
 [dbo].[SPx_APProcess_DeliveryTicket]
 [dbo].[SPx_APSEL_DeliveryTicketConditionLookup]
 [dbo].[SPx_APSEL_DeliveryTicketDispositionLookup]
 [dbo].[SPx_APSEL_DeliveryTicketGradeLookup]
 [dbo].[SPx_APSEL_DeliveryTicketHeader]
 [dbo].[SPx_APSEL_DeliveryTicketLine]
 [dbo].[SPx_APSEL_DeliveryTicketLineGLAccountLookup]
 [dbo].[SPx_APSEL_DeliveryTicketLinePriceUOMLookup]
 [dbo].[SPx_APSEL_DeliveryTicketLineUnitsUOMLookup]
 [dbo].[SPx_APSEL_DeliveryTicketLineWeightUOMLookup]
 [dbo].[SPx_APSEL_DeliveryTicketPremium]
 [dbo].[SPx_APSEL_DeliveryTicketRepriceItemlist]
 [dbo].[SPx_APSEL_DeliveryTicketRepricePremiumlist]
 [dbo].[SPx_APSEL_DeliveryTicketRSWTemp]

[dbo].[SPx_APSEL_DeliveryTicketSpecieLookup]
[dbo].[SPx_APSEL_DeliveryTicketSplitLine]
[dbo].[SPx_APSEL_DeliveryTicketStatArea]
[dbo].[SPx_APSEL_DeliveryTicketTax]
[dbo].[SPx_APSEL_GetDeliveryTicketProgramClassGroups]
[dbo].[SPx_APSEL_TicketLinelist]
[dbo].[SPx_APSEL_TicketList]
[dbo].[SPx_APUPD_DeliveryTicketADFGGLandingIntegrationStatus]
[dbo].[SPx_APUPD_DeliveryTicketHeaderRollup]
[dbo].[SPx_APUUpdate_DeliveryTicketItem]
[dbo].[SPx_APUUpdate_DeliveryTicketProgramRollup]
[dbo].[SPx_APUUpdate_DeliveryTicketReprice]
[dbo].[SPx_APUUpdate_DeliveryTicketSplit]
[dbo].[SPx_APUUpdate_DuplicateTransaction]
[dbo].[SPx_INTEG_NSAPDeliveryTicket_XML]
[dbo].[SPx_MFDEL_DeleteCompany]
[dbo].[SPx_MFUpdate_JournalDetails]
[dbo].[SPx_MFUpdate_MassUpdate]
[dbo].[SPx_MFUpdate_PriceList]

 [dbo].[ERPx_APDeliveryTicketLineCommentCode]

Columns

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity
	CommentCodeSK	bigint	8	NOT NULL	1 - 1
	CommentCodeID	varchar(10)	10	NOT NULL	
	CommentCodeDescription	varchar(max)	max	NULL allowed	

Indexes









Key	Name	Key Columns	Unique
	PK_ERPx_APDeliveryTicketLineCommentCode	CommentCodeSK	True

Used By

[dbo].[SPx_APSEL_DeliveryTicketLine]
 [dbo].[SPx_APSEL_DeliveryTicketLineCommentCodeLookup]
 [dbo].[SPx_APSEL_DeliveryTicketSplitLine]
 [dbo].[SPx_INTEG_NSAPDeliveryTicket_XML]

 [dbo].[ERPx_APDeliveryTicketLineProgram]

Columns

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity	Default
	DeliveryTicketLineProgramSK	bigint	8	NOT NULL	1 - 1	
	DeliveryTicketLineSK	bigint	8	NOT NULL		
	APPProgramSK	bigint	8	NOT NULL		
	DRAccountSK	bigint	8	NULL allowed		
	CRAccountSK	bigint	8	NULL allowed		
	CompanyExpenseAccountSK	bigint	8	NULL allowed		
	OriginalRate	numeric(19,6)	9	NOT NULL		
	OriginalFishermanRate	numeric(19,6)	9	NOT NULL		((0))
	Rate	numeric(19,6)	9	NOT NULL		
	RateUOMSK	bigint	8	NULL allowed		
	FishermanRate	numeric(19,6)	9	NOT NULL		((0))
	RateChangedByUser	varchar(150)	150	NULL allowed		
	Amount	numeric(18,2)	9	NOT NULL		
	FishermanAmount	numeric(18,2)	9	NOT NULL		((0))
	APPProgramCalcMethodEN	bigint	8	NOT NULL		
	LastUpdated	datetime	8	NOT NULL		(getdate())
	LastUser	varchar(150)	150	NOT NULL		
	DataEntityCompanySK	bigint	8	NOT NULL		

Indexes

Key	Name	Key Columns	Unique
	PK_ERPx_APDeliveryTicketLineProgram	DeliveryTicketLineProgramSK	True
	IX_ERPx_APDeliveryTicketLineProgram	DeliveryTicketLineSK, APPProgramSK	True

Foreign Keys

Name	Columns
FK_ERPx_APDeliveryTicketLineProgram_ERPx_APDelivery-TicketLine	DeliveryTicketLineSK->[dbo].[ERPx_APDeliveryTicketLine].[DeliveryTicketLineSK]
FK_ERPx_APDeliveryTicketLineProgram_ERPx_APPProgram	APPProgramSK->[dbo].[ERPx_APPProgram].[APPProgramSK]
FK_ERPx_APDeliveryTicketLineProgram_ERPx_GLAccount_-CompanyExpenseAccountSK	CompanyExpenseAccountSK->[dbo].[ERPx_-GLAccount].[AccountSK]

FK_ERPx_APDeliveryTicketLineProgram_ERPx_GLAaccount - CRAccount	CRAccountSK->[dbo].[ERPx_GLAaccount].[AccountSK]
FK_ERPx_APDeliveryTicketLineProgram_ERPx_GLAaccount - DRAccount	DRAccountSK->[dbo].[ERPx_GLAaccount].[AccountSK]
FK_ERPx_APDeliveryTicketLineProgram_ERPx_IMUOM	RateUOMSK->[dbo].[ERPx_IMUOM].[UOMSK]
FK_ERPx_APDeliveryTicketLineProgram_ERPx_MFData-EntityCompany	DataEntityCompanySK->[dbo].[ERPx_MFDataEntity-Company].[DataEntityCompanySK]

Uses


[dbo].[ERPx_APDeliveryTicketLine]
 [dbo].[ERPx_APProgram]
 [dbo].[ERPx_GLAaccount]
 [dbo].[ERPx_IMUOM]
 [dbo].[ERPx_MFDataEntityCompany]

Used By

[dbo].[FNx_APDeliveryTicketProgramClassGroups]
 [dbo].[FNx_GetTransactionAccounts]
 [dbo].[FNx_GetTransactionAmounts]
 [dbo].[SPx_APProcess_DeliveryTicket]
 [dbo].[SPx_APSEL_DeliveryTicketPremium]
 [dbo].[SPx_APSEL_DeliveryTicketRepriceItemlist]
 [dbo].[SPx_APSEL_DeliveryTicketRepricePremiumlist]
 [dbo].[SPx_APSEL_DeliveryTicketTax]
 [dbo].[SPx_APSEL_GetDeliveryTicketProgramClassGroups]
 [dbo].[SPx_APUupdate_DeliveryTicketProgramRollup]
 [dbo].[SPx_APUupdate_DeliveryTicketReprice]
 [dbo].[SPx_APUupdate_DeliveryTicketSplit]
 [dbo].[SPx_APUupdate_DuplicateTransaction]
 [dbo].[SPx_APUupdate_ProgramPremium]
 [dbo].[SPx_APUupdate_ProgramTax]
 [dbo].[SPx_APUupdate_TaxesAndPremiums]
 [dbo].[SPx_FAUpdate_PremiumList]
 [dbo].[SPx_FAUpdate_TaxList]
 [dbo].[SPx_MFDEL_DeleteCompany]
 [dbo].[SPx_MFUupdate_JournalDetails]

 [dbo].[ERPx_APDeliveryTicketMixSalmonCriteria]

Columns

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity	Default
	DeliveryTicketMixSalmonCriteriaSK	bigint	8	NOT NULL	1 - 1	
	DeliveryTicketMixSalmonHeaderSK	bigint	8	NULL allowed		
	ChumPercent	numeric(18,5)	9	NULL allowed		((0))
	CohoPercent	numeric(18,5)	9	NULL allowed		((0))
	PinkPercent	numeric(18,5)	9	NULL allowed		((0))
	SockeyePercent	numeric(18,5)	9	NULL allowed		((0))
	ChumAvgWeight	numeric(18,5)	9	NULL allowed		((0))
	CohoAvgWeight	numeric(18,5)	9	NULL allowed		((0))
	PinkAvgWeight	numeric(18,5)	9	NULL allowed		((0))
	SockeyeAvgWeight	numeric(18,5)	9	NULL allowed		((0))
	UserSK	bigint	8	NOT NULL		
	DataEntityCompanySK	bigint	8	NOT NULL		

Indexes

Key	Name	Key Columns	Unique
	PK_ERPx_APDeliveryTicketMixSalmonCriteria	DeliveryTicketMixSalmonCriteriaSK	True




 [dbo].[ERPx_APDeliveryTicketMixSalmonSplitDeliveriesTemp]

Columns


Name	Data Type	Max Length (Bytes)	Nullability	Default
DeliveryTicketMixSalmonSplitLineSK	bigint	8	NULL allowed	
FirstDeliveryDate	datetime	8	NULL allowed	
VendorSK	bigint	8	NULL allowed	
TenderID	varchar(50)	50	NULL allowed	
Tendername	varchar(100)	100	NULL allowed	
TenderIDName	varchar(151)	151	NULL allowed	
CountTickets	bigint	8	NULL allowed	
GearIDName	varchar(121)	121	NULL allowed	
DeliveryNumber	varchar(200)	200	NULL allowed	
MixWeight	numeric(18,5)	9	NULL allowed	((0))
MixCount	numeric(18,5)	9	NULL allowed	((0))
ChumWeight	numeric(18,5)	9	NULL allowed	((0))
ChumCount	numeric(18,5)	9	NULL allowed	((0))
CohoWeight	numeric(18,5)	9	NULL allowed	((0))
CohoCount	numeric(18,5)	9	NULL allowed	((0))
PinkWeight	numeric(18,5)	9	NULL allowed	((0))
PinkCount	numeric(18,5)	9	NULL allowed	((0))
SockeyeWeight	numeric(18,5)	9	NULL allowed	((0))
SockeyeCount	numeric(18,5)	9	NULL allowed	((0))
UserSK	bigint	8	NOT NULL	
DataEntityCompanySK	bigint	8	NOT NULL	

 **[dbo].[ERPx_APDeliveryTicketProperty]**

Columns

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity	Default
	DeliveryTicketPropertySK	bigint	8	NOT NULL	1 - 1	
	PropertyName	varchar(50)	50	NOT NULL		
	PropertyDescription	varchar(200)	200	NOT NULL		
	PropertyDefinitionSK	bigint	8	NOT NULL		
	Sort	bigint	8	NOT NULL		
	LastUpdated	datetime	8	NOT NULL		(getdate())
	LastUser	varchar(150)	150	NOT NULL		
	DataEntityCompanySK	bigint	8	NOT NULL		
	PropertyGroupName	varchar(200)	200	NULL allowed		

Indexes

Key	Name	Key Columns	Unique
	PK_ERPx_APDeliveryTicketProperty	DeliveryTicketPropertySK	True
	IX_ERPx_APDeliveryTicketProperty	PropertyName, DataEntityCompanySK	True

Foreign Keys

Name	Columns
FK_ERPx_APDeliveryTicketProperty_ERPx_MFData-EntityCompany	DataEntityCompanySK->[dbo].[ERPx_MFDataEntityCompany].[Data-EntityCompanySK]

Uses

[dbo].[ERPx_MFDataEntityCompany]



Used By

[dbo].[SPx_APSEL_DeliveryTicketProperty]

[dbo].[SPx_MFDEL_DeleteCompany]

 [dbo].[ERPx_APDeliveryTicketRepriceCriteria]

Columns

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity	Default
	RepriceSK	bigint	8	NOT NULL	1 - 1	
	NumberSearch	varchar(250)	250	NULL allowed		
	FishermanAccountVendorSKCSV	varchar(max)	max	NULL allowed		
	PermitHolderVendorSKCSV	varchar(max)	max	NULL allowed		
	DateFrom	datetime	8	NULL allowed		
	DateTo	datetime	8	NULL allowed		
	TransactionClassSKCSV	varchar(max)	max	NULL allowed		
	GearSKCSV	varchar(max)	max	NULL allowed		
	SpecieSKCSV	varchar(max)	max	NULL allowed		
	StatAreaSKCSV	varchar(max)	max	NULL allowed		
	APPProgramSKCSV	varchar(max)	max	NULL allowed		
	DispositionSKCSV	varchar(max)	max	NULL allowed		
	ConditionSKCSV	varchar(max)	max	NULL allowed		
	SoldConditionSKCSV	varchar(max)	max	NULL allowed		
	SiteProcessedSKCSV	varchar(max)	max	NULL allowed		
	PriceListHeaderSKCSV	varchar(max)	max	NULL allowed		
	MajorSpecieSKCSV	varchar(max)	max	NULL allowed		
	GradeSKCSV	varchar(max)	max	NULL allowed		
	FilterTempOnly	bit	1	NULL allowed		
	MinTemp	numeric(18,5)	9	NULL allowed		
	MaxTemp	numeric(18,5)	9	NULL allowed		
	TicketsSelected	bigint	8	NULL allowed		
	GLAccrualDate	datetime	8	NULL allowed		
	IncludeInactiveInLookups	bit	1	NULL allowed		
	RepriceComment	varchar(100)	100	NULL allowed		
	RepriceType	varchar(10)	10	NULL allowed		
	RepriceTicketsAsEN	bigint	8	NULL allowed		
	TicketCount	bigint	8	NULL allowed		
	DateOptionEN	bigint	8	NULL allowed		
	SeasonSKCSV	varchar(max)	max	NULL allowed		
	IsValid	bit	1	NULL allowed		((0))
	IsProcessed	bit	1	NULL allowed		((0))
	UserSK	bigint	8	NOT NULL		
	DataEntityCompanySK	bigint	8	NOT NULL		

Indexes

Key	Name	Key Columns	Unique
	PK_ERPx_APDeliveryTicketRepriceCriteria	RepriceSK	True

Foreign Keys

Name	Columns
FK_ERPx_APDeliveryTicketRepriceCriteria_ERPx_MFDataEntityCompany	DataEntityCompanySK->[dbo].[ERPx_MFDataEntityCompany].[DataEntityCompanySK]

Uses



[dbo].[ERPx_MFDataEntityCompany]

Used By

[dbo].[ERPx_APDeliveryTicketRepriceItemsAndPremiums]
 [dbo].[IqX_APSEL_TicketList]
 [dbo].[SPx_APSEL_DeliveryTicketList]
 [dbo].[SPx_APSEL_DeliveryTicketReprice]
 [dbo].[SPx_APSEL_DeliveryTicketReprice_ConditionLookup]
 [dbo].[SPx_APSEL_DeliveryTicketReprice_DispositionLookup]
 [dbo].[SPx_APSEL_DeliveryTicketReprice_GearLookup]
 [dbo].[SPx_APSEL_DeliveryTicketReprice_GradeLookup]
 [dbo].[SPx_APSEL_DeliveryTicketReprice_MajorSpecieLookup]
 [dbo].[SPx_APSEL_DeliveryTicketReprice_PaidFishermanLookup]
 [dbo].[SPx_APSEL_DeliveryTicketReprice_PermitHolderLookup]
 [dbo].[SPx_APSEL_DeliveryTicketReprice_PremiumLookup]
 [dbo].[SPx_APSEL_DeliveryTicketReprice_PriceListLookup]
 [dbo].[SPx_APSEL_DeliveryTicketReprice_SeasonLookup]
 [dbo].[SPx_APSEL_DeliveryTicketReprice_SiteProcessedLookup]
 [dbo].[SPx_APSEL_DeliveryTicketReprice_SpecieLookup]
 [dbo].[SPx_APSEL_DeliveryTicketReprice_StatAreaLookup]
 [dbo].[SPx_APSEL_DeliveryTicketReprice_TicketClassLookup]
 [dbo].[SPx_APSEL_DeliveryTicketRepriceItemlist]
 [dbo].[SPx_APSEL_DeliveryTicketRepricePremiumlist]
 [dbo].[SPx_APUUpdate_DeliveryTicketReprice]
 [dbo].[SPx_MFUpdate_MassUpdate]

 [dbo].[ERPx_APDeliveryTicketRepriceItemsAndPremiums]

Columns

Key	Name	Data Type	Max Length (Bytes)	Nullability
	RepriceSK	bigint	8	NOT NULL
	RepriceID	bigint	8	NOT NULL
	DeliveryTicketItemSK	bigint	8	NULL allowed
	DeliveryTicketHeaderSK	bigint	8	NULL allowed
	MasterNumber	bigint	8	NULL allowed
	APPprogramSK	bigint	8	NULL allowed
	OriginalPrice	numeric(18,5)	9	NULL allowed
	NewPrice	numeric(18,5)	9	NULL allowed
	OriginalRate	numeric(19,6)	9	NULL allowed
	NewRate	numeric(19,6)	9	NULL allowed
	NetWeight	numeric(18,5)	9	NULL allowed
	Repriced	varchar(10)	10	NULL allowed
	RepriceType	varchar(20)	20	NULL allowed
	TaxPrice	numeric(18,5)	9	NULL allowed
	TaxPriceInherited	bit	1	NULL allowed
	RepriceComment	varchar(100)	100	NULL allowed
	DataEntityCompanySK	bigint	8	NOT NULL

Foreign Keys

Name	Columns
FK_ERPx_APDeliveryTicketRepriceItemsAndPremiums_ERPx_APDeliveryTicketRepriceCriteria	RepriceSK->[dbo].[ERPx_APDeliveryTicketRepriceCriteria].[RepriceSK]
FK_ERPx_APDeliveryTicketRepriceItemsAndPremiums_ERPx_MFDataEntityCompany	DataEntityCompanySK->[dbo].[ERPx_MFDataEntityCompany].[DataEntityCompanySK]

Uses

[dbo].[ERPx_APDeliveryTicketRepriceCriteria]
 [dbo].[ERPx_MFDataEntityCompany]

Used By





[dbo].[IQx_APSEL_TicketList]
 [dbo].[SPx_APSEL_DeliveryTicketList]
 [dbo].[SPx_APSEL_DeliveryTicketRepriceItemlist]
 [dbo].[SPx_APSEL_DeliveryTicketRepricePremiumlist]

Project > NLPDev.TheNLP.com > User databases > NS_20221128 > Tables > dbo.ERPx_APDeliveryTicketRepriceItemsAnd-Premiums

[dbo].[SPx_APUUpdate_DeliveryTicketReprice]

[dbo].[SPx_MFUpdate_MassUpdate]

[dbo].[ERPx_APDeliveryTicketRSW]**Columns**

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity	Default
	DeliveryTicketRSWSK	bigint	8	NOT NULL	1 - 1	
	DeliveryTicketHeaderSK	bigint	8	NULL allowed		
	DeliveryTicketLineSK	bigint	8	NULL allowed		
	Temperature	numeric(18,5)	9	NOT NULL		
	LastUpdated	datetime	8	NOT NULL		(getdate())
	LastUser	varchar(150)	150	NOT NULL		
	DataEntityCompanySK	bigint	8	NOT NULL		

Indexes

Key	Name	Key Columns	Unique
	PK_ERPx_APDeliveryTicketRSW	DeliveryTicketRSWSK	True

Foreign Keys

Name	Columns
FK_ERPx_APDeliveryTicketRSW_ERPx_APDeliveryTicketHeader	DeliveryTicketHeaderSK->[dbo].[ERPx_APDeliveryTicketHeader].[DeliveryTicketHeaderSK]
FK_ERPx_APDeliveryTicketRSW_ERPx_APDeliveryTicketLine	DeliveryTicketLineSK->[dbo].[ERPx_APDeliveryTicketLine].[DeliveryTicketLineSK]
FK_ERPx_APDeliveryTicketRSW_ERPx_MFDataEntityCompany	DataEntityCompanySK->[dbo].[ERPx_MFDataEntityCompany].[DataEntityCompanySK]

Uses

[dbo].[ERPx_APDeliveryTicketHeader]
 [dbo].[ERPx_APDeliveryTicketLine]
 [dbo].[ERPx_MFDataEntityCompany]







Used By

[dbo].[SPx_APPProcess_DeliveryTicket]
 [dbo].[SPx_APSEL_DeliveryTicketRepriceItemlist]
 [dbo].[SPx_APSEL_DeliveryTicketRepricePremiumlist]
 [dbo].[SPx_APSEL_DeliveryTicketRSWTemp]
 [dbo].[SPx_APUpdate_DeliveryTicketReprice]
 [dbo].[SPx_APUpdate_DuplicateTransaction]


[dbo].[SPx_MFDEL_DeleteCompany]

 [dbo].[ERPx_APDeliveryTicketStatArea]

Columns

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity	Default
	DeliveryTicketStatAreaSK	bigint	8	NOT NULL	1 - 1	
 (3)	DeliveryTicketHeaderSK	bigint	8	NULL allowed		
	DeliveryTicketLineSK	bigint	8	NULL allowed		
 (2)	StatAreaSK	bigint	8	NOT NULL		
 (3)	Percent	numeric(18,5)	9	NOT NULL		
	PotLifts	int	4	NULL allowed		
	LastUpdated	datetime	8	NOT NULL		(getdate())
	LastUser	varchar(150)	150	NOT NULL		
	DataEntityCompanySK	bigint	8	NOT NULL		

Indexes

Key	Name	Key Columns	Included Columns	Unique
	PK_ERPx_APDeliveryTicketStatArea	DeliveryTicketStatAreaSK		True
	IX_ERPx_APDeliveryTicketStatArea_Delivery-TicketHeaderSKPercent	DeliveryTicketHeaderSK, Percent	StatAreaSK	
	IX_ERPx_APDeliveryTicketStatArea_Percent	DeliveryTicketHeaderSK	Percent	
	IX_RPx_APDeliveryTicketStatArea_Percent	Percent	DeliveryTicketHeaderSK, StatAreaSK	

Foreign Keys

Name	Columns
FK_ERPx_APDeliveryTicketStatArea_ERPx_-APDeliveryTicketHeader	DeliveryTicketHeaderSK->[dbo].[ERPx_APDeliveryTicketHeader].[DeliveryTicketHeaderSK]
FK_ERPx_APDeliveryTicketStatArea_ERPx_-APDeliveryTicketLine	DeliveryTicketLineSK->[dbo].[ERPx_APDeliveryTicketLine].[DeliveryTicketLineSK]
FK_ERPx_APDeliveryTicketStatArea_ERPx_APStatAreas	StatAreaSK->[dbo].[ERPx_APStatAreas].[StatAreaSK]
FK_ERPx_APDeliveryTicketStatArea_ERPx_MFData-EntityCompany	DataEntityCompanySK->[dbo].[ERPx_MFDataEntityCompany].[DataEntityCompanySK]

Uses

[dbo].[ERPx_APDeliveryTicketHeader]




[dbo].[ERPx_APDeliveryTicketLine]
[dbo].[ERPx_APStatAreas]
[dbo].[ERPx_MFDataEntityCompany]

Used By

[dbo].[IQx_APSEL_TicketStatAreaLinelist]
[dbo].[SPx_APPProcess_DeliveryTicket]
[dbo].[SPx_APSEL_DeliveryTicketRepriceItemlist]
[dbo].[SPx_APSEL_DeliveryTicketRepricePremiumlist]
[dbo].[SPx_APSEL_DeliveryTicketStatArea]
[dbo].[SPx_APSEL_DeliveryTicketStatAreaLookup]
[dbo].[SPx_APUUpdate_DeliveryTicketProgramRollup]
[dbo].[SPx_APUUpdate_DeliveryTicketReprice]
[dbo].[SPx_APUUpdate_DuplicateTransaction]
[dbo].[SPx_APUUpdate_StatAreas]
[dbo].[SPx_MFDEL_DeleteCompany]
[dbo].[SPx_MFUpdate_MassUpdate]

 **[dbo].[ERPx_APDisposition]**

Columns

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity	Default
	DispositionSK	bigint	8	NOT NULL	1 - 1	
	DispositionID	varchar(20)	20	NOT NULL		
	DispositionDescription	varchar(100)	100	NOT NULL		
	IsInactive	bit	1	NOT NULL		((0))
	LastUpdated	datetime	8	NOT NULL		
	LastUser	varchar(100)	100	NOT NULL		
	DataEntityCompanySK	bigint	8	NOT NULL		

Indexes

Key	Name	Key Columns	Unique
	PK_ERPx_APDisposition	DispositionSK	True
	IX_ERPx_APDisposition	DispositionID	

Foreign Keys

Name	Columns
FK_ERPx_APDisposition_ERPx_MFDataEntity-Company	DataEntityCompanySK->[dbo].[ERPx_MFDataEntityCompany].[DataEntity-CompanySK]

Uses

[dbo].[ERPx_MFDataEntityCompany]




Used By

- [dbo].[ERPx_APDeliveryTicketItem]
- [dbo].[IQx_APSEL_TicketLinelist]
- [dbo].[IQx_APSEL_TicketStatAreaLinelist]
- [dbo].[SPx_APPProcess_DeliveryTicket]
- [dbo].[SPx_APSEL_DeliveryTicketDispositionLookup]
- [dbo].[SPx_APSEL_DeliveryTicketItem]
- [dbo].[SPx_APSEL_DeliveryTicketItem_DispositionLookup]
- [dbo].[SPx_APSEL_DeliveryTicketLine]
- [dbo].[SPx_APSEL_DeliveryTicketPremium]
- [dbo].[SPx_APSEL_DeliveryTicketReprice]
- [dbo].[SPx_APSEL_DeliveryTicketReprice_DispositionLookup]


[dbo].[SPx_APSEL_DeliveryTicketRepriceItemlist]
[dbo].[SPx_APSEL_DeliveryTicketRepricePremiumlist]
[dbo].[SPx_APSEL_DeliveryTicketSplitLine]
[dbo].[SPx_APSEL_DeliveryTicketTax]
[dbo].[SPx_APSEL_DispositionList]
[dbo].[SPx_APSEL_DispositionLookupForReport]
[dbo].[SPx_APSEL_DispositionLookupForReportDefault]
[dbo].[SPx_APSEL_FishermanRankingDispositionDefault]
[dbo].[SPx_APSEL_FishermanRankingDispositionLookup]
[dbo].[SPx_APSEL_TicketLinelist]
[dbo].[SPx_APUPD_DeliveryTicketADFGGLandingIntegrationStatus]
[dbo].[SPx_APUUpdate_DeliveryTicketItem]
[dbo].[SPx_APUUpdate_DeliveryTicketReprice]
[dbo].[SPx_APUUpdate_Disposition]
[dbo].[SPx_INTEG_NSAPDeliveryTicket_XML]
[dbo].[SPx_MFDEL_DeleteCompany]
[dbo].[SPx_MFSEL_PriceListItemList]
[dbo].[SPx_MFUpdate_MassUpdate]

 [dbo].[ERPx_APGear]

Columns

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity	Default
	GearSK	bigint	8	NOT NULL	1 - 1	
	GearID	varchar(20)	20	NOT NULL		
	GearDescription	varchar(100)	100	NOT NULL		
	IsInactive	bit	1	NOT NULL		((0))
	LastUpdated	datetime	8	NOT NULL		
	LastUser	varchar(100)	100	NOT NULL		
	DataEntityCompanySK	bigint	8	NOT NULL		

Indexes

Key	Name	Key Columns	Unique
	PK_ERPx_APGear	GearSK	True
	IX_ERPx_APGear	GearID	

Foreign Keys

Name	Columns
FK_ERPx_APGear_ERPx_MFDataEntity-Company	DataEntityCompanySK->[dbo].[ERPx_MFDataEntityCompany].[DataEntity-CompanySK]

Uses

[dbo].[ERPx_MFDataEntityCompany]





Used By

- [dbo].[ERPx_APVendorPermit]
- [dbo].[IQx_APSEL_TicketLinelist]
- [dbo].[IQx_APSEL_TicketList]
- [dbo].[IQx_APSEL_TicketStatAreaLinelist]
- [dbo].[SPx_APSEL_DeliveryReportGearLookup]
- [dbo].[SPx_APSEL_DeliveryTicketDualPermitLookup]
- [dbo].[SPx_APSEL_DeliveryTicketFishermen]
- [dbo].[SPx_APSEL_DeliveryTicketGearLookup]
- [dbo].[SPx_APSEL_DeliveryTicketList]
- [dbo].[SPx_APSEL_DeliveryTicketPermitLookup]
- [dbo].[SPx_APSEL_DeliveryTicketReprice_GearLookup]

[dbo].[SPx_APSEL_FishermanRankingGearLookup]
[dbo].[SPx_APSEL_GearList]
[dbo].[SPx_APSEL_ProgramEntity]
[dbo].[SPx_APSEL_ProgramGearLookup]
[dbo].[SPx_APSEL_ProgramPremiumEntityGear]
[dbo].[SPx_APSEL_ProgramTaxEntityGear]
[dbo].[SPx_APSEL_TicketLinelist]
[dbo].[SPx_APSEL_TicketList]
[dbo].[SPx_APSEL_TransactionMoreActionsTicketList]
[dbo].[SPx_APSEL_VendorGearLookup]
[dbo].[SPx_APSEL_VendorPermit]
[dbo].[SPx_APUupdate_Gear]
[dbo].[SPx_INTEG_NSAPDeliveryTicket_XML]
[dbo].[SPx_MFDEL_DeleteCompany]

[dbo].[ERPx_APGradeAttributes]

Columns

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity
	GradeAttributeSK	bigint	8	NOT NULL	1 - 1
	GradeSK	bigint	8	NOT NULL	
	AttributeSK	bigint	8	NOT NULL	
	AttributeValue	varchar(200)	200	NULL allowed	
	DataEntityCompanySK	bigint	8	NOT NULL	
	LastUpdated	datetime	8	NOT NULL	
	LastUser	varchar(110)	110	NOT NULL	

Indexes

Key	Name	Key Columns	Unique
	PK_ERPx_APGradeAttributes	GradeAttributeSK	True

Foreign Keys

Name	Columns
FK_ERPx_APGradeAttributes_ERPx_APGrades	GradeSK->[dbo].[ERPx_APGrades].[GradeSK]
FK_ERPx_APGradeAttributes_ERPx_MFAttribute	AttributeSK->[dbo].[ERPx_MFAttribute].[AttributeSK]
FK_ERPx_APGradeAttributes_ERPx_MFDataEntity-Company	DataEntityCompanySK->[dbo].[ERPx_MFDataEntityCompany].[DataEntity-CompanySK]

Uses





[dbo].[ERPx_APGrades]
 [dbo].[ERPx_MFAttribute]
 [dbo].[ERPx_MFDataEntityCompany]

Used By


[dbo].[SPx_APPProcess_Grades]
 [dbo].[SPx_MFDEL_Attribute]

 **[dbo].[ERPx_APGrades]**

Columns

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity	Default
	GradeSK	bigint	8	NOT NULL	1 - 1	
	GradeID	varchar(20)	20	NOT NULL		
	GradeName	varchar(100)	100	NOT NULL		
	IsInactive	bit	1	NOT NULL		((0))
	LastUpdated	datetime	8	NOT NULL		
	LastUser	varchar(100)	100	NOT NULL		
	DataEntityCompanySK	bigint	8	NOT NULL		
	AttributeClassSK	bigint	8	NULL allowed		

Indexes

Key	Name	Key Columns	Unique
	PK_ERPx_APGrades	GradeSK	True
	IX_ERPx_APGrades	DataEntityCompanySK, GradeID	True

Foreign Keys

Name	Columns
FK_ERPx_APGrades_ERPx_MFAttributeClass	AttributeClassSK->[dbo].[ERPx_MFAttributeClass].[AttributeClassSK]
FK_ERPx_APGrades_ERPx_MFDataEntity-Company	DataEntityCompanySK->[dbo].[ERPx_MFDataEntityCompany].[DataEntity-CompanySK]

Uses




[dbo].[ERPx_MFAttributeClass]
 [dbo].[ERPx_MFDataEntityCompany]

Used By

[dbo].[ERPx_APDeliveryTicketItem]
 [dbo].[ERPx_APGradeAttributes]
 [dbo].[ERPx_MFAttribute_APGrade]
 [dbo].[IQx_APSEL_TicketLinelist]
 [dbo].[IQx_APSEL_TicketStatAreaLinelist]
 [dbo].[SPx_APPProcess_DeliveryTicket]
 [dbo].[SPx_APPProcess_Grades]
 [dbo].[SPx_APSEL_DeliveryTicketGradeLookup]

[dbo].[SPx_APSEL_DeliveryTicketItem]
[dbo].[SPx_APSEL_DeliveryTicketItem_GradeLookup]
[dbo].[SPx_APSEL_DeliveryTicketLine]
[dbo].[SPx_APSEL_DeliveryTicketPremium]
[dbo].[SPx_APSEL_DeliveryTicketReprice_GradeLookup]
[dbo].[SPx_APSEL_DeliveryTicketRepriceItemlist]
[dbo].[SPx_APSEL_DeliveryTicketRepricePremiumlist]
[dbo].[SPx_APSEL_DeliveryTicketSplitLine]
[dbo].[SPx_APSEL_DeliveryTicketTax]
[dbo].[SPx_APSEL_GradeList]
[dbo].[SPx_APSEL_TicketLinelist]
[dbo].[SPx_APUPD_DeliveryTicketADFGGLandingIntegrationStatus]
[dbo].[SPx_APUUpdate_DeliveryTicketItem]
[dbo].[SPx_INTEG_NSAPDeliveryTicket_XML]
[dbo].[SPx_MFDEL_DeleteCompany]
[dbo].[SPx_MFSEL_FAPreferences]
[dbo].[SPx_MFSEL_PriceListItemList]
[dbo].[SPx_MFUpdate_MassUpdate]

[dbo].[ERPx_APMangementPrograms]**Columns**

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity	Default
	ManagementProgramSK	bigint	8	NOT NULL	1 - 1	
	ManagementProgramID	varchar(20)	20	NOT NULL		
	ManagementProgramName	varchar(100)	100	NOT NULL		
	IsInactive	bit	1	NOT NULL		((0))
	LastUpdated	datetime	8	NOT NULL		
	LastUser	varchar(100)	100	NOT NULL		
	DataEntityCompanySK	bigint	8	NOT NULL		

Indexes

Key	Name	Key Columns	Unique
	PK_ERPx_APMangementPrograms	ManagementProgramSK	True
	IX_ERPx_APMangementPrograms	ManagementProgramID, DataEntityCompanySK	True

Foreign Keys

Name	Columns
FK_ERPx_APMangementPrograms_ERPx_MFData-EntityCompany	DataEntityCompanySK->[dbo].[ERPx_MFDataEntityCompany].[Data-EntityCompanySK]

Uses

[dbo].[ERPx_MFDataEntityCompany]




Used By

[dbo].[ERPx_APDeliveryTicketHeader]
 [dbo].[IQx_APSEL_TicketLinelist]
 [dbo].[IQx_APSEL_TicketList]
 [dbo].[IQx_APSEL_TicketStatAreaLinelist]
 [dbo].[SPx_APSEL_DeliveryTicketManagementProgramLookup]
 [dbo].[SPx_APSEL_ManagementProgramList]
 [dbo].[SPx_APSEL_ProgramManagementProgramLookup]
 [dbo].[SPx_APSEL_ProgramPremiumEntityManagementProgram]
 [dbo].[SPx_APSEL_ProgramTaxEntityManagementProgram]
 [dbo].[SPx_APSEL_TicketLinelist]
 [dbo].[SPx_APSEL_TicketList]


[dbo].[SPx_APUdate_ManagementPrograms]
[dbo].[SPx_INTEG_NSAPDeliveryTicket_XML]
[dbo].[SPx_MFDEL_DeleteCompany]
[dbo].[SPx_MFSEL_FAPreferences]

 **[dbo].[ERPx_APPoAttributes]**

Columns

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity
	POAttributeSK	bigint	8	NOT NULL	1 - 1
	POHeaderSK	bigint	8	NOT NULL	
	AttributeSK	bigint	8	NOT NULL	
	AttributeValue	varchar(200)	200	NULL allowed	
	DataEntityCompanySK	bigint	8	NOT NULL	

Indexes

Key	Name	Key Columns	Unique
	PK_ERPx_APPoAttributes	POAttributeSK	True
	UK_ERPx_APTransactionAttributes_POHeaderSK_AttributeSK	POHeaderSK, AttributeSK	True

Foreign Keys


Name	No Check	Columns
FK_ERPx_APPoAttributes_ERPx_APPoHeader	True	POHeaderSK->[dbo].[ERPx_APPoHeader].[POHeaderSK]
FK_ERPx_APPoAttributes_ERPx_MFAttribute		AttributeSK->[dbo].[ERPx_MFAttribute].[AttributeSK]

Uses


[dbo].[ERPx_APPoHeader]
 [dbo].[ERPx_MFAttribute]




Used By

[dbo].[SPx_APProcess_PurchaseOrder]
 [dbo].[SPx_APSEL_POHeaderAttributeList]
 [dbo].[SPx_APUUpdate_MassUpdatePO]
 [dbo].[SPx_APUUpdate_PurchaseOrderList]
 [dbo].[SPx_MFDEL_Attribute]

 [dbo].[ERPx_APPoHeader]

Columns

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity
	POHeaderSK	bigint	8	NOT NULL	1 - 1
	TransactionClassSK	bigint	8	NOT NULL	
	PurchaseOrderID	varchar(50)	50	NOT NULL	
	VendorSK	bigint	8	NOT NULL	
	Description	varchar(150)	150	NULL allowed	
	PODate	date	3	NOT NULL	
	ExpireDate	datetime	8	NULL allowed	
	POTypeEN	bigint	8	NOT NULL	
	POStatusSK	bigint	8	NOT NULL	
	OrderedAmount	numeric(18,5)	9	NULL allowed	
	InvoicedAmount	numeric(18,5)	9	NULL allowed	
	ReceivedAmount	numeric(18,5)	9	NULL allowed	
	OrderedQty	numeric(18,5)	9	NULL allowed	
	InvoicedQty	numeric(18,5)	9	NULL allowed	
	ReceivedQty	numeric(18,5)	9	NULL allowed	
	CurrencySK	bigint	8	NULL allowed	
	LastUpdated	datetime	8	NOT NULL	
	LastUser	varchar(150)	150	NOT NULL	
	DataEntityCompanySK	bigint	8	NOT NULL	
	CreatedDate	datetime	8	NULL allowed	
	CreatedBy	varchar(150)	150	NULL allowed	
	Reference	varchar(100)	100	NULL allowed	
	Requisition	varchar(25)	25	NULL allowed	
	SiteSK	bigint	8	NULL allowed	
	ShipToAddressSK	bigint	8	NULL allowed	
	Buyer	varchar(50)	50	NULL allowed	
	ShipToAddressLine1	varchar(75)	75	NULL allowed	
	ShipToAddressLine2	varchar(75)	75	NULL allowed	
	ShipToAddressLine3	varchar(75)	75	NULL allowed	
	ShipToCity	varchar(35)	35	NULL allowed	
	ShipToState	varchar(30)	30	NULL allowed	
	ShipToZip	varchar(15)	15	NULL allowed	
	ShipToCountry	varchar(50)	50	NULL allowed	

	ShipToPhone1	varchar(25)	25	NULL allowed	
	ShipToAddressName	varchar(60)	60	NULL allowed	
	ShipVia	varchar(100)	100	NULL allowed	
	PurchaseContactName	varchar(100)	100	NULL allowed	
	ReceiveBy	date	3	NULL allowed	
	PaymentTermSK	bigint	8	NOT NULL	
	DiscountPercent	numeric(18,5)	9	NULL allowed	
	ShipAttentionTo	varchar(100)	100	NULL allowed	
	DiscountDays	bigint	8	NULL allowed	
	DueDays	bigint	8	NULL allowed	
	SourceTransactionFunctionalAreaSK	bigint	8	NULL allowed	
	SourceTransactionTypeSK	bigint	8	NULL allowed	
	SourceTransactionID	varchar(50)	50	NULL allowed	
	SourceTransactionSK	bigint	8	NULL allowed	
	SourceLoadTransactionLegSK	bigint	8	NULL allowed	
	FreightVarianceGLAccountSK	bigint	8	NULL allowed	

Indexes

Key	Name	Key Columns	Unique
	PK_ERPx_APPoHeader	POHeaderSK	True
	IX_ERPx_APPoHeader	DataEntityCompanySK, PurchaseOrderID	True

Foreign Keys

Name	Columns
FK_ERPx_APPoHeader_ERPx_APPOStatus	POStatusSK->[dbo].[ERPx_APPOStatus].[POStatusSK]
FK_ERPx_APPoHeader_ERPx_APTransaction-Class	TransactionClassSK->[dbo].[ERPx_APTransactionClass].[TransactionClassSK]
FK_ERPx_APPoHeader_ERPx_APVendor	VendorSK->[dbo].[ERPx_APVendor].[VendorSK]
FK_ERPx_APPoHeader_ERPx_GLAccount	FreightVarianceGLAccountSK->[dbo].[ERPx_GLAccount].[AccountSK]
FK_ERPx_APPoHeader_ERPx_MFCurrency	CurrencySK->[dbo].[ERPx_MFCurrency].[CurrencySK]
FK_ERPx_APPoHeader_ERPx_MFDataEntity-Company	DataEntityCompanySK->[dbo].[ERPx_MFDataEntityCompany].[DataEntity-CompanySK]
FK_ERPx_APPoHeader_ERPx_MFFunctional-Area	SourceTransactionFunctionalAreaSK->[dbo].[ERPx_MFFunctional-Area].[FunctionalAreaSK]
FK_ERPx_APPoHeader_ERPx_MFPayment-Terms	PaymentTermSK->[dbo].[ERPx_MFPaymentTerms].[PaymentTermSK]
FK_ERPx_APPoHeader_ERPx_MFSite	SiteSK->[dbo].[ERPx_MFSite].[SiteSK]

Uses








[dbo].[ERPx_APPOStatus]
[dbo].[ERPx_APTransactionClass]
[dbo].[ERPx_APVendor]
[dbo].[ERPx_GLAccount]
[dbo].[ERPx_MFCurrency]
[dbo].[ERPx_MFDataEntityCompany]
[dbo].[ERPx_MFFunctionalArea]
[dbo].[ERPx_MFPaymentTerms]
[dbo].[ERPx_MFSite]

Used By

[dbo].[ERPx_APPoAttributes]
[dbo].[ERPx_APPoHeader_SearchMetadata]
[dbo].[ERPx_APPoHeaderNote]
[dbo].[ERPx_APPoLine]
[dbo].[ERPx_APPoLine_SearchMetadata]
[dbo].[ERPx_APTransactionHeader]
[dbo].[ERPx_IMLotCostPostingLog]
[dbo].[ERPx_IMTransactionHeader]
[dbo].[ERPx_MFAttribute_APPoHeader]
[dbo].[FNx_GetTransactionAccounts]
[dbo].[IQx_APSEL_Activity]
[dbo].[IQx_APSEL_FishermanBalanceDetail]
[dbo].[IQx_APSEL_InvoiceLineList]
[dbo].[IQx_APSEL_InvoiceList]
[dbo].[IQx_APSEL_POLineList]
[dbo].[IQx_APSEL_POLinkedItems]
[dbo].[IQx_APSEL_POLinkedTransactions]
[dbo].[IQx_APSEL_POList]
[dbo].[IQx_IMSEL_ItemHistory]
[dbo].[IQx_IMSEL_LotHistory]
[dbo].[SPx_APPProcess_APTransaction_POLookup]
[dbo].[SPx_APPProcess_APTransaction_PurchaseOrder]
[dbo].[SPx_APPProcess_PurchaseOrder]
[dbo].[SPx_APPProcess_SearchMetadata_RefreshPOHeader]
[dbo].[SPx_APPProcess_SearchMetadata_RefreshPOLine]
[dbo].[SPx_APPProcess_Transaction]
[dbo].[SPx_APPProcess_TransactionClass]
[dbo].[SPx_APPProcess_Vendor]
[dbo].[SPx_APSEL_APTransaction_Header]
[dbo].[SPx_APSEL_APTransaction_Line]
[dbo].[SPx_APSEL_APTransaction_POLineNumberLookup]
[dbo].[SPx_APSEL_APTransaction_PORecordLookupDetail]
[dbo].[SPx_APSEL_BuildFishermanSettlementList]
[dbo].[SPx_APSEL_DocumentManagementSystemUrlLookup]
[dbo].[SPx_APSEL_FishermanBalancesList]
[dbo].[SPx_APSEL_InvoiceLineList]
[dbo].[SPx_APSEL_InvoiceList]
[dbo].[SPx_APSEL_PoDistributionLookup]
[dbo].[SPx_APSEL_POHeader]

[dbo].[SPx_APSEL_POHeaderAttributeList]
[dbo].[SPx_APSEL_POHeaderProperties]
[dbo].[SPx_APSEL_POLine]
[dbo].[SPx_APSEL_POLineList]
[dbo].[SPx_APSEL_POList]
[dbo].[SPx_APSEL_POVendorTransactionSummary]
[dbo].[SPx_APSEL_PurchaseOrder_ItemDefaultLookup]
[dbo].[SPx_APSEL_PurchaseOrder_NewLine]
[dbo].[SPx_APSEL_PurchaseOrder_PODefaultLookup]
[dbo].[SPx_APSEL_PurchaseOrder_SiteLookup]
[dbo].[SPx_APSEL_PurchaseOrder_VendorLookup]
[dbo].[SPx_APSEL_PurchaseOrderLine_VendorLookup]
[dbo].[SPx_APSEL_TransactionHeader]
[dbo].[SPx_APSEL_TransactionLineNew]
[dbo].[SPx_APSEL_TransactionVendorLookup]
[dbo].[SPx_APUUpdate_AutoPayFishermanBalance]
[dbo].[SPx_APUUpdate_MassUpdatePO]
[dbo].[SPx_APUUpdate_POHeaderRollup]
[dbo].[SPx_APUUpdate_PurchaseOrderList]
[dbo].[SPx_APUUpdate_Transaction]
[dbo].[SPx_APUUpdate_TransactionClass]
[dbo].[SPx_APUUpdate_VendorList]
[dbo].[SPx_APUUpdate_VoidSettlementTransaction]
[dbo].[SPx_FAUpdate_FishermanTenderList]
[dbo].[SPx_FAUpdate_LoanList]
[dbo].[SPx_IMPProcess_Receipt_PurchaseOrder]
[dbo].[SPx_IMPProcess_ReceiptTransaction]
[dbo].[SPx_IMPProcess_Transfer_PurchaseOrder]
[dbo].[SPx_IMSEL_Receipt_POLineNumberLookup]
[dbo].[SPx_IMSEL_Receipt_PORecordLookupDetail]
[dbo].[SPx_IMSEL_TransactionDetailReceipt]
[dbo].[SPx_IMSEL_TransactionHeaderReceipt]
[dbo].[SPx_IMSEL_TransactionList]
[dbo].[SPx_INTEG_NSAPIInvoiceAndCreditMemo]
[dbo].[SPx_MFDEL_DeleteCompany]
[dbo].[SPx_MFSEL_ChangeAddressList]
[dbo].[SPx_MFSEL_ChangeAddressLookup]
[dbo].[SPx_MFUpdate_ChangeAddress]
[dbo].[SPx_MFUpdate_RecordLookup]
[dbo].[SPx_MFUpdate_VoidTransaction]
[dbo].[SPx_SOPProcess_PurchaseOrder]


[dbo].[ERPx_APPOHeader_SearchMetadata]**Columns**

Key	Name	Data Type	Persisted	Computed	Max Length (Bytes)	Nullability
	POHeaderSK	bigint			8	NOT NULL
	Description	varchar(150)			150	NULL allowed
	PO	varchar(50)			50	NOT NULL
	VendorSK	bigint			8	NOT NULL
	VendorID	varchar(50)			50	NOT NULL
	VendorName	varchar(100)			100	NOT NULL
	Vendor	varchar(152)	True	True	152	NOT NULL
	SearchText	varchar(354)	True	True	354	NOT NULL
	DataEntityCompanySK	bigint			8	NOT NULL

Computed columns

Name	Column definition
Vendor	((isnull([VendorID], '')+isnull([VendorName], ''))+' ')
SearchText	(((((isnull([Description], '')+isnull([PO], ''))+' ')+isnull([VendorID], ''))+' ')+isnull([VendorName], ''))+' ')

Indexes

Key	Name	Key Columns	Unique
	PK_ERPx_APPOHeader_SearchMetadata	POHeaderSK	True
	IX_ERPx_APPOHeader_SearchMetadata	Description, PO, VendorID, VendorName, DataEntityCompanySK	

Foreign Keys

Name	Columns
FK_ERPx_APPOHeader_SearchMetadata_ERPx_APPOHeader	POHeaderSK->[dbo].[ERPx_APPOHeader].[POHeaderSK]
FK_ERPx_APPOHeader_SearchMetadata_ERPx_APVendor	VendorSK->[dbo].[ERPx_APVendor].[VendorSK]
FK_ERPx_APPOHeader_SearchMetadata_ERPx_MFDataEntityCompany	DataEntityCompanySK->[dbo].[ERPx_MFDataEntityCompany].[DataEntityCompanySK]





Uses

[dbo].[ERPx_APPoHeader]
[dbo].[ERPx_APVendor]
[dbo].[ERPx_MFDataEntityCompany]

Used By

[dbo].[SPx_APPProcess_PurchaseOrder]
[dbo].[SPx_APPProcess_SearchMetadata_RefreshPOHeader]
[dbo].[SPx_APUdate_PurchaseOrderList]

[dbo].[ERPx_APPoHeaderNote]**Columns**

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity	Default
	HeaderNoteSK	bigint	8	NOT NULL	1 - 1	
	POHeaderSK	bigint	8	NOT NULL		
	NoteTypeSK	bigint	8	NOT NULL		
	Note	varchar(max)	max	NOT NULL		
	NoteHTML	varchar(max)	max	NULL allowed		
	LastUser	varchar(110)	110	NOT NULL		
	LastUpdated	datetime	8	NOT NULL		(getdate())
	DataEntityCompanySK	bigint	8	NOT NULL		

Indexes

Key	Name	Key Columns	Unique
	PK_ERPx_APPoHeaderNote	HeaderNoteSK	True

Foreign Keys

Name	Columns
FK_ERPx_APPoHeaderNote_ERPx_APPoHeader	POHeaderSK->[dbo].[ERPx_APPoHeader].[POHeaderSK]
FK_ERPx_APPoHeaderNote_ERPx_MFDataEntity-Company	DataEntityCompanySK->[dbo].[ERPx_MFDataEntityCompany].[DataEntity-CompanySK]
FK_ERPx_APPoHeaderNote_ERPx_MFNoteType	NoteTypeSK->[dbo].[ERPx_MFNoteType].[NoteTypeSK]




Uses

[dbo].[ERPx_APPoHeader]
 [dbo].[ERPx_MFDataEntityCompany]
 [dbo].[ERPx_MFNoteType]

Used By

[dbo].[SPx_APProcess_PurchaseOrder]
 [dbo].[SPx_MFManage_NoteAssignment]
 [dbo].[SPx_MFSEL_NoteList]

[dbo].[ERPx_APPoHeaderProperty]**Columns**

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity	Default
	POHeaderPropertySK	bigint	8	NOT NULL	1 - 1	
	PropertyGroupDescription	varchar(200)	200	NULL allowed		
	PropertyName	varchar(50)	50	NOT NULL		
	PropertyDescription	varchar(200)	200	NOT NULL		
	PropertyDefinitionSK	bigint	8	NULL allowed		
	Sort	bigint	8	NOT NULL		
	LastUpdated	datetime	8	NOT NULL		(getdate())
	LastUser	varchar(150)	150	NOT NULL		
	DataEntityCompanySK	bigint	8	NOT NULL		
	IsReadOnly	bit	1	NOT NULL		((0))
	TabLocation	varchar(50)	50	NOT NULL		('Properties')
	MaxLengthOrDecimals	bigint	8	NULL allowed		

Indexes

Key	Name	Key Columns	Unique
	PK_ERPx_APPoHeaderProperty	POHeaderPropertySK	True

Foreign Keys

Name	Columns
FK_ERPx_APPoHeaderProperty_ERPx_MFData-EntityCompany	DataEntityCompanySK->[dbo].[ERPx_MFDataEntityCompany].[Data-EntityCompanySK]
FK_ERPx_APPoHeaderProperty_ERPx_MFProperty-Definition	PropertyDefinitionSK->[dbo].[ERPx_MFPropertyDefinition].[Property-DefinitionSK]

Uses






[dbo].[ERPx_MFDataEntityCompany]
[dbo].[ERPx_MFPropertyDefinition]

Used By

[dbo].[SPx_APSEL_POHeaderProperties]

 [dbo].[ERPx_APPoLine]

Columns

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity	Default
	POLineSK	bigint	8	NOT NULL	1 - 1	
	POHeaderSK	bigint	8	NOT NULL		
	LineDescription	varchar(200)	200	NOT NULL		
	AccountSK	bigint	8	NULL allowed		
	OrderedQuantity	numeric(18,5)	9	NULL allowed		
	QuantityUOMSK	bigint	8	NULL allowed		
	Price	numeric(18,5)	9	NULL allowed		
	ExtendedAmount	numeric(18,5)	9	NULL allowed		
	ToMFDistributionTypeEN	bigint	8	NULL allowed		
	ToDistributionAccountSK	bigint	8	NULL allowed		
	InvoicedQty	numeric(18,5)	9	NULL allowed		
	ReceivedQty	numeric(18,5)	9	NULL allowed		
	InvoicedAmount	numeric(18,5)	9	NULL allowed		
	ReceivedAmount	numeric(18,5)	9	NULL allowed		
	LastUpdated	datetime	8	NOT NULL		
	LastUser	varchar(150)	150	NOT NULL		
	DataEntityCompanySK	bigint	8	NOT NULL		
	LineNumber	bigint	8	NOT NULL		((1))
	ItemSK	bigint	8	NULL allowed		
	VendorSK	bigint	8	NULL allowed		
	LineComment	varchar(200)	200	NULL allowed		
	LineSourceEN	bigint	8	NOT NULL		((1))

Indexes

Key	Name	Key Columns	Unique
	PK_ERPx_APPoLine	POLineSK	True

Foreign Keys

Name	Columns
FK_ERPx_APPoLine_ERPx_APPoHeader	POHeaderSK->[dbo].[ERPx_APPoHeader].[POHeaderSK]
FK_ERPx_APPoLine_ERPx_APVendor	VendorSK->[dbo].[ERPx_APVendor].[VendorSK]

FK_ERPx_APPoLine_ERPx_GLAaccount	AccountSK->[dbo].[ERPx_GLAaccount].[AccountSK]
FK_ERPx_APPoLine_ERPx_IMItem	ItemSK->[dbo].[ERPx_IMItem].[ItemSK]
FK_ERPx_APPoLine_ERPx_MFDataEntity-Company	DataEntityCompanySK->[dbo].[ERPx_MFDataEntityCompany].[DataEntity-CompanySK]

Uses










[dbo].[ERPx_APPoHeader]
 [dbo].[ERPx_APVendor]
 [dbo].[ERPx_GLAaccount]
 [dbo].[ERPx_IMItem]
 [dbo].[ERPx_MFDataEntityCompany]

Used By

[dbo].[ERPx_APPoLine_SearchMetadata]
 [dbo].[ERPx_APTransactionLine]
 [dbo].[ERPx_IMTransactionDetail]
 [dbo].[IQx_APSEL_Activity]
 [dbo].[IQx_APSEL_FishermanBalanceDetail]
 [dbo].[IQx_APSEL_InvoiceLineList]
 [dbo].[IQx_APSEL_POLineList]
 [dbo].[IQx_APSEL_POLinkedItems]
 [dbo].[IQx_APSEL_POLinkedTransactions]
 [dbo].[SPx_APPProcess_APTransaction_PurchaseOrder]
 [dbo].[SPx_APPProcess_PurchaseOrder]
 [dbo].[SPx_APPProcess_SearchMetadata_RefreshPOLine]
 [dbo].[SPx_APPProcess_Transaction]
 [dbo].[SPx_APPProcess_Vendor]
 [dbo].[SPx_APSEL_APTransaction_Header]
 [dbo].[SPx_APSEL_APTransaction_Line]
 [dbo].[SPx_APSEL_APTransaction_POLineDefaultLookup]
 [dbo].[SPx_APSEL_APTransaction_POLineNumberLookup]
 [dbo].[SPx_APSEL_APTransaction_PORecordLookupDetail]
 [dbo].[SPx_APSEL_BuildFishermanSettlementList]
 [dbo].[SPx_APSEL_FishermanBalancesList]
 [dbo].[SPx_APSEL_InvoiceLineList]
 [dbo].[SPx_APSEL_PoDistributionLookup]
 [dbo].[SPx_APSEL_POLine]
 [dbo].[SPx_APSEL_POLineList]
 [dbo].[SPx_APSEL_POVendorTransactionSummary]
 [dbo].[SPx_APSEL_PurchaseOrder_AccountLookup]
 [dbo].[SPx_APSEL_PurchaseOrder_Summary]
 [dbo].[SPx_APSEL_PurchaseOrder_UOMLookup]
 [dbo].[SPx_APSEL_PurchaseOrder_UOMLookupByItem]
 [dbo].[SPx_APSEL_PurchaseOrderLine_VendorLookup]
 [dbo].[SPx_APSEL_TransactionUOMLookup]
 [dbo].[SPx_APUUpdate_AutoPayFishermanBalance]
 [dbo].[SPx_APUUpdate_POHeaderRollup]
 [dbo].[SPx_APUUpdate_PurchaseOrderList]
 [dbo].[SPx_APUUpdate_Transaction]
 [dbo].[SPx_APUUpdate_VendorList]

[dbo].[SPx_FAUpdate_FishermanTenderList]
[dbo].[SPx_FAUpdate_LoanList]
[dbo].[SPx_IMProcess_Receipt_PurchaseOrder]
[dbo].[SPx_IMProcess_UpdateLotCostsFromPO]
[dbo].[SPx_IMSEL_Receipt_POLineDefaultLookup]
[dbo].[SPx_IMSEL_Receipt_POLineNumberLookup]
[dbo].[SPx_IMSEL_Receipt_PORecordLookupDetail]
[dbo].[SPx_IMSEL_TransactionDetailReceipt]
[dbo].[SPx_INTEG_NSAPIInvoiceAndCreditMemo]
[dbo].[SPx_MFDEL_DeleteCompany]


[dbo].[ERPx_APPOLine_SearchMetadata]**Columns**

Key	Name	Data Type	Persisted	Computed	Max Length (Bytes)	Nullability
	POLineSK	bigint			8	NOT NULL
	POHeaderSK	bigint			8	NOT NULL
	Description	varchar(150)			150	NULL allowed
	PO	varchar(50)			50	NOT NULL
	VendorSK	bigint			8	NOT NULL
	VendorID	varchar(50)			50	NOT NULL
	VendorName	varchar(100)			100	NOT NULL
	Vendor	varchar(152)	True	True	152	NOT NULL
	Item	varchar(200)			200	NULL allowed
	SearchText	varchar(555)	True	True	555	NOT NULL
	DataEntityCompanySK	bigint			8	NOT NULL

Computed columns

Name	Column definition
Vendor	(((isnull([VendorID], '')+ ' ') + isnull([VendorName], '')) + ' ')
Search-Text	((((((((isnull([Description], '')+ ' ') + isnull([PO], '')) + ' ') + isnull([VendorID], '')) + ' ') + isnull([VendorName], '')) + ' ') + isnull([Item], '')) + ' ')

Indexes

Key	Name	Key Columns	Unique
	PK_ERPx_APPOLine_SearchMetadata	POLineSK	True
	IX_ERPx_APPOLine_SearchMetadata	Description, PO, VendorID, VendorName, Item, DataEntityCompanySK	

Foreign Keys

Name	Columns
FK_ERPx_APPOLine_SearchMetadata_ERPx_APPOHeader	POHeaderSK->[dbo].[ERPx_APPoHeader].[POHeaderSK]
FK_ERPx_APPOLine_SearchMetadata_ERPx_APPOLine	POLineSK->[dbo].[ERPx_APPoLine].[POLineSK]
FK_ERPx_APPOLine_SearchMetadata_ERPx_APVendor	VendorSK->[dbo].[ERPx_APVendor].[VendorSK]

FK_ERPx_APPOLine_SearchMetadata_ERPx_MFData-EntityCompany	DataEntityCompanySK->[dbo].[ERPx_MFDataEntityCompany].[Data-EntityCompanySK]
---	--




Uses

[dbo].[ERPx_APPoHeader]
[dbo].[ERPx_APPoLine]
[dbo].[ERPx_APVendor]
[dbo].[ERPx_MFDataEntityCompany]


Used By

[dbo].[SPx_APPProcess_PurchaseOrder]
[dbo].[SPx_APPProcess_SearchMetadata_RefreshPOLine]
[dbo].[SPx_APUdate_PurchaseOrderList]

 **[dbo].[ERPx_APPort]****Columns**

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity
	PortSK	bigint	8	NOT NULL	1 - 1
	PortID	varchar(20)	20	NOT NULL	
	PortDescription	varchar(100)	100	NOT NULL	
	COARArea	varchar(20)	20	NOT NULL	
	IFQPortID	varchar(20)	20	NOT NULL	
	IsInactive	bit	1	NOT NULL	
	LastUpdated	datetime	8	NOT NULL	
	LastUser	varchar(100)	100	NOT NULL	
	DataEntityCompanySK	bigint	8	NOT NULL	

Indexes

Key	Name	Key Columns	Unique
	PK_ERPx_APPort	PortSK	True
	IX_ERPx_APPort	PortID	

Foreign Keys

Name	Columns
FK_ERPx_APPort_ERPx_MFDataEntity-Company	DataEntityCompanySK->[dbo].[ERPx_MFDataEntityCompany].[DataEntity-CompanySK]

Uses

[dbo].[ERPx_MFDataEntityCompany]

Used By

[dbo].[ERPx_APDeliveryTicketHeader]
 [dbo].[IQx_APSEL_TicketLinelist]
 [dbo].[IQx_APSEL_TicketList]
 [dbo].[SPx_APSEL_DeliveryTicketADFGGLandingImportHeaderList]
 [dbo].[SPx_APSEL_DeliveryTicketPortLookup]
 [dbo].[SPx_APSEL_PortList]
 [dbo].[SPx_APSEL_TicketLinelist]
 [dbo].[SPx_APSEL_TicketList]
 [dbo].[SPx_APUpdate_Port]


[dbo].[SPx_INTEG_NSAPDeliveryTicket_XML]

[dbo].[SPx_MFDEL_DeleteCompany]

[dbo].[SPx_MFSEL_FAPreferences]

 **[dbo].[ERPx_APPOStatus]**

Columns

Key	Name	Data Type	Max Length (Bytes)	Nullability
	POStatusSK	bigint	8	NOT NULL
	StatusName	varchar(25)	25	NOT NULL
	Sort	int	4	NULL allowed












Indexes


Key	Name	Key Columns	Unique
	PK_ERPx_APPOStatus	POStatusSK	True

Used By

[dbo].[ERPx_APPoHeader]
 [dbo].[IQx_APSEL_POLinkedItems]
 [dbo].[IQx_APSEL_POLinkedTransactions]
 [dbo].[IQx_APSEL_POList]
 [dbo].[SPx_APSEL_POLineList]
 [dbo].[SPx_APSEL_POList]
 [dbo].[SPx_APSEL_PurchaseOrder_StatusLookup]
 [dbo].[SPx_APSEL_TransactionClass_POFirstStatusLookup]
 [dbo].[SPx_APSEL_TransactionClass_Property]

 **[dbo].[ERPx_APProgram]**
Columns


Key	Name	Data Type	Persisted	Computed	Max Length (Bytes)	Nullability	Identity	Default
 C	APPProgramSK	bigint			8	NOT NULL	1 - 1	
 (2)	APPProgramID	varchar(50)			50	NOT NULL		
	APPProgramName	varchar(100)			100	NOT NULL		
 (2)	APPProgramTypeEN	bigint			8	NOT NULL		
	APPProgramClassSK	bigint			8	NOT NULL		
	APPProgramStart	date			3	NOT NULL		
	APPProgramEnd	date			3	NULL allowed		
	Rate	numeric(19,6)			9	NOT NULL		
	APPProgramCalc-MethodEN	bigint			8	NOT NULL		
	UOMSK	bigint			8	NULL allowed		
	VendorSK	bigint			8	NULL allowed		
	PaymentFrequency	varchar(100)			100	NULL allowed		
	DRAccountSK	bigint			8	NULL allowed		
	CRAccountSK	bigint			8	NULL allowed		
	CompanyExpense-AccountSK	bigint			8	NULL allowed		
	ExpenseForEN	varchar(10)			10	NOT NULL		
	AssignRulesByEN	varchar(50)			50	NOT NULL		
	AssignRateByEN	bigint			8	NOT NULL		
	IsInactive	bit			1	NOT NULL		((0))
	LastUpdated	datetime			8	NOT NULL		
	LastUser	varchar(100)			100	NOT NULL		
 	DataEntity-CompanySK	bigint			8	NOT NULL		
	AssignmentMethod-EN	bigint			8	NULL allowed		
	CreatedBy	varchar(150)			150	NULL allowed		
	CreatedDateTime	datetime			8	NOT NULL		(getdate())
	MasterNumber-	bigint			8	NULL		

	Override					allowed		
	MasterNumber	bigint	True	True	8	NOT NULL		
	Version	bigint			8	NOT NULL		((1))

Computed columns

Name	Column definition
MasterNumber	(isnull([MasterNumberOverride],[APProgramSK]))

Indexes

Key	Name	Key Columns	Unique
	PK_ERPx_APProgram	APProgramSK	True
	IX_ERPx_APProgram_UniqueKey	APProgramID, APProgramTypeEN, DataEntityCompanySK, Version	True
	IX_ERPx_APProgram	APProgramID	
	IX_ERPx_APProgram_1	APProgramTypeEN	

Foreign Keys

Name	No Check	Columns
FK_ERPx_APProgram_ERPx_APProgram-Class		APProgramClassSK->[dbo].[ERPx_APProgramClass].[APProgram-ClassSK]
FK_ERPx_APProgram_ERPx_APVendor	True	VendorSK->[dbo].[ERPx_APVendor].[VendorSK]
FK_ERPx_APProgram_ERPx_GLAccount		DRAccountSK->[dbo].[ERPx_GLAccount].[AccountSK]
FK_ERPx_APProgram_ERPx_GLAccount1		CRAccountSK->[dbo].[ERPx_GLAccount].[AccountSK]
FK_ERPx_APProgram_ERPx_GLAccount2		CompanyExpenseAccountSK->[dbo].[ERPx_GLAccount].[AccountSK]
FK_ERPx_APProgram_ERPx_IMUOM		UOMSK->[dbo].[ERPx_IMUOM].[UOMSK]
FK_ERPx_APProgram_ERPx_MFData-EntityCompany		DataEntityCompanySK->[dbo].[ERPx_MFDataEntityCompany].[Data-EntityCompanySK]

Uses

[dbo].[ERPx_APProgramClass]
 [dbo].[ERPx_APVendor]
 [dbo].[ERPx_GLAccount]
 [dbo].[ERPx_IMUOM]
 [dbo].[ERPx_MFDataEntityCompany]




Used By

[dbo].[ERPx_APDeliveryTicketEligiblePremium]
 [dbo].[ERPx_APDeliveryTicketLineProgram]
 [dbo].[ERPx_APProgramEntity]
 [dbo].[FNx_APDeliveryTicketProgramClassGroups]


[dbo].[FNx_GetDeliveryTicketEligiblePremiumPrograms]
[dbo].[FNx_GetDeliveryTicketEligibleTaxPrograms]
[dbo].[FNx_GetTransactionAccounts]
[dbo].[FNx_GetTransactionAmounts]
[dbo].[SPx_APProcess_Vendor]
[dbo].[SPx_APSEL_DeliveryTicketPremium]
[dbo].[SPx_APSEL_DeliveryTicketPremiumLookup]
[dbo].[SPx_APSEL_DeliveryTicketReprice_PremiumLookup]
[dbo].[SPx_APSEL_DeliveryTicketRepricePremiumlist]
[dbo].[SPx_APSEL_DeliveryTicketRepricePremiumLookup]
[dbo].[SPx_APSEL_DeliveryTicketTax]
[dbo].[SPx_APSEL_GetDeliveryTicketProgramClassGroups]
[dbo].[SPx_APSEL_ProgramPremiumEntityChillType]
[dbo].[SPx_APSEL_ProgramPremiumEntityChillTypeNewDefault]
[dbo].[SPx_APSEL_ProgramPremiumEntityFishermen]
[dbo].[SPx_APSEL_ProgramPremiumEntityFishermenNewDefault]
[dbo].[SPx_APSEL_ProgramPremiumEntityGear]
[dbo].[SPx_APSEL_ProgramPremiumEntityGearNewDefault]
[dbo].[SPx_APSEL_ProgramPremiumEntityManagementProgram]
[dbo].[SPx_APSEL_ProgramPremiumEntityManagementProgramNewDefault]
[dbo].[SPx_APSEL_ProgramPremiumEntitySiteProcessed]
[dbo].[SPx_APSEL_ProgramPremiumEntitySiteProcessedNewDefault]
[dbo].[SPx_APSEL_ProgramPremiumEntitySpecie]
[dbo].[SPx_APSEL_ProgramPremiumEntitySpecieNewDefault]
[dbo].[SPx_APSEL_ProgramPremiumEntityStatArea]
[dbo].[SPx_APSEL_ProgramPremiumEntityStatAreaNewDefault]
[dbo].[SPx_APSEL_ProgramPremiumEntityTicketItem]
[dbo].[SPx_APSEL_ProgramPremiumEntityTicketItemNewDefault]
[dbo].[SPx_APSEL_ProgramPremiumHeader]
[dbo].[SPx_APSEL_ProgramPremiumProperties]
[dbo].[SPx_APSEL_ProgramTaxEntityChillType]
[dbo].[SPx_APSEL_ProgramTaxEntityChillTypeNewDefault]
[dbo].[SPx_APSEL_ProgramTaxEntityFishermen]
[dbo].[SPx_APSEL_ProgramTaxEntityFishermenNewDefault]
[dbo].[SPx_APSEL_ProgramTaxEntityGear]
[dbo].[SPx_APSEL_ProgramTaxEntityGearNewDefault]
[dbo].[SPx_APSEL_ProgramTaxEntityManagementProgram]
[dbo].[SPx_APSEL_ProgramTaxEntityManagementProgramNewDefault]
[dbo].[SPx_APSEL_ProgramTaxEntitySiteProcessed]
[dbo].[SPx_APSEL_ProgramTaxEntitySiteProcessedNewDefault]
[dbo].[SPx_APSEL_ProgramTaxEntitySpecie]
[dbo].[SPx_APSEL_ProgramTaxEntitySpecieNewDefault]
[dbo].[SPx_APSEL_ProgramTaxEntityStatArea]
[dbo].[SPx_APSEL_ProgramTaxEntityStatAreaNewDefault]
[dbo].[SPx_APSEL_ProgramTaxEntityTicketItem]
[dbo].[SPx_APSEL_ProgramTaxEntityTicketItemNewDefault]
[dbo].[SPx_APSEL_ProgramTaxHeader]
[dbo].[SPx_APSEL_ProgramTaxProperties]
[dbo].[SPx_APUupdate_DeliveryTicket]
[dbo].[SPx_APUupdate_DeliveryTicketItem]
[dbo].[SPx_APUupdate_DeliveryTicketProgramRollup]
[dbo].[SPx_APUupdate_ProgramClass]
[dbo].[SPx_APUupdate_ProgramPremium]

[dbo].[SPx_APUUpdate_ProgramTax]
[dbo].[SPx_APUUpdate_VendorList]
[dbo].[SPx_FASEL_PremiumList]
[dbo].[SPx_FASEL_ProgramCopyHeader]
[dbo].[SPx_FASEL_TaxList]
[dbo].[SPx_FAUpdate_FishermanTenderList]
[dbo].[SPx_FAUpdate_LoanList]
[dbo].[SPx_FAUpdate_PremiumList]
[dbo].[SPx_FAUpdate_ProgramCopy]
[dbo].[SPx_FAUpdate_TaxList]
[dbo].[SPx_MFDEL_DeleteCompany]
[dbo].[SPx_MFUpdate_JournalDetails]
[dbo].[SPx_MFUpdate_MassUpdate]

[dbo].[ERPx_APProgramClass]**Columns**

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity
	APPProgramClassSK	bigint	8	NOT NULL	1 - 1
	APPProgramClassName	varchar(100)	100	NOT NULL	
	APPProgramTypeEN	bigint	8	NULL allowed	
	APPProgramGroupEN	bigint	8	NULL allowed	
	LastUpdated	datetime	8	NOT NULL	
	LastUser	varchar(100)	100	NOT NULL	
	DataEntityCompanySK	bigint	8	NOT NULL	

Indexes

Key	Name	Key Columns	Unique
	PK_ERPx_APProgramClass	APPProgramClassSK	True
	IX_ERPx_APProgramClass	APPProgramClassName, DataEntityCompanySK	True

Foreign Keys

Name	Columns
FK_ERPx_APProgramClass_ERPx_MFDataEntity-Company	DataEntityCompanySK->[dbo].[ERPx_MFDataEntityCompany].[DataEntity-CompanySK]








Uses

[dbo].[ERPx_MFDataEntityCompany]

Used By

[dbo].[ERPx_APProgram]
 [dbo].[FNx_APDeliveryTicketProgramClassGroups]
 [dbo].[SPx_APSEL_GetDeliveryTicketProgramClassGroups]
 [dbo].[SPx_APSEL_ProgramClassList]
 [dbo].[SPx_APSEL_ProgramPremiumProperties]
 [dbo].[SPx_APSEL_ProgramTaxProperties]
 [dbo].[SPx_APUUpdate_ProgramClass]
 [dbo].[SPx_FASEL_PremiumList]
 [dbo].[SPx_FASEL_TaxList]
 [dbo].[SPx_MFDEL_DeleteCompany]

[dbo].[ERPx_APProgramEntity]**Columns**

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity
	APPprogramEntitySK	bigint	8	NOT NULL	1 - 1
	APPprogramSK	bigint	8	NOT NULL	
	ProgramEntityEN	int	4	NOT NULL	
	EntitySK	bigint	8	NOT NULL	
	FishermanRate	numeric(19,6)	9	NOT NULL	
	CompanyRate	numeric(19,6)	9	NOT NULL	
	ExpenseAccountSK	bigint	8	NULL allowed	
	LiabilityAccountSK	bigint	8	NULL allowed	
	LastUpdated	datetime	8	NOT NULL	
	LastUser	varchar(100)	100	NOT NULL	
	DataEntityCompanySK	bigint	8	NOT NULL	

Indexes

Key	Name	Key Columns	Unique
	PK_ERPx_APProgramEntity	APPprogramEntitySK	True
	IX_ERPx_APProgramEntity	ProgramEntityEN	
	IX_ERPx_APProgramEntity_1	EntitySK	

Foreign Keys

Name	Columns
FK_ERPx_APProgramEntity_ERPx_APProgram	APPprogramSK->[dbo].[ERPx_APProgram].[APPprogramSK]
FK_ERPx_APProgramEntity_ERPx_GLAccount	ExpenseAccountSK->[dbo].[ERPx_GLAccount].[AccountSK]
FK_ERPx_APProgramEntity_ERPx_GLAccount1	LiabilityAccountSK->[dbo].[ERPx_GLAccount].[AccountSK]
FK_ERPx_APProgramEntity_ERPx_MFDataEntity-Company	DataEntityCompanySK->[dbo].[ERPx_MFDataEntityCompany].[DataEntity-CompanySK]

Uses




[dbo].[ERPx_APProgram]
[dbo].[ERPx_GLAccount]
[dbo].[ERPx_MFDataEntityCompany]

Used By


[dbo].[FNx_GetDeliveryTicketEligiblePremiumPrograms]
[dbo].[FNx_GetDeliveryTicketEligibleTaxPrograms]
[dbo].[SPx_APDEL_ProgramEntity]
[dbo].[SPx_APPProcess_Vendor]
[dbo].[SPx_APSEL_ProgramChillTypeLookup]
[dbo].[SPx_APSEL_ProgramEntity]
[dbo].[SPx_APSEL_ProgramPremiumEntityChillType]
[dbo].[SPx_APSEL_ProgramPremiumEntityFishermen]
[dbo].[SPx_APSEL_ProgramPremiumEntityGear]
[dbo].[SPx_APSEL_ProgramPremiumEntityManagementProgram]
[dbo].[SPx_APSEL_ProgramPremiumEntitySiteProcessed]
[dbo].[SPx_APSEL_ProgramPremiumEntitySpecie]
[dbo].[SPx_APSEL_ProgramPremiumEntityStatArea]
[dbo].[SPx_APSEL_ProgramPremiumEntityTicketItem]
[dbo].[SPx_APSEL_ProgramSiteProcessedLookup]
[dbo].[SPx_APSEL_ProgramTaxEntityChillType]
[dbo].[SPx_APSEL_ProgramTaxEntityFishermen]
[dbo].[SPx_APSEL_ProgramTaxEntityGear]
[dbo].[SPx_APSEL_ProgramTaxEntityManagementProgram]
[dbo].[SPx_APSEL_ProgramTaxEntitySiteProcessed]
[dbo].[SPx_APSEL_ProgramTaxEntitySpecie]
[dbo].[SPx_APSEL_ProgramTaxEntityStatArea]
[dbo].[SPx_APSEL_ProgramTaxEntityTicketItem]
[dbo].[SPx_APSEL_ProgramTicketItemLookup]
[dbo].[SPx_APUpdate_DeliveryTicketItem]
[dbo].[SPx_APUpdate_DeliveryTicketProgramRollup]
[dbo].[SPx_APUpdate_ProgramPremium]
[dbo].[SPx_APUpdate_ProgramTax]
[dbo].[SPx_APUpdate_VendorList]
[dbo].[SPx_FAUpdate_FishermanTenderList]
[dbo].[SPx_FAUpdate_LoanList]
[dbo].[SPx_FAUpdate_PremiumList]
[dbo].[SPx_FAUpdate_ProgramCopy]
[dbo].[SPx_FAUpdate_TaxList]
[dbo].[SPx_MFDEL_DeleteCompany]
[dbo].[SPx_MFINSUPDDEL_Site_XML]
[dbo].[SPx_MFUpdate_Site]

 **[dbo].[ERPx_APSeasons]**

Columns

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity	Default
	SeasonSK	bigint	8	NOT NULL	1 - 1	
	SeasonName	varchar(100)	100	NOT NULL		
	IsInactive	bit	1	NOT NULL		((0))
	LastUpdated	datetime	8	NOT NULL		
	LastUser	varchar(100)	100	NOT NULL		
	DataEntityCompanySK	bigint	8	NOT NULL		

Indexes

Key	Name	Key Columns	Unique
	PK_ERPx_APSeasons_1	SeasonSK	True
	IX_ERPx_APSeasons	DataEntityCompanySK, SeasonName	

Foreign Keys

Name	Columns
FK_ERPx_APSeasons_ERPx_MFDataEntity-Company	DataEntityCompanySK->[dbo].[ERPx_MFDataEntityCompany].[DataEntity-CompanySK]

Uses







[dbo].[ERPx_MFDataEntityCompany]

Used By


[dbo].[ERPx_APDeliveryTicketHeader]
 [dbo].[IQx_APSEL_TicketLinelist]
 [dbo].[IQx_APSEL_TicketList]
 [dbo].[IQx_APSEL_TicketStatAreaLinelist]
 [dbo].[SPx_APSEL_DeliveryTicketList]
 [dbo].[SPx_APSEL_DeliveryTicketReprice_SeasonLookup]
 [dbo].[SPx_APSEL_DeliveryTicketSeasonLookup]
 [dbo].[SPx_APSEL_SeasonList]
 [dbo].[SPx_APSEL_TicketLinelist]
 [dbo].[SPx_APSEL_TicketList]
 [dbo].[SPx_APUpdate_BuildFishermanSettlement]
 [dbo].[SPx_APUpdate_Seasons]
 [dbo].[SPx_MFDEL_DeleteCompany]

[dbo].[SPx_MFSEL_FAPreferences]

[dbo].[ERPx_APSettlementApplication]**Columns**

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity	Default
	SettlementApplicationSK	bigint	8	NOT NULL	1 - 1	
	SettledFromTransactionSK	bigint	8	NOT NULL		
	SettledToTransactionSK	bigint	8	NOT NULL		
	AppliedAmount	numeric(18,5)	9	NOT NULL		
	LastUpdated	datetime	8	NOT NULL		(getdate())
	LastUser	varchar(150)	150	NOT NULL		
	DataEntityCompanySK	bigint	8	NOT NULL		
	DiscountTakenAmount	numeric(18,5)	9	NULL allowed		
	ApplicationDate	datetime	8	NULL allowed		
	TransactionSK	bigint	8	NULL allowed		
	TransactionStatusSK	bigint	8	NULL allowed		
	PreviousApplicationSK	bigint	8	NULL allowed		

Indexes

Key	Name	Key Columns	Unique
	PK_ERPx_APSettlementApplication	SettlementApplicationSK	True
	IX_ERPx_APSettlementApplication	SettledFromTransactionSK, SettledToTransactionSK, TransactionSK	True

Foreign Keys

Name	Columns
FK_ERPx_APSettlementApplication_ERPx_APSettlementTransaction	SettledFromTransactionSK->[dbo].[ERPx_APSettlementTransaction].[SettlementTransactionSK]
FK_ERPx_APSettlementApplication_ERPx_APSettlementTransaction1	SettledToTransactionSK->[dbo].[ERPx_APSettlementTransaction].[SettlementTransactionSK]
FK_ERPx_APSettlementApplication_ERPx_APTransactionStatus	TransactionStatusSK->[dbo].[ERPx_APTransactionStatus].[TransactionStatusSK]
FK_ERPx_APSettlementApplication_ERPx_MFDataEntityCompany	DataEntityCompanySK->[dbo].[ERPx_MFDataEntityCompany].[DataEntityCompanySK]

Uses

[dbo].[ERPx_APSettlementTransaction]





[dbo].[ERPx_APTransactionStatus]

[dbo].[ERPx_MFDataEntityCompany]


Used By

[dbo].[ERPx_MFTTransactionBatchApplication]
[dbo].[FNx_GetDynamicRecordViewURL]
[dbo].[FNx_GetTransactionAccounts]
[dbo].[FNx_GetTransactionAmounts]
[dbo].[IQx_APCheckDetailInquiry]
[dbo].[IQx_APSEL_ApplicationList]
[dbo].[IQx_GLSEL_JournalLineList]
[dbo].[IQx_GLSEL_JournalList]
[dbo].[IQx_MFSEL_ApplicationList]
[dbo].[IQx_MFUpdate_VoidApplication]
[dbo].[SPx_APPProcess_PaymentReceipt]
[dbo].[SPx_APPProcess_Transaction]
[dbo].[SPx_APSEL_ApplyFishingDocumentList]
[dbo].[SPx_APSEL_FishermanPaymentReceipt]
[dbo].[SPx_APUUpdate_BuildFishermanSettlement]
[dbo].[SPx_APUUpdate_FishermanSettlementFifo]
[dbo].[SPx_APUUpdate_SettlementTransactionRollup]
[dbo].[SPx_APUUpdate_TransactionMoreActions]
[dbo].[SPx_APUUpdate_VendorInterestCalculation]
[dbo].[SPx_APUUpdate_VoidSettlementTransaction]
[dbo].[SPx_FASEL_FishermanBalancesWithInterest]
[dbo].[SPx_GLSEL_JournalDetailDetailLine]
[dbo].[SPx_GLSEL_JournalDetailEntryLine]
[dbo].[SPx_GLSEL_JournalDetailHeader]
[dbo].[SPx_INTEG_GPMFCheckbookTransaction]
[dbo].[SPx_MFDEL_DeleteCompany]
[dbo].[SPx_MFProcess_ApplyDocuments]
[dbo].[SPx_MFProcess_BankTransaction]
[dbo].[SPx_MFSEL_ApplyDocumentRecordHeader]
[dbo].[SPx_MFSEL_ApplyDocumentRecordList]
[dbo].[SPx_MFSEL_FAApplyDocumentRecordList]
[dbo].[SPx_MFSEL_VoidTransactionApplicationList]
[dbo].[SPx_MFSEL_VoidTransactionHeader]
[dbo].[SPx_MFUPD_BankTransaction]
[dbo].[SPx_MFUpdate_ApplyDocumentRecord]
[dbo].[SPx_MFUpdate_ApplyOpenItems]
[dbo].[SPx_MFUpdate_JournalDetails]
[dbo].[SPx_MFUpdate_MassUpdate]
[dbo].[SPx_MFUpdate_VoidTransaction]

[dbo].[ERPx_APSettlementApplicationTransaction]**Columns**

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity
	TransactionSK	bigint	8	NOT NULL	1 - 1
	TransactionClassSK	bigint	8	NOT NULL	
	TransactionID	varchar(50)	50	NOT NULL	
	LastUpdated	datetime	8	NOT NULL	
	LastUser	varchar(150)	150	NOT NULL	
	DataEntityCompanySK	bigint	8	NOT NULL	

Indexes

Key	Name	Key Columns	Unique
	PK_ERPx_APSettlementApplicationTransaction	TransactionSK	True
	IX_ERPx_APSettlementApplicationTransaction	TransactionID, DataEntityCompanySK	True

Foreign Keys

Name	Columns
FK_ERPx_APSettlementApplicationTransaction_ERPx_APTransactionClass	TransactionClassSK->[dbo].[ERPx_APTransactionClass].[TransactionClassSK]
FK_ERPx_APSettlementApplicationTransaction_ERPx_MFDataEntityCompany	DataEntityCompanySK->[dbo].[ERPx_MFDataEntityCompany].[DataEntityCompanySK]



Uses

[dbo].[ERPx_APTransactionClass]
 [dbo].[ERPx_MFDataEntityCompany]


Used By

[dbo].[SPx_APUUpdate_TicketClassList]
 [dbo].[SPx_APUUpdate_TransactionClass]
 [dbo].[SPx_MFProcess_ApplyDocuments]

[dbo].[ERPx_APSettlementTransaction]**Columns**

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity	Default
	SettlementTransactionSK	bigint	8	NOT NULL	1 - 1	
	SourceModuleSK	bigint	8	NOT NULL		
	SourceTransactionTypeSK	bigint	8	NULL allowed		
	SourceTransactionSK	bigint	8	NULL allowed		
	SourceTransactionDate	datetime	8	NOT NULL		
	SourceTransactionLineSK	bigint	8	NULL allowed		
	SettleToEntityTypeEN	bigint	8	NOT NULL		
	SettleToEntitySK	bigint	8	NOT NULL		
	AccruedToGLAccountSK	bigint	8	NULL allowed		
	AccruedToJournalHeaderSK	bigint	8	NULL allowed		
	DoesVendorOwe	bit	1	NOT NULL		
	TransactionAmount	numeric(18,5)	9	NOT NULL		((0))
	AmountToSettle	numeric(18,5)	9	NOT NULL		((0.00))
	AppliedAmount	numeric(18,5)	9	NOT NULL		((0))
	RemainingAmount	numeric(18,5)	9	NOT NULL		((0))
	IsFullySettled	bit	1	NOT NULL		
	FullySettledOn	datetime	8	NULL allowed		
	LastUpdated	datetime	8	NOT NULL		(getdate())
	LastUser	varchar(150)	150	NOT NULL		
	DataEntityCompanySK	bigint	8	NOT NULL		
	SecondaryEntityTypeEN	bigint	8	NULL allowed		
	SecondaryEntitySK	bigint	8	NULL allowed		
	AvailableDiscountAmount	numeric(18,5)	9	NULL allowed		
	TakenDiscountAmount	numeric(18,5)	9	NULL allowed		
	SourceTransactionGLDate	datetime	8	NULL allowed		

Indexes

Key	Name	Key Columns	Unique
	PK_ERPx_APSettlement-Transaction	SettlementTransactionSK	True
	IX_ERPx_APSettlement-Transaction	SourceTransactionTypeSK, SourceTransactionSK, SourceTransactionLineSK, DataEntityCompanySK, SettleToEntitySK, SettleToEntityTypeEN	True

Foreign Keys

Name	Columns
FK_ERPx_APSettlementTransaction_ERPx_MFData-EntityCompany	DataEntityCompanySK->[dbo].[ERPx_MFDataEntityCompany].[Data-EntityCompanySK]
FK_ERPx_APSettlementTransaction_ERPx_MFModule	SourceModuleSK->[dbo].[ERPx_MFModule].[ModuleSK]

Uses

[dbo].[ERPx_MFDataEntityCompany]
 [dbo].[ERPx_MFModule]





Used By

[dbo].[ERPx_APSettlementApplication]
 [dbo].[FNx_GetDynamicRecordViewURL]
 [dbo].[FNx_GetTransactionAccounts]
 [dbo].[FNx_GetTransactionAmounts]
 [dbo].[IQx_APCheckDetailInquiry]
 [dbo].[IQx_APSEL_Activity]
 [dbo].[IQx_APSEL_ApplicationList]
 [dbo].[IQx_APSEL_FishermanBalanceDetail]
 [dbo].[IQx_APSEL_VendorTransactionHistory]
 [dbo].[IQx_CheckRegister]
 [dbo].[IQx_GLSEL_JournalLineList]
 [dbo].[IQx_GLSEL_JournalList]
 [dbo].[IQx_MFSEL_ApplicationList]
 [dbo].[IQx_MFUpdate_VoidApplication]
 [dbo].[IQx_SettlementTransactionInquiry]
 [dbo].[SPx_APINS_SettlementTransaction]
 [dbo].[SPx_APPProcess_PaymentReceipt]
 [dbo].[SPx_APPProcess_Transaction]
 [dbo].[SPx_APPProcess_Vendor]
 [dbo].[SPx_APSEL_ApplyFishingDocumentList]
 [dbo].[SPx_APSEL_ApplyPayableDocumentList]
 [dbo].[SPx_APSEL_APTtransaction_Header]
 [dbo].[SPx_APSEL_BuildCheckEditAmounts]
 [dbo].[SPx_APSEL_BuildCheckList]
 [dbo].[SPx_APSEL_BuildFishermanSettlementList]
 [dbo].[SPx_APSEL_DocumentManagementSystemUrlLookup]
 [dbo].[SPx_APSEL_FishermanBalancesList]
 [dbo].[SPx_APSEL_FishermanPaymentReceipt]
 [dbo].[SPx_APSEL_TransactionHeader]
 [dbo].[SPx_APSEL_TransactionMoreActionsFishermanSaleList]
 [dbo].[SPx_APSEL_TransactionMoreActionsTicketList]
 [dbo].[SPx_APSEL_VendorBalanceList]
 [dbo].[SPx_APUPD_AutoApplyPayment]
 [dbo].[SPx_APUpdate_AutoPayFishermanBalance]
 [dbo].[SPx_APUpdate_BuildCheck]
 [dbo].[SPx_APUpdate_BuildCheckEditAmounts]


[dbo].[SPx_APUUpdate_BuildFishermanSettlement]
[dbo].[SPx_APUUpdate_FishermanSettlementFifo]
[dbo].[SPx_APUUpdate_SettlementTransactionRollup]
[dbo].[SPx_APUUpdate_TransactionMoreActions]
[dbo].[SPx_APUUpdate_TransactionPayment]
[dbo].[SPx_APUUpdate_VendorInterestCalculation]
[dbo].[SPx_APUUpdate_VendorList]
[dbo].[SPx_APUUpdate_VoidSettlementTransaction]
[dbo].[SPx_FASEL_FishermanBalancesWithInterest]
[dbo].[SPx_FAUpdate_FishermanTenderList]
[dbo].[SPx_FAUpdate_LoanList]
[dbo].[SPx_GLSEL_JournalDetailHeader]
[dbo].[SPx_INTEG_GPMFCheckbookTransaction]
[dbo].[SPx_MFDEL_DeleteCompany]
[dbo].[SPx_MFProcess_ApplyDocuments]
[dbo].[SPx_MFProcess_BankTransaction]
[dbo].[SPx_MFSEL_ApplyDocumentRecordEntityLookup]
[dbo].[SPx_MFSEL_ApplyDocumentRecordHeader]
[dbo].[SPx_MFSEL_ApplyDocumentRecordList]
[dbo].[SPx_MFSEL_ApplyDocumentRecordTransactionLookup]
[dbo].[SPx_MFSEL_CashReceiptLine]
[dbo].[SPx_MFSEL_FAApplyDocumentRecordList]
[dbo].[SPx_MFSEL_VoidTransactionApplicationList]
[dbo].[SPx_MFSEL_VoidTransactionHeader]
[dbo].[SPx_MFUPD_BankTransaction]
[dbo].[SPx_MFUpdate_ApplyDocumentRecord]
[dbo].[SPx_MFUpdate_ApplyOpenItems]
[dbo].[SPx_MFUpdate_JournalDetails]
[dbo].[SPx_MFUpdate_MassUpdate]
[dbo].[SPx_MFUpdate_VoidTransaction]

 [dbo].[ERPx_APSpecie]

Columns

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity
	SpecieSK	bigint	8	NOT NULL	1 - 1
	SpecieID	varchar(20)	20	NOT NULL	
	SpecieName	varchar(100)	100	NULL allowed	
	MajorSpecie	varchar(100)	100	NULL allowed	
	ReportGroup	varchar(100)	100	NOT NULL	
	IsUnitRequired	bit	1	NOT NULL	
	PurchaseAcctSK	bigint	8	NULL allowed	
	IsInactive	bit	1	NOT NULL	
	LastUpdated	datetime	8	NOT NULL	
	LastUser	varchar(100)	100	NOT NULL	
	DataEntityCompanySK	bigint	8	NOT NULL	

Indexes

Key	Name	Key Columns	Unique
	PK_ERPx_APSpecie	SpecieSK	True
	IX_ERPx_APSpecie	SpecieID, DataEntityCompanySK	True

Foreign Keys

Name	Columns
FK_ERPx_APSpecie_ERPx_GLAccount	PurchaseAcctSK->[dbo].[ERPx_GLAccount].[AccountSK]
FK_ERPx_APSpecie_ERPx_MFDataEntity-Company	DataEntityCompanySK->[dbo].[ERPx_MFDataEntityCompany].[DataEntity-CompanySK]


Uses

[dbo].[ERPx_GLAccount]
[dbo].[ERPx_MFDataEntityCompany]




Used By

[dbo].[ERPx_APDeliveryTicketItem]
[dbo].[IQx_APDeliveryTicketDetailSpecieLookup]
[dbo].[IQx_APSEL_TicketLinelist]
[dbo].[IQx_APSEL_TicketStatAreaLinelist]


[dbo].[SPx_APPProcess_DeliveryTicket]
[dbo].[SPx_APSEL_DeliveryTicketItem]
[dbo].[SPx_APSEL_DeliveryTicketItem_SpecieLookup]
[dbo].[SPx_APSEL_DeliveryTicketLine]
[dbo].[SPx_APSEL_DeliveryTicketPremium]
[dbo].[SPx_APSEL_DeliveryTicketReprice_MajorSpecieLookup]
[dbo].[SPx_APSEL_DeliveryTicketReprice_SpecieLookup]
[dbo].[SPx_APSEL_DeliveryTicketRepriceItemlist]
[dbo].[SPx_APSEL_DeliveryTicketRepricePremiumlist]
[dbo].[SPx_APSEL_DeliveryTicketSpecieLookup]
[dbo].[SPx_APSEL_DeliveryTicketSplitLine]
[dbo].[SPx_APSEL_DeliveryTicketTax]
[dbo].[SPx_APSEL_FishermanRankingSpecieLookup]
[dbo].[SPx_APSEL_ProgramEntity]
[dbo].[SPx_APSEL_ProgramPremiumEntitySpecie]
[dbo].[SPx_APSEL_ProgramSpecieLookup]
[dbo].[SPx_APSEL_ProgramTaxEntitySpecie]
[dbo].[SPx_APSEL_SpecieList]
[dbo].[SPx_APSEL_TicketLinelist]
[dbo].[SPx_APUPD_DeliveryTicketADFGGLandingIntegrationStatus]
[dbo].[SPx_APUPD_Specie]
[dbo].[SPx_APUpdate_DeliveryTicketItem]
[dbo].[SPx_INTEG_NSAPDeliveryTicket_XML]
[dbo].[SPx_MFDEL_DeleteCompany]
[dbo].[SPx_MFSEL_PriceListItemList]
[dbo].[SPx_MFUpdate_MassUpdate]

 [dbo].[ERPx_APStatAreas]

Columns

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity	Default
	StatAreaSK	bigint	8	NOT NULL	1 - 1	
	StatAreaID	varchar(20)	20	NOT NULL		
	TaxDistrict	varchar(60)	60	NULL allowed		
	FederalReportingArea	varchar(200)	200	NOT NULL		
	Waters	varchar(20)	20	NOT NULL		
	COARArea	varchar(20)	20	NOT NULL		
	Halibut200	varchar(20)	20	NOT NULL		
	SableFish710	varchar(20)	20	NOT NULL		
	RedKing921	varchar(20)	20	NOT NULL		
	BlueKing922	varchar(20)	20	NOT NULL		
	GoldKing923	varchar(20)	20	NOT NULL		
	Bairdi931	varchar(20)	20	NOT NULL		
	SnowCrab932	varchar(20)	20	NOT NULL		
	IsInactive	bit	1	NOT NULL		((0))
	LastUpdated	datetime	8	NOT NULL		
	LastUser	varchar(100)	100	NOT NULL		
	DataEntityCompanySK	bigint	8	NOT NULL		

Indexes

Key	Name	Key Columns	Unique
	PK_ERPx_APStatAreas	StatAreaSK	True
	IX_ERPx_APStatAreas	DataEntityCompanySK, StatAreaID	

Foreign Keys

Name	Columns
FK_ERPx_APStatAreas_ERPx_MFDataEntity-Company	DataEntityCompanySK->[dbo].[ERPx_MFDataEntityCompany].[DataEntity-CompanySK]

Uses


[dbo].[ERPx_MFDataEntityCompany]

Used By

[dbo].[ERPx_APDeliveryTicketStatArea]
[dbo].[IQx_APSEL_TicketStatAreaLinelist]
[dbo].[SPx_APSEL_DeliveryTicketReprice_StatAreaLookup]
[dbo].[SPx_APSEL_DeliveryTicketStatArea]
[dbo].[SPx_APSEL_DeliveryTicketStatAreaLookup]
[dbo].[SPx_APSEL_ProgramEntity]
[dbo].[SPx_APSEL_ProgramPremiumEntityStatArea]
[dbo].[SPx_APSEL_ProgramStatAreaLookup]
[dbo].[SPx_APSEL_ProgramTaxEntityStatArea]
[dbo].[SPx_APSEL_StatAreaList]
[dbo].[SPx_APUUpdate_DeliveryTicket]
[dbo].[SPx_APUUpdate_StatAreas]
[dbo].[SPx_INTEG_NSAPDeliveryTicket_XML]
[dbo].[SPx_MFDEL_DeleteCompany]

 [dbo].[ERPx_APTenNinetyNineType]

Columns

Key	Name	Data Type	Max Length (Bytes)	Nullability
	TenNinetyNineTypeSK	bigint	8	NOT NULL
	TenNinetyNineTypeDescription	varchar(500)	500	NOT NULL
	Sort	bigint	8	NOT NULL
	TenNinetyNineForm	varchar(100)	100	NOT NULL
	TenNinetyNineBoxDescription	varchar(500)	500	NOT NULL










Indexes

Key	Name	Key Columns	Unique
	PK_ERPx_APTenNinetyNineType	TenNinetyNineTypeSK	True

Used By

[dbo].[ERPx_APTransactionLine]
 [dbo].[ERPx_APVendor]
 [dbo].[ERPx_APVendorClass]
 [dbo].[IQx_APSEL_InvoiceLineList]
 [dbo].[SPx_APSEL_APTtransaction_1099Lookup]
 [dbo].[SPx_APSEL_APTtransaction_ItemDefaultLookup]
 [dbo].[SPx_APSEL_APTtransaction_Line]
 [dbo].[SPx_APSEL_APVendor_Properties]
 [dbo].[SPx_APSEL_APVendorClass_Properties]
 [dbo].[SPx_APSEL_InvoiceLineList]
 [dbo].[SPx_APSEL_VendorList]


[dbo].[ERPx_APTransaction_SearchMetadata]**Columns**

Key	Name	Data Type	Persisted	Computed	Max Length (Bytes)	Nullability
	TransactionHeaderSK	bigint			8	NOT NULL
	Description	varchar(150)			150	NULL allowed
	DocNumber	varchar(50)			50	NULL allowed
	PO	varchar(50)			50	NULL allowed
	Transaction	varchar(25)			25	NOT NULL
	VendorSK	bigint			8	NULL allowed
	VendorID	varchar(50)			50	NULL allowed
	VendorName	varchar(100)			100	NULL allowed
	Vendor	varchar(152)	True	True	152	NOT NULL
	SearchText	varchar(431)	True	True	431	NOT NULL
	DataEntityCompanySK	bigint			8	NOT NULL

Computed columns

Name	Column definition
Vendor	(((isnull([VendorID], '')+ '')+isnull([VendorName], ''))+'')
Search-Text	(((((((((((isnull([Description], '')+ '')+isnull([DocNumber], ''))+'')+isnull([PO], ''))+'')+isnull([Transaction], ''))+'')+isnull([VendorID], ''))+'')+isnull([VendorName], ''))+'')

Indexes

Key	Name	Key Columns	Unique
	PK_ERPx_APTransaction_Search-Metadata	TransactionHeaderSK	True
	IX_ERPx_APTransaction_Search-Metadata	Description, DocNumber, PO, Transaction, VendorID, VendorName, DataEntityCompanySK	

Foreign Keys

Name	Columns
FK_ERPx_APTransaction_SearchMetadata_ERPx-APTransactionHeader	TransactionHeaderSK->[dbo].[ERPx_APTransaction-Header].[TransactionHeaderSK]
FK_ERPx_APTransaction_SearchMetadata_ERPx-APVendor	VendorSK->[dbo].[ERPx_APVendor].[VendorSK]

FK_ERPx_APTransaction_SearchMetadata_ERPx_MFDataEntityCompany	DataEntityCompanySK->[dbo].[ERPx_MFDataEntityCompany].[Data-EntityCompanySK]
---	--




Uses

[dbo].[ERPx_APTransactionHeader]
[dbo].[ERPx_APVendor]
[dbo].[ERPx_MFDataEntityCompany]

Used By

[dbo].[SPx_APProcess_SearchMetadata_RefreshAPTransaction]
[dbo].[SPx_APProcess_Transaction]
[dbo].[SPx_APUdate_InvoiceList]

[dbo].[ERPx_APTransactionAttributes]**Columns**

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity
	TransactionAttributeSK	bigint	8	NOT NULL	1 - 1
	TransactionHeaderSK	bigint	8	NOT NULL	
	AttributeSK	bigint	8	NOT NULL	
	AttributeValue	varchar(200)	200	NULL allowed	
	DataEntityCompanySK	bigint	8	NOT NULL	

Indexes

Key	Name	Key Columns	Unique
	PK_ERPx_APTransactionAttributes	TransactionAttributeSK	True
	UK_ERPx_APTransactionAttributes_TransasctionHeaderSK_AttributeSK	TransactionHeaderSK, AttributeSK	True

Foreign Keys

Name	No Check	Columns
FK_ERPx_APTransactionAttributes_ERPx_APTransactionHeader	True	TransactionHeaderSK->[dbo].[ERPx_APTransactionHeader].[TransactionHeaderSK]
FK_ERPx_APTransactionAttributes_ERPx_MFAttribute		AttributeSK->[dbo].[ERPx_MFAttribute].[AttributeSK]

Uses

[dbo].[ERPx_APTransactionHeader]
 [dbo].[ERPx_MFAttribute]

Used By







[dbo].[FNx_APTransactionAttributeValues]
 [dbo].[SPx_APPProcess_AdjustmentTransaction]
 [dbo].[SPx_APPProcess_Transaction]
 [dbo].[SPx_APSEL_TransactionHeaderAttributeList]
 [dbo].[SPx_APUUpdate_DuplicateTransaction]
 [dbo].[SPx_APUUpdate_FishermanSale]
 [dbo].[SPx_APUUpdate_InvoiceList]
 [dbo].[SPx_APUUpdate_MassUpdateFishermanSales]
 [dbo].[SPx_APUUpdate_MassUpdateTransactions]
 [dbo].[SPx_APUUpdate_TransactionList]




[dbo].[SPx_APUdate_TransactionTenderSale]

[dbo].[SPx_APUdate_TransactionTransfer]


[dbo].[SPx_MFDEL_Attribute]

[dbo].[ERPx_APTransactionClass]**Columns**

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity	Default
	TransactionClassSK	bigint	8	NOT NULL	1 - 1	
	TransactionTypeSK	bigint	8	NOT NULL		
	TransactionClassID	varchar(50)	50	NOT NULL		
	TransactionClassDescription	varchar(200)	200	NOT NULL		
	DocPrefix	varchar(10)	10	NULL allowed		
	NextDocNumber	bigint	8	NULL allowed		
	IntegratesToHostAs	varchar(50)	50	NULL allowed		
	LastUpdated	datetime	8	NOT NULL		
	LastUser	varchar(150)	150	NOT NULL		
	DataEntityCompanySK	bigint	8	NOT NULL		
	IntegrateToADFG	bit	1	NOT NULL		((0))
	ADFG_LandingType	varchar(1)	1	NULL allowed		
	RowsToCreateOnNew	int	4	NOT NULL		((5))
	DefaultPriceListHeaderSK	bigint	8	NULL allowed		
	AutoAddNewItemstoPriceList	bit	1	NOT NULL		((0))
	RememberDefaultPrices	bit	1	NOT NULL		((0))
	IntegrationMethodEN	bigint	8	NOT NULL		((3))
	DefaultSiteSK	bigint	8	NULL allowed		
	IsInactive	bit	1	NOT NULL		((0))
	AllowMissingOrInactiveFishermanImport	bit	1	NOT NULL		((0))
	AllowMissingOrInactivePermitImport	bit	1	NOT NULL		((1))
	AllowMissingOrInactiveFishTicketItemAnd-ComponentImport	bit	1	NOT NULL		((1))
	AllowMissingOrInactiveChillTypeImport	bit	1	NOT NULL		((1))
	AllowMissingOrInactiveGearImport	bit	1	NOT NULL		((1))
	AllowMissingOrInactiveManagementProgram-Import	bit	1	NOT NULL		((1))
	AllowMissingOrInactivePortImport	bit	1	NOT NULL		((1))
	AllowMissingOrInactiveStatAreaImport	bit	1	NOT NULL		((1))
	AllowMissingOrInactiveVesselImport	bit	1	NOT NULL		((1))

	NumberOfRSWReadings	bigint	8	NOT NULL		((3))
	RequireChillTypeBeforeApproval	bit	1	NULL allowed		((0))
	AutoFillReceiptQuantities	bit	1	NOT NULL		((0))
	DefaultPOTypeEN	bigint	8	NULL allowed		
	FirstStatusSKPOsCanBeReceivedOrInvoiced	bigint	8	NULL allowed		
	BillingAddressSK	bigint	8	NULL allowed		
	DefaultItemSK	bigint	8	NULL allowed		

Indexes

Key	Name	Key Columns	Unique
	PK_ERPx_APTransactionClass	TransactionClassSK	True
	UK_ERPx_APTransactionClass	TransactionClassID, DataEntityCompanySK, TransactionTypeSK	True

Check Constraints

Name	On Column	Constraint
CK_ERPx_APTransactionClass_NumberOf-RSWReadings	NumberOf-RSWReadings	((NumberOfRSWReadings)>=(1) AND [NumberOf-RSWReadings]<=(20))

Foreign Keys

Name	Columns
FK_ERPx_APTransactionClass_ERPx_-APTransactionType	TransactionTypeSK->[dbo].[ERPx_APTransactionType].[TransactionTypeSK]
FK_ERPx_APTransactionClass_ERPx_IMItem	DefaultItemSK->[dbo].[ERPx_IMItem].[ItemSK]
FK_ERPx_APTransactionClass_ERPx_MFAddress	BillingAddressSK->[dbo].[ERPx_MFAddress].[AddressSK]
FK_ERPx_APTransactionClass_ERPx_MFData-EntityCompany	DataEntityCompanySK->[dbo].[ERPx_MFDataEntityCompany].[DataEntity-CompanySK]
FK_ERPx_APTransactionClass_ERPx_MFPriceList-Header	DefaultPriceListHeaderSK->[dbo].[ERPx_MFPriceListHeader].[PriceList-HeaderSK]
FK_ERPx_APTransactionClass_ERPx_-MFTTransactionSiteSK	DefaultSiteSK->[dbo].[ERPx_MFSite].[SiteSK]

Uses

[dbo].[ERPx_APTransactionType]
 [dbo].[ERPx_IMItem]
 [dbo].[ERPx_MFAddress]
 [dbo].[ERPx_MFDataEntityCompany]
 [dbo].[ERPx_MFPriceListHeader]

[dbo].[ERPx_MFSite]

Used By







[dbo].[ERPx_APDeliveryTicketHeader]
[dbo].[ERPx_APPoHeader]
[dbo].[ERPx_APSettlementApplicationTransaction]
[dbo].[ERPx_APTransactionClassPriceList]
[dbo].[ERPx_APTransactionHeader]
[dbo].[ERPx_APVendorClassExcludedTransactions]
[dbo].[ERPx_APVendorExcludedTransactions]
[dbo].[ERPx_APVendorInterestCalculationHeader]
[dbo].[ERPx_APVendorPermit]
[dbo].[ERPx_IMTransactionClass]
[dbo].[ERPx_SOOrderTypeDocument]
[dbo].[FNx_GetTransactionAccounts]
[dbo].[FNx_GetTransactionAmounts]
[dbo].[IQx_APSEL_Activity]
[dbo].[IQx_APSEL_AdjustmentLineList]
[dbo].[IQx_APSEL_APTransactionDetail]
[dbo].[IQx_APSEL_BalanceTransferLineList]
[dbo].[IQx_APSEL_FishermanBalanceDetail]
[dbo].[IQx_APSEL_FishermanSaleList]
[dbo].[IQx_APSEL_InvoiceHistory_TransactionClassLookup]
[dbo].[IQx_APSEL_InvoiceLineList]
[dbo].[IQx_APSEL_InvoiceList]
[dbo].[IQx_APSEL_PaymentReceiptHistoryInquiry]
[dbo].[IQx_APSEL_POHistory_TransactionClassLookup]
[dbo].[IQx_APSEL_POLineList]
[dbo].[IQx_APSEL_POLinkedItems]
[dbo].[IQx_APSEL_POLinkedTransactions]
[dbo].[IQx_APSEL_POList]
[dbo].[IQx_APSEL_SaleLineList]
[dbo].[IQx_APSEL_TicketLinelist]
[dbo].[IQx_APSEL_TicketList]
[dbo].[IQx_APSEL_TicketStatAreaLinelist]
[dbo].[IQx_APSEL_VendorTransactionHistory]
[dbo].[IQx_ARSEL_TransactionDetail]
[dbo].[IQx_ProjectTransaction]
[dbo].[RPx_SettlementBalancesSummary]
[dbo].[SPx_APINS_SettlementTransaction]
[dbo].[SPx_APPProcess_AdjustmentTransaction]
[dbo].[SPx_APPProcess_APTransaction_PurchaseOrder]
[dbo].[SPx_APPProcess_DeliveryTicket]
[dbo].[SPx_APPProcess_PaymentReceipt]
[dbo].[SPx_APPProcess_PurchaseOrder]
[dbo].[SPx_APPProcess_SearchMetadata_RefreshDeliveryTicketHeader]
[dbo].[SPx_APPProcess_Transaction]
[dbo].[SPx_APPProcess_TransactionClass]
[dbo].[SPx_APPProcess_Vendor]
[dbo].[SPx_APSEL_AdjustmentTransactionClassLookup]
[dbo].[SPx_APSEL_ApplyFishingDocumentList]
[dbo].[SPx_APSEL_ApplyPayableDocumentList]

[dbo].[SPx_APSEL_APTransaction_DistributionLookup]
[dbo].[SPx_APSEL_APTransaction_Header]
[dbo].[SPx_APSEL_APTransaction_Line]
[dbo].[SPx_APSEL_APTransaction_NewButtonLookup]
[dbo].[SPx_APSEL_APTransaction_NewLine]
[dbo].[SPx_APSEL_APTransaction_PaymentTermsLookup]
[dbo].[SPx_APSEL_APTransaction_POLineNumberLookup]
[dbo].[SPx_APSEL_APTransaction_PORecordLookupDetail]
[dbo].[SPx_APSEL_BuildCheckList]
[dbo].[SPx_APSEL_BuildCheckTransactionClassLookup]
[dbo].[SPx_APSEL_BuildFishermanSettlementList]
[dbo].[SPx_APSEL_DeliveryTicketClassLookup]
[dbo].[SPx_APSEL_DeliveryTicketFishermen]
[dbo].[SPx_APSEL_DeliveryTicketFishermenHeader]
[dbo].[SPx_APSEL_DeliveryTicketHeader]
[dbo].[SPx_APSEL_DeliveryTicketLine]
[dbo].[SPx_APSEL_DeliveryTicketLineNewRow]
[dbo].[SPx_APSEL_DeliveryTicketList]
[dbo].[SPx_APSEL_DeliveryTicketNewButtonLookup]
[dbo].[SPx_APSEL_DeliveryTicketReprice_TicketClassLookup]
[dbo].[SPx_APSEL_DeliveryTicketRSWTemp]
[dbo].[SPx_APSEL_DeliveryTicketSplitHeader]
[dbo].[SPx_APSEL_DocumentManagementSystemUrlLookup]
[dbo].[SPx_APSEL_FishermanBalancesList]
[dbo].[SPx_APSEL_FishermanPaymentReceipt]
[dbo].[SPx_APSEL_FishermanRankingTicketClassLookup]
[dbo].[SPx_APSEL_FishermanSaleHeader]
[dbo].[SPx_APSEL_FishermanSaleLineList]
[dbo].[SPx_APSEL_FishermanSaleList]
[dbo].[SPx_APSEL_FishermanSaleProperties]
[dbo].[SPx_APSEL_InvoiceLineList]
[dbo].[SPx_APSEL_InvoiceList]
[dbo].[SPx_APSEL_POHeader]
[dbo].[SPx_APSEL_POHeaderProperties]
[dbo].[SPx_APSEL_POLineList]
[dbo].[SPx_APSEL_POList]
[dbo].[SPx_APSEL_POVendorTransactionSummary]
[dbo].[SPx_APSEL_PurchaseOrder_NewButtonLookup]
[dbo].[SPx_APSEL_PurchaseOrder_Summary]
[dbo].[SPx_APSEL_ReportDeliveryTicketClassLookup]
[dbo].[SPx_APSEL_TicketClassList]
[dbo].[SPx_APSEL_TicketClassRecordProperties]
[dbo].[SPx_APSEL_TicketLinelist]
[dbo].[SPx_APSEL_TicketList]
[dbo].[SPx_APSEL_TransactionAdjustmentProperties]
[dbo].[SPx_APSEL_TransactionClass_BillingAddressLookup]
[dbo].[SPx_APSEL_TransactionClass_Property]
[dbo].[SPx_APSEL_TransactionClass_SiteLookup]
[dbo].[SPx_APSEL_TransactionClassHeader]
[dbo].[SPx_APSEL_TransactionClassList]
[dbo].[SPx_APSEL_TransactionDistributionLookup]
[dbo].[SPx_APSEL_TransactionHeader]
[dbo].[SPx_APSEL_TransactionHeaderAttributeList]

[dbo].[SPx_APSEL_TransactionHeaderProperties]
[dbo].[SPx_APSEL_TransactionLine]
[dbo].[SPx_APSEL_TransactionLineNew]
[dbo].[SPx_APSEL_TransactionList]
[dbo].[SPx_APSEL_TransactionMoreActionsFishermanSaleList]
[dbo].[SPx_APSEL_TransactionPaymentTermsLookup]
[dbo].[SPx_APSEL_TransactionSettlementTypeLookup]
[dbo].[SPx_APSEL_TransactionStatusLookup]
[dbo].[SPx_APSEL_TransactionTenderSaleProperties]
[dbo].[SPx_APSEL_TransactionTransferProperties]
[dbo].[SPx_APSEL_TransactionVendorLookup]
[dbo].[SPx_APSEL_VendorBalanceList]
[dbo].[SPx_APSEL_VendorClassExcludedTransactions]
[dbo].[SPx_APSEL_VendorExcludedTransactions]
[dbo].[SPx_APSEL_VendorPermit]
[dbo].[SPx_APSEL_VendorTicketClassLookup]
[dbo].[SPx_APUPD_AutoApplyPayment]
[dbo].[SPx_APUUpdate_AutoPayFishermanBalance]
[dbo].[SPx_APUUpdate_BuildFishermanSettlement]
[dbo].[SPx_APUUpdate_DuplicateTransaction]
[dbo].[SPx_APUUpdate_FishermanSale]
[dbo].[SPx_APUUpdate_FishermanSettlementFifo]
[dbo].[SPx_APUUpdate_InvoiceList]
[dbo].[SPx_APUUpdate_MassUpdateFishermanSales]
[dbo].[SPx_APUUpdate_MassUpdatePO]
[dbo].[SPx_APUUpdate_MassUpdateTransactions]
[dbo].[SPx_APUUpdate_NewDeliveryTicket]
[dbo].[SPx_APUUpdate_ProcessInterestCharges]
[dbo].[SPx_APUUpdate_ProcessInterestPayments]
[dbo].[SPx_APUUpdate_PurchaseOrderList]
[dbo].[SPx_APUUpdate_TicketClassList]
[dbo].[SPx_APUUpdate_Transaction]
[dbo].[SPx_APUUpdate_TransactionClass]
[dbo].[SPx_APUUpdate_TransactionClassList]
[dbo].[SPx_APUUpdate_TransactionList]
[dbo].[SPx_APUUpdate_TransactionMoreActions]
[dbo].[SPx_APUUpdate_TransactionPayment]
[dbo].[SPx_APUUpdate_TransactionTenderSale]
[dbo].[SPx_APUUpdate_TransactionTransfer]
[dbo].[SPx_APUUpdate_VendorInterestCalculation]
[dbo].[SPx_APUUpdate_VendorList]
[dbo].[SPx_APUUpdate_VoidSettlementTransaction]
[dbo].[SPx_CPPProcess_CreateAPTtransaction]
[dbo].[SPx_CPPProcess_Ticket]
[dbo].[SPx_CPSEL_CreditMemoTransactionClassLookup]
[dbo].[SPx_CPSEL_InvoiceTransactionClassLookup]
[dbo].[SPx_FASEL_FishermanBalancesWithInterest]
[dbo].[SPx_FAUpdate_FishermanTenderList]
[dbo].[SPx_FAUpdate_LoanList]
[dbo].[SPx_GLProcess_CheckbookTransaction]
[dbo].[SPx_GLSEL_CheckbookTransactionDepositDetails]
[dbo].[SPx_GLSEL_JournalDetailDetailLine]
[dbo].[SPx_GLSEL_JournalDetailEntryLine]

[dbo].[SPx_GLSEL_JournalDetailHeader]
[dbo].[SPx_GLSEL_ProjectProperties]
[dbo].[SPx_GLUUpdate_Project]
[dbo].[SPx_GLUUpdate_ProjectList]
[dbo].[SPx_IMProcess_Receipt_PurchaseOrder]
[dbo].[SPx_IMProcess_Transfer_PurchaseOrder]
[dbo].[SPx_IMSEL_Receipt_POLineNumberLookup]
[dbo].[SPx_IMSEL_Receipt_PORRecordLookupDetail]
[dbo].[SPx_IMSEL_TransactionClass_Property]
[dbo].[SPx_IMSEL_TransactionClass_PurchaseOrderClassLookup]
[dbo].[SPx_INTEG_APTransaction]
[dbo].[SPx_INTEG_NSAPDeliveryTicket_XML]
[dbo].[SPx_INTEG_NSAPInvoiceAndCreditMemo]
[dbo].[SPx_MFDEL_DeleteCompany]
[dbo].[SPx_MFINSUPDDEL_Site_XML]
[dbo].[SPx_MFProcess_ApplyDocuments]
[dbo].[SPx_MFSEL_ApplyDocumentRecordList]
[dbo].[SPx_MFSEL_CashReceiptHeader]
[dbo].[SPx_MFSEL_CashReceiptLine]
[dbo].[SPx_MFSEL_ClassHeader]
[dbo].[SPx_MFSEL_ClassLookupByForm]
[dbo].[SPx_MFSEL_FAApplyDocumentRecordList]
[dbo].[SPx_MFSEL_ListViewNewButtonLookup]
[dbo].[SPx_MFSEL_PriceListAPTransactionClassList]
[dbo].[SPx_MFSEL_PriceListAPTransactionClassLookup]
[dbo].[SPx_MFSEL_RecordLookupDetail]
[dbo].[SPx_MFSEL_SPPreferences]
[dbo].[SPx_MFSEL_VoidTransactionApplicationList]
[dbo].[SPx_MFUpdate_CashReceipt]
[dbo].[SPx_MFUpdate_JournalDetails]
[dbo].[SPx_MFUpdate_PriceList]
[dbo].[SPx_MFUpdate_PriceListList]
[dbo].[SPx_MFUpdate_Site]
[dbo].[SPx_MFUpdate_SPPreferences]
[dbo].[SPx_MFUpdate_VoidTransaction]
[dbo].[SPx_SOPProcess_PurchaseOrder]
[dbo].[SPx_SOSEL_TransactionClass_POClassLookup]
[dbo].[SPx_SOSEL_TransactionClassProperty]
[dbo].[SPx_SPPProcess_SettlementBatch]

[dbo].[ERPx_APTransactionClassPriceList]**Columns**

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity
 	TransactionClassPriceListSK	bigint	8	NOT NULL	1 - 1
	TransactionClassSK	bigint	8	NOT NULL	
	PriceListEntityTypeSK	bigint	8	NOT NULL	
	PriceListHeaderSK	bigint	8	NOT NULL	
	Sort	bigint	8	NOT NULL	
	LastUpdated	datetime	8	NULL allowed	
	LastUser	varchar(110)	110	NULL allowed	
	DataEntityCompanySK	bigint	8	NOT NULL	

Indexes

Key	Name	Key Columns	Unique
 	PK_ERPx_APTransactionClass-PriceList	TransactionClassPriceListSK	True
	IX_ERPx_APTransactionClass-PriceList	TransactionClassSK, PriceListEntityTypeSK, PriceListHeaderSK, Data-EntityCompanySK	True

Foreign Keys

Name	Columns
FK_ERPx_APTransactionClassPriceList_ERPx_-APTransactionClass	TransactionClassSK->[dbo].[ERPx_APTransactionClass].[TransactionClassSK]
FK_ERPx_APTransactionClassPriceList_ERPx_MFData-EntityCompany	DataEntityCompanySK->[dbo].[ERPx_MFDataEntityCompany].[Data-EntityCompanySK]
FK_ERPx_APTransactionClassPriceList_ERPx_MFPrice-ListHeader	PriceListHeaderSK->[dbo].[ERPx_MFPriceListHeader].[PriceList-HeaderSK]

Uses





[dbo].[ERPx_APTransactionClass]
 [dbo].[ERPx_MFDataEntityCompany]
 [dbo].[ERPx_MFPriceListHeader]

Used By

[dbo].[SPx_APProcess_DeliveryTicket]
 [dbo].[SPx_APSEL_DeliveryTicketPriceListLookup]

[dbo].[SPx_APUdate_TicketClassList]
[dbo].[SPx_APUdate_TransactionClass]
[dbo].[SPx_MFSEL_PriceListAPTransactionClassList]
[dbo].[SPx_MFUpdate_PriceList]
[dbo].[SPx_MFUpdate_PriceListList]

[dbo].[ERPx_APTransactionClassProperty]**Columns**

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity	Default
	APTransactionClassPropertySK	bigint	8	NOT NULL	1 - 1	
	PropertyGroupDescription	varchar(250)	250	NULL allowed		
	PropertyName	varchar(250)	250	NOT NULL		
	PropertyDescription	varchar(250)	250	NOT NULL		
	PropertyDefinitionSK	bigint	8	NULL allowed		
	Sort	bigint	8	NOT NULL		
	DataEntityCompanySK	bigint	8	NOT NULL		
	IsReadOnly	bit	1	NOT NULL		((0))
	TabLocation	varchar(50)	50	NOT NULL		('Properties')
	MaxLengthOrDecimals	bigint	8	NULL allowed		
	EnumerationClass	varchar(100)	100	NULL allowed		
	LastUpdated	datetime	8	NOT NULL		(getdate())
	LastUser	varchar(150)	150	NOT NULL		
	TransactionTypeSK	bigint	8	NULL allowed		

Indexes

Key	Name	Key Columns	Unique
	PK_ERPx_APTransactionClassProperty	APTransactionClassPropertySK	True

Foreign Keys

Name	Columns
FK_ERPx_APTransactionClassProperty_ERPx_APTransactionType	TransactionTypeSK->[dbo].[ERPx_APTransactionType].[TransactionTypeSK]
FK_ERPx_APTransactionClassProperty_ERPx_MFDataEntityCompany	DataEntityCompanySK->[dbo].[ERPx_MFDataEntityCompany].[DataEntityCompanySK]
FK_ERPx_APTransactionClassProperty_ERPx_MFPropertyDefinition	PropertyDefinitionSK->[dbo].[ERPx_MFPropertyDefinition].[PropertyDefinitionSK]

Uses

[dbo].[ERPx_APTransactionType]
[dbo].[ERPx_MFDataEntityCompany]
[dbo].[ERPx_MFPropertyDefinition]






Used By

[dbo].[SPx_APSEL_TransactionClass_Property]


 [dbo].[ERPx_APTransactionHeader]

Columns

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity	Default
 	TransactionHeaderSK	bigint	8	NOT NULL	1 - 1	
	TransactionClassSK	bigint	8	NOT NULL		
	TransactionID	varchar(25)	25	NOT NULL		
	TransactionDate	date	3	NULL allowed		
	VendorSK	bigint	8	NULL allowed		
	DocNumber	varchar(50)	50	NULL allowed		
	PurchaseOrderID	varchar(50)	50	NULL allowed		
	Description	varchar(150)	150	NULL allowed		
	GLDate	date	3	NULL allowed		
	TransactionStatusSK	bigint	8	NOT NULL		
	PaymentTermSK	bigint	8	NOT NULL		
	CurrencySK	bigint	8	NULL allowed		
	ExtendedAmount	numeric(18,5)	9	NULL allowed		
	LastUpdated	datetime	8	NOT NULL		
	LastUser	varchar(150)	150	NOT NULL		
	DataEntityCompanySK	bigint	8	NOT NULL		
	POHeaderSK	bigint	8	NULL allowed		
	RemainingAmount	numeric(18,5)	9	NULL allowed		
	CheckbookSK	bigint	8	NULL allowed		
	CashReceiptType	bigint	8	NULL allowed		
	FromVendorSK	bigint	8	NULL allowed		
	PmtCash	numeric(18,5)	9	NULL allowed		
	PmtCheck	numeric(18,5)	9	NULL allowed		
	PmtCard	numeric(18,5)	9	NULL allowed		
	PmtCashCheckbookSK	bigint	8	NULL allowed		
	PmtCheckCheckbookSK	bigint	8	NULL allowed		
	PmtCardCheckbookSK	bigint	8	NULL allowed		
	PmtCashReference	varchar(150)	150	NULL allowed		
	PmtCheckReference	varchar(150)	150	NULL allowed		
	PmtCardReference	varchar(150)	150	NULL allowed		
	TaxClassSK	bigint	8	NULL allowed		
	TaxableAmount	numeric(18,5)	9	NULL allowed		

	TaxedAmount	numeric(18,5)	9	NULL allowed		
	CreatedDate	datetime	8	NULL allowed		
	CreatedBy	varchar(150)	150	NULL allowed		
	PostedDate	datetime	8	NULL allowed		
	DueDate	date	3	NULL allowed		
	DiscountDate	date	3	NULL allowed		
	PreviousVersionTransactionHeaderSK	bigint	8	NULL allowed		
	Version	bigint	8	NOT NULL		((1))
	PriceListHeaderSK	bigint	8	NULL allowed		
	IsOnApplicationHold	bit	1	NOT NULL		((0))
	SourceSystemEN	int	4	NOT NULL		((0))
	SourceModuleSK	bigint	8	NULL allowed		
	SourceTransactionTypeSK	bigint	8	NULL allowed		
	SourceTransactionSK	bigint	8	NULL allowed		
	Reference	varchar(100)	100	NULL allowed		
	IMTransactionHeaderSK	bigint	8	NULL allowed		
	DiscountPercent	numeric(18,5)	9	NULL allowed		
	DiscountAmount	numeric(18,5)	9	NULL allowed		
	DiscountDays	bigint	8	NULL allowed		
	DueDays	bigint	8	NOT NULL		
	FreightVarianceGLAccountSK	bigint	8	NULL allowed		

Indexes

Key	Name	Key Columns	Unique
	PK_ERPx_APTransactionHeader	TransactionHeaderSK	True
	IX_ERPx_APTransactionHeader	TransactionClassSK, TransactionID, DataEntityCompanySK, Version	True

Foreign Keys

Name	Columns
FK_ERPx_APTransactionHeader_ERPx_APTransactionClass	TransactionClassSK->[dbo].[ERPx_APTransactionClass].[TransactionClassSK]
FK_ERPx_APTransactionHeader_ERPx_APTransactionHeader	PreviousVersionTransactionHeaderSK->[dbo].[ERPx_APTransactionHeader].[TransactionHeaderSK]
FK_ERPx_APTransactionHeader_ERPx_APTransactionStatus	TransactionStatusSK->[dbo].[ERPx_APTransactionStatus].[TransactionStatusSK]
FK_ERPx_APTransactionHeader_ERPx_APVendor	VendorSK->[dbo].[ERPx_APVendor].[VendorSK]
FK_ERPx_APTransactionHeader_ERPx_GLAccount	FreightVarianceGLAccountSK->[dbo].[ERPx_GLAccount].[AccountSK]
FK_ERPx_APTransactionHeader_ERPx_IMTransactionHeader	IMTransactionHeaderSK->[dbo].[ERPx_IMTransactionHeader].[Transaction-

IMTransactionHeader	HeaderSK]
FK_ERPx_APTransactionHeader_ERPx_-MFCheckbook	CheckbookSK->[dbo].[ERPx_MFCheckbook].[CheckbookSK]
FK_ERPx_APTransactionHeader_ERPx_-MFCurrency	CurrencySK->[dbo].[ERPx_MFCurrency].[CurrencySK]
FK_ERPx_APTransactionHeader_ERPx_-MFDDataEntityCompany	DataEntityCompanySK->[dbo].[ERPx_MFDDataEntityCompany].[DataEntity-CompanySK]
FK_ERPx_APTransactionHeader_ERPx_-MFPaymentTerms	PaymentTermSK->[dbo].[ERPx_MFPaymentTerms].[PaymentTermSK]
FK_ERPx_APTransactionHeader_ERPx_-MFPriceListHeader	PriceListHeaderSK->[dbo].[ERPx_MFPriceListHeader].[PriceListHeaderSK]
FK_ERPx_APTransactionHeader_ERPx_-MFTax-Class	TaxClassSK->[dbo].[ERPx_MFTaxClass].[TaxClassSK]
fk_POHeaderSK	POHeaderSK->[dbo].[ERPx_APPoHeader].[POHeaderSK]

Uses

[dbo].[ERPx_APPoHeader]
 [dbo].[ERPx_APTransactionClass]
 [dbo].[ERPx_APTransactionStatus]
 [dbo].[ERPx_APVendor]
 [dbo].[ERPx_GLAccount]
 [dbo].[ERPx_IMTransactionHeader]
 [dbo].[ERPx_MFCheckbook]
 [dbo].[ERPx_MFCurrency]
 [dbo].[ERPx_MFDDataEntityCompany]
 [dbo].[ERPx_MFPaymentTerms]
 [dbo].[ERPx_MFPriceListHeader]
 [dbo].[ERPx_MFTaxClass]

Used By

[dbo].[ERPx_APTransaction_SearchMetadata]
 [dbo].[ERPx_APTransactionAttributes]
 [dbo].[ERPx_APTransactionLine]
 [dbo].[ERPx_APTransactionLine_SearchMetadata]
 [dbo].[ERPx_APTransactionNote]
 [dbo].[ERPx_APVendorInterestCalculationHeader]
 [dbo].[ERPx_MFAttribute_APTransactionHeader]
 [dbo].[ERPx_MFAttribute_APTransactionHeader_FA]
 [dbo].[ERPx_MFCheckbookDetail]
 [dbo].[FNx_GetTransactionAccounts]
 [dbo].[FNx_GetTransactionAmounts]
 [dbo].[IQx_APSEL_Activity]
 [dbo].[IQx_APSEL_AdjustmentLineList]
 [dbo].[IQx_APSEL_ApplicationList]
 [dbo].[IQx_APSEL_APTransactionDetail]
 [dbo].[IQx_APSEL_BalanceTransferLineList]
 [dbo].[IQx_APSEL_FishermanBalanceDetail]
 [dbo].[IQx_APSEL_FishermanSaleList]
 [dbo].[IQx_APSEL_InvoiceLineList]
 [dbo].[IQx_APSEL_InvoiceList]




[dbo].[IQx_APSEL_PaymentReceiptHistoryInquiry]
[dbo].[IQx_APSEL_POLinkedItems]
[dbo].[IQx_APSEL_POLinkedTransactions]
[dbo].[IQx_APSEL_SaleLineList]
[dbo].[IQx_APSEL_VendorTransactionHistory]
[dbo].[IQx_ARSEL_TransactionDetail]
[dbo].[IQx_MFSEL_ApplicationList]
[dbo].[IQx_MFUpdate_VoidApplication]
[dbo].[IQx_ProjectTransaction]
[dbo].[IQx_SettlementTransactionInquiry]
[dbo].[RPx_SettlementBalancesSummary]
[dbo].[SPx_APINS_SettlementTransaction]
[dbo].[SPx_APPProcess_AdjustmentTransaction]
[dbo].[SPx_APPProcess_APTransaction_POLookup]
[dbo].[SPx_APPProcess_APTransaction_PurchaseOrder]
[dbo].[SPx_APPProcess_PaymentReceipt]
[dbo].[SPx_APPProcess_PurchaseOrder]
[dbo].[SPx_APPProcess_SearchMetadata_RefreshAPTransaction]
[dbo].[SPx_APPProcess_SearchMetadata_RefreshAPTransactionLine]
[dbo].[SPx_APPProcess_Transaction]
[dbo].[SPx_APPProcess_TransactionClass]
[dbo].[SPx_APPProcess_Vendor]
[dbo].[SPx_APSEL_ApplyFishingDocumentList]
[dbo].[SPx_APSEL_ApplyPayableDocumentList]
[dbo].[SPx_APSEL_APTransaction_DistributionLookup]
[dbo].[SPx_APSEL_APTransaction_Header]
[dbo].[SPx_APSEL_APTransaction_Line]
[dbo].[SPx_APSEL_APTransaction_NewLine]
[dbo].[SPx_APSEL_APTransaction_PaymentTermsLookup]
[dbo].[SPx_APSEL_APTransaction_POLineNumberLookup]
[dbo].[SPx_APSEL_APTransaction_PORecordLookupDetail]
[dbo].[SPx_APSEL_APTransaction_StatusLookup]
[dbo].[SPx_APSEL_APTransaction_VendorLookup]
[dbo].[SPx_APSEL_BuildCheckList]
[dbo].[SPx_APSEL_BuildFishermanSettlementList]
[dbo].[SPx_APSEL_DocumentManagementSystemUrlLookup]
[dbo].[SPx_APSEL_FAPaymentReceiptAccountLookup]
[dbo].[SPx_APSEL_FAPaymentReceiptCheckbookLookup]
[dbo].[SPx_APSEL_FAPaymentReceiptStatusLookup]
[dbo].[SPx_APSEL_FishermanBalancesList]
[dbo].[SPx_APSEL_FishermanPaymentReceipt]
[dbo].[SPx_APSEL_FishermanSaleHeader]
[dbo].[SPx_APSEL_FishermanSaleLineList]
[dbo].[SPx_APSEL_FishermanSaleList]
[dbo].[SPx_APSEL_FishermanSalePriceListLookup]
[dbo].[SPx_APSEL_FishermanSaleProperties]
[dbo].[SPx_APSEL_InvoiceLineList]
[dbo].[SPx_APSEL_InvoiceList]
[dbo].[SPx_APSEL_POHeader]
[dbo].[SPx_APSEL_POLine]
[dbo].[SPx_APSEL_POVendorTransactionSummary]
[dbo].[SPx_APSEL_PurchaseOrder_Summary]
[dbo].[SPx_APSEL_SaleFishermanLookup]

[dbo].[SPx_APSEL_TaxClassLookup]
[dbo].[SPx_APSEL_TransactionAdjustmentProperties]
[dbo].[SPx_APSEL_TransactionDistributionLookup]
[dbo].[SPx_APSEL_TransactionHeader]
[dbo].[SPx_APSEL_TransactionHeaderAttributeList]
[dbo].[SPx_APSEL_TransactionHeaderProperties]
[dbo].[SPx_APSEL_TransactionLine]
[dbo].[SPx_APSEL_TransactionLineNew]
[dbo].[SPx_APSEL_TransactionList]
[dbo].[SPx_APSEL_TransactionMoreActionsFishermanSaleList]
[dbo].[SPx_APSEL_TransactionPaymentDetail]
[dbo].[SPx_APSEL_TransactionPaymentTermsLookup]
[dbo].[SPx_APSEL_TransactionSettlementTypeLookup]
[dbo].[SPx_APSEL_TransactionStatusLookup]
[dbo].[SPx_APSEL_TransactionTenderSaleProperties]
[dbo].[SPx_APSEL_TransactionTransferProperties]
[dbo].[SPx_APSEL_TransactionVendorLookup]
[dbo].[SPx_APSEL_VendorBalanceList]
[dbo].[SPx_APUPD_AutoApplyPayment]
[dbo].[SPx_APUPD_TransactionHeaderRollup]
[dbo].[SPx_APUUpdate_AdjustmentTransaction]
[dbo].[SPx_APUUpdate_AutoPayFishermanBalance]
[dbo].[SPx_APUUpdate_BuildCheck]
[dbo].[SPx_APUUpdate_BuildFishermanSettlement]
[dbo].[SPx_APUUpdate_DuplicateTransaction]
[dbo].[SPx_APUUpdate_FishermanSale]
[dbo].[SPx_APUUpdate_FishermanSaleList]
[dbo].[SPx_APUUpdate_FishermanSettlementFifo]
[dbo].[SPx_APUUpdate_InvoiceList]
[dbo].[SPx_APUUpdate_MassUpdateFishermanSales]
[dbo].[SPx_APUUpdate_MassUpdatePO]
[dbo].[SPx_APUUpdate_MassUpdateTransactions]
[dbo].[SPx_APUUpdate_PaymentReceipt]
[dbo].[SPx_APUUpdate_ProcessInterestCharges]
[dbo].[SPx_APUUpdate_ProcessInterestPayments]
[dbo].[SPx_APUUpdate_PurchaseOrderList]
[dbo].[SPx_APUUpdate_Transaction]
[dbo].[SPx_APUUpdate_TransactionClassList]
[dbo].[SPx_APUUpdate_TransactionList]
[dbo].[SPx_APUUpdate_TransactionMoreActions]
[dbo].[SPx_APUUpdate_TransactionPayment]
[dbo].[SPx_APUUpdate_TransactionTenderSale]
[dbo].[SPx_APUUpdate_TransactionTransfer]
[dbo].[SPx_APUUpdate_VendorInterestCalculation]
[dbo].[SPx_APUUpdate_VendorList]
[dbo].[SPx_APUUpdate_VoidSettlementTransaction]
[dbo].[SPx_ARUpdate_SaleInvoiceList]
[dbo].[SPx_ARUpdate_TransactionList]
[dbo].[SPx_FASEL_FishermanBalancesWithInterest]
[dbo].[SPx_FAUpdate_FishermanTenderList]
[dbo].[SPx_FAUpdate_LoanList]
[dbo].[SPx_GLProcess_CheckbookTransaction]
[dbo].[SPx_GLSEL_CheckbookTransactionDepositDetails]

[dbo].[SPx_GLSEL_JournalDetailDetailLine]
[dbo].[SPx_GLSEL_JournalDetailEntryLine]
[dbo].[SPx_GLSEL_JournalDetailHeader]
[dbo].[SPx_GLSEL_ProjectProperties]
[dbo].[SPx_GLUpdate_CheckbookList]
[dbo].[SPx_GLUpdate_FiscalYear]
[dbo].[SPx_GLUpdate_FiscalYearList]
[dbo].[SPx_GLUpdate_Project]
[dbo].[SPx_GLUpdate_ProjectList]
[dbo].[SPx_IMPProcess_UpdateLotCostsFromPO]
[dbo].[SPx_IMSEL_TransactionHeaderProperties]
[dbo].[SPx_INTEG_APEmployeeDeduction]
[dbo].[SPx_INTEG_APTransaction]
[dbo].[SPx_MFDEL_DeleteCompany]
[dbo].[SPx_MFSEL_ApplyDocumentRecordList]
[dbo].[SPx_MFSEL_ApplyDocumentRecordTransactionLookup]
[dbo].[SPx_MFSEL_CashReceiptAccountLookup]
[dbo].[SPx_MFSEL_CashReceiptHeader]
[dbo].[SPx_MFSEL_CashReceiptLine]
[dbo].[SPx_MFSEL_CashReceiptTransactionStatusLookup]
[dbo].[SPx_MFSEL_FAApplyDocumentRecordList]
[dbo].[SPx_MFSEL_VoidTransactionApplicationList]
[dbo].[SPx_MFSEL_VoidTransactionHeader]
[dbo].[SPx_MFUpdate_ApplyDocumentRecord]
[dbo].[SPx_MFUpdate_ApplyOpenItems]
[dbo].[SPx_MFUpdate_CashReceipt]
[dbo].[SPx_MFUpdate_JournalDetails]
[dbo].[SPx_MFUpdate_MassUpdate]
[dbo].[SPx_MFUpdate_PaymentTermList]
[dbo].[SPx_MFUpdate_PriceList]
[dbo].[SPx_MFUpdate_PriceListList]
[dbo].[SPx_MFUpdate_RecordLookup]
[dbo].[SPx_MFUpdate_TaxClass]
[dbo].[SPx_MFUpdate_TaxClassList]
[dbo].[SPx_MFUpdate_TransactionTax]
[dbo].[SPx_MFUpdate_VoidTransaction]

 [dbo].[ERPx_APTransactionHeaderProperty]

Columns

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity	Default
	TransactionHeaderPropertySK	bigint	8	NOT NULL	1 - 1	
	PropertyGroupDescription	varchar(200)	200	NULL allowed		
	PropertyName	varchar(50)	50	NOT NULL		
	PropertyDescription	varchar(200)	200	NOT NULL		
	PropertyDefinitionSK	bigint	8	NULL allowed		
	Sort	bigint	8	NOT NULL		
	LastUpdated	datetime	8	NOT NULL		(getdate())
	LastUser	varchar(150)	150	NOT NULL		
	DataEntityCompanySK	bigint	8	NOT NULL		
	IsReadOnly	bit	1	NOT NULL		((0))
	TabLocation	varchar(50)	50	NOT NULL		('Properties')
	MaxLengthOrDecimals	bigint	8	NULL allowed		

Indexes

Key	Name	Key Columns	Unique
	PK_ERPx_APTransactionHeaderProperty	TransactionHeaderPropertySK	True

Foreign Keys

Name	Columns
FK_ERPx_APTransactionHeaderProperty_ERPx_MFDataEntityCompany	DataEntityCompanySK->[dbo].[ERPx_MFDataEntityCompany].[DataEntityCompanySK]
FK_ERPx_APTransactionHeaderProperty_ERPx_MFPropertyDefinition	PropertyDefinitionSK->[dbo].[ERPx_MFPropertyDefinition].[PropertyDefinitionSK]

Uses




[dbo].[ERPx_MFDataEntityCompany]
 [dbo].[ERPx_MFPropertyDefinition]

Used By

[dbo].[SPx_APSEL_TransactionHeaderProperties]

 [dbo].[ERPx_APTransactionLine]

Columns

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity	Default
	TransactionLineSK	bigint	8	NOT NULL	1 - 1	
	TransactionHeaderSK	bigint	8	NOT NULL		
	LineDescription	varchar(200)	200	NULL allowed		
	AccountSK	bigint	8	NULL allowed		
	Quantity	numeric(18,5)	9	NOT NULL		
	QuantityUOMSK	bigint	8	NULL allowed		
	Price	numeric(18,5)	9	NOT NULL		
	ExtendedAmount	numeric(18,5)	9	NOT NULL		
	PayrollDeductionCodeSK	bigint	8	NULL allowed		
	PurchaseDate	datetime	8	NULL allowed		
	FromMFDistributionTypeEN	bigint	8	NULL allowed		
	FromDistributionAccountSK	varchar(25)	25	NULL allowed		
	ToMFDistributionTypeEN	bigint	8	NULL allowed		
	ToDistributionAccountSK	varchar(25)	25	NULL allowed		
	SettleAsTransactionTypeSK	bigint	8	NOT NULL		
	ItemSK	bigint	8	NULL allowed		
	LastUpdated	datetime	8	NOT NULL		
	LastUser	varchar(150)	150	NULL allowed		
	DataEntityCompanySK	bigint	8	NOT NULL		
	AppliedToTransactionSK	bigint	8	NULL allowed		
	Taxable	bit	1	NULL allowed		
	ItemTypeSK	bigint	8	NULL allowed		
	PreviousVersionTransactionLineSK	bigint	8	NULL allowed		
	SourceTransactionTypeEN	bigint	8	NULL allowed		
	SourceTransactionSK	bigint	8	NULL allowed		
	PriceListItemSK	bigint	8	NULL allowed		
	PriceListPrice	numeric(18,5)	9	NULL allowed		
	LineNumber	bigint	8	NOT NULL		((1))
	POLineSK	bigint	8	NULL allowed		
	TenNinetyNineTypeSK	bigint	8	NULL allowed		
	TenNinetyNineAmount	numeric(18,5)	9	NULL allowed		
	LineComment	varchar(200)	200	NULL allowed		

	LineSourceEN	bigint	8	NOT NULL		((1))
	FreightVarianceAmt	numeric(18,5)	9	NULL allowed		

Indexes

Key	Name	Key Columns	Unique
	PK_ERPx_APTransactionLine	TransactionLineSK	True

Foreign Keys

Name	Columns
FK_ERPx_APTransactionLine_ERPx_APPoLine	POLineSK->[dbo].[ERPx_APPoLine].[POLineSK]
FK_ERPx_APTransactionLine_ERPx_APTenNinety-NineType	TenNinetyNineTypeSK->[dbo].[ERPx_APTenNinetyNineType].[TenNinetyNineTypeSK]
FK_ERPx_APTransactionLine_ERPx_-APTransactionHeader	TransactionHeaderSK->[dbo].[ERPx_APTransactionHeader].[TransactionHeaderSK]
FK_ERPx_APTransactionLine_ERPx_-APTransactionLine	TransactionLineSK->[dbo].[ERPx_APTransactionLine].[TransactionLineSK]
FK_ERPx_APTransactionLine_ERPx_-APTransactionType	SettleAsTransactionTypeSK->[dbo].[ERPx_APTransactionType].[TransactionTypeSK]
FK_ERPx_APTransactionLine_ERPx_GLAccount	AccountSK->[dbo].[ERPx_GLAccount].[AccountSK]
FK_ERPx_APTransactionLine_ERPx_IMItem	ItemSK->[dbo].[ERPx_IMItem].[ItemSK]
FK_ERPx_APTransactionLine_ERPx_IMItemType	ItemTypeSK->[dbo].[ERPx_IMItemType].[ItemTypeSK]
FK_ERPx_APTransactionLine_ERPx_IMUOM	QuantityUOMSK->[dbo].[ERPx_IMUOM].[UOMSK]
FK_ERPx_APTransactionLine_ERPx_MFDataEntity-Company	DataEntityCompanySK->[dbo].[ERPx_MFDataEntityCompany].[DataEntityCompanySK]
FK_ERPx_APTransactionLine_ERPx_MFPriceList-Item	PriceListItemSK->[dbo].[ERPx_MFPriceListItem].[PriceListItemSK]

Uses

[dbo].[ERPx_APPoLine]
 [dbo].[ERPx_APTenNinetyNineType]
 [dbo].[ERPx_APTransactionHeader]
 [dbo].[ERPx_APTransactionType]
 [dbo].[ERPx_GLAccount]
 [dbo].[ERPx_IMItem]
 [dbo].[ERPx_IMItemType]
 [dbo].[ERPx_IMUOM]
 [dbo].[ERPx_MFDataEntityCompany]
 [dbo].[ERPx_MFPriceListItem]

Used By














[dbo].[ERPx_APTransactionLine_SearchMetadata]
 [dbo].[ERPx_APVendorInterestCalculationLine]
 [dbo].[FNx_GetTransactionAccounts]

[dbo].[FNx_GetTransactionAmounts]
[dbo].[IQx_APSEL_Activity]
[dbo].[IQx_APSEL_AdjustmentLineList]
[dbo].[IQx_APSEL_APTransactionDetail]
[dbo].[IQx_APSEL_BalanceTransferLineList]
[dbo].[IQx_APSEL_FishermanBalanceDetail]
[dbo].[IQx_APSEL_InvoiceLineList]
[dbo].[IQx_APSEL_PaymentReceiptHistoryInquiry]
[dbo].[IQx_APSEL_POLinkedItems]
[dbo].[IQx_APSEL_SaleLineList]
[dbo].[IQx_APUpdate_APTransaction]
[dbo].[IQx_ARSEL_TransactionDetail]
[dbo].[IQx_ProjectTransaction]
[dbo].[IQx_SettlementTransactionInquiry]
[dbo].[RPx_SettlementBalancesSummary]
[dbo].[SPx_APINS_SettlementTransaction]
[dbo].[SPx_APPProcess_AdjustmentTransaction]
[dbo].[SPx_APPProcess_APTransaction_PurchaseOrder]
[dbo].[SPx_APPProcess_PurchaseOrder]
[dbo].[SPx_APPProcess_SearchMetadata_RefreshAPTransactionLine]
[dbo].[SPx_APPProcess_Transaction]
[dbo].[SPx_APPProcess_Vendor]
[dbo].[SPx_APSEL_ApplyFishingDocumentList]
[dbo].[SPx_APSEL_APTransaction_AccountLookup]
[dbo].[SPx_APSEL_APTransaction_DistributionLookup]
[dbo].[SPx_APSEL_APTransaction_Header]
[dbo].[SPx_APSEL_APTransaction_Line]
[dbo].[SPx_APSEL_APTransaction_POLineDefaultLookup]
[dbo].[SPx_APSEL_APTransaction_POLineNumberLookup]
[dbo].[SPx_APSEL_APTransaction_UOMLookupByItem]
[dbo].[SPx_APSEL_BuildFishermanSettlementList]
[dbo].[SPx_APSEL_FishermanBalancesList]
[dbo].[SPx_APSEL_FishermanPaymentReceipt]
[dbo].[SPx_APSEL_FishermanSaleLine]
[dbo].[SPx_APSEL_FishermanSaleLineList]
[dbo].[SPx_APSEL_InvoiceLineList]
[dbo].[SPx_APSEL_POLine]
[dbo].[SPx_APSEL_PurchaseOrder_Summary]
[dbo].[SPx_APSEL_PurchaseOrder_UOMLookup]
[dbo].[SPx_APSEL_TransactionAccountLookup]
[dbo].[SPx_APSEL_TransactionAdjustmentProperties]
[dbo].[SPx_APSEL_TransactionDistributionLookup]
[dbo].[SPx_APSEL_TransactionHeader]
[dbo].[SPx_APSEL_TransactionLine]
[dbo].[SPx_APSEL_TransactionTransferProperties]
[dbo].[SPx_APSEL_TransactionUOMLookup]
[dbo].[SPx_APUPD_AutoApplyPayment]
[dbo].[SPx_APUPD_TransactionHeaderRollup]
[dbo].[SPx_APUpdate_AdjustmentTransaction]
[dbo].[SPx_APUpdate_AutoPayFishermanBalance]
[dbo].[SPx_APUpdate_BuildFishermanSettlement]
[dbo].[SPx_APUpdate_DuplicateTransaction]
[dbo].[SPx_APUpdate_FishermanSale]

[dbo].[SPx_APUUpdate_FishermanSettlementFifo]
[dbo].[SPx_APUUpdate_InvoiceList]
[dbo].[SPx_APUUpdate_MassUpdateFishermanSales]
[dbo].[SPx_APUUpdate_MassUpdateTransactions]
[dbo].[SPx_APUUpdate_ProcessInterestCharges]
[dbo].[SPx_APUUpdate_ProcessInterestPayments]
[dbo].[SPx_APUUpdate_TransactionList]
[dbo].[SPx_APUUpdate_TransactionMoreActions]
[dbo].[SPx_APUUpdate_TransactionPayment]
[dbo].[SPx_APUUpdate_TransactionTenderSale]
[dbo].[SPx_APUUpdate_TransactionTransfer]
[dbo].[SPx_APUUpdate_VendorInterestCalculation]
[dbo].[SPx_APUUpdate_VendorList]
[dbo].[SPx_APUUpdate_VoidSettlementTransaction]
[dbo].[SPx_ARSEL_TransactionAccountLookup]
[dbo].[SPx_FASEL_FishermanBalancesWithInterest]
[dbo].[SPx_FAUpdate_FishermanTenderList]
[dbo].[SPx_FAUpdate_LoanList]
[dbo].[SPx_GLSEL_JournalDetailHeader]
[dbo].[SPx_GLSEL_ProjectProperties]
[dbo].[SPx_GLUpdate_Project]
[dbo].[SPx_GLUpdate_ProjectList]
[dbo].[SPx_IMPProcess_UpdateLotCostsFromPO]
[dbo].[SPx_INTEG_APTransaction]
[dbo].[SPx_MFDEL_DeleteCompany]
[dbo].[SPx_MFSEL_CashReceiptHeader]
[dbo].[SPx_MFSEL_CashReceiptLine]
[dbo].[SPx_MFSEL_FAApplyDocumentRecordList]
[dbo].[SPx_MFUpdate_ApplyOpenItems]
[dbo].[SPx_MFUpdate_CashReceipt]
[dbo].[SPx_MFUpdate_JournalDetails]
[dbo].[SPx_MFUpdate_MassUpdate]
[dbo].[SPx_MFUpdate_PriceList]
[dbo].[SPx_MFUpdate_TransactionTax]
[dbo].[SPx_MFUpdate_VoidTransaction]

 [dbo].[ERPx_APTransactionLine_SearchMetadata]

Columns

Key	Name	Data Type	Persisted	Computed	Max Length (Bytes)	Nullability
	TransactionHeaderSK	bigint			8	NOT NULL
	TransactionLineSK	bigint			8	NOT NULL
	HeaderDescription	varchar(150)			150	NULL allowed
	LineDescription	varchar(200)			200	NULL allowed
	Description	varchar(352)	True	True	352	NOT NULL
	DocNumber	varchar(50)			50	NULL allowed
	PO	varchar(50)			50	NULL allowed
	Transaction	varchar(25)			25	NOT NULL
	VendorSK	bigint			8	NULL allowed
	VendorID	varchar(50)			50	NULL allowed
	VendorName	varchar(100)			100	NULL allowed
	Vendor	varchar(152)	True	True	152	NOT NULL
	ItemID	varchar(50)			50	NOT NULL
	ItemDescription	varchar(105)			105	NOT NULL
	Item	varchar(158)	True	True	158	NOT NULL
	SearchText	varchar(789)	True	True	789	NOT NULL
	DataEntityCompanySK	bigint			8	NOT NULL

Computed columns

Name	Column definition
Description	((isnull([HeaderDescription], '')+ ' ')+isnull([LineDescription], ''))
Vendor	((isnull([VendorID], '')+ ' ')+isnull([VendorName], ''))
Item	((isnull([ItemID], '')+ ' ')+isnull([ItemDescription], ''))
Search-Text	(((((isnull([HeaderDescription], '')+ ' ')+isnull([LineDescription], '')))+isnull([DocNumber], '')))+isnull([PO], '')))+ ' ')+isnull([Transaction], '')))+ ' ')+isnull([VendorID], '')))+ ' ')+isnull([VendorName], '')))+ ' ')+isnull([ItemID], '')))+ ' ')+isnull([ItemDescription], ''))

Indexes

Key	Name	Key Columns	Unique
	PK_ERPx_APTransactionLine_SearchMetadata	TransactionLineSK	True

	IX_ERPx_APTransactionLine_SearchMetadata	HeaderDescription, LineDescription, DocNumber, PO, Transaction, VendorID, VendorName, ItemID, ItemDescription, DataEntityCompanySK	
--	--	--	--

Foreign Keys

Name	Columns
FK_ERPx_APTransactionLine_SearchMetadata_ERPx_APTransactionHeader	TransactionHeaderSK->[dbo].[ERPx_APTransactionHeader].[TransactionHeaderSK]
FK_ERPx_APTransactionLine_SearchMetadata_ERPx_APTransactionLine	TransactionLineSK->[dbo].[ERPx_APTransactionLine].[TransactionLineSK]
FK_ERPx_APTransactionLine_SearchMetadata_ERPx_APVendor	VendorSK->[dbo].[ERPx_APVendor].[VendorSK]
FK_ERPx_APTransactionLine_SearchMetadata_ERPx_MFDataEntityCompany	DataEntityCompanySK->[dbo].[ERPx_MFDataEntityCompany].[DataEntityCompanySK]



Uses

[dbo].[ERPx_APTransactionHeader]
 [dbo].[ERPx_APTransactionLine]
 [dbo].[ERPx_APVendor]
 [dbo].[ERPx_MFDataEntityCompany]

Used By

[dbo].[SPx_APProcess_SearchMetadata_RefreshAPTransactionLine]
 [dbo].[SPx_APProcess_Transaction]
 [dbo].[SPx_APUdate_InvoiceList]

[dbo].[ERPx_APTtransactionMoreActionsCriteria]**Columns**

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity
	MoreActionsSK	bigint	8	NOT NULL	1 - 1
	TransactionTypeSK	bigint	8	NOT NULL	
	ActionSK	bigint	8	NOT NULL	
	DateFrom	datetime	8	NULL allowed	
	DateTo	datetime	8	NOT NULL	
	GLAccrualDate	datetime	8	NOT NULL	
	AccountSK	bigint	8	NULL allowed	
	TransactionID	varchar(250)	250	NULL allowed	
	DeliveryNumber	varchar(50)	50	NULL allowed	
	DataEntityCompanySK	bigint	8	NOT NULL	
	UserSK	bigint	8	NOT NULL	

Foreign Keys

Name	Columns
FK_ERPx_APTtransactionMoreActionsCriteria_ERPx_MFDataEntityCompany	DataEntityCompanySK->[dbo].[ERPx_MFDataEntityCompany].[DataEntityCompanySK]
FK_ERPx_APTtransactionMoreActionsCriteria_ERPx_MFUser1	UserSK->[dbo].[ERPx_MFUser].[UserSk]

Uses





[dbo].[ERPx_MFDataEntityCompany]
[dbo].[ERPx_MFUser]

Used By


[dbo].[IQx_APSEL_FishermanSaleList]
[dbo].[IQx_APSEL_TicketLinelist]
[dbo].[IQx_APSEL_TicketList]
[dbo].[SPx_APSEL_DeliveryTicketList]
[dbo].[SPx_APSEL_FishermanSaleLineList]
[dbo].[SPx_APSEL_FishermanSaleList]
[dbo].[SPx_APSEL_TicketLinelist]
[dbo].[SPx_APSEL_TicketList]
[dbo].[SPx_APSEL_TransactionMoreActions]
[dbo].[SPx_APSEL_TransactionMoreActionsFishermanSaleList]
[dbo].[SPx_APSEL_TransactionMoreActionsTicketList]
[dbo].[SPx_APUUpdate_TransactionMoreActions]

[dbo].[SPx_MFDEL_DeleteCompany]

[dbo].[ERPx_APTransactionNote]**Columns**

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity	Default
	TransactionNoteSK	bigint	8	NOT NULL	1 - 1	
	TransactionHeaderSK	bigint	8	NOT NULL		
	NoteTypeSK	bigint	8	NOT NULL		
	Note	varchar(2000)	2000	NOT NULL		
	NoteHTML	varchar(max)	max	NULL allowed		
	LastUpdated	datetime	8	NOT NULL		(getdate())
	LastUser	varchar(150)	150	NOT NULL		
	DataEntityCompanySK	bigint	8	NOT NULL		

Indexes

Key	Name	Key Columns	Unique
	PK_ERPx_APTransactionNote	TransactionNoteSK	True
	IX_ERPx_APTransactionNote	TransactionHeaderSK, NoteTypeSK, DataEntityCompanySK	True

Foreign Keys

Name	Columns
FK_ERPx_APTransactionNote_ERPx_-APTransactionHeader	TransactionHeaderSK->[dbo].[ERPx_APTransactionHeader].[TransactionHeaderSK]
FK_ERPx_APTransactionNote_ERPx_MFDataEntityCompany	DataEntityCompanySK->[dbo].[ERPx_MFDataEntityCompany].[DataEntityCompanySK]
FK_ERPx_APTransactionNote_ERPx_MFNoteType	NoteTypeSK->[dbo].[ERPx_MFNoteType].[NoteTypeSK]

Uses

[dbo].[ERPx_APTransactionHeader]
 [dbo].[ERPx_MFDataEntityCompany]
 [dbo].[ERPx_MFNoteType]



Used By

[dbo].[SPx_APProcess_Transaction]
 [dbo].[SPx_APUupdate_InvoiceList]
 [dbo].[SPx_APUupdate_TransactionList]
 [dbo].[SPx_MFDEL_DeleteCompany]
 [dbo].[SPx_MFManage_NoteAssignment]

[dbo].[SPx_MFSEL_NoteList]

[dbo].[SPx_MFUpdate_VoidTransaction]

[dbo].[ERPx_APTransactionStatus]**Columns**

Key	Name	Data Type	Max Length (Bytes)	Nullability
	TransactionStatusSK	bigint	8	NOT NULL
	StatusName	varchar(200)	200	NOT NULL
	Sort	int	4	NOT NULL

Indexes

Key	Name	Key Columns	Unique
	PK_ERPx_APTransactionStatus	TransactionStatusSK	True
	IX_ERPx_APTransactionStatus	StatusName	True







Used By

[dbo].[ERPx_APDeliveryTicketHeader]
 [dbo].[ERPx_APSettlementApplication]
 [dbo].[ERPx_APTransactionHeader]
 [dbo].[IQx_APSEL_Activity]
 [dbo].[IQx_APSEL_AdjustmentLineList]
 [dbo].[IQx_APSEL_APTransactionDetail]
 [dbo].[IQx_APSEL_BalanceTransferLineList]
 [dbo].[IQx_APSEL_FishermanSaleList]
 [dbo].[IQx_APSEL_InvoiceLineList]
 [dbo].[IQx_APSEL_InvoiceList]
 [dbo].[IQx_APSEL_PaymentReceiptHistoryInquiry]
 [dbo].[IQx_APSEL_POLinkedItems]
 [dbo].[IQx_APSEL_POLinkedTransactions]
 [dbo].[IQx_APSEL_SaleLineList]
 [dbo].[IQx_APSEL_TicketLineList]
 [dbo].[IQx_APSEL_TicketList]
 [dbo].[IQx_APSEL_TicketStatAreaLineList]
 [dbo].[IQx_APSEL_VendorTransactionHistory]
 [dbo].[IQx_ARSEL_TransactionDetail]
 [dbo].[IQx_ProjectTransaction]
 [dbo].[SPx_APSEL_APTransaction_Header]
 [dbo].[SPx_APSEL_APTransaction_StatusLookup]
 [dbo].[SPx_APSEL_DeliveryTicketInquiryCriteriaStatusLookup]
 [dbo].[SPx_APSEL_DeliveryTicketList]
 [dbo].[SPx_APSEL_DeliveryTicketStatusLookup]
 [dbo].[SPx_APSEL_FAPaymentReceiptStatusLookup]
 [dbo].[SPx_APSEL_FishermanSaleLineList]
 [dbo].[SPx_APSEL_FishermanSaleList]

[dbo].[SPx_APSEL_InvoiceLineList]
[dbo].[SPx_APSEL_InvoiceList]
[dbo].[SPx_APSEL_ProcessChecks]
[dbo].[SPx_APSEL_TicketLinelist]
[dbo].[SPx_APSEL_TicketList]
[dbo].[SPx_APSEL_TransactionHeader]
[dbo].[SPx_APSEL_TransactionList]
[dbo].[SPx_APSEL_TransactionStatusLookup]
[dbo].[SPx_APUUpdate_FishermanSale]
[dbo].[SPx_APUUpdate_TransactionTenderSale]
[dbo].[SPx_APUUpdate_TransactionTransfer]
[dbo].[SPx_APUUpdate_VendorInterestCalculation]
[dbo].[SPx_CPSEL_APTTransactionStatusLookup]
[dbo].[SPx_FASEL_FishermanBalancesWithInterest]
[dbo].[SPx_INTEG_NSAPInvoiceAndCreditMemo]
[dbo].[SPx_INTEG_UpdatePostedAPTTransactionsFromGP]
[dbo].[SPx_MFDEL_DeleteCompany]
[dbo].[SPx_MFSEL_CashReceiptTransactionStatusLookup]

 [dbo].[ERPx_APTransactionTax]

Columns

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity
	TransactionTaxSK	bigint	8	NOT NULL	1 - 1
	TransactionSK	bigint	8	NOT NULL	
	TransactionTypeSK	bigint	8	NOT NULL	
	TaxDetailSK	bigint	8	NOT NULL	
	AccountSK	bigint	8	NOT NULL	
	TaxAmount	numeric(18,5)	9	NOT NULL	
	MaxTransactionAmount	numeric(18,5)	9	NOT NULL	
	LastUpdated	datetime	8	NOT NULL	
	LastUser	varchar(150)	150	NOT NULL	
	DataEntityCompanySK	bigint	8	NOT NULL	

Indexes

Key	Name	Key Columns	Unique
	PK_ERPx_APTransactionTax	TransactionTaxSK	True
	IX_ERPx_APTransactionTax	TransactionTypeSK, TaxDetailSK, TransactionSK, DataEntityCompanySK	True

Foreign Keys

Name	Columns
FK_ERPx_APTransactionTax_ERPx_APTransactionType	TransactionTypeSK->[dbo].[ERPx_APTransactionType].[TransactionTypeSK]
FK_ERPx_APTransactionTax_ERPx_GLAccount	AccountSK->[dbo].[ERPx_GLAccount].[AccountSK]
FK_ERPx_APTransactionTax_ERPx_MFDataEntityCompany	DataEntityCompanySK->[dbo].[ERPx_MFDataEntityCompany].[DataEntityCompanySK]
FK_ERPx_APTransactionTax_ERPx_MFTaxDetail	TaxDetailSK->[dbo].[ERPx_MFTaxDetail].[TaxDetailSK]



Uses

[dbo].[ERPx_APTransactionType]
 [dbo].[ERPx_GLAccount]
 [dbo].[ERPx_MFDataEntityCompany]
 [dbo].[ERPx_MFTaxDetail]


Used By

[dbo].[FNx_GetTransactionAccounts]
[dbo].[FNx_GetTransactionAmounts]
[dbo].[RPx_SettlementBalancesSummary]
[dbo].[SPx_APSEL_FishermanSaleLineList]
[dbo].[SPx_APUPD_TransactionHeaderRollup]
[dbo].[SPx_MFDEL_DeleteCompany]
[dbo].[SPx_MFUpdate_JournalDetails]
[dbo].[SPx_MFUpdate_TaxDetailList]
[dbo].[SPx_MFUpdate_TransactionTax]

[dbo].[ERPx_APTransactionType]**Columns**

Key	Name	Data Type	Max Length (Bytes)	Nullability
	TransactionTypeSK	bigint	8	NOT NULL
	TransactionName	varchar(200)	200	NOT NULL
	Sort	int	4	NULL allowed
	IsVisibleToAPTransactions	bit	1	NOT NULL
	RecordViewName	varchar(50)	50	NULL allowed
	TransactionAbbreviation	varchar(25)	25	NULL allowed
	ControlParameter	varchar(100)	100	NULL allowed

Indexes

Key	Name	Key Columns	Unique
	PK_ERPx_APTransactionType	TransactionTypeSK	True
	UK_ERPx_APTransactionType	TransactionName	True

Used By









[dbo].[ERPx_APTransactionClass]
 [dbo].[ERPx_APTransactionClassProperty]
 [dbo].[ERPx_APTransactionLine]
 [dbo].[ERPx_APTransactionTax]
 [dbo].[IQx_APSEL_Activity]
 [dbo].[IQx_APSEL_AdjustmentLineList]
 [dbo].[IQx_APSEL_ApplicationList]
 [dbo].[IQx_APSEL_APTransactionDetail]
 [dbo].[IQx_APSEL_BalanceTransferLineList]
 [dbo].[IQx_APSEL_FishermanBalanceDetail]
 [dbo].[IQx_APSEL_FishermanSaleList]
 [dbo].[IQx_APSEL_InvoiceHistory_TransactionClassLookup]
 [dbo].[IQx_APSEL_InvoiceLineList]
 [dbo].[IQx_APSEL_InvoiceList]
 [dbo].[IQx_APSEL_POHistory_TransactionClassLookup]
 [dbo].[IQx_APSEL_POLinkedItems]
 [dbo].[IQx_APSEL_POLinkedTransactions]
 [dbo].[IQx_APSEL_SaleLineList]
 [dbo].[IQx_APSEL_TicketLinelist]
 [dbo].[IQx_APSEL_TicketList]
 [dbo].[IQx_APSEL_TicketStatAreaLinelist]
 [dbo].[IQx_APSEL_VendorTransactionHistory]
 [dbo].[IQx_ARSEL_TransactionDetail]







[dbo].[IQx_MFSEL_ApplicationList]
[dbo].[IQx_ProjectTransaction]
[dbo].[IQx_SettlementTransactionInquiry]
[dbo].[RPx_SettlementBalancesSummary]
[dbo].[SPx_APPProcess_AdjustmentTransaction]
[dbo].[SPx_APPProcess_PurchaseOrder]
[dbo].[SPx_APPProcess_Transaction]
[dbo].[SPx_APPProcess_TransactionClass]
[dbo].[SPx_APPProcess_Vendor]
[dbo].[SPx_APSEL_ApplyFishingDocumentList]
[dbo].[SPx_APSEL_ApplyPayableDocumentList]
[dbo].[SPx_APSEL_APTtransaction_Header]
[dbo].[SPx_APSEL_APTtransaction_NewButtonLookup]
[dbo].[SPx_APSEL_APTtransaction_PORecordLookupDetail]
[dbo].[SPx_APSEL_BuildCheckList]
[dbo].[SPx_APSEL_BuildCheckTransactionClassLookup]
[dbo].[SPx_APSEL_BuildFishermanSettlementList]
[dbo].[SPx_APSEL_BuildFishermanSettlementTransactionTypeLookup]
[dbo].[SPx_APSEL_DeliveryTicketAttributeList]
[dbo].[SPx_APSEL_DeliveryTicketClassLookup]
[dbo].[SPx_APSEL_DeliveryTicketFishermenHeader]
[dbo].[SPx_APSEL_DeliveryTicketNewButtonLookup]
[dbo].[SPx_APSEL_DeliveryTicketReprice_TicketClassLookup]
[dbo].[SPx_APSEL_FishermanPaymentReceipt]
[dbo].[SPx_APSEL_FishermanSaleLineList]
[dbo].[SPx_APSEL_FishermanSaleList]
[dbo].[SPx_APSEL_InvoiceLineList]
[dbo].[SPx_APSEL_InvoiceList]
[dbo].[SPx_APSEL_MoreActionsTransactionTypeLookup]
[dbo].[SPx_APSEL_POHeader]
[dbo].[SPx_APSEL_POHeaderAttributeList]
[dbo].[SPx_APSEL_POVendorTransactionSummary]
[dbo].[SPx_APSEL_PurchaseOrder_NewButtonLookup]
[dbo].[SPx_APSEL_ReportDeliveryTicketClassLookup]
[dbo].[SPx_APSEL_TicketLinelist]
[dbo].[SPx_APSEL_TicketList]
[dbo].[SPx_APSEL_TransactionClass_Property]
[dbo].[SPx_APSEL_TransactionClassHeader]
[dbo].[SPx_APSEL_TransactionClassList]
[dbo].[SPx_APSEL_TransactionClassList_TransactionTypeLookup]
[dbo].[SPx_APSEL_TransactionHeader]
[dbo].[SPx_APSEL_TransactionHeaderAttributeList]
[dbo].[SPx_APSEL_TransactionLine]
[dbo].[SPx_APSEL_TransactionList]
[dbo].[SPx_APSEL_TransactionMoreActions]
[dbo].[SPx_APSEL_TransactionMoreActionsFishermanSaleList]
[dbo].[SPx_APSEL_TransactionNewButtonLookup]
[dbo].[SPx_APSEL_TransactionSettlementTypeLookup]
[dbo].[SPx_APSEL_TransactionTypeLookup]
[dbo].[SPx_APSEL_VendorTicketClassLookup]
[dbo].[SPx_APUUpdate_BuildFishermanSettlement]
[dbo].[SPx_APUUpdate_FishermanSale]
[dbo].[SPx_APUUpdate_FishermanSettlementFifo]

[dbo].[SPx_APUUpdate_InvoiceList]
[dbo].[SPx_APUUpdate_MassUpdateFishermanSales]
[dbo].[SPx_APUUpdate_MassUpdatePO]
[dbo].[SPx_APUUpdate_MassUpdateTransactions]
[dbo].[SPx_APUUpdate_ProcessInterestCharges]
[dbo].[SPx_APUUpdate_ProcessInterestPayments]
[dbo].[SPx_APUUpdate_PurchaseOrderList]
[dbo].[SPx_APUUpdate_TransactionTenderSale]
[dbo].[SPx_APUUpdate_TransactionTransfer]
[dbo].[SPx_APUUpdate_VendorInterestCalculation]
[dbo].[SPx_APUUpdate_VendorList]
[dbo].[SPx_FASEL_FishermanBalancesWithInterest]
[dbo].[SPx_FAUpdate_FishermanTenderList]
[dbo].[SPx_FAUpdate_LoanList]
[dbo].[SPx_INTEG_GPGLJournal]
[dbo].[SPx_INTEG_NSAPInvoiceAndCreditMemo]
[dbo].[SPx_MFDEL_DeleteCompany]
[dbo].[SPx_MFSEL_CashReceiptHeader]
[dbo].[SPx_MFSEL_CashReceiptLine]
[dbo].[SPx_MFSEL_ClassLookupByForm]
[dbo].[SPx_MFSEL_FAApplyDocumentRecordList]
[dbo].[SPx_MFSEL_ListViewNewButtonLookup]
[dbo].[SPx_MFSEL_VoidTransactionApplicationList]
[dbo].[SPx_MFUpdate_JournalDetails]
[dbo].[VWx_MFSysAccountingRule]


 [dbo].[ERPx_APVendor]

Columns

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity	Default
	VendorSK	bigint	8	NOT NULL	1 - 1	
	HostSystemLink	varchar(100)	100	NULL allowed		
	VendorID	varchar(50)	50	NOT NULL		
	VendorName	varchar(100)	100	NOT NULL		
	PaymentTermSK	bigint	8	NULL allowed		
	VendorClassSK	bigint	8	NULL allowed		
	SAGLAcctRef	bigint	8	NULL allowed		
	APGLAcctRef	bigint	8	NULL allowed		
	PurchGLAcctRef	bigint	8	NULL allowed		
	CashGLAcctRef	bigint	8	NULL allowed		
	DisctTakenGLAcctRef	bigint	8	NULL allowed		
	FinanceChargeGLAcctRef	bigint	8	NULL allowed		
	WriteOffGLAcctRef	bigint	8	NULL allowed		
	VendorAccount	varchar(25)	25	NULL allowed		
	TaxID	varchar(15)	15	NULL allowed		
	CheckbookSK	bigint	8	NULL allowed		
	TaxTypeEN	bigint	8	NULL allowed		
	1099TypeEN	bigint	8	NULL allowed		
	TaxRegistration	varchar(25)	25	NULL allowed		
	AttributeClassSK	bigint	8	NULL allowed		
	IsOnHold	bit	1	NOT NULL		((0))
	IsInactive	bit	1	NOT NULL		((0))
	CurrencySK	bigint	8	NULL allowed		
	VendorTypeEN	bigint	8	NOT NULL		
	CheckName	varchar(150)	150	NULL allowed		
	CFECID	varchar(50)	50	NULL allowed		
	LastUpdated	datetime	8	NULL allowed		
	LastUser	varchar(150)	150	NULL allowed		
	DataEntityCompanySK	bigint	8	NOT NULL		
	TenderVesselSK	bigint	8	NULL allowed		
	TaxClassSK	bigint	8	NULL allowed		
	PaidFishermanVendorSK	bigint	8	NULL allowed		

	MasterVendorSK	bigint	8	NULL allowed		
	CreatedBy	varchar(150)	150	NULL allowed		
	CreatedDateTime	datetime	8	NOT NULL		(getdate())
	TenNinetyNineTypeSK	bigint	8	NULL allowed		
	Vendor1099DefaultAddressSK	bigint	8	NULL allowed		
	PaymentDefaultAddressSK	bigint	8	NULL allowed		
	PhysicalDefaultAddressSK	bigint	8	NULL allowed		
	StatementDefaultAddressSK	bigint	8	NULL allowed		

Indexes

Key	Name	Key Columns	Unique
	PK_ERPx_APVendor	VendorSK	True
	UK_ERPx_APVendor	HostSystemLink, DataEntityCompanySK	True

Foreign Keys

Name	No Check	Columns
FK_ERPx_APVendor_ERPx_APTenNinetyNineType		TenNinetyNineTypeSK->[dbo].[ERPx_APTenNinetyNineType].[TenNinetyNineTypeSK]
FK_ERPx_APVendor_ERPx_APVendor		PaidFishermanVendorSK->[dbo].[ERPx_APVendor].[VendorSK]
FK_ERPx_APVendor_ERPx_APVendor_2		MasterVendorSK->[dbo].[ERPx_APVendor].[VendorSK]
FK_ERPx_APVendor_ERPx_APVendor-Address_1099Default		Vendor1099DefaultAddressSK->[dbo].[ERPx_APVendor-Address].[VendorAddressSK]
FK_ERPx_APVendor_ERPx_APVendorAddress_-PaymentDefault		PaymentDefaultAddressSK->[dbo].[ERPx_APVendor-Address].[VendorAddressSK]
FK_ERPx_APVendor_ERPx_APVendorAddress_-PhysicalDefault		PhysicalDefaultAddressSK->[dbo].[ERPx_APVendor-Address].[VendorAddressSK]
FK_ERPx_APVendor_ERPx_APVendorAddress_-StatementDefault		StatementDefaultAddressSK->[dbo].[ERPx_APVendor-Address].[VendorAddressSK]
FK_ERPx_APVendor_ERPx_APVendorClass	True	VendorClassSK->[dbo].[ERPx_APVendorClass].[VendorClassSK]
FK_ERPx_APVendor_ERPx_GLCheckbook		CheckbookSK->[dbo].[ERPx_MFCheckbook].[CheckbookSK]
FK_ERPx_APVendor_ERPx_MFDataEntity-Company		DataEntityCompanySK->[dbo].[ERPx_MFDataEntity-Company].[DataEntityCompanySK]
FK_ERPx_APVendor_ERPx_MFPaymentTerms		PaymentTermSK->[dbo].[ERPx_MFPaymentTerms].[Payment-TermSK]
FK_ERPx_APVendor_ERPx_MFTaxClass		TaxClassSK->[dbo].[ERPx_MFTaxClass].[TaxClassSK]

Uses

[dbo].[ERPx_APTenNinetyNineType]
[dbo].[ERPx_APVendorAddress]

[dbo].[ERPx_APVendorClass]
[dbo].[ERPx_MFCheckbook]
[dbo].[ERPx_MFDataEntityCompany]
[dbo].[ERPx_MFPaymentTerms]
[dbo].[ERPx_MFTaxClass]

Used By

[dbo].[ERPx_APDeliveryTicketHeader]
[dbo].[ERPx_APPoHeader]
[dbo].[ERPx_APPoHeader_SearchMetadata]
[dbo].[ERPx_APPoLine]
[dbo].[ERPx_APPoLine_SearchMetadata]
[dbo].[ERPx_APProgram]
[dbo].[ERPx_APTransaction_SearchMetadata]
[dbo].[ERPx_APTransactionHeader]
[dbo].[ERPx_APTransactionLine_SearchMetadata]
[dbo].[ERPx_APVendorACH]
[dbo].[ERPx_APVendorAddress]
[dbo].[ERPx_APVendorAttributeAssignment]
[dbo].[ERPx_APVendorExcludedTransactions]
[dbo].[ERPx_APVendorInterestCalculationLine]
[dbo].[ERPx_APVendorNote]
[dbo].[ERPx_APVendorPermit]
[dbo].[ERPx_APVendorPriceList]
[dbo].[ERPx_CPAccrual]
[dbo].[ERPx_CPCharge]
[dbo].[ERPx_CPFarmer]
[dbo].[ERPx_CPHarvester]
[dbo].[ERPx_CPHauler]
[dbo].[ERPx_LMLoadTransactionLegBalanceDetail]
[dbo].[ERPx_LMLoadTransactionLegPayment]
[dbo].[ERPx_MFAttribute_APVendor]
[dbo].[ERPx_MFSite]
[dbo].[ERPx_SOCarrier]
[dbo].[FNx_GetDynamicRecordViewURL]
[dbo].[FNx_GetTransactionAccounts]
[dbo].[FNx_GetTransactionAmounts]
[dbo].[IQx_APCheckDetailInquiry]
[dbo].[IQx_APSEL_Activity]
[dbo].[IQx_APSEL_Activity_FishermanAccountLookup]
[dbo].[IQx_APSEL_AdjustmentLineList]
[dbo].[IQx_APSEL_ApplicationList]
[dbo].[IQx_APSEL_ApplicationList_VendorLookup]
[dbo].[IQx_APSEL_APTransactionDetail]
[dbo].[IQx_APSEL_BalanceDetail_FishermanAccountLookup]
[dbo].[IQx_APSEL_BalanceTransferLineList]
[dbo].[IQx_APSEL_FishermanBalanceDetail]
[dbo].[IQx_APSEL_FishermanSaleList]
[dbo].[IQx_APSEL_InvoiceHistory_VendorLookup]
[dbo].[IQx_APSEL_InvoiceLineList]
[dbo].[IQx_APSEL_InvoiceList]
[dbo].[IQx_APSEL_PaymentReceiptHistoryInquiry]

[dbo].[IQx_APSEL_POHistory_VendorLookup]
[dbo].[IQx_APSEL_POLineList]
[dbo].[IQx_APSEL_POLinkedItems]
[dbo].[IQx_APSEL_POLinkedItems_VendorLookup]
[dbo].[IQx_APSEL_POLinkedTransactions]
[dbo].[IQx_APSEL_POLinkedTransactions_VendorLookup]
[dbo].[IQx_APSEL_POList]
[dbo].[IQx_APSEL_SaleLineList]
[dbo].[IQx_APSEL_TicketLinelist]
[dbo].[IQx_APSEL_TicketList]
[dbo].[IQx_APSEL_TicketStatAreaLinelist]
[dbo].[IQx_APSEL_VendorTransactionHistory]
[dbo].[IQx_APSEL_VendorTransactionHistory_VendorLookup]
[dbo].[IQx_ARSEL_TransactionDetail]
[dbo].[IQx_CheckRegister]
[dbo].[IQx_CPSEL_TicketHistory_FarmerClassLookup]
[dbo].[IQx_CPSEL_TicketHistory_FarmerLookup]
[dbo].[IQx_CPTicketHistory]
[dbo].[IQx_GLSEL_ACHBatchInquiry]
[dbo].[IQx_GLSEL_CheckbookTransactionInquiry]
[dbo].[IQx_GLSEL_JournalLineList]
[dbo].[IQx_GLSEL_JournalList]
[dbo].[IQx_ProjectTransaction]
[dbo].[IQx_SettlementTransactionInquiry]
[dbo].[RPx_GLSEL_ACHFile]
[dbo].[RPx_GLSEL_ACHPrenote]
[dbo].[RPx_SettlementBalancesSummary]
[dbo].[SPx_APINS_SettlementTransaction]
[dbo].[SPx_APPProcess_APTransaction_PurchaseOrder]
[dbo].[SPx_APPProcess_DeliveryTicket]
[dbo].[SPx_APPProcess_PurchaseOrder]
[dbo].[SPx_APPProcess_SearchMetadata_RefreshAPTransaction]
[dbo].[SPx_APPProcess_SearchMetadata_RefreshAPTransactionLine]
[dbo].[SPx_APPProcess_SearchMetadata_RefreshDeliveryTicketHeader]
[dbo].[SPx_APPProcess_SearchMetadata_RefreshPOHeader]
[dbo].[SPx_APPProcess_SearchMetadata_RefreshPOLine]
[dbo].[SPx_APPProcess_Transaction]
[dbo].[SPx_APPProcess_Vendor]
[dbo].[SPx_APPProcess_VendorClass]
[dbo].[SPx_APSEL_ApplyFishingDocumentList]
[dbo].[SPx_APSEL_ApplyFishingDocumentList_FishermanLookup]
[dbo].[SPx_APSEL_ApplyPayableDocs_VendorLookup]
[dbo].[SPx_APSEL_ApplyPayableDocumentList]
[dbo].[SPx_APSEL_APTransaction_DistributionLookup]
[dbo].[SPx_APSEL_APTransaction_Header]
[dbo].[SPx_APSEL_APTransaction_ItemDefaultLookup]
[dbo].[SPx_APSEL_APTransaction_Line]
[dbo].[SPx_APSEL_APTransaction_NewLine]
[dbo].[SPx_APSEL_APTransaction_POLineDefaultLookup]
[dbo].[SPx_APSEL_APTransaction_PORecordLookupDetail]
[dbo].[SPx_APSEL_APTransaction_VendorLookup]
[dbo].[SPx_APSEL_APVendor_Address]
[dbo].[SPx_APSEL_APVendor_Attributes]





[dbo].[SPx_APSEL_APVendor_Header]
[dbo].[SPx_APSEL_APVendor_Lookup]
[dbo].[SPx_APSEL_APVendor_Properties]
[dbo].[SPx_APSEL_APVendor_VendorClassLookup]
[dbo].[SPx_APSEL_BuildCheckList]
[dbo].[SPx_APSEL_BuildChecks_AttributeList]
[dbo].[SPx_APSEL_BuildCheckVendorClassLookup]
[dbo].[SPx_APSEL_BuildFishermanSettlementList]
[dbo].[SPx_APSEL_BuildFishermanSettlementVendorClassLookup]
[dbo].[SPx_APSEL_DeliveryTicketADFLandingImportHeaderList]
[dbo].[SPx_APSEL_DeliveryTicketDualPermitLookup]
[dbo].[SPx_APSEL_DeliveryTicketFishermen]
[dbo].[SPx_APSEL_DeliveryTicketHeader]
[dbo].[SPx_APSEL_DeliveryTicketList]
[dbo].[SPx_APSEL_DeliveryTicketMasterVendorLookup]
[dbo].[SPx_APSEL_DeliveryTicketPermitHolderLookup]
[dbo].[SPx_APSEL_DeliveryTicketReprice_PaidFishermanLookup]
[dbo].[SPx_APSEL_DeliveryTicketReprice_PermitHolderLookup]
[dbo].[SPx_APSEL_DeliveryTicketSplitHeader]
[dbo].[SPx_APSEL_DeliveryTicketTenderLookup]
[dbo].[SPx_APSEL_DeliveryTicketVendorLookup]
[dbo].[SPx_APSEL_FAPaymentReceiptAccountLookup]
[dbo].[SPx_APSEL_FishermanBalancesList]
[dbo].[SPx_APSEL_FishermanLookup]
[dbo].[SPx_APSEL_FishermanPaymentReceipt]
[dbo].[SPx_APSEL_FishermanSaleLineList]
[dbo].[SPx_APSEL_FishermanSaleList]
[dbo].[SPx_APSEL_FishermanSalePriceListLookup]
[dbo].[SPx_APSEL_FishermanSaleProperties]
[dbo].[SPx_APSEL_InvoiceLineList]
[dbo].[SPx_APSEL_InvoiceList]
[dbo].[SPx_APSEL_MasterVendorLookup]
[dbo].[SPx_APSEL_MoreActionsAccountLookup]
[dbo].[SPx_APSEL_PaidFishermanVendorLookup]
[dbo].[SPx_APSEL_PoDistributionLookup]
[dbo].[SPx_APSEL_POHeader]
[dbo].[SPx_APSEL_POHeaderProperties]
[dbo].[SPx_APSEL_POLine]
[dbo].[SPx_APSEL_POLineList]
[dbo].[SPx_APSEL_POList]
[dbo].[SPx_APSEL_ProcessChecks]
[dbo].[SPx_APSEL_ProcessChecksAddress]
[dbo].[SPx_APSEL_ProcessChecksAddressLine]
[dbo].[SPx_APSEL_ProcessChecksAddressLookup]
[dbo].[SPx_APSEL_ProcessChecksBatchLookup]
[dbo].[SPx_APSEL_ProcessChecksPayeePaymentTypeLookup]
[dbo].[SPx_APSEL_ProcessChecksPayees]
[dbo].[SPx_APSEL_ProcessChecksVendorLookup]
[dbo].[SPx_APSEL_ProcessInterestChargesLines]
[dbo].[SPx_APSEL_ProcessInterestPaymentsLines]
[dbo].[SPx_APSEL_ProgramEntity]
[dbo].[SPx_APSEL_ProgramFishermenLookup]
[dbo].[SPx_APSEL_ProgramPremiumEntityFishermen]

[dbo].[SPx_APSEL_ProgramPremiumProperties]
[dbo].[SPx_APSEL_ProgramTaxEntityFishermen]
[dbo].[SPx_APSEL_ProgramTaxProperties]
[dbo].[SPx_APSEL_PurchaseOrder_ItemDefaultLookup]
[dbo].[SPx_APSEL_PurchaseOrder_NewLine]
[dbo].[SPx_APSEL_PurchaseOrder_VendorLookup]
[dbo].[SPx_APSEL_PurchaseOrderLine_VendorLookup]
[dbo].[SPx_APSEL_SaleFishermanLookup]
[dbo].[SPx_APSEL_SettlementVendorLookup]
[dbo].[SPx_APSEL_SplitPaymentHeader]
[dbo].[SPx_APSEL_SplitPaymentList]
[dbo].[SPx_APSEL_SplitPaymentListNewRow]
[dbo].[SPx_APSEL_TaxClassLookup]
[dbo].[SPx_APSEL_TicketLinelist]
[dbo].[SPx_APSEL_TicketList]
[dbo].[SPx_APSEL_TransactionDistributionLookup]
[dbo].[SPx_APSEL_TransactionHeader]
[dbo].[SPx_APSEL_TransactionHeaderProperties]
[dbo].[SPx_APSEL_TransactionLine]
[dbo].[SPx_APSEL_TransactionLineNew]
[dbo].[SPx_APSEL_TransactionList]
[dbo].[SPx_APSEL_TransactionMoreActionsFishermanSaleList]
[dbo].[SPx_APSEL_TransactionMoreActionsTicketList]
[dbo].[SPx_APSEL_TransactionPaymentDetail]
[dbo].[SPx_APSEL_TransactionTenderSaleProperties]
[dbo].[SPx_APSEL_TransactionVendorLookup]
[dbo].[SPx_APSEL_VendorACHList]
[dbo].[SPx_APSEL_VendorACHVendorAddressLookup]
[dbo].[SPx_APSEL_VendorACHVendorLookup]
[dbo].[SPx_APSEL_VendorAddress]
[dbo].[SPx_APSEL_VendorAddressList]
[dbo].[SPx_APSEL_VendorAttributeList]
[dbo].[SPx_APSEL_VendorAttributes]
[dbo].[SPx_APSEL_VendorBalanceList]
[dbo].[SPx_APSEL_VendorClassRecordProperties]
[dbo].[SPx_APSEL_VendorExcludedTransactions]
[dbo].[SPx_APSEL_VendorHeader]
[dbo].[SPx_APSEL_VendorList]
[dbo].[SPx_APSEL_VendorProperties]
[dbo].[SPx_APSEL_VendorRecordAccounts]
[dbo].[SPx_APUUpdate_AutoPayFishermanBalance]
[dbo].[SPx_APUUpdate_BuildCheck]
[dbo].[SPx_APUUpdate_BuildFishermanSettlement]
[dbo].[SPx_APUUpdate_FishermanSale]
[dbo].[SPx_APUUpdate_FishermanSettlementFifo]
[dbo].[SPx_APUUpdate_PaymentReceipt]
[dbo].[SPx_APUUpdate_ProcessInterestCharges]
[dbo].[SPx_APUUpdate_ProcessInterestHeaderRollup]
[dbo].[SPx_APUUpdate_ProcessInterestPayments]
[dbo].[SPx_APUUpdate_SettlementTransactionRollup]
[dbo].[SPx_APUUpdate_Transaction]
[dbo].[SPx_APUUpdate_TransactionTenderSale]
[dbo].[SPx_APUUpdate_Vendor]

[dbo].[SPx_APUupdate_VendorACHList]
[dbo].[SPx_APUupdate_VendorAddressList]
[dbo].[SPx_APUupdate_VendorClass]
[dbo].[SPx_APUupdate_VendorClassAccounts]
[dbo].[SPx_APUupdate_VendorClassDelete]
[dbo].[SPx_APUupdate_VendorClassProperties]
[dbo].[SPx_APUupdate_VendorExcludedTransactions]
[dbo].[SPx_APUupdate_VendorInterestCalculation]
[dbo].[SPx_APUupdate_VendorList]
[dbo].[SPx_APUupdate_VesselList]
[dbo].[SPx_COUpdate_AttributeClassList]
[dbo].[SPx_CPPProcess_CreateIMReceiptTransaction]
[dbo].[SPx_CPPProcess_SearchMetadata_RefreshCPTicketHeader]
[dbo].[SPx_CPSEL_AccrualList]
[dbo].[SPx_CPSEL_AccrualProperties]
[dbo].[SPx_CPSEL_APHarvestersVendorLookup]
[dbo].[SPx_CPSEL_APHaulersVendorLookup]
[dbo].[SPx_CPSEL_APVendorLookup]
[dbo].[SPx_CPSEL_ChargeList]
[dbo].[SPx_CPSEL_ChargeProperties]
[dbo].[SPx_CPSEL_FarmerList]
[dbo].[SPx_CPSEL_FarmerLookup]
[dbo].[SPx_CPSEL_FieldList]
[dbo].[SPx_CPSEL_GetTicketHeaders]
[dbo].[SPx_CPSEL_HarvesterList]
[dbo].[SPx_CPSEL_HaulerList]
[dbo].[SPx_CPSEL_NewTicketLines]
[dbo].[SPx_CPSEL_TicketHeader]
[dbo].[SPx_CPUupdate_Farmer]
[dbo].[SPx_FASEL_FishermanBalancesWithInterest]
[dbo].[SPx_FASEL_FishermanTenderList]
[dbo].[SPx_FASEL_FishermenAddressList]
[dbo].[SPx_FASEL_FishermenAttributeList]
[dbo].[SPx_FASEL_LoanAddressList]
[dbo].[SPx_FASEL_LoanAttributeList]
[dbo].[SPx_FASEL_LoanList]
[dbo].[SPx_FAUpdate_FishermanTenderList]
[dbo].[SPx_FAUpdate_LoanList]
[dbo].[SPx_GLSEL_CheckbookReconciliationDetails]
[dbo].[SPx_GLSEL_CheckbookTransactionDepositDetails]
[dbo].[SPx_GLSEL_JournalDetailDetailLine]
[dbo].[SPx_GLSEL_JournalDetailEntryLine]
[dbo].[SPx_GLSEL_JournalLineList]
[dbo].[SPx_GLUupdate_CheckbookList]
[dbo].[SPx_IMPProcess_ReceiptTransaction]
[dbo].[SPx_IMPProcess_Transfer_PurchaseOrder]
[dbo].[SPx_IMSEL_CarrierList]
[dbo].[SPx_IMSEL_Receipt_PORRecordLookupDetail]
[dbo].[SPx_INTEG_APTransaction]
[dbo].[SPx_INTEG_GPAPVendorAddressOutbound]
[dbo].[SPx_INTEG_GPAPVendorOutbound]
[dbo].[SPx_INTEG_GPIMTransaction]
[dbo].[SPx_INTEG_GPMFCheckbookTransaction]

[dbo].[SPx_INTEG_NSAPDeliveryTicket_XML]
[dbo].[SPx_INTEG_NSAPInvoiceAndCreditMemo]
[dbo].[SPx_LMSEL_MFShipmentLegList_CarrierLookup]
[dbo].[SPx_Load_APVendorAddress_GP]
[dbo].[SPx_MFDEL_DeleteCompany]
[dbo].[SPx_MFExport_APVendorsAndAddresses]
[dbo].[SPx_MFINS_AttributeDataSynch]
[dbo].[SPx_MFProcess_BankTransaction]
[dbo].[SPx_MFSEL_ApplyDocumentRecordEntityLookup]
[dbo].[SPx_MFSEL_ApplyDocumentRecordHeader]
[dbo].[SPx_MFSEL_CarrierProperties]
[dbo].[SPx_MFSEL_CashReceiptAccountLookup]
[dbo].[SPx_MFSEL_CashReceiptHeader]
[dbo].[SPx_MFSEL_CashReceiptLine]
[dbo].[SPx_MFSEL_DataEntityMap]
[dbo].[SPx_MFSEL_FAApplyDocumentRecordList]
[dbo].[SPx_MFSEL_PriceListFarmerList]
[dbo].[SPx_MFSEL_PriceListFishermanLookup]
[dbo].[SPx_MFSEL_PriceListFishermenList]
[dbo].[SPx_MFSEL_Site_VendorLookup]
[dbo].[SPx_MFSEL_SiteProperties]
[dbo].[SPx_MFSEL_VoidTransactionHeader]
[dbo].[SPx_MFUPD_BankTransaction]
[dbo].[SPx_MFUpdate_ApplyDocumentRecord]
[dbo].[SPx_MFUpdate_CashReceipt]
[dbo].[SPx_MFUpdate_JournalDetails]
[dbo].[SPx_MFUpdate_MassUpdate]
[dbo].[SPx_MFUpdate_PaymentTermList]
[dbo].[SPx_MFUpdate_RecordLookup]
[dbo].[SPx_MFUpdate_TaxClass]
[dbo].[SPx_MFUpdate_TaxClassList]
[dbo].[SPx_MFUpdate_VoidTransaction]
[dbo].[SPx_SOPProcess_PurchaseOrder]
[dbo].[SPx_SOSEL_CarrierList]
[dbo].[SPx_SOSEL_CarrierVendorLookup]
[dbo].[SPx_SOSEL_SiteList]
[dbo].[SPx_SP_CalculateOrderPrograms]
[dbo].[SPx_SPPProcess_Program]
[dbo].[SPx_SPPProcess_SettlementBatch]
[dbo].[SPx_SPSEL_CustomerOrVendorLookup]
[dbo].[SPx_SPSEL_GLAccountLookup]
[dbo].[SPx_SPSEL_ProcessSettlementBatchItems]
[dbo].[SPx_SPSEL_ProgramList]
[dbo].[SPx_SPSEL_ProgramList_Balances]
[dbo].[SPx_SPSEL_SalesProgram_OffBookGLAccountLookup]
[dbo].[SPx_SPSEL_SalesProgram_PayeeLookup]
[dbo].[SPx_SPSEL_SalesProgram_Property]
[dbo].[SPx_SPSEL_SettlementHeader]

[dbo].[ERPx_APVendorACH]**Columns**

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity
	VendorACHSK	bigint	8	NOT NULL	1 - 1
	VendorSK	bigint	8	NOT NULL	
	VendorAddressSK	bigint	8	NULL allowed	
	AccountName	varchar(250)	250	NOT NULL	
	RoutingNumber	varchar(25)	25	NOT NULL	
	AccountNumber	varchar(100)	100	NOT NULL	
	LastUpdated	datetime	8	NOT NULL	
	LastUser	varchar(150)	150	NOT NULL	
	DataEntityCompanySK	bigint	8	NOT NULL	
	ACHAccountTypeEN	bigint	8	NOT NULL	
	BankID	varchar(100)	100	NULL allowed	
	PrenoteSentDate	datetime	8	NULL allowed	

Indexes

Key	Name	Key Columns	Unique
	PK_ERPx_APVendorACH	VendorACHSK	True

Foreign Keys

Name	Columns
FK_ERPx_APVendorACH_ERPx_APVendor	VendorSK->[dbo].[ERPx_APVendor].[VendorSK]
FK_ERPx_APVendorACH_ERPx_APVendor-Address	VendorAddressSK->[dbo].[ERPx_APVendorAddress].[VendorAddressSK]
FK_ERPx_APVendorACH_ERPx_MFDataEntity-Company	DataEntityCompanySK->[dbo].[ERPx_MFDataEntityCompany].[DataEntity-CompanySK]

Uses

[dbo].[ERPx_APVendor]
 [dbo].[ERPx_APVendorAddress]
 [dbo].[ERPx_MFDataEntityCompany]





Used By

[dbo].[RPx_GLSEL_ACHFile]


[dbo].[RPx_GLSEL_ACHPrenote]
[dbo].[SPx_APPProcess_Vendor]
[dbo].[SPx_APSEL_ProcessChecksAddressLookup]
[dbo].[SPx_APSEL_ProcessChecksPayeePaymentTypeLookup]
[dbo].[SPx_APSEL_ProcessChecksPayees]
[dbo].[SPx_APSEL_VendorACHList]
[dbo].[SPx_APSEL_VendorACHVendorAddressLookup]
[dbo].[SPx_APSEL_VendorACHVendorLookup]
[dbo].[SPx_APUUpdate_VendorACHList]
[dbo].[SPx_APUUpdate_VendorAddressList]
[dbo].[SPx_APUUpdate_VendorList]
[dbo].[SPx_FAUpdate_FishermanTenderList]
[dbo].[SPx_FAUpdate_FishermenAddressList]
[dbo].[SPx_FAUpdate_LoanAddressList]
[dbo].[SPx_FAUpdate_LoanList]

 [dbo].[ERPx_APVendorAddress]

Columns

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity	Default
	VendorAddressSK	bigint	8	NOT NULL	1 - 1	
	HostSystemLink	varchar(100)	100	NULL allowed		
	VendorSK	bigint	8	NOT NULL		
	AddressID	varchar(25)	25	NOT NULL		
	AddressLine1	varchar(75)	75	NULL allowed		
	AddressLine2	varchar(75)	75	NULL allowed		
	AddressLine3	varchar(75)	75	NULL allowed		
	City	varchar(35)	35	NULL allowed		
	State	varchar(30)	30	NULL allowed		
	Zip	varchar(15)	15	NULL allowed		
	Country	varchar(50)	50	NULL allowed		
	Phone1	varchar(25)	25	NULL allowed		
	LastUpdated	datetime	8	NULL allowed		
	LastUser	varchar(150)	150	NULL allowed		
	DataEntityCompanySK	bigint	8	NOT NULL		
	Address	varchar(225)	225	NULL allowed		
	CheckName	varchar(150)	150	NULL allowed		
	CheckDescription	varchar(250)	250	NULL allowed		
	Email	varchar(1000)	1000	NULL allowed		
	DefaultPaymentTypeSK	bigint	8	NOT NULL		((1))
	Is1099Default	bit	1	NOT NULL		((0))
	IsStatementDefault	bit	1	NOT NULL		((0))
	IsPaymentDefault	bit	1	NOT NULL		((0))
	IsPhysicalDefault	bit	1	NOT NULL		((0))

Indexes

Key	Name	Key Columns	Unique
	PK_ERPx_APVendorAddress	VendorAddressSK	True
	UK_ERPx_APVendorAddress	VendorSK, AddressID, HostSystemLink	True

Foreign Keys

Name	No Check	Columns
FK_ERPx_APVendorAddress_ERPx_APVendor	True	VendorSK->[dbo].[ERPx_APVendor].[VendorSK]

Uses

[dbo].[ERPx_APVendor]

Used By

[dbo].[ERPx_APVendor]
 [dbo].[ERPx_APVendorACH]
 [dbo].[RPx_GLSEL_ACHFile]
 [dbo].[SPx_APPProcess_Vendor]
 [dbo].[SPx_APSEL_APVendor_Address]
 [dbo].[SPx_APSEL_APVendor_Properties]
 [dbo].[SPx_APSEL_ProcessChecksAddress]
 [dbo].[SPx_APSEL_ProcessChecksAddressLine]
 [dbo].[SPx_APSEL_ProcessChecksAddressLookup]
 [dbo].[SPx_APSEL_ProcessChecksPayeePaymentTypeLookup]
 [dbo].[SPx_APSEL_ProcessChecksPayees]
 [dbo].[SPx_APSEL_SplitPaymentList]
 [dbo].[SPx_APSEL_SplitPaymentListNewRow]
 [dbo].[SPx_APSEL_VendorACHList]
 [dbo].[SPx_APSEL_VendorACHVendorAddressLookup]
 [dbo].[SPx_APSEL_VendorACHVendorLookup]
 [dbo].[SPx_APSEL_VendorAddress]
 [dbo].[SPx_APSEL_VendorAddressList]
 [dbo].[SPx_APSEL_VendorList]
 [dbo].[SPx_APSEL_VendorProperties]
 [dbo].[SPx_APUUpdate_AutoPayFishermanBalance]
 [dbo].[SPx_APUUpdate_BuildCheck]
 [dbo].[SPx_APUUpdate_BuildFishermanSettlement]
 [dbo].[SPx_APUUpdate_SplitPayment]
 [dbo].[SPx_APUUpdate_VendorACHList]
 [dbo].[SPx_APUUpdate_VendorAddressList]
 [dbo].[SPx_APUUpdate_VendorList]
 [dbo].[SPx_FASEL_FishermanTenderList]
 [dbo].[SPx_FASEL_FishermenAddressList]
 [dbo].[SPx_FASEL_LoanAddressList]
 [dbo].[SPx_FASEL_LoanList]
 [dbo].[SPx_FAUpdate_FishermanTenderList]
 [dbo].[SPx_FAUpdate_FishermenAddressList]
 [dbo].[SPx_FAUpdate_LoanAddressList]
 [dbo].[SPx_FAUpdate_LoanList]
 [dbo].[SPx_INTEG_GPAPVendorAddressOutbound]
 [dbo].[SPx_INTEG_GPAPVendorOutbound]
 [dbo].[SPx_INTEG_NSAPDeliveryTicket_XML]
 [dbo].[SPx_Load_APVendorAddress_GP]
 [dbo].[SPx_MFDEL_DeleteCompany]
 [dbo].[SPx_MFExport_APVendorsAndAddresses]




[dbo].[SPx_MFProcess_BankTransaction]

[dbo].[SPx_MFUPD_BankTransaction]


[dbo].[SPx_MFUpdate_MassUpdate]

 **[dbo].[ERPx_APVendorAttributeAssignment]**

Columns

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity
	VendorAttributeAssignmentSK	bigint	8	NOT NULL	1 - 1
	VendorSK	bigint	8	NOT NULL	
	AttributeSK	bigint	8	NOT NULL	
	AttributeValue	varchar(200)	200	NULL allowed	
	LastUpdated	datetime	8	NOT NULL	
	LastUser	varchar(110)	110	NOT NULL	
	DataEntityCompanySK	bigint	8	NOT NULL	

Indexes

Key	Name	Key Columns	Unique
	PK_ERPx_APVendorAttributeValueAssignment	VendorAttributeAssignmentSK	True
	UK_ERPx_APVendorAttributeAssignment_VendorSK_AttributeSK	VendorSK, AttributeSK	True

Foreign Keys

Name	No Check	Columns
FK_ERPx_APVendorAttributeValueAssignment_ERPx_APVendor	True	VendorSK->[dbo].[ERPx_APVendor].[VendorSK]








Uses

[dbo].[ERPx_APVendor]


Used By

[dbo].[SPx_APPProcess_Vendor]
 [dbo].[SPx_APSEL_APVendor_Attributes]
 [dbo].[SPx_APSEL_VendorAttributes]
 [dbo].[SPx_APSEL_VendorHeader]
 [dbo].[SPx_APSEL_VendorList]
 [dbo].[SPx_APUUpdate_VendorList]
 [dbo].[SPx_FASEL_FishermanTenderList]
 [dbo].[SPx_FASEL_LoanList]
 [dbo].[SPx_FAUpdate_FishermanTenderList]
 [dbo].[SPx_FAUpdate_LoanList]
 [dbo].[SPx_MFDEL_DeleteCompany]

[dbo].[ERPx_APVendorClass]**Columns**

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity	Default
	VendorClassSK	bigint	8	NOT NULL	1 - 1	
	HostSystemLink	varchar(100)	100	NULL allowed		
	ClassID	varchar(25)	25	NOT NULL		
	ClassDescription	varchar(50)	50	NULL allowed		
	SAGLAcctRef	bigint	8	NULL allowed		
	APGLAcctRef	bigint	8	NULL allowed		
	PurchGLAcctRef	bigint	8	NULL allowed		
	CashGLAcctRef	bigint	8	NULL allowed		
	DistTakenGLAcctRef	bigint	8	NULL allowed		
	FinanceChargeGLAcctRef	bigint	8	NULL allowed		
	WriteOffGLAcctRef	bigint	8	NULL allowed		
	CheckbookSK	bigint	8	NULL allowed		
	TaxTypeEN	bigint	8	NULL allowed		
	CurrencySK	bigint	8	NOT NULL		
	TaxClassSK	bigint	8	NULL allowed		
	PaymentTermSK	bigint	8	NULL allowed		
	LastUpdated	datetime	8	NOT NULL		
	LastUser	varchar(150)	150	NOT NULL		
	DataEntityCompanySK	bigint	8	NOT NULL		
	IsInactive	bit	1	NOT NULL		((0))
	VendorTypeEN	bigint	8	NOT NULL		
	AttributeClassSK	bigint	8	NULL allowed		
	TenNinetyNineTypeSK	bigint	8	NULL allowed		

Indexes

Key	Name	Key Columns	Unique
	PK_ERPx_APVendorClass	VendorClassSK	True
	UK_ERPx_APVendorClass	ClassID, HostSystemLink, DataEntityCompanySK, VendorTypeEN	True

Foreign Keys

Name	Columns
FK_ERPx_APVendorClass_ERPx_APTenNinety-NineType	TenNinetyNineTypeSK->[dbo].[ERPx_APTenNinetyNineType].[TenNinety-NineTypeSK]
FK_ERPx_APVendorClass_ERPx_MFAttribute-Class	AttributeClassSK->[dbo].[ERPx_MFAttributeClass].[AttributeClassSK]

Uses

[dbo].[ERPx_APTenNinetyNineType]
 [dbo].[ERPx_MFAttributeClass]





Used By

[dbo].[ERPx_APVendor]
 [dbo].[ERPx_APVendorClassExcludedTransactions]
 [dbo].[IQx_APSEL_Activity_VendorClassLookup]
 [dbo].[IQx_APSEL_BalanceDetail_VendorClassLookup]
 [dbo].[IQx_APSEL_FishermanBalanceDetail]
 [dbo].[IQx_APSEL_InvoiceHistory_VendorClassLookup]
 [dbo].[IQx_APSEL_InvoiceLineList]
 [dbo].[IQx_APSEL_InvoiceList]
 [dbo].[IQx_APSEL_POHistory_VendorClassLookup]
 [dbo].[IQx_APSEL_POLineList]
 [dbo].[IQx_APSEL_POList]
 [dbo].[IQx_APSEL_TicketLinelist]
 [dbo].[IQx_CheckRegister]
 [dbo].[IQx_CPSEL_TicketHistory_FarmerClassLookup]
 [dbo].[IQx_GLSEL_CheckbookTransactionInquiry]
 [dbo].[RPx_GLSEL_ACHFile]
 [dbo].[SPx_APPProcess_Vendor]
 [dbo].[SPx_APPProcess_VendorClass]
 [dbo].[SPx_APSEL_ApplyFishingDocumentList]
 [dbo].[SPx_APSEL_APVendor_Address]
 [dbo].[SPx_APSEL_APVendor_Properties]
 [dbo].[SPx_APSEL_APVendor_VendorClassLookup]
 [dbo].[SPx_APSEL_APVendorClass_CurrencyLookup]
 [dbo].[SPx_APSEL_APVendorClass_Header]
 [dbo].[SPx_APSEL_BuildCheckVendorClassLookup]
 [dbo].[SPx_APSEL_BuildFishermanSettlementVendorClassLookup]
 [dbo].[SPx_APSEL_FishermanBalancesList]
 [dbo].[SPx_APSEL_InterestChargeVendorClassLookup]
 [dbo].[SPx_APSEL_InterestPaymentVendorClassLookup]
 [dbo].[SPx_APSEL_InvoiceLineList]
 [dbo].[SPx_APSEL_InvoiceList]
 [dbo].[SPx_APSEL_POLineList]
 [dbo].[SPx_APSEL_POList]
 [dbo].[SPx_APSEL_TaxClassLookup]
 [dbo].[SPx_APSEL_VendorACHList]
 [dbo].[SPx_APSEL_VendorAddress]
 [dbo].[SPx_APSEL_VendorAddressList]


[dbo].[SPx_APSEL_VendorBalanceList]
[dbo].[SPx_APSEL_VendorClassDescriptionLookup]
[dbo].[SPx_APSEL_VendorClassExcludedTransactions]
[dbo].[SPx_APSEL_VendorClassRecordAccounts]
[dbo].[SPx_APSEL_VendorClassRecordProperties]
[dbo].[SPx_APSEL_VendorHeader]
[dbo].[SPx_APSEL_VendorList]
[dbo].[SPx_APSEL_VendorProperties]
[dbo].[SPx_APUUpdate_BuildFishermanSettlement]
[dbo].[SPx_APUUpdate_FishermanSale]
[dbo].[SPx_APUUpdate_TransactionTenderSale]
[dbo].[SPx_APUUpdate_VendorClass]
[dbo].[SPx_APUUpdate_VendorClassAccounts]
[dbo].[SPx_APUUpdate_VendorClassDelete]
[dbo].[SPx_APUUpdate_VendorClassProperties]
[dbo].[SPx_APUUpdate_VendorInterestCalculation]
[dbo].[SPx_CPSEL_GetTicketHeaders]
[dbo].[SPx_FASEL_FishermanBalancesWithInterest]
[dbo].[SPx_FASEL_FishermanClassLookup]
[dbo].[SPx_FASEL_FishermanTenderList]
[dbo].[SPx_FASEL_FishermenAddressList]
[dbo].[SPx_FASEL_LoanAddressList]
[dbo].[SPx_FASEL_LoanList]
[dbo].[SPx_INTEG_GPAPVendorOutbound]
[dbo].[SPx_INTEG_GPVendorClass]
[dbo].[SPx_INTEG_NSAPDeliveryTicket_XML]
[dbo].[SPx_MFDEL_DeleteCompany]
[dbo].[SPx_MFExport_APVendorsAndAddresses]
[dbo].[SPx_MFINS_AttributeClass]
[dbo].[SPx_MFINS_AttributeDataSynch]
[dbo].[SPx_MFSEL_ClassHeader]
[dbo].[SPx_MFSEL_ClassList]
[dbo].[SPx_MFSEL_ClassLookupByForm]
[dbo].[SPx_MFUpdate_TaxClassList]

 [dbo].[ERPx_APVendorClassExcludedTransactions]

Columns

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity
	VendorExcludedTransactionSK	bigint	8	NOT NULL	1 - 1
	VendorClassSK	bigint	8	NOT NULL	
	ExcludedTransactionEN	bigint	8	NOT NULL	
	TransactionClassSK	bigint	8	NULL allowed	

Indexes

Key	Name	Key Columns	Unique
	PK_ERPx_APVendorClassExcluded-Transactions	VendorExcludedTransactionSK	True
	UK_ERPx_APVendorClassExcluded-Transactions	VendorClassSK, ExcludedTransactionEN, TransactionClassSK	True

Foreign Keys

Name	Columns
ERPx_APVendorClassExcludedTransactions_ERPx_APTransactionClass	TransactionClassSK->[dbo].[ERPx_APTransactionClass].[TransactionClassSK]
ERPx_APVendorClassExcludedTransactions_ERPx_APVendorClass	VendorClassSK->[dbo].[ERPx_APVendorClass].[VendorClassSK]




Uses

[dbo].[ERPx_APTransactionClass]
 [dbo].[ERPx_APVendorClass]

Used By

[dbo].[SPx_APProcess_Vendor]
 [dbo].[SPx_APSEL_VendorClassExcludedTransactions]
 [dbo].[SPx_APUdate_VendorExcludedTransactions]

[dbo].[ERPx_APVendorClassProperty]**Columns**

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity	Default
	APVendorClassPropertySK	bigint	8	NOT NULL	1 - 1	
	PropertyGroupDescription	varchar(250)	250	NULL allowed		
	PropertyName	varchar(250)	250	NOT NULL		
	PropertyDescription	varchar(250)	250	NOT NULL		
	PropertyDefinitionSK	bigint	8	NULL allowed		
	Sort	bigint	8	NOT NULL		
	DataEntityCompanySK	bigint	8	NOT NULL		
	IsReadOnly	bit	1	NOT NULL		((0))
	TabLocation	varchar(50)	50	NOT NULL		('Properties')
	MaxLengthOrDecimals	bigint	8	NULL allowed		
	EnumerationClass	varchar(100)	100	NULL allowed		
	LastUpdated	datetime	8	NOT NULL		(getdate())
	LastUser	varchar(150)	150	NOT NULL		
	VendorTypeEN	bigint	8	NULL allowed		

Indexes

Key	Name	Key Columns	Unique
	PK_ERPx_APVendorClassProperty	APVendorClassPropertySK	True

Foreign Keys

Name	Columns
FK_ERPx_APVendorClassProperty_ERPx_MFData-EntityCompany	DataEntityCompanySK->[dbo].[ERPx_MFDataEntityCompany].[Data-EntityCompanySK]
FK_ERPx_APVendorClassProperty_ERPx_-MFPropertyDefinition	PropertyDefinitionSK->[dbo].[ERPx_MFPropertyDefinition].[Property-DefinitionSK]

Uses

[dbo].[ERPx_MFDataEntityCompany]





[dbo].[ERPx_MFPropertyDefinition]

Used By



[dbo].[SPx_APSEL_APVendorClass_Accounts]

[dbo].[SPx_APSEL_APVendorClass_Properties]

[dbo].[ERPx_APVendorContact]**Columns**

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity	Default
 	VendorContactSK	bigint	8	NOT NULL	1 - 1	
	ContactTypeSK	bigint	8	NOT NULL		
	EntitySK	bigint	8	NOT NULL		
	Name	varchar(100)	100	NULL allowed		
	Phone	varchar(25)	25	NULL allowed		
	Fax	varchar(25)	25	NULL allowed		
	Email	varchar(1000)	1000	NULL allowed		
	Note	varchar(500)	500	NULL allowed		
	LastUpdated	datetime	8	NOT NULL		(getdate())
	LastUser	varchar(110)	110	NOT NULL		
	DataEntityCompanySK	bigint	8	NOT NULL		

Indexes

Key	Name	Key Columns	Unique
 	PK_ERPx_APVendorContact	VendorContactSK	True
	IX_ERPx_APVendorContact	VendorContactSK, DataEntityCompanySK	True

Foreign Keys

Name	Columns
FK_ERPx_APVendorContact_ERPx_MFContactType	ContactTypeSK->[dbo].[ERPx_MFContactType].[ContactTypeSK]

Uses

[dbo].[ERPx_MFContactType]





Used By

[dbo].[SPx_APPProcess_PurchaseOrder]
 [dbo].[SPx_APPProcess_Vendor]
 [dbo].[SPx_APSEL_APVendor_ContactList]
 [dbo].[SPx_APSEL_VendorContactList]
 [dbo].[SPx_APUUpdate_VendorList]
 [dbo].[SPx_FAUpdate_FishermanTenderList]
 [dbo].[SPx_FAUpdate_LoanList]


[dbo].[SPx_MFDEL_DeleteCompany]

 [dbo].[ERPx_APVendorExcludedTransactions]

Columns

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity
	VendorExcludedTransactionSK	bigint	8	NOT NULL	1 - 1
	VendorSK	bigint	8	NOT NULL	
	ExcludedTransactionEN	bigint	8	NOT NULL	
	TransactionClassSK	bigint	8	NULL allowed	

Indexes

Key	Name	Key Columns	Unique
	PK_ERPx_APVendorExcludedTransactions	VendorExcludedTransactionSK	True
	UK_ERPx_APVendorExcludedTransactions	VendorSK, ExcludedTransactionEN, TransactionClassSK	True

Foreign Keys

Name	Columns
ERPx_APVendorExcludedTransactions_ERPx_APTransactionClass	TransactionClassSK->[dbo].[ERPx_APTransactionClass].[TransactionClassSK]
ERPx_APVendorExcludedTransactions_ERPx_APVendor	VendorSK->[dbo].[ERPx_APVendor].[VendorSK]

Uses

[dbo].[ERPx_APTransactionClass]
 [dbo].[ERPx_APVendor]

Used By

[dbo].[SPx_APProcess_Vendor]
 [dbo].[SPx_APSEL_APTransaction_DistributionLookup]
 [dbo].[SPx_APSEL_FAPaymentReceiptAccountLookup]
 [dbo].[SPx_APSEL_PoDistributionLookup]
 [dbo].[SPx_APSEL_SaleFishermanLookup]
 [dbo].[SPx_APSEL_TransactionDistributionLookup]
 [dbo].[SPx_APSEL_VendorExcludedTransactions]
 [dbo].[SPx_APUpdate_ProcessInterestCharges]
 [dbo].[SPx_APUpdate_ProcessInterestHeaderRollup]
 [dbo].[SPx_APUpdate_ProcessInterestPayments]
 [dbo].[SPx_APUpdate_VendorExcludedTransactions]
 [dbo].[SPx_APUpdate_VendorInterestCalculation]
 [dbo].[SPx_APUpdate_VendorList]

[dbo].[SPx_FAUpdate_FishermanTenderList]





[dbo].[SPx_FAUpdate_LoanList]

[dbo].[SPx_MFProcess_BankTransaction]


[dbo].[SPx_MFSEL_CashReceiptAccountLookup]

 [dbo].[ERPx_APVendorFavorite]

Columns

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity	Default
	VendorFavoriteSK	bigint	8	NOT NULL	1 - 1	
	VendorFavoriteTypeSK	bigint	8	NOT NULL		
	VendorEntitySK	bigint	8	NOT NULL		
	ItemTypeSK	bigint	8	NOT NULL		
	LineItemSort	bigint	8	NOT NULL		
	ItemSK	bigint	8	NOT NULL		
	PriceUOMSK	bigint	8	NULL allowed		
	UnitsUOMSK	bigint	8	NULL allowed		
	Units	numeric(18,5)	9	NULL allowed		((0.00))
	WeightUOMSK	bigint	8	NULL allowed		
	Weight	numeric(18,5)	9	NULL allowed		((0.00))
	LastUpdated	datetime	8	NOT NULL		(getdate())
	LastUser	varchar(110)	110	NULL allowed		
	DataEntityCompanySK	bigint	8	NOT NULL		

Indexes

Key	Name	Key Columns	Unique
	PK_ERPx_APVendorFavorite	VendorFavoriteSK	True
	UK_ERPx_APVendorFavorites_1	VendorFavoriteTypeSK, VendorFavoriteSK, DataEntityCompanySK	True

Foreign Keys

Name	Columns
FK_ERPx_APVendorFavorites_ERPx_IMItem	ItemSK->[dbo].[ERPx_IMItem].[ItemSK]






Uses

[dbo].[ERPx_IMItem]

Used By

[dbo].[SPx_MFDEL_DeleteCompany]

[dbo].[ERPx_APVendorInterestCalculationHeader]**Columns**

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity	Default
	VendorInterestCalculationHeaderSK	bigint	8	NOT NULL	1 - 1	
	TransactionClassSK	bigint	8	NOT NULL		
	VendorClassSKCSV	varchar(1000)	1000	NOT NULL		
	InterestTransactionTypeEN	bigint	8	NOT NULL		
	InterestRate	numeric(18,5)	9	NOT NULL		
	InterestRateTypeEN	bigint	8	NOT NULL		
	BeginningBalanceAsOfDate	datetime	8	NOT NULL		
	PaymentsDepositsThruDate	datetime	8	NULL allowed		
	WithdrawalsThruDate	datetime	8	NULL allowed		
	InterestTransactionDate	datetime	8	NULL allowed		
	NumEligibleAccounts	bigint	8	NOT NULL		
	NumNonEligibleAccounts	bigint	8	NOT NULL		
	NumAccountsWithInterest	bigint	8	NOT NULL		
	InterestAmount	numeric(18,5)	9	NOT NULL		
	IsValidated	bit	1	NOT NULL		((0))
	CreatedAPTtransactionHeaderSK	bigint	8	NULL allowed		
	UserSK	bigint	8	NOT NULL		
	DataEntityCompanySK	bigint	8	NOT NULL		
	LastUpdated	datetime	8	NULL allowed		
	LastUser	varchar(110)	110	NULL allowed		

Indexes

Key	Name	Key Columns	Unique
	PK_ERPx_APVendorInterestCalculationHeader	VendorInterestCalculationHeaderSK	True

Foreign Keys

Name	Columns
FK_ERPx_APVendorInterestCalculationHeader_ERPx_APTransactionClass	TransactionClassSK->[dbo].[ERPx_APTransactionClass].[TransactionClassSK]
FK_ERPx_APVendorInterestCalculationHeader_ERPx_APTransactionHeader	CreatedAPTtransactionHeaderSK->[dbo].[ERPx_APTransactionHeader].[TransactionHeaderSK]
FK_ERPx_APVendorInterestCalculationHeader_ERPx_	DataEntityCompanySK->[dbo].[ERPx_MFDataEntityCompany].[Data-

MFDataEntityCompany	EntityCompanySK]
FK_ERPx_APVendorInterestCalculationHeader_ERPx_MFUser	UserSK->[dbo].[ERPx_MFUser].[UserSk]








Uses

[dbo].[ERPx_APTtransactionClass]
 [dbo].[ERPx_APTtransactionHeader]
 [dbo].[ERPx_MFDataEntityCompany]
 [dbo].[ERPx_MFUser]

Used By

[dbo].[ERPx_APVendorInterestCalculationLine]
 [dbo].[SPx_APProcess_Vendor]
 [dbo].[SPx_APSEL_InterestChargeVendorClassLookup]
 [dbo].[SPx_APSEL_InterestPaymentVendorClassLookup]
 [dbo].[SPx_APSEL_ProcessInterestChargesHeader]
 [dbo].[SPx_APSEL_ProcessInterestChargesLines]
 [dbo].[SPx_APSEL_ProcessInterestPaymentsHeader]
 [dbo].[SPx_APSEL_ProcessInterestPaymentsLines]
 [dbo].[SPx_APUdate_ProcessInterestCharges]
 [dbo].[SPx_APUdate_ProcessInterestEditAmounts]
 [dbo].[SPx_APUdate_ProcessInterestHeaderRollup]
 [dbo].[SPx_APUdate_ProcessInterestPayments]
 [dbo].[SPx_APUdate_VendorInterestCalculation]

[dbo].[ERPx_APVendorInterestCalculationLine]**Columns**

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity
	VendorInterestCalculationLineSK	bigint	8	NOT NULL	1 - 1
	VendorInterestCalculationHeaderSK	bigint	8	NOT NULL	
	AccountClass	varchar(25)	25	NOT NULL	
	VendorSK	bigint	8	NOT NULL	
	IsEligible	bit	1	NOT NULL	
	FinanceGLAccountSourceEN	bigint	8	NULL allowed	
	FinanceChargeGLAccountSK	bigint	8	NULL allowed	
	BeginningBalance	numeric(18,5)	9	NOT NULL	
	PaymentsDeposits	numeric(18,5)	9	NOT NULL	
	Withdrawals	numeric(18,5)	9	NULL allowed	
	NetBalance	numeric(18,5)	9	NOT NULL	
	InterestCalculated	numeric(18,5)	9	NOT NULL	
	InterestAmount	numeric(18,5)	9	NOT NULL	
	CreatedAPTransactionLineSK	bigint	8	NULL allowed	
	UserSK	bigint	8	NOT NULL	
	DataEntityCompanySK	bigint	8	NOT NULL	

Indexes

Key	Name	Key Columns	Unique
	PK_ERPx_APVendorInterestCalculationLine	VendorInterestCalculationLineSK	True

Foreign Keys

Name	Columns
FK_ERPx_APVendorInterestCalculationLine_-_ERPx_APTransactionLine	CreatedAPTransactionLineSK->[dbo].[ERPx_APTransactionLine].[TransactionLineSK]
FK_ERPx_APVendorInterestCalculationLine_-_ERPx_APVendor	VendorSK->[dbo].[ERPx_APVendor].[VendorSK]
FK_ERPx_APVendorInterestCalculationLine_-_ERPx_APVendorInterestCalculationHeader	VendorInterestCalculationHeaderSK->[dbo].[ERPx_APVendorInterestCalculationHeader].[VendorInterestCalculationHeaderSK]
FK_ERPx_APVendorInterestCalculationLine_-_ERPx_GLAccount	FinanceChargeGLAccountSK->[dbo].[ERPx_GLAccount].[AccountSK]
FK_ERPx_APVendorInterestCalculationLine_-_	DataEntityCompanySK->[dbo].[ERPx_MFDataEntityCompany].[DataEntity-

ERPx_MFDataEntityCompany	CompanySK]
FK_ERPx_APVendorInterestCalculationLine_-ERPx_MFUser	UserSK->[dbo].[ERPx_MFUser].[UserSk]





Uses

[dbo].[ERPx_APTtransactionLine]
 [dbo].[ERPx_APVendor]
 [dbo].[ERPx_APVendorInterestCalculationHeader]
 [dbo].[ERPx_GLAccount]
 [dbo].[ERPx_MFDataEntityCompany]
 [dbo].[ERPx_MFUser]


Used By

[dbo].[SPx_APProcess_Vendor]
 [dbo].[SPx_APSEL_ProcessInterestChargesLines]
 [dbo].[SPx_APSEL_ProcessInterestEditAmounts]
 [dbo].[SPx_APSEL_ProcessInterestPaymentsLines]
 [dbo].[SPx_APUdate_ProcessInterestCharges]
 [dbo].[SPx_APUdate_ProcessInterestEditAmounts]
 [dbo].[SPx_APUdate_ProcessInterestHeaderRollup]
 [dbo].[SPx_APUdate_ProcessInterestPayments]
 [dbo].[SPx_APUdate_VendorInterestCalculation]

[dbo].[ERPx_APVendorNote]**Columns**

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity	Default
	VendorNoteSK	bigint	8	NOT NULL	1 - 1	
	VendorSK	bigint	8	NOT NULL		
	NoteTypeSK	bigint	8	NOT NULL		
	Note	varchar(2000)	2000	NULL allowed		
	NoteHTML	varchar(max)	max	NULL allowed		
	LastUpdated	datetime	8	NULL allowed		(getdate())
	LastUser	varchar(110)	110	NULL allowed		
	DataEntityCompanySK	bigint	8	NOT NULL		

Indexes

Key	Name	Key Columns	Unique
	PK_ERPx_APVendorNote	VendorNoteSK	True
	UK_ERPx_APVendorNote_1	VendorSK, NoteTypeSK, DataEntityCompanySK	True

Foreign Keys

Name	Columns
FK_ERPx_APVendorNote_ERPx_APVendor	VendorSK->[dbo].[ERPx_APVendor].[VendorSK]
FK_ERPx_APVendorNote_ERPx_MFNoteType	NoteTypeSK->[dbo].[ERPx_MFNoteType].[NoteTypeSK]










Uses

[dbo].[ERPx_APVendor]
[dbo].[ERPx_MFNoteType]


Used By

[dbo].[SPx_APPProcess_PurchaseOrder]
[dbo].[SPx_APPProcess_Vendor]
[dbo].[SPx_APUUpdate_VendorList]
[dbo].[SPx_FAUpdate_FishermanTenderList]
[dbo].[SPx_FAUpdate_LoanList]
[dbo].[SPx_MFDEL_DeleteCompany]
[dbo].[SPx_MFManage_NoteAssignment]
[dbo].[SPx_MFSEL_NoteList]

[dbo].[ERPx_APVendorPermit]**Columns**

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity	Default
 PK	VendorPermitSK	bigint	8	NOT NULL	1 - 1	
 FK	VendorSK	bigint	8	NOT NULL		
 FK	Fishery	varchar(20)	20	NOT NULL		
 FK	Permit	varchar(20)	20	NOT NULL		
 FK	YearSequence	varchar(20)	20	NOT NULL		
 FK	GearSK	bigint	8	NOT NULL		
 FK	TransactionClassSK	bigint	8	NOT NULL		
 FK	VesselSK	bigint	8	NULL allowed		
	IsInactive	bit	1	NOT NULL		
	LastUpdated	datetime	8	NOT NULL		(getdate())
	LastUser	varchar(150)	150	NOT NULL		
 FK	DataEntityCompanySK	bigint	8	NOT NULL		

Indexes

Key	Name	Key Columns	Unique
 PK	PK_ERPx_APVendor-Permit	VendorPermitSK	True
	IX_ERPx_APVendorPermit	Fishery, Permit, YearSequence, GearSK, TransactionClassSK, DataEntity-CompanySK	True

Foreign Keys

Name	Columns
FK_ERPx_APVendorPermit_ERPx_APGear	GearSK->[dbo].[ERPx_APGear].[GearSK]
FK_ERPx_APVendorPermit_ERPx_APTransaction-Class	TransactionClassSK->[dbo].[ERPx_APTransactionClass].[TransactionClassSK]
FK_ERPx_APVendorPermit_ERPx_APVendor	VendorSK->[dbo].[ERPx_APVendor].[VendorSK]
FK_ERPx_APVendorPermit_ERPx_APVessels	VesselSK->[dbo].[ERPx_APVessels].[VesselSK]
FK_ERPx_APVendorPermit_ERPx_MFDataEntity-Company	DataEntityCompanySK->[dbo].[ERPx_MFDataEntityCompany].[DataEntity-CompanySK]






Uses

[dbo].[ERPx_APGear]
[dbo].[ERPx_APTransactionClass]
[dbo].[ERPx_APVendor]
[dbo].[ERPx_APVessels]
[dbo].[ERPx_MFDataEntityCompany]

Used By

[dbo].[ERPx_APDeliveryTicketHeader]
[dbo].[IQx_APSEL_TicketLinelist]
[dbo].[IQx_APSEL_TicketList]
[dbo].[IQx_APSEL_TicketStatAreaLinelist]
[dbo].[SPx_APProcess_Vendor]
[dbo].[SPx_APSEL_DeliveryTicketDualPermitLookup]
[dbo].[SPx_APSEL_DeliveryTicketFishermen]
[dbo].[SPx_APSEL_DeliveryTicketGearLookup]
[dbo].[SPx_APSEL_DeliveryTicketList]
[dbo].[SPx_APSEL_DeliveryTicketPermitLookup]
[dbo].[SPx_APSEL_DeliveryTicketProperty]
[dbo].[SPx_APSEL_DeliveryTicketRepriceItemlist]
[dbo].[SPx_APSEL_DeliveryTicketRepricePremiumlist]
[dbo].[SPx_APSEL_TicketLinelist]
[dbo].[SPx_APSEL_TicketList]
[dbo].[SPx_APSEL_TransactionMoreActionsTicketList]
[dbo].[SPx_APSEL_VendorGearLookup]
[dbo].[SPx_APSEL_VendorPermit]
[dbo].[SPx_APSEL_VendorTicketClassLookup]
[dbo].[SPx_APSEL_VendorVesselLookup]
[dbo].[SPx_APUUpdate_DeliveryTicketProgramRollup]
[dbo].[SPx_APUUpdate_Gear]
[dbo].[SPx_APUUpdate_TicketClassList]
[dbo].[SPx_APUUpdate_TransactionClass]
[dbo].[SPx_APUUpdate_VesselList]
[dbo].[SPx_FASEL_FishermanTenderList]
[dbo].[SPx_FASEL_FishermenAddressList]
[dbo].[SPx_FAUpdate_FishermanTenderList]
[dbo].[SPx_INTEG_NSAPDeliveryTicket_XML]
[dbo].[SPx_MFDEL_DeleteCompany]

[dbo].[ERPx_APVendorPriceList]**Columns**

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity
 	VendorPriceListSK	bigint	8	NOT NULL	1 - 1
	VendorSK	bigint	8	NOT NULL	
	PriceListHeaderSK	bigint	8	NOT NULL	
	Sort	bigint	8	NOT NULL	
	LastUpdated	datetime	8	NULL allowed	
	LastUser	varchar(110)	110	NULL allowed	
	DataEntityCompanySK	bigint	8	NOT NULL	

Indexes

Key	Name	Key Columns	Unique
 	PK_ERPx_APVendorPriceList	VendorPriceListSK	True
	IX_ERPx_APVendorPriceList	VendorSK, PriceListHeaderSK, DataEntityCompanySK	True

Foreign Keys

Name	Columns
FK_ERPx_APVendorPriceList_ERPx_ERPx_APVendor	VendorSK->[dbo].[ERPx_APVendor].[VendorSK]
FK_ERPx_APVendorPriceList_ERPx_ERPx_MFData-EntityCompany	DataEntityCompanySK->[dbo].[ERPx_MFDataEntityCompany].[Data-EntityCompanySK]
FK_ERPx_APVendorPriceList_ERPx_MFPriceList-Header	PriceListHeaderSK->[dbo].[ERPx_MFPriceListHeader].[PriceListHeader-SK]

Uses




[dbo].[ERPx_APVendor]
 [dbo].[ERPx_MFDataEntityCompany]
 [dbo].[ERPx_MFPriceListHeader]

Used By

[dbo].[SPx_APProcess_Vendor]
 [dbo].[SPx_APSEL_FishermanSalePriceListLookup]
 [dbo].[SPx_APUpdate_FishermanSale]
 [dbo].[SPx_APUpdate_TransactionTenderSale]
 [dbo].[SPx_APUpdate_VendorList]
 [dbo].[SPx_FAUpdate_FishermanTenderList]

[dbo].[SPx_FAUpdate_LoanList]
[dbo].[SPx_MFSEL_PriceListFishermanLookup]
[dbo].[SPx_MFSEL_PriceListFishermenList]
[dbo].[SPx_MFUpdate_PriceList]
[dbo].[SPx_MFUpdate_PriceListList]

[dbo].[ERPx_APVendorProperty]**Columns**

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity	Default
	APVendorPropertySK	bigint	8	NOT NULL	1 - 1	
	PropertyGroupDescription	varchar(200)	200	NULL allowed		
	PropertyName	varchar(50)	50	NOT NULL		
	PropertyDescription	varchar(200)	200	NOT NULL		
	PropertyDefinitionSK	bigint	8	NULL allowed		
	Sort	bigint	8	NOT NULL		
	LastUpdated	datetime	8	NOT NULL		(getdate())
	LastUser	varchar(150)	150	NOT NULL		
	DataEntityCompanySK	bigint	8	NOT NULL		
	IsReadOnly	bit	1	NOT NULL		((0))
	TabLocation	varchar(50)	50	NOT NULL		('Properties')
	MaxLengthOrDecimals	bigint	8	NULL allowed		

Indexes

Key	Name	Key Columns	Unique
	PK_ERPx_APVendorProperty	APVendorPropertySK	True

Foreign Keys

Name	Columns
FK_ERPx_APVendorProperty_ERPx_MFDataEntity-Company	DataEntityCompanySK->[dbo].[ERPx_MFDataEntityCompany].[DataEntity-CompanySK]
FK_ERPx_APVendorProperty_ERPx_MFProperty-Definition	PropertyDefinitionSK->[dbo].[ERPx_MFPropertyDefinition].[Property-DefinitionSK]

Uses

[dbo].[ERPx_MFDataEntityCompany]





[dbo].[ERPx_MFPropertyDefinition]

Used By


[dbo].[SPx_APSEL_APVendor_Accounts]

[dbo].[SPx_APSEL_APVendor_Properties]

[dbo].[ERPx_APVessels]**Columns**

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity
	VesselSK	bigint	8	NOT NULL	1 - 1
	ADFGNumber	varchar(20)	20	NOT NULL	
	VesselName	varchar(50)	50	NOT NULL	
	VesselNumber	varchar(20)	20	NOT NULL	
	IsInactive	bit	1	NOT NULL	
	LastUpdated	datetime	8	NOT NULL	
	LastUser	varchar(150)	150	NOT NULL	
 (2)	DataEntityCompanySK	bigint	8	NOT NULL	

Indexes













Key	Name	Key Columns	Unique
	PK_ERPx_APVessels	VesselSK	True
	IX_ERPx_APVessels_ADFGNumber	ADFGNumber, DataEntityCompanySK	True
	IX_ERPx_APVessels_VesselNumber	VesselNumber, DataEntityCompanySK	True











Used By

[dbo].[ERPx_APVendorPermit]
 [dbo].[IQx_APSEL_TicketLinelist]
 [dbo].[IQx_APSEL_TicketList]
 [dbo].[IQx_APSEL_TicketStatAreaLinelist]
 [dbo].[SPx_APProcess_SearchMetadata_RefreshDeliveryTicketHeader]
 [dbo].[SPx_APProcess_Vendor]
 [dbo].[SPx_APSEL_DeliveryTicketADFLandingImportHeaderList]
 [dbo].[SPx_APSEL_DeliveryTicketFishermen]
 [dbo].[SPx_APSEL_DeliveryTicketList]
 [dbo].[SPx_APSEL_DeliveryTicketVesselLookup]
 [dbo].[SPx_APSEL_TicketLinelist]
 [dbo].[SPx_APSEL_TicketList]
 [dbo].[SPx_APSEL_VendorPermit]
 [dbo].[SPx_APSEL_VendorProperties]
 [dbo].[SPx_APSEL_VendorVesselLookup]
 [dbo].[SPx_APSEL_VesselList]
 [dbo].[SPx_APSEL_VesselLookup]
 [dbo].[SPx_APUUpdate_VesselList]
 [dbo].[SPx_FASEL_FishermanTenderList]


[dbo].[SPx_FASEL_FishermenAddressList]
[dbo].[SPx_INTEG_NSAPDeliveryTicket_XML]
[dbo].[SPx_MFDEL_DeleteCompany]
[dbo].[SPx_MFExport_APVendorsAndAddresses]

 **[dbo].[ERPx_ARCustomer]**
Columns

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity	Default
 C	CustomerSK	bigint	8	NOT NULL	1 - 1	
	HostSystemLink	varchar(100)	100	NULL allowed		
	CustomerID	varchar(50)	50	NOT NULL		
	CustomerName	varchar(100)	100	NOT NULL		
	StatementName	varchar(100)	100	NULL allowed		
	PaymentTermsSK	bigint	8	NULL allowed		
	PriceLevel	varchar(25)	25	NULL allowed		
	CustomerClassSK	bigint	8	NULL allowed		
	CreditLimitOptionEN	bigint	8	NOT NULL		((2))
	CreditLimitAmount	numeric(18,5)	9	NOT NULL		((0))
	IsOnHold	bit	1	NOT NULL		((0))
	IsInactive	bit	1	NOT NULL		((0))
	CustomerFavoriteRuleEN	bigint	8	NOT NULL		((3))
	TradeDiscountMethodEN	bigint	8	NULL allowed		
	TradeDiscount	numeric(18,5)	9	NOT NULL		((0))
	PriceListHeaderSK	bigint	8	NULL allowed		
	HasFullItemAccess	bit	1	NOT NULL		((1))
	CurrencyID	varchar(15)	15	NOT NULL		
	GLARAccountSK	bigint	8	NULL allowed		
	InvoiceDeliveryMethodEN	bigint	8	NULL allowed		((1))
	AttributeClassSK	bigint	8	NULL allowed		
	LinkToEmployeeSK	bigint	8	NULL allowed		
	LastUpdated	datetime	8	NOT NULL		(getdate())
	LastUser	varchar(100)	100	NULL allowed		
 (2)	DataEntityCompanySK	bigint	8	NOT NULL		
	CheckBookSK	bigint	8	NULL allowed		
	FinanceChargeOptionEN	bigint	8	NULL allowed		
	FinanceChargeAmount	numeric(18,5)	9	NULL allowed		
	DiscountGracePeriod	bigint	8	NULL allowed		
	DueDateGracePeriod	bigint	8	NULL allowed		
	ParentCustomerSK	bigint	8	NULL allowed		

	SalesActSK	bigint	8	NULL allowed		
	COGSActSK	bigint	8	NULL allowed		
	InventoryActSK	bigint	8	NULL allowed		
	TermsDiscTakenActSK	bigint	8	NULL allowed		
	TermsDiscAvailActSK	bigint	8	NULL allowed		
	FinanceChgActSK	bigint	8	NULL allowed		
	WriteOffActSK	bigint	8	NULL allowed		
	OverPmtWriteOffActSK	bigint	8	NULL allowed		
	SalesReturnActSK	bigint	8	NULL allowed		
	TaxClassSK	bigint	8	NULL allowed		
	CreatedBy	varchar(150)	150	NULL allowed		
	CreatedDateTime	datetime	8	NOT NULL		(getdate())
	AvgDaysToPay	numeric(18,2)	9	NULL allowed		
	RemitToAddressSK	bigint	8	NULL allowed		

Indexes

Key	Name	Key Columns	Unique
	PK_ERPx_CustomerSK	CustomerSK	True
	UK_ERPx_ARCustomer_CustomerID	CustomerID, DataEntityCompanySK	True
	UK_ERPx_ARCustomer_HostSystemLink	HostSystemLink, DataEntityCompanySK	True

Check Constraints

Name	On Column	Constraint
CK_ERPx_ARCustomer	CreditLimitOption-EN	((CreditLimitOptionEN]=[dbo].[FNx_ValidateEnumValue]('ARCreditLimitOption',[CreditLimitOptionEN]))
CK_ERPx_ARCustomer_1	CustomerFavoriteRuleEN	((CustomerFavoriteRuleEN]=[dbo].[FNx_ValidateEnumValue]('ARCustomerFavoriteRule',[CustomerFavoriteRuleEN]))
CK_ERPx_ARCustomer_2	TradeDiscountMethodEN	((TradeDiscountMethodEN]=[dbo].[FNx_ValidateEnumValue]('SOTradeDiscountMethod',[TradeDiscountMethodEN]))

Foreign Keys

Name	Columns
FK_ERPx_ARCustomer_ERPx_ARCustomer	CheckBookSK->[dbo].[ERPx_MFCheckbook].[CheckbookSK]
FK_ERPx_ARCustomer_ERPx_ARCustomerClass	CustomerClassSK->[dbo].[ERPx_ARCustomerClass].[CustomerClassSK]
FK_ERPx_ARCustomer_ERPx_GLAccount	SalesActSK->[dbo].[ERPx_GLAccount].[AccountSK]
FK_ERPx_ARCustomer_ERPx_GLAccount1	COGSActSK->[dbo].[ERPx_GLAccount].[AccountSK]
FK_ERPx_ARCustomer_ERPx_GLAccount2	InventoryActSK->[dbo].[ERPx_GLAccount].[AccountSK]

FK_ERPx_ARCustomer_ERPx_GLAaccount3	TermsDiscTakenActSK->[dbo].[ERPx_GLAaccount].[AccountSK]
FK_ERPx_ARCustomer_ERPx_GLAaccount4	TermsDiscAvailActSK->[dbo].[ERPx_GLAaccount].[AccountSK]
FK_ERPx_ARCustomer_ERPx_GLAaccount5	FinanceChgActSK->[dbo].[ERPx_GLAaccount].[AccountSK]
FK_ERPx_ARCustomer_ERPx_GLAaccount6	WriteOffActSK->[dbo].[ERPx_GLAaccount].[AccountSK]
FK_ERPx_ARCustomer_ERPx_GLAaccount7	OverPmtWriteOffActSK->[dbo].[ERPx_GLAaccount].[AccountSK]
FK_ERPx_ARCustomer_ERPx_GLAaccount8	SalesReturnActSK->[dbo].[ERPx_GLAaccount].[AccountSK]
FK_ERPx_ARCustomer_ERPx_MFAddress	RemitToAddressSK->[dbo].[ERPx_MFAddress].[AddressSK]
FK_ERPx_ARCustomer_ERPx_MFAttributeClass	AttributeClassSK->[dbo].[ERPx_MFAttributeClass].[AttributeClassSK]
FK_ERPx_ARCustomer_ERPx_MFEmployee	LinkToEmployeeSK->[dbo].[ERPx_MFEmployee].[EmployeeSK]
FK_ERPx_ARCustomer_ERPx_MFPaymentTerms	PaymentTermsSK->[dbo].[ERPx_MFPaymentTerms].[PaymentTermSK]
FK_ERPx_ARCustomer_ERPx_MFPriceListHeader	PriceListHeaderSK->[dbo].[ERPx_MFPriceListHeader].[PriceListHeaderSK]
FK_ERPx_ARCustomer_ERPx_MFTaxClass	TaxClassSK->[dbo].[ERPx_MFTaxClass].[TaxClassSK]

Uses

[dbo].[ERPx_ARCustomerClass]
 [dbo].[ERPx_GLAaccount]
 [dbo].[ERPx_MFAddress]
 [dbo].[ERPx_MFAttributeClass]
 [dbo].[ERPx_MFCheckbook]
 [dbo].[ERPx_MFEmployee]
 [dbo].[ERPx_MFPaymentTerms]
 [dbo].[ERPx_MFPriceListHeader]
 [dbo].[ERPx_MFTaxClass]
 [dbo].[FNx_ValidateEnumValue]

Used By

[dbo].[ERPx_ARCustomerAddress]
 [dbo].[ERPx_ARCustomerAttribute]
 [dbo].[ERPx_ARCustomerCertification]
 [dbo].[ERPx_ARCustomerNote]
 [dbo].[ERPx_ARTransactionHeader]
 [dbo].[ERPx_LMLoadTransactionLegBalanceDetail]
 [dbo].[ERPx_MFAttribute_ARCustomer]
 [dbo].[ERPx_SCContractHeader]
 [dbo].[FNx_GetCustomerAddressesFromSet]
 [dbo].[FNx_GetCustomerBalance]
 [dbo].[FNx_GetTransactionAccounts]
 [dbo].[FNx_GetTransactionAmounts]
 [dbo].[FNx_IsCustomerOverCreditLimit]
 [dbo].[IQx_APSEL_InvoiceLineList]
 [dbo].[IQx_APSEL_POLineList]
 [dbo].[IQx_APSEL_SaleLineList]
 [dbo].[IQx_ARSEL_ApplicationList]
 [dbo].[IQx_ARSEL_ApplicationList_CustomerLookup]
 [dbo].[IQx_ARSEL_CustomerHistory]
 [dbo].[IQx_ARSEL_CustomerHistory_CustomerLookup]
 [dbo].[IQx_ARSEL_PaymentReceiptHistoryInquiry]

[dbo].[IQx_ARSEL_SaleInvoiceLineList]
[dbo].[IQx_ARSEL_SaleInvoiceList]
[dbo].[IQx_ARSEL_TransactionDetail]
[dbo].[IQx_Billing]
[dbo].[IQx_EmployeeDeductions]
[dbo].[IQx_SOSEL_BillingHistory_CustomerLookup]
[dbo].[IQx_SOSEL_ItemHistory]
[dbo].[IQx_SOSEL_ItemHistory_CustomerLookup]
[dbo].[IQx_SOSEL_SalesHistory]
[dbo].[IQx_SOSEL_SalesHistory_CustomerLookup]
[dbo].[IQx_SOSEL_ShipmentHistory]
[dbo].[IQx_SOSEL_ShipmentHistory_CustomerLookup]
[dbo].[IQx_SPSEL_FreightRatesByItem]
[dbo].[IQx_SPSEL_FreightRatesByItemSet]
[dbo].[IQx_TransactionHistory]
[dbo].[RPx_SettlementBalancesSummary]
[dbo].[SPx_APPProcess_PurchaseOrder]
[dbo].[SPx_APPProcess_Transaction]
[dbo].[SPx_APSEL_POLineList]
[dbo].[SPx_APUpdate_CustomerClassDelete]
[dbo].[SPx_APUpdate_Transaction]
[dbo].[SPx_ARINS_Customer]
[dbo].[SPx_ARMerge_CustomerAndAddress]
[dbo].[SPx_ARProcess_Customer]
[dbo].[SPx_ARProcess_CustomerAddress]
[dbo].[SPx_ARProcess_PaymentReceipt]
[dbo].[SPx_ARProcess_RefreshAvgDaysToPay]
[dbo].[SPx_ARProcess_Transaction]
[dbo].[SPx_ARSEL_ApplyCreditAndRebateDetail]
[dbo].[SPx_ARSEL_ApplyCreditAndRebateHeader]
[dbo].[SPx_ARSEL_ApplyDocumentList]
[dbo].[SPx_ARSEL_ApplyDocumentsDetail]
[dbo].[SPx_ARSEL_ApplyDocumentsHeader]
[dbo].[SPx_ARSEL_ApplyPayableDocs_CustomerLookup]
[dbo].[SPx_ARSEL_Customer]
[dbo].[SPx_ARSEL_CustomerAccounts]
[dbo].[SPx_ARSEL_CustomerAddressList]
[dbo].[SPx_ARSEL_CustomerAddressLookup]
[dbo].[SPx_ARSEL_CustomerAddressProperties]
[dbo].[SPx_ARSEL_CustomerAddressTaxClassLookup]
[dbo].[SPx_ARSEL_CustomerAttributes]
[dbo].[SPx_ARSEL_CustomerBalanceList]
[dbo].[SPx_ARSEL_CustomerList]
[dbo].[SPx_ARSEL_CustomerLookup]
[dbo].[SPx_ARSEL_CustomerPriceListLookup]
[dbo].[SPx_ARSEL_CustomerProperties]
[dbo].[SPx_ARSEL_CustomerRemitToAddress]
[dbo].[SPx_ARSEL_CustomerSalesProgramList]
[dbo].[SPx_ARSEL_CustomerSubstituteItemHeader]
[dbo].[SPx_ARSEL_PaymentReceipt_ApplyDocumentsDetail]
[dbo].[SPx_ARSEL_PaymentReceiptAccountLookup]
[dbo].[SPx_ARSEL_PaymentReceiptCheckbookLookup]
[dbo].[SPx_ARSEL_PaymentReceiptHeader]

















[dbo].[SPx_ARSEL_PaymentReceiptList]
[dbo].[SPx_ARSEL_SaleInvoiceLineList]
[dbo].[SPx_ARSEL_SaleInvoiceList]
[dbo].[SPx_ARSEL_SOCustomerAddressList]
[dbo].[SPx_ARSEL_TaxClassLookup]
[dbo].[SPx_ARSEL_TransactionHeader]
[dbo].[SPx_ARSEL_TransactionHeaderProperties]
[dbo].[SPx_ARSEL_TransactionList]
[dbo].[SPx_ARSEL_TransactionPaymentDetail]
[dbo].[SPx_ARSEL_TransactionSoldToLookup]
[dbo].[SPx_ARUPD_Customer]
[dbo].[SPx_ARUpdate_ApplyDocuments]
[dbo].[SPx_ARUpdate_Customer]
[dbo].[SPx_ARUpdate_CustomerClass]
[dbo].[SPx_ARUpdate_CustomerClassAccounts]
[dbo].[SPx_ARUpdate_CustomerClassProperties]
[dbo].[SPx_ARUpdate_CustomerList]
[dbo].[SPx_ARUpdate_CustomerSubstituteItem]
[dbo].[SPx_ARUpdate_PaymentReceipt]
[dbo].[SPx_ARUpdate_PaymentReceiptList]
[dbo].[SPx_ARUpdate_Transaction]
[dbo].[SPx_COUpdate_AttributeClassList]
[dbo].[SPx_DWSEL_CustomerMasterInfo]
[dbo].[SPx_GLSEL_CheckbookTransactionDepositDetails]
[dbo].[SPx_GLUpdate_CheckbookList]
[dbo].[SPx_IMSEL_AllocationAndCommitment]
[dbo].[SPx_IMSEL_AllocationAndCommitmentList]
[dbo].[SPx_INTEG_BWInvoiceHeaderItem_XML]
[dbo].[SPx_INTEG_BWOrderHeaderItem_XML]
[dbo].[SPx_INTEG_GPARInvoiceOutbound]
[dbo].[SPx_INTEG_GPCustomer]
[dbo].[SPx_INTEG_GPCustomerAddress]
[dbo].[SPx_INTEG_GPSOHeader]
[dbo].[SPx_INTEG_GPSOInvoice]
[dbo].[SPx_INTEG_GPSOItem]
[dbo].[SPx_INTEG_NSAPIInvoiceAndCreditMemo]
[dbo].[SPx_LMINS_LoadBuilder]
[dbo].[SPx_LMProcess_MFShipment]
[dbo].[SPx_LMSEL_CalculateLoadTransactionLegDetails]
[dbo].[SPx_LMSEL_LoadRecordOrderFreightCostList]
[dbo].[SPx_LMSEL_LoadRecordOrders]
[dbo].[SPx_LMSEL_LoadSOOrderList]
[dbo].[SPx_LMSEL_MFShipmentLegList_NewRow]
[dbo].[SPx_LMUpdate_Load]
[dbo].[SPx_Load_ARCustomerFavorites]
[dbo].[SPx_Load_ImportSOOrdersFromGP]
[dbo].[SPx_Load_MFEmployee_GP]
[dbo].[SPx_MFDEL_DeleteCompany]
[dbo].[SPx_MFExport_ARCustomersAndAddresses]
[dbo].[SPx_MFINS_AttributeDataSynch]
[dbo].[SPx_MFSEL_AllocateDetails]
[dbo].[SPx_MFSEL_CashReceiptAccountLookup]
[dbo].[SPx_MFSEL_CashReceiptHeader]

[dbo].[SPx_MFSEL_DataEntityMap]
[dbo].[SPx_MFSEL_PriceListCustomerAddressList]
[dbo].[SPx_MFSEL_PriceListCustomerAddressLookup]
[dbo].[SPx_MFSEL_PriceListCustomerList]
[dbo].[SPx_MFSEL_PriceListCustomerLookup]
[dbo].[SPx_MFSEL_PriceListCustomerOnlyList]
[dbo].[SPx_MFSEL_PriceListCustomerOnlyLookup]
[dbo].[SPx_MFUpdate_AddressList]
[dbo].[SPx_MFUpdate_CashReceipt]
[dbo].[SPx_MFUpdate_JournalDetails]
[dbo].[SPx_MFUpdate_PaymentTermList]
[dbo].[SPx_MFUpdate_TaxClass]
[dbo].[SPx_MFUpdate_TaxClassList]
[dbo].[SPx_PRUpdate_EmployeeList]
[dbo].[SPx_RSSEL_ReportSubscription_Lookup]
[dbo].[SPx_SCSEL_ContractCustomerLookup]
[dbo].[SPx_SCSEL_ContractHeader]
[dbo].[SPx_SCSEL_ContractHeaderList]
[dbo].[SPx_SOINS_AddOrderHeader]
[dbo].[SPx_SOINS_SalesInvoiceExecutionHistory]
[dbo].[SPx_SOPProcess_PurchaseOrder]
[dbo].[SPx_SOPProcess_Transaction_InsertOrderHeader]
[dbo].[SPx_SOPProcess_Transaction_OrderHold]
[dbo].[SPx_SOPProcess_Transaction_Validations]
[dbo].[SPx_SOSEL_CustomerLookup]
[dbo].[SPx_SOSEL_FindItems_CustomerInfo]
[dbo].[SPx_SOSEL_FindItems_Detail]
[dbo].[SPx_SOSEL_FindItemsWithBalances_CustomerInfo]
[dbo].[SPx_SOSEL_FindItemsWithBalances_Detail]
[dbo].[SPx_SOSEL_FindItemsWithBalances_Header]
[dbo].[SPx_SOSEL_ItemDefaultLookup]
[dbo].[SPx_SOSEL_OrderHeader]
[dbo].[SPx_SOSEL_OrderHeaderList]
[dbo].[SPx_SOSEL_PriceAdjustmentHeaderHome]
[dbo].[SPx_SOSEL_ReturnHeaderHome]
[dbo].[SPx_SOSEL_ShipmentList]
[dbo].[SPx_SOSEL_TransactionDetailItem]
[dbo].[SPx_SOSEL_TransactionHeaderHome]
[dbo].[SPx_SOSEL_TransactionHeaderProperty]
[dbo].[SPx_SOSEL_TransactionItemList]
[dbo].[SPx_SOSEL_TransactionShipToDetail]
[dbo].[SPx_SOSEL_TransactionShipToHeader]
[dbo].[SPx_SOUUpdate_ChangeCustomer]
[dbo].[SPx_SOUUpdate_Transaction]
[dbo].[SPx_SP_CalculateOrderPrograms]
[dbo].[SPx_SPPProcess_Program]
[dbo].[SPx_SPPProcess_SettlementBatch]
[dbo].[SPx_SPSEL_CustomerAddressList]
[dbo].[SPx_SPSEL_CustomerOrVendorLookup]
[dbo].[SPx_SPSEL_GLAccountLookup]
[dbo].[SPx_SPSEL_ProcessSettlementBatchItems]
[dbo].[SPx_SPSEL_ProcessSettlementsList]
[dbo].[SPx_SPSEL_ProgramList]

[dbo].[SPx_SPSEL_ProgramList_Balances]
[dbo].[SPx_SPSEL_SalesProgram_OffBookGLAccountLookup]
[dbo].[SPx_SPSEL_SalesProgram_PayeeLookup]
[dbo].[SPx_SPSEL_SalesProgram_Property]
[dbo].[SPx_SPSEL_SettlementHeader]
[dbo].[VWx_SOSEL_SalesTransactionDetail]
[hist].[SPx_SOPProcess_SearchMetadata_RefreshOrder]


 [dbo].[ERPx_ARCustomerAddress]

Columns

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity	Default
 	CustomerAddressSK	bigint	8	NOT NULL	1 - 1	
	HostSystemLink	varchar(100)	100	NULL allowed		
 	CustomerSK	bigint	8	NOT NULL		
	AddressID	varchar(25)	25	NOT NULL		
	AddressName	varchar(150)	150	NULL allowed		
	AddressLine1	varchar(75)	75	NULL allowed		
	AddressLine2	varchar(75)	75	NULL allowed		
	AddressLine3	varchar(75)	75	NULL allowed		
	City	varchar(35)	35	NULL allowed		
	State	varchar(30)	30	NULL allowed		
	Zip	varchar(15)	15	NULL allowed		
	Country	varchar(50)	50	NULL allowed		
	Phone1	varchar(25)	25	NULL allowed		
	Fax	varchar(25)	25	NULL allowed		
	AttentionTo	varchar(65)	65	NULL allowed		
	IsDefaultShipToAddress	bit	1	NOT NULL		
	SalespersonSK	bigint	8	NULL allowed		
	InsideSalespersonSK	bigint	8	NULL allowed		
	SiteSK	bigint	8	NULL allowed		
	CarrierSK	bigint	8	NULL allowed		
	SOFreightTermsEN	bigint	8	NULL allowed		
	SOFreightProgramsEN	bigint	8	NULL allowed		((2))
	ARItemAccessOptionEN	bigint	8	NULL allowed		((3))
	AddressTypeEN	bigint	8	NULL allowed		
	PriceListHeaderSK	bigint	8	NULL allowed		
	AttributeClassSK	bigint	8	NULL allowed		
	LastUpdated	datetime	8	NOT NULL		(getdate())
	LastUser	varchar(110)	110	NULL allowed		
 (2)	DataEntityCompanySK	bigint	8	NOT NULL		
	TaxClassSK	bigint	8	NULL allowed		
	Email	varchar(1000)	1000	NULL allowed		

	CreatedBy	varchar(150)	150	NULL allowed		
	CreatedDateTime	datetime	8	NOT NULL		(getdate())

Indexes

Key	Name	Key Columns	Unique
	PK_ERPx_ARCustomerAddress	CustomerAddressSK	True
	UK_ERPx_ARCustomerAddress_1	HostSystemLink, DataEntityCompanySK	True
	UK_ERPx_ARCustomerAddress_2	CustomerSK, AddressID, DataEntityCompanySK	True

Check Constraints

Name	On Column	Constraint
CK_ERPx_ARCustomer-Address	SOFreightTerms-EN	((SOFreightTermsEN]=[dbo].[FNx_ValidateEnumValue]('SOFreight-Terms',[SOFreightTermsEN]))
CK_ERPx_ARCustomer-Address_1	SOFreight-ProgramsEN	((SOFreightProgramsEN]=[dbo].[FNx_ValidateEnumValue]('SOFreight-Programs',[SOFreightProgramsEN]))
CK_ERPx_ARCustomer-Address_2	ARItemAccess-OptionEN	((ARItemAccessOptionEN]=[dbo].[FNx_ValidateEnumValue]('ARItemAccess-Option',[ARItemAccessOptionEN]))

Foreign Keys

Name	Columns
FK_ERPx_ARCustomerAddress_ERPx_ARCustomer	CustomerSK->[dbo].[ERPx_ARCustomer].[CustomerSK]
FK_ERPx_ARCustomerAddress_ERPx_MFAttribute-Class	AttributeClassSK->[dbo].[ERPx_MFAttributeClass].[AttributeClassSK]
FK_ERPx_ARCustomerAddress_ERPx_MFPriceList-Header	PriceListHeaderSK->[dbo].[ERPx_MFPriceListHeader].[PriceList-HeaderSK]
FK_ERPx_ARCustomerAddress_ERPx_MFSite	SiteSK->[dbo].[ERPx_MFSite].[SiteSK]
FK_ERPx_ARCustomerAddress_ERPx_MFTaxClass	TaxClassSK->[dbo].[ERPx_MFTaxClass].[TaxClassSK]
FK_ERPx_ARCustomerAddress_ERPx_SOCarrier	CarrierSK->[dbo].[ERPx_SOCarrier].[CarrierSK]
FK_ERPx_ARCustomerAddress_ERPx_SOSalesperson	SalespersonSK->[dbo].[ERPx_SOSalesperson].[SalespersonSK]

Uses





[dbo].[ERPx_ARCustomer]
[dbo].[ERPx_MFAttributeClass]
[dbo].[ERPx_MFPriceListHeader]
[dbo].[ERPx_MFSite]
[dbo].[ERPx_MFTaxClass]
[dbo].[ERPx_SOCarrier]
[dbo].[ERPx_SOSalesperson]
[dbo].[FNx_ValidateEnumValue]

Used By

[dbo].[ERPx_ARCustomerAddressAttribute]
[dbo].[ERPx_ARCustomerAddressNote]
[dbo].[ERPx_MFAttribute_ARCustomerAddress]
[dbo].[ERPx_SPPProgramCustomerAddress]
[dbo].[FNx_GetCustomerAddressesFromSet]
[dbo].[IQx_Billing]
[dbo].[IQx_SOSEL_ItemHistory]
[dbo].[IQx_SOSEL_SalesHistory]
[dbo].[IQx_SOSEL_ShipmentHistory]
[dbo].[IQx_SPSEL_FreightRatesByItem]
[dbo].[IQx_SPSEL_FreightRatesByItemSet]
[dbo].[SPx_ARMerge_CustomerAndAddress]
[dbo].[SPx_ARProcess_Customer]
[dbo].[SPx_ARProcess_CustomerAddress]
[dbo].[SPx_ARSEL_Customer]
[dbo].[SPx_ARSEL_CustomerAddressAttributes]
[dbo].[SPx_ARSEL_CustomerAddressIDLookup]
[dbo].[SPx_ARSEL_CustomerAddressList]
[dbo].[SPx_ARSEL_CustomerAddressLookup]
[dbo].[SPx_ARSEL_CustomerAddressProperties]
[dbo].[SPx_ARSEL_CustomerAddressTaxClassLookup]
[dbo].[SPx_ARSEL_CustomerFavoriteList]
[dbo].[SPx_ARSEL_CustomerPriceListLookup]
[dbo].[SPx_ARSEL_CustomerSalesProgramList]
[dbo].[SPx_ARSEL_CustomerSubstituteItemHeader]
[dbo].[SPx_ARSEL_FreightTermsLookup]
[dbo].[SPx_ARSEL_SiteLookup]
[dbo].[SPx_ARSEL_SOCustomerAddressList]
[dbo].[SPx_ARUpdate_ARCustomerAddressList]
[dbo].[SPx_ARUpdate_CustomerAddress]
[dbo].[SPx_ARUpdate_CustomerList]
[dbo].[SPx_INTEG_BWInvoiceHeaderItem_XML]
[dbo].[SPx_INTEG_BWOrderHeaderItem_XML]
[dbo].[SPx_INTEG_GPCustomer]
[dbo].[SPx_INTEG_GPCustomerAddress]
[dbo].[SPx_INTEG_GPSOHeader]
[dbo].[SPx_INTEG_GPSOInvoice]
[dbo].[SPx_INTEG_GPSOItem]
[dbo].[SPx_LMINS_NewOrderForLoad]
[dbo].[SPx_LMUpdate_AssignFreightTerms]
[dbo].[SPx_Load_ImportSOOrdersFromGP]
[dbo].[SPx_Load_MFEmployee_GP]
[dbo].[SPx_MFDEL_DeleteCompany]
[dbo].[SPx_MFExport_ARCustomersAndAddresses]
[dbo].[SPx_MFINS_AttributeDataSynch]
[dbo].[SPx_MFINSUPDDEL_Site_XML]
[dbo].[SPx_MFProcess_Carrier]
[dbo].[SPx_MFSEL_AllocateDetails]
[dbo].[SPx_MFSEL_ChangeAddressList]
[dbo].[SPx_MFSEL_ChangeAddressLookup]
[dbo].[SPx_MFSEL_PriceListCustomerAddressList]

[dbo].[SPx_MFSEL_PriceListCustomerAddressLookup]
[dbo].[SPx_MFSEL_PriceListCustomerList]
[dbo].[SPx_MFSEL_PriceListCustomerLookup]
[dbo].[SPx_MFUpdate_Site]
[dbo].[SPx_PRUpdate_EmployeeList]
[dbo].[SPx_RSSEL_ReportSubscription_Lookup]
[dbo].[SPx_SCSEL_ContractCustomerLookup]
[dbo].[SPx_SCSEL_ContractHeader]
[dbo].[SPx_SOINS_AddOrderHeader]
[dbo].[SPx_SOINS_SalesInvoiceExecutionHistory]
[dbo].[SPx_SOPProcess_Transaction_InsertOrderHeader]
[dbo].[SPx_SOPProcess_Transaction_UpdateOrderHeader]
[dbo].[SPx_SOSEL_CustomerAddressLookup]
[dbo].[SPx_SOSEL_FindItems_Detail]
[dbo].[SPx_SOSEL_FindItemsWithBalances_Detail]
[dbo].[SPx_SOSEL_FindItemsWithBalances_Header]
[dbo].[SPx_SOSEL_ItemDefaultLookup]
[dbo].[SPx_SOSEL_OrderHeader]
[dbo].[SPx_SOSEL_OrderHeaderList]
[dbo].[SPx_SOSEL_PriceAdjustmentHeaderHome]
[dbo].[SPx_SOSEL_ReturnHeaderHome]
[dbo].[SPx_SOSEL_SalespersonLookup]
[dbo].[SPx_SOSEL_ShipmentList]
[dbo].[SPx_SOSEL_TransactionDetailItem]
[dbo].[SPx_SOSEL_TransactionHeaderHome]
[dbo].[SPx_SOSEL_TransactionHeaderProperty]
[dbo].[SPx_SOSEL_TransactionItemList]
[dbo].[SPx_SOSEL_TransactionShipToDetail]
[dbo].[SPx_SOSEL_TransactionShipToHeader]
[dbo].[SPx_SOSEL_TransactionShipToLookup]
[dbo].[SPx_SOUUpdate_Carrier]
[dbo].[SPx_SOUUpdate_ChangeCustomer]
[dbo].[SPx_SOUUpdate_Salesperson]
[dbo].[SPx_SOUUpdate_Transaction]
[dbo].[SPx_SOUUpdate_TransactionShipTo]
[dbo].[SPx_SP_CalculateOrderPrograms]
[dbo].[SPx_SPSEL_CustomerAddressList]
[dbo].[VWx_SOSEL_SalesTransactionDetail]

[dbo].[ERPx_ARCustomerAddressAttribute]**Columns**

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity
	CustomerAddressAttributeSK	bigint	8	NOT NULL	1 - 1
	CustomerAddressSK	bigint	8	NOT NULL	
	AttributeSK	bigint	8	NOT NULL	
	AttributeValue	varchar(200)	200	NOT NULL	
	LastUpdated	datetime	8	NOT NULL	
	LastUser	varchar(150)	150	NOT NULL	
	DataEntityCompanySK	bigint	8	NOT NULL	

Indexes

Key	Name	Key Columns	Unique
	PK_ERPx_ARCustomerAddressAttribute	CustomerAddressAttributeSK	True
	UK_ERPx_ARCustomerAddressAttribute_CustomerAddressSK_AttributeSK	CustomerAddressSK, AttributeSK	True

Foreign Keys

Name	Columns
FK_ERPx_ARCustomerAddressAttribute_ERPx_ARCustomerAddress	CustomerAddressSK->[dbo].[ERPx_ARCustomerAddress].[CustomerAddressSK]
FK_ERPx_ARCustomerAddressAttribute_ERPx_MFAttribute	AttributeSK->[dbo].[ERPx_MFAttribute].[AttributeSK]
FK_ERPx_ARCustomerAddressAttribute_ERPx_MFDataEntityCompany	DataEntityCompanySK->[dbo].[ERPx_MFDataEntityCompany].[DataEntityCompanySK]


Uses

[dbo].[ERPx_ARCustomerAddress]
 [dbo].[ERPx_MFAttribute]
 [dbo].[ERPx_MFDataEntityCompany]





Used By

[dbo].[FNx_GetCustomerAddressesFromSet]
 [dbo].[SPx_ARProcess_Customer]
 [dbo].[SPx_ARProcess_CustomerAddress]
 [dbo].[SPx_ARSEL_CustomerAddressAttributes]
 [dbo].[SPx_ARSEL_SOCustomerAddressList]


[dbo].[SPx_ARUpdate_ARCustomerAddressList]
[dbo].[SPx_ARUpdate_CustomerList]
[dbo].[SPx_MFDEL_Attribute]
[dbo].[SPx_MFDEL_DeleteCompany]

 [dbo].[ERPx_ARCustomerAddressNote]

Columns

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity	Default
	CustomerAddressNoteSK	bigint	8	NOT NULL	1 - 1	
	CustomerAddressSK	bigint	8	NOT NULL		
	NoteTypeSK	bigint	8	NOT NULL		
	Note	varchar(2000)	2000	NULL allowed		
	NoteHTML	varchar(max)	max	NULL allowed		
	LastUpdated	datetime	8	NULL allowed		(getdate())
	LastUser	varchar(110)	110	NULL allowed		
	DataEntityCompanySK	bigint	8	NOT NULL		

Indexes

Key	Name	Key Columns	Unique
	PK_ERPx_ARCustomerAddressNote	CustomerAddressNoteSK	True
	UK_ERPx_ARCustomerAddressNote_1	CustomerAddressSK, NoteTypeSK, DataEntityCompanySK	True

Foreign Keys

Name	Columns
FK_ERPx_ARCustomerAddressNote_ERPx_ARCustomerAddress	CustomerAddressSK->[dbo].[ERPx_ARCustomerAddress].[CustomerAddressSK]
FK_ERPx_ARCustomerAddressNote_ERPx_MFNoteType	NoteTypeSK->[dbo].[ERPx_MFNoteType].[NoteTypeSK]

Uses

[dbo].[ERPx_ARCustomerAddress]
 [dbo].[ERPx_MFNoteType]




Used By

[dbo].[SPx_ARProcess_Customer]
 [dbo].[SPx_ARProcess_CustomerAddress]
 [dbo].[SPx_ARUpdate_ARCustomerAddressList]
 [dbo].[SPx_ARUpdate_CustomerList]
 [dbo].[SPx_MFDEL_DeleteCompany]
 [dbo].[SPx_MFManage_NoteAssignment]
 [dbo].[SPx_MFSEL_NoteList]


[dbo].[SPx_SOINS_AddOrderHeader]

[dbo].[SPx_SOPProcess_Transaction_InsertOrderHeader]

[dbo].[ERPx_ARCustomerAddrSet]**Columns**

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity
	CustomerAddrSetSK	bigint	8	NOT NULL	1 - 1
	CustomerAddrSetName	varchar(50)	50	NOT NULL	
	Description	varchar(500)	500	NULL allowed	
	AutoGeneratedDescription	varchar(2000)	2000	NULL allowed	
	DataEntityCompanySK	bigint	8	NOT NULL	
	IncludedCustomerCount	bigint	8	NULL allowed	

Indexes

Key	Name	Key Columns	Unique
	PK_ERPx_ARCustomerAddrSet	CustomerAddrSetSK	True
	UK_ERPx_ARCustomerAddrSet_1	CustomerAddrSetName, DataEntityCompanySK	True

Foreign Keys


Name	Columns
FK_ERPx_ARCustomerAddrSet_ERPx_MFData-EntityCompany	DataEntityCompanySK->[dbo].[ERPx_MFDataEntityCompany].[Data-EntityCompanySK]

Uses



[dbo].[ERPx_MFDataEntityCompany]

Used By

[dbo].[ERPx_ARCustomerAddrSetRule]
 [dbo].[ERPx_SPPProgramCustomerAddrSet]
 [dbo].[FNx_GetCustomerAddressesFromSet]
 [dbo].[IQx_SPSEL_FreightRatesByItem]
 [dbo].[IQx_SPSEL_FreightRatesByItemSet]
 [dbo].[SPx_ARDEL_CustomerAddrSet]
 [dbo].[SPx_ARINS_CustomerAddrSet]
 [dbo].[SPx_ARSEL_AvailabilityCustomerAddrSetName]
 [dbo].[SPx_ARSEL_CustomerAddrSet]
 [dbo].[SPx_ARSEL_CustomerAddrSetList]
 [dbo].[SPx_ARUPD_CustomerAddrSet]
 [dbo].[SPx_MFDEL_DeleteCompany]
 [dbo].[SPx_SPSEL_CustomerAddrSetList]

 [dbo].[ERPx_ARCustomerAddrSetRule]

Columns

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity
	CustomerAddrSetRuleSK	bigint	8	NOT NULL	1 - 1
	CustomerAddrSetSK	bigint	8	NOT NULL	
	CustomerAddrSetRuleTypeSK	bigint	8	NOT NULL	
	AttributeDescription	varchar(50)	50	NULL allowed	
	RuleEntityList	varchar(max)	max	NOT NULL	

Indexes

Key	Name	Key Columns	Unique
	PK_ERPx_ARCustomerAddrSetRule	CustomerAddrSetRuleSK	True

Foreign Keys

Name	Columns
FK_ERPx_ARCustomerAddrSetRule_ERPx_ARCustomerAddrSet	CustomerAddrSetSK->[dbo].[ERPx_ARCustomerAddrSet].[Customer-AddrSetSK]





Uses

[dbo].[ERPx_ARCustomerAddrSet]


Used By

[dbo].[FNx_GetCustomerAddressesFromSet]
 [dbo].[SPx_ARDEL_CustomerAddrSet]
 [dbo].[SPx_ARINS_CustomerAddrSetFilters]
 [dbo].[SPx_ARSEL_CustomerAddrSet]
 [dbo].[SPx_ARSEL_CustomerAddrSetFilters]
 [dbo].[SPx_ARUPD_CustomerAddrSet]
 [dbo].[SPx_MFDEL_DeleteCompany]

[dbo].[ERPx_ARCustomerAttribute]**Columns**

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity
 PK	CustomerAttributeSK	bigint	8	NOT NULL	1 - 1
 FK	CustomerSK	bigint	8	NOT NULL	
 FK	AttributeSK	bigint	8	NOT NULL	
	AttributeValue	varchar(200)	200	NULL allowed	
	LastUpdated	datetime	8	NOT NULL	
	LastUser	varchar(150)	150	NOT NULL	
 FK	DataEntityCompanySK	bigint	8	NOT NULL	

Indexes

Key	Name	Key Columns	Unique
 PK	PK_ERPx_ARCustomerAttribute_1	CustomerAttributeSK	True
	IX_ERPx_ARCustomerAttribute	CustomerSK, AttributeSK, DataEntityCompanySK	True

Foreign Keys

Name	Columns
FK_ERPx_ARCustomerAttribute_ERPx_ARCustomer	CustomerSK->[dbo].[ERPx_ARCustomer].[CustomerSK]
FK_ERPx_ARCustomerAttribute_ERPx_MFAttribute	AttributeSK->[dbo].[ERPx_MFAttribute].[AttributeSK]
FK_ERPx_ARCustomerAttribute_ERPx_MFData-EntityCompany	DataEntityCompanySK->[dbo].[ERPx_MFDataEntityCompany].[DataEntity-CompanySK]






Uses

[dbo].[ERPx_ARCustomer]
 [dbo].[ERPx_MFAttribute]
 [dbo].[ERPx_MFDataEntityCompany]



Used By

[dbo].[SPx_ARProcess_Customer]
 [dbo].[SPx_ARSEL_CustomerAttributes]
 [dbo].[SPx_ARSEL_CustomerList]
 [dbo].[SPx_ARUpdate_CustomerList]
 [dbo].[SPx_MFDEL_Attribute]
 [dbo].[SPx_MFDEL_DeleteCompany]

[dbo].[ERPx_ARCustomerCertification]**Columns**

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity
 	CustomerCertificationSK	bigint	8	NOT NULL	1 - 1
	CustomerSK	bigint	8	NOT NULL	
	CertificationSK	bigint	8	NOT NULL	
	DataEntityCompanySK	bigint	8	NOT NULL	
	LastUser	varchar(150)	150	NOT NULL	
	LastUpdated	datetime	8	NOT NULL	

Indexes

Key	Name	Key Columns	Unique
 	PK_ERPx_ARCustomerCertification	CustomerCertificationSK	True
	IX_ERPx_ARCustomerCertification	CustomerSK, CertificationSK, DataEntityCompanySK	True

Foreign Keys

Name	Columns
FK_ERPx_ARCustomerCertification_ERPx_ARCustomer	CustomerSK->[dbo].[ERPx_ARCustomer].[CustomerSK]
FK_ERPx_ARCustomerCertification_ERPx_IMCertification	CertificationSK->[dbo].[ERPx_IMCertification].[CertificationSK]
FK_ERPx_ARCustomerCertification_ERPx_MFDataEntityCompany	DataEntityCompanySK->[dbo].[ERPx_MFDataEntityCompany].[DataEntityCompanySK]

Uses




[dbo].[ERPx_ARCustomer]
 [dbo].[ERPx_IMCertification]
 [dbo].[ERPx_MFDataEntityCompany]

Used By


[dbo].[SPx_ARProcess_Customer]
 [dbo].[SPx_ARSEL_CustomerProperties]
 [dbo].[SPx_SOUupdate_TransactionShipTo]

 [dbo].[ERPx_ARCustomerClass]

Columns

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity	Default
	CustomerClassSK	bigint	8	NOT NULL	1 - 1	
	HostSystemLink	varchar(100)	100	NULL allowed		
	ClassID	varchar(25)	25	NOT NULL		
	Description	varchar(50)	50	NOT NULL		
	CreditLimitOptionEN	bigint	8	NOT NULL		
	CreditLimitAmount	numeric(18,5)	9	NOT NULL		
	PaymentTermsSK	bigint	8	NULL allowed		
	TaxClassSK	bigint	8	NULL allowed		
	CurrencySK	bigint	8	NULL allowed		
	ARGLAcctRef	bigint	8	NULL allowed		
	IsDefault	bit	1	NOT NULL		((0))
	DataEntityCompanySK	bigint	8	NOT NULL		
	CheckbookSK	bigint	8	NULL allowed		
	DiscountGracePeriod	bigint	8	NULL allowed		
	DueDateGracePeriod	bigint	8	NULL allowed		
	FinanceChargeOptionEN	bigint	8	NOT NULL		
	FinanceChargeAmount	numeric(18,5)	9	NOT NULL		
	SalesActSK	bigint	8	NULL allowed		
	COGSActSK	bigint	8	NULL allowed		
	InventoryActSK	bigint	8	NULL allowed		
	TermsDiscTakenActSK	bigint	8	NULL allowed		
	TermsDiscAvailActSK	bigint	8	NULL allowed		
	FinanceChgActSK	bigint	8	NULL allowed		
	WriteoffActSK	bigint	8	NULL allowed		
	OverPmtWriteOffActSK	bigint	8	NULL allowed		
	SalesReturnActSK	bigint	8	NULL allowed		
	LastUpdated	datetime	8	NULL allowed		
	LastUser	varchar(150)	150	NULL allowed		
	IsInactive	bit	1	NOT NULL		((0))

Indexes

Key	Name	Key Columns	Unique
	PK_ERPx_ARCustomerClass	CustomerClassSK	True
	IX_ERPx_ARCustomerClass	ClassID, DataEntityCompanySK	True

Foreign Keys

Name	Columns
FK_ERPx_ARCustomerClass_ERPx_GLAaccount_COGSActSK	COGSActSK->[dbo].[ERPx_GLAaccount].[AccountSK]
FK_ERPx_ARCustomerClass_ERPx_GLAaccount_FinanceChgActSK	FinanceChgActSK->[dbo].[ERPx_GLAaccount].[AccountSK]
FK_ERPx_ARCustomerClass_ERPx_GLAaccount_InventoryActSK	InventoryActSK->[dbo].[ERPx_GLAaccount].[AccountSK]
FK_ERPx_ARCustomerClass_ERPx_GLAaccount_OverPmtWriteOffActSK	OverPmtWriteOffActSK->[dbo].[ERPx_GLAaccount].[AccountSK]
FK_ERPx_ARCustomerClass_ERPx_GLAaccount_SalesActSK	SalesActSK->[dbo].[ERPx_GLAaccount].[AccountSK]
FK_ERPx_ARCustomerClass_ERPx_GLAaccount_SalesReturnActSK	SalesReturnActSK->[dbo].[ERPx_GLAaccount].[AccountSK]
FK_ERPx_ARCustomerClass_ERPx_GLAaccount_TermsDiscAvailActSK	TermsDiscAvailActSK->[dbo].[ERPx_GLAaccount].[AccountSK]
FK_ERPx_ARCustomerClass_ERPx_GLAaccount_TermsDiscTakenActSK	TermsDiscTakenActSK->[dbo].[ERPx_GLAaccount].[AccountSK]
FK_ERPx_ARCustomerClass_ERPx_GLAaccount_WriteoffActSK	WriteoffActSK->[dbo].[ERPx_GLAaccount].[AccountSK]
FK_ERPx_ARCustomerClass_ERPx_MFCheckbook_CheckbookSK	CheckbookSK->[dbo].[ERPx_MFCheckbook].[CheckbookSK]
FK_ERPx_ARCustomerClass_ERPx_MFTaxClass_TaxClassSK	TaxClassSK->[dbo].[ERPx_MFTaxClass].[TaxClassSK]

Uses





[dbo].[ERPx_GLAaccount]
 [dbo].[ERPx_MFCheckbook]
 [dbo].[ERPx_MFTaxClass]

Used By


[dbo].[ERPx_ARCustomer]
 [dbo].[IQx_ARSEL_ApplicationList_CustomerLookup]
 [dbo].[IQx_ARSEL_CustomerHistory_CustomerLookup]
 [dbo].[IQx_SOSEL_BillingHistory_CustomerLookup]
 [dbo].[IQx_SOSEL_ItemHistory_CustomerLookup]
 [dbo].[IQx_SOSEL_SalesHistory_CustomerLookup]
 [dbo].[IQx_SOSEL_ShipmentHistory_CustomerLookup]
 [dbo].[SPx_APUpdate_CustomerClassDelete]
 [dbo].[SPx_ARProcess_Customer]
 [dbo].[SPx_ARProcess_Transaction]
 [dbo].[SPx_ARSEL_Customer]
 [dbo].[SPx_ARSEL_CustomerAddressLookup]
 [dbo].[SPx_ARSEL_CustomerBalanceList]

[dbo].[SPx_ARSEL_CustomerClassAccounts]
[dbo].[SPx_ARSEL_CustomerClassDescriptionLookup]
[dbo].[SPx_ARSEL_CustomerClassLookup]
[dbo].[SPx_ARSEL_CustomerClassProperties]
[dbo].[SPx_ARSEL_CustomerList]
[dbo].[SPx_ARSEL_CustomerLookup]
[dbo].[SPx_ARSEL_CustomerProperties]
[dbo].[SPx_ARSEL_PaymentReceiptAccountLookup]
[dbo].[SPx_ARSEL_SOCustomerAddressList]
[dbo].[SPx_ARSEL_TaxClassLookup]
[dbo].[SPx_ARSEL_TransactionSoldToLookup]
[dbo].[SPx_ARUpdate_CustomerClass]
[dbo].[SPx_ARUpdate_CustomerClassAccounts]
[dbo].[SPx_ARUpdate_CustomerClassProperties]
[dbo].[SPx_GLUpdate_CheckbookList]
[dbo].[SPx_INTEG_GPCustomer]
[dbo].[SPx_INTEG_GPCustomerClass]
[dbo].[SPx_Load_MFEmployee_GP]
[dbo].[SPx_MFDEL_DeleteCompany]
[dbo].[SPx_MFExport_ARCustomersAndAddresses]
[dbo].[SPx_MFINS_AttributeClass]
[dbo].[SPx_MFINS_AttributeDataSynch]
[dbo].[SPx_MFSEL_CashReceiptAccountLookup]
[dbo].[SPx_MFSEL_ClassHeader]
[dbo].[SPx_MFSEL_ClassList]
[dbo].[SPx_MFSEL_ClassLookupByForm]
[dbo].[SPx_MFSEL_MFPreferences]
[dbo].[SPx_MFSEL_PriceListCustomerLookup]
[dbo].[SPx_MFUpdate_TaxClass]
[dbo].[SPx_MFUpdate_TaxClassList]
[dbo].[SPx_PRUpdate_EmployeeList]
[dbo].[SPx_RSSEL_ReportSubscription_Lookup]
[dbo].[SPx_SCSEL_ContractCustomerLookup]
[dbo].[SPx_SOSEL_CustomerLookup]
[dbo].[SPx_SOSEL_TransactionShipToDetail]
[dbo].[SPx_SPSEL_CustomerOrVendorLookup]
[dbo].[SPx_SPSEL_SalesProgram_PayeeLookup]

[dbo].[ERPx_ARCustomerContact]**Columns**

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity	Default
	CustomerContactSK	bigint	8	NOT NULL	1 - 1	
	ContactTypeSK	bigint	8	NOT NULL		
	EntitySK	bigint	8	NOT NULL		
	Name	varchar(100)	100	NOT NULL		
	Phone	varchar(25)	25	NOT NULL		
	Fax	varchar(25)	25	NOT NULL		
	Email	varchar(1000)	1000	NOT NULL		
	Note	varchar(500)	500	NOT NULL		
	LastUpdated	datetime	8	NOT NULL		(getdate())
	LastUser	varchar(110)	110	NULL allowed		
	DataEntityCompanySK	bigint	8	NOT NULL		

Indexes

Key	Name	Key Columns	Unique
	PK_ERPx_ARCustomerContact	CustomerContactSK	True
	IX_ERPx_ARCustomerContact2	ContactTypeSK, EntitySK, DataEntityCompanySK	True

Foreign Keys

Name	Columns
FK_ERPx_ARCustomerContact_ERPx_MFContactType	ContactTypeSK->[dbo].[ERPx_MFContactType].[ContactTypeSK]

Uses

[dbo].[ERPx_MFContactType]

Used By






[dbo].[SPx_ARProcess_Customer]
 [dbo].[SPx_ARProcess_CustomerAddress]
 [dbo].[SPx_ARSEL_CustomerContactList]
 [dbo].[SPx_ARUpdate_ARCustomerAddressList]
 [dbo].[SPx_ARUpdate_CustomerList]
 [dbo].[SPx_LMSEL_LoadRecordOrders]
 [dbo].[SPx_LMSEL_LoadSOOrderList]

[dbo].[SPx_MFDEL_DeleteCompany]


[dbo].[SPx_RSSEL_ReportSubscription_Lookup]

 [dbo].[ERPx_ARCustomerFavorite]

Columns

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity	Default
	CustomerFavoriteSK	bigint	8	NOT NULL	1 - 1	
	CustomerFavoriteTypeSK	bigint	8	NOT NULL		
	CustomerEntitySK	bigint	8	NOT NULL		
	ItemTypeSK	bigint	8	NOT NULL		
	LineItemSort	bigint	8	NOT NULL		
	ItemSK	bigint	8	NOT NULL		
	PriceUOMSK	bigint	8	NULL allowed		
	UnitsUOMSK	bigint	8	NULL allowed		
	Units	numeric(18,5)	9	NULL allowed		((0.00))
	WeightUOMSK	bigint	8	NULL allowed		
	Weight	numeric(18,5)	9	NULL allowed		((0.00))
	LastUpdated	datetime	8	NOT NULL		(getdate())
	LastUser	varchar(110)	110	NULL allowed		
	DataEntityCompanySK	bigint	8	NOT NULL		
	CustomerItemID	varchar(50)	50	NULL allowed		
	CustomerItemDescription	varchar(105)	105	NULL allowed		

Indexes

Key	Name	Key Columns	Unique
	PK_ERPx_SOTemplate	CustomerFavoriteSK	True
	UK_ERPx_ARCustomer-Favorites_1	CustomerFavoriteTypeSK, CustomerEntitySK, ItemSK, DataEntity-CompanySK	True

Foreign Keys

Name	Columns
FK_ERPx_ARCustomerFavorites_ERPx_IMItem	ItemSK->[dbo].[ERPx_IMItem].[ItemSK]





Uses

[dbo].[ERPx_IMItem]


Used By

[dbo].[ERPx_ARCustomerFavoriteAttributes]
[dbo].[ERPx_ARCustomerSubstituteltem]
[dbo].[ERPx_MFAttribute_ARCustomerFavorite]
[dbo].[SPx_ARProcess_Customer]
[dbo].[SPx_ARProcess_CustomerAddress]
[dbo].[SPx_ARSEL_CustomerFavoriteList]
[dbo].[SPx_ARSEL_CustomerSubstituteltemDetail]
[dbo].[SPx_ARSEL_CustomerSubstituteltemLookup]
[dbo].[SPx_ARUpdate_ARCustomerAddressList]
[dbo].[SPx_ARUpdate_CustomerList]
[dbo].[SPx_ARUpdate_CustomerSubstituteltem]
[dbo].[SPx_ARUpdate_FixCustomerFavorites]
[dbo].[SPx_INTEG_BWOrderHeaderItem_XML]
[dbo].[SPx_Load_ARCustomerFavorites]
[dbo].[SPx_MFDEL_DeleteCompany]
[dbo].[SPx_SOPProcess_OrderSubstitutionItem]
[dbo].[SPx_SOSEL_FindItems_Detail]
[dbo].[SPx_SOSEL_FindItemsWithBalances_Detail]
[dbo].[SPx_SOSEL_ItemDefaultLookup]
[dbo].[SPx_SOSEL_TransactionDetailItem]
[dbo].[SPx_SOSEL_TransactionItemList]
[dbo].[SPx_SOSEL_TransactionSubstituteltemDetail]
[dbo].[SPx_SOUupdate_Transaction]

[dbo].[ERPx_ARCustomerFavoriteAttributes]**Columns**

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity
	CustomerFavoriteAttributeSK	bigint	8	NOT NULL	1 - 1
	CustomerFavoriteSK	bigint	8	NOT NULL	
	AttributeSK	bigint	8	NOT NULL	
	AttributeValue	varchar(200)	200	NULL allowed	
	LastUpdated	datetime	8	NOT NULL	
	LastUser	varchar(150)	150	NOT NULL	
	DataEntityCompanySK	bigint	8	NOT NULL	

Indexes

Key	Name	Key Columns	Unique
	PK_ARCustomerFavoriteAttributes	CustomerFavoriteAttributeSK	True
	UK_ERPx_ARCustomerFavoriteAttributes_1	CustomerFavoriteSK, AttributeSK	True

Foreign Keys

Name	No Check	Columns
FK_ERPx_ARCustomerFavoriteAttributes_ERPx_ARCustomerFavorite_CustomerFavoriteSK	True	CustomerFavoriteSK->[dbo].[ERPx_ARCustomerFavorite].[CustomerFavoriteSK]
FK_ERPx_ARCustomerFavoriteAttributes_ERPx_MFAttribute_AttributeSK		AttributeSK->[dbo].[ERPx_MFAttribute].[AttributeSK]
FK_ERPx_ARCustomerFavoriteAttributes_ERPx_MFDataEntityCompany_DataEntityCompanySK	True	DataEntityCompanySK->[dbo].[ERPx_MFDataEntityCompany].[DataEntityCompanySK]

Uses






[dbo].[ERPx_ARCustomerFavorite]
 [dbo].[ERPx_MFAttribute]
 [dbo].[ERPx_MFDataEntityCompany]

Used By


[dbo].[FNx_ARFavoritesUDFValues]
 [dbo].[FNx_GetUDFCustomerFavoriteValues]
 [dbo].[SPx_ARProcess_Customer]
 [dbo].[SPx_ARProcess_CustomerAddress]

[dbo].[SPx_ARUpdate_ARCustomerAddressList]
[dbo].[SPx_ARUpdate_CustomerList]
[dbo].[SPx_MFDEL_Attribute]
[dbo].[SPx_MFDEL_AttributeValue]
[dbo].[SPx_SOPProcess_FindItems]
[dbo].[SPx_SOPProcess_FindItemsWithBalances]

[dbo].[ERPx_ARCustomerItemSet]**Columns**

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity	Default
	CustomerItemSetSK	bigint	8	NOT NULL	1 - 1	
	ItemSetEntityEN	bigint	8	NOT NULL		
	EntitySK	bigint	8	NULL allowed		
	ItemSetSK	bigint	8	NULL allowed		
	LastUpdated	datetime	8	NOT NULL		(getdate())
	LastUser	varchar(110)	110	NULL allowed		
	DataEntityCompanySK	bigint	8	NOT NULL		

Indexes

Key	Name	Key Columns	Unique
	PK_ERPx_ARCustomerItemSet	CustomerItemSetSK	True
	IX_ERPx_ARCustomerItemSet	EntitySK, ItemSetSK, DataEntityCompanySK, ItemSetEntityEN	True

Check Constraints

Name	On Column	Constraint
CK_ERPx_ARCustomerItemSet	ItemSetEntity-EN	((ItemSetEntityEN]=[dbo].[FNx_ValidateEnumValue]('ARItemSetEntity',[ItemSetEntityEN]))

Foreign Keys

Name	Columns
FK_ERPx_ARCustomerItemSet_ERPx_IMItemSet	ItemSetSK->[dbo].[ERPx_IMItemSet].[ItemSetSK]

Uses





[dbo].[ERPx_IMItemSet]
 [dbo].[FNx_ValidateEnumValue]

Used By


[dbo].[FNx_GetItemsFromCustomerItemSets]
 [dbo].[SPx_ARProcess_Customer]
 [dbo].[SPx_ARProcess_CustomerAddress]

[dbo].[SPx_ARSEL_CustomerItemSetList]
[dbo].[SPx_ARUpdate_ARCustomerAddressList]
[dbo].[SPx_ARUpdate_CustomerList]
[dbo].[SPx_IMUpdate_ItemSet]
[dbo].[SPx_IMUpdate_ItemSetList]
[dbo].[SPx_MFDEL_DeleteCompany]

[dbo].[ERPx_ARCustomerNote]**Columns**

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity	Default
 PK	CustomerNoteSK	bigint	8	NOT NULL	1 - 1	
 FK	CustomerSK	bigint	8	NOT NULL		
 FK	NoteTypeSK	bigint	8	NOT NULL		
	Note	varchar(2000)	2000	NULL allowed		
	NoteHTML	varchar(max)	max	NULL allowed		
	LastUpdated	datetime	8	NULL allowed		(getdate())
	LastUser	varchar(110)	110	NULL allowed		
 FK	DataEntityCompanySK	bigint	8	NOT NULL		

Indexes

Key	Name	Key Columns	Unique
 PK	PK_ERPx_ARCustomerNote	CustomerNoteSK	True
	UK_ERPx_ARCustomerNote_1	CustomerSK, NoteTypeSK, DataEntityCompanySK	True

Foreign Keys

Name	Columns
FK_ERPx_ARCustomerNote_ERPx_ARCustomer	CustomerSK->[dbo].[ERPx_ARCustomer].[CustomerSK]
FK_ERPx_ARCustomerNote_ERPx_MFNoteType	NoteTypeSK->[dbo].[ERPx_MFNoteType].[NoteTypeSK]






Uses

[dbo].[ERPx_ARCustomer]
 [dbo].[ERPx_MFNoteType]

Used By

[dbo].[SPx_ARProcess_Customer]
 [dbo].[SPx_ARUpdate_CustomerList]
 [dbo].[SPx_MFDEL_DeleteCompany]
 [dbo].[SPx_MFManage_NoteAssignment]
 [dbo].[SPx_MFSEL_NoteList]
 [dbo].[SPx_SOINS_AddOrderHeader]
 [dbo].[SPx_SOPProcess_Transaction_InsertOrderHeader]

[dbo].[ERPx_ARCustomerPriceList]**Columns**

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity
	CustomerPriceListSK	bigint	8	NOT NULL	1 - 1
	CustomerEntitySK	bigint	8	NOT NULL	
	PriceListEntityTypeSK	bigint	8	NOT NULL	
	PriceListHeaderSK	bigint	8	NOT NULL	
	Sort	bigint	8	NOT NULL	
	LastUpdated	datetime	8	NULL allowed	
	LastUser	varchar(110)	110	NULL allowed	
	DataEntityCompanySK	bigint	8	NOT NULL	

Indexes

Key	Name	Key Columns	Unique
	PK_ERPx_ARCustomerPrice-List	CustomerPriceListSK	True
	IX_ERPx_ARCustomerPrice-List	CustomerEntitySK, PriceListEntityTypeSK, PriceListHeaderSK, DataEntity-CompanySK	True

Foreign Keys

Name	Columns
FK_ERPx_ARCustomerPriceList_ERPx_MFPriceList-Header	PriceListHeaderSK->[dbo].[ERPx_MFPriceListHeader].[PriceList-HeaderSK]

Uses





[dbo].[ERPx_MFPriceListHeader]

Used By


[dbo].[FNx_CalcSOItemPrice]
 [dbo].[SPx_ARDEL_CustomerPriceList]
 [dbo].[SPx_ARINSUPD_CustomerPriceList]
 [dbo].[SPx_ARProcess_Customer]
 [dbo].[SPx_ARProcess_CustomerAddress]
 [dbo].[SPx_ARProcess_Transaction]
 [dbo].[SPx_ARSEL_CustomerPriceList]
 [dbo].[SPx_ARSEL_CustomerPriceListLookup]

[dbo].[SPx_ARSEL_CustomerSalePriceListLookup]
[dbo].[SPx_ARUpdate_ARCustomerAddressList]
[dbo].[SPx_ARUpdate_CustomerList]
[dbo].[SPx_MFDEL_DeleteCompany]
[dbo].[SPx_MFDeL_PriceListHeader]
[dbo].[SPx_MFSEL_PriceListCustomerAddressList]
[dbo].[SPx_MFSEL_PriceListCustomerList]
[dbo].[SPx_MFSEL_PriceListCustomerOnlyList]
[dbo].[SPx_MFSEL_PriceListCustomerOnlyLookup]
[dbo].[SPx_MFUpdate_PriceList]
[dbo].[SPx_MFUpdate_PriceListList]
[dbo].[SPx_SOPProcess_Transaction_InsertItem]
[dbo].[SPx_SOSEL_FindItems_Detail]
[dbo].[SPx_SOSEL_FindItemsWithBalances_Detail]
[dbo].[SPx_SOSEL_ItemDefaultLookup]
[dbo].[SPx_SOSEL_TransactionDetailItem]
[dbo].[SPx_SOUUpdate_Transaction]

[dbo].[ERPx_ARCustomerSubstituteltem]**Columns**

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity
	CustomerSubstituteltemSK	bigint	8	NOT NULL	1 - 1
	CustomerFavoriteSK	bigint	8	NOT NULL	
	Sequence	bigint	8	NOT NULL	
	SubstituteltemSK	bigint	8	NOT NULL	
	LastUser	varchar(110)	110	NOT NULL	
	LastUpdated	datetime	8	NOT NULL	
	DataEntityCompanySK	bigint	8	NOT NULL	
	CustomerItemID	varchar(50)	50	NULL allowed	
	CustomerItemDescription	varchar(105)	105	NULL allowed	

Indexes

Key	Name	Key Columns	Unique
	PK_ERPx_ARCustomerSubstituteltem	CustomerSubstituteltemSK	True
	IX_ERPx_ARCustomerSubstituteltem	CustomerFavoriteSK, DataEntityCompanySK, SubstituteltemSK	True

Foreign Keys

Name	Columns
FK_ERPx_ARCustomerSubstituteltem_ERPx_ARCustomerFavorite	CustomerFavoriteSK->[dbo].[ERPx_ARCustomerFavorite].[CustomerFavoriteSK]
FK_ERPx_ARCustomerSubstituteltem_ERPx_IMItem1	SubstituteltemSK->[dbo].[ERPx_IMItem].[ItemSK]
FK_ERPx_ARCustomerSubstituteltem_ERPx_MFDataEntityCompany	DataEntityCompanySK->[dbo].[ERPx_MFDataEntityCompany].[DataEntityCompanySK]


Uses

[dbo].[ERPx_ARCustomerFavorite]
[dbo].[ERPx_IMItem]
[dbo].[ERPx_MFDataEntityCompany]



Used By

[dbo].[SPx_ARProcess_Customer]
[dbo].[SPx_ARProcess_CustomerAddress]
[dbo].[SPx_ARSEL_CustomerFavoriteList]

[dbo].[SPx_ARSEL_CustomerSubstituteltemDetail]
[dbo].[SPx_ARSEL_CustomerSubstituteltemLookup]
[dbo].[SPx_ARUpdate_ARCustomerAddressList]
[dbo].[SPx_ARUpdate_CustomerList]
[dbo].[SPx_ARUpdate_CustomerSubstituteltem]
[dbo].[SPx_Load_ARCustomerFavorites]
[dbo].[SPx_SOPProcess_OrderSubstitutionItem]
[dbo].[SPx_SOSEL_TransactionDetailItem]
[dbo].[SPx_SOSEL_TransactionSubstituteltemDetail]

 [dbo].[ERPx_ARPaymentReceiptProperty]

Columns

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity	Default
	PaymentReceiptPropertySK	bigint	8	NOT NULL	1 - 1	
	PropertyGroupDescription	varchar(200)	200	NOT NULL		
	PropertyName	varchar(50)	50	NOT NULL		
	PropertyDescription	varchar(200)	200	NOT NULL		
	PropertyDefinitionSK	bigint	8	NOT NULL		
	Sort	bigint	8	NOT NULL		
	LastUpdated	datetime	8	NOT NULL		(getdate())
	LastUser	varchar(150)	150	NOT NULL		
	DataEntityCompanySK	bigint	8	NOT NULL		
	IsReadOnly	bit	1	NOT NULL		((0))

Indexes

Key	Name	Key Columns	Unique
	PK_ERPx_ARPaymentReceiptProperty	PaymentReceiptPropertySK	True

Foreign Keys

Name	Columns
FK_ERPx_ARPaymentReceiptProperty_ERPx_MFData-EntityCompany	DataEntityCompanySK->[dbo].[ERPx_MFDataEntityCompany].[Data-EntityCompanySK]









Uses

[dbo].[ERPx_MFDataEntityCompany]



Used By

[dbo].[SPx_ARSEL_PaymentReceiptHeaderProperty]

[dbo].[ERPx_ARSettlementApplication]**Columns**

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity
 	SettlementApplicationSK	bigint	8	NOT NULL	1 - 1
	TransactionSK	bigint	8	NOT NULL	
	SettledFromTransactionSK	bigint	8	NOT NULL	
	SettledToTransactionSK	bigint	8	NOT NULL	
	ApplicationDate	datetime	8	NOT NULL	
	AppliedAmount	numeric(18,5)	9	NOT NULL	
	TakenDiscountAmount	numeric(18,5)	9	NOT NULL	
	TransactionStatusSK	bigint	8	NOT NULL	
	PreviousApplicationSK	bigint	8	NULL allowed	
	LastUpdated	datetime	8	NOT NULL	
	LastUser	varchar(150)	150	NOT NULL	
	DataEntityCompanySK	bigint	8	NOT NULL	
	WriteoffAmount	numeric(18,5)	9	NULL allowed	
	WriteoffAccountSK	bigint	8	NULL allowed	
	RebateAmount	numeric(18,5)	9	NULL allowed	

Indexes

Key	Name	Key Columns	Unique
 	PK_ERPx_ARSettlementApplication	SettlementApplicationSK	True
	IX_ERPx_ARSettlementApplication	SettledFromTransactionSK, SettledToTransactionSK, TransactionSK	True

Foreign Keys

Name	Columns
FK_ERPx_ARSettlementApplication_ERPx_ARSettlementApplicationTransaction	TransactionSK->[dbo].[ERPx_ARSettlementApplication-Transaction].[TransactionSK]
FK_ERPx_ARSettlementApplication_ERPx_ARSettlementTransaction	SettledFromTransactionSK->[dbo].[ERPx_ARSettlement-Transaction].[SettlementTransactionSK]
FK_ERPx_ARSettlementApplication_ERPx_ARSettlementTransaction1	SettledToTransactionSK->[dbo].[ERPx_ARSettlement-Transaction].[SettlementTransactionSK]
FK_ERPx_ARSettlementApplication_ERPx_ARTransactionStatus	TransactionStatusSK->[dbo].[ERPx_ARTransaction-Status].[TransactionStatusSK]
FK_ERPx_ARSettlementApplication_ERPx_GLAccount	WriteoffAccountSK->[dbo].[ERPx_GLAccount].[AccountSK]

FK_ERPx_ARSettlementApplication_ERPx_MFData-EntityCompany	DataEntityCompanySK->[dbo].[ERPx_MFDataEntityCompany].[Data-EntityCompanySK]
---	--





Uses

[dbo].[ERPx_ARSettlementApplicationTransaction]
 [dbo].[ERPx_ARSettlementTransaction]
 [dbo].[ERPx_ARTransactionStatus]
 [dbo].[ERPx_GLAccount]
 [dbo].[ERPx_MFDataEntityCompany]


Used By

[dbo].[FNx_GetDynamicRecordViewURL]
 [dbo].[FNx_GetTransactionAccounts]
 [dbo].[FNx_GetTransactionAmounts]
 [dbo].[IQx_ARSEL_ApplicationList]
 [dbo].[IQx_ARSEL_PaymentReceiptHistoryInquiry]
 [dbo].[IQx_GLSEL_JournalLineList]
 [dbo].[IQx_GLSEL_JournalList]
 [dbo].[IQx_MFSEL_ApplicationList]
 [dbo].[IQx_MFUpdate_VoidApplication]
 [dbo].[SPx_ARProcess_PaymentReceipt]
 [dbo].[SPx_ARProcess_PaymentReceipt_SettleRebates]
 [dbo].[SPx_ARSEL_ApplyCreditAndRebateHeader]
 [dbo].[SPx_ARSEL_ApplyDocumentsDetail]
 [dbo].[SPx_ARSEL_ApplyDocumentsHeader]
 [dbo].[SPx_ARSEL_ApplyDocumentsWriteOffGLAccountLookup]
 [dbo].[SPx_ARSEL_PaymentReceipt_ApplyDocumentsDetail]
 [dbo].[SPx_ARSEL_PaymentReceiptHeader]
 [dbo].[SPx_ARSEL_PaymentReceiptHeaderProperty]
 [dbo].[SPx_ARSEL_PaymentReceiptList]
 [dbo].[SPx_ARUpdate_ApplyDocuments]
 [dbo].[SPx_ARUpdate_PaymentReceiptList]
 [dbo].[SPx_ARUpdate_SettlementTransactionRollup]
 [dbo].[SPx_GLSEL_JournalDetailDetailLine]
 [dbo].[SPx_GLSEL_JournalDetailEntryLine]
 [dbo].[SPx_GLSEL_JournalDetailHeader]
 [dbo].[SPx_MFProcess_ApplyDocuments]
 [dbo].[SPx_MFSEL_CashReceiptARList]
 [dbo].[SPx_MFSEL_CashReceiptHeader]
 [dbo].[SPx_MFSEL_VoidTransactionApplicationList]
 [dbo].[SPx_MFSEL_VoidTransactionHeader]
 [dbo].[SPx_MFUpdate_ApplyDocumentRecord]
 [dbo].[SPx_MFUpdate_CashReceipt]
 [dbo].[SPx_MFUpdate_JournalDetails]
 [dbo].[SPx_MFUpdate_VoidTransaction]

[dbo].[ERPx_ARSettlementApplicationTransaction]**Columns**

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity
	TransactionSK	bigint	8	NOT NULL	1 - 1
	TransactionClassSK	bigint	8	NOT NULL	
	TransactionID	varchar(50)	50	NOT NULL	
	LastUpdated	datetime	8	NOT NULL	
	LastUser	varchar(150)	150	NOT NULL	
	DataEntityCompanySK	bigint	8	NOT NULL	

Indexes

Key	Name	Key Columns	Unique
	PK_ERPx_ARSettlementApplicationTransaction	TransactionSK	True
	IX_ERPx_ARSettlementApplicationTransaction	TransactionID, DataEntityCompanySK	True

Foreign Keys

Name	Columns
FK_ERPx_ARSettlementApplicationTransaction_ERPx_ARTransactionClass	TransactionClassSK->[dbo].[ERPx_ARTransactionClass].[TransactionClassSK]
FK_ERPx_ARSettlementApplicationTransaction_ERPx_MFDataEntityCompany	DataEntityCompanySK->[dbo].[ERPx_MFDataEntityCompany].[DataEntityCompanySK]

Uses







[dbo].[ERPx_ARTransactionClass]
 [dbo].[ERPx_MFDataEntityCompany]

Used By


[dbo].[ERPx_ARSettlementApplication]
 [dbo].[SPx_MFProcess_ApplyDocuments]

 [dbo].[ERPx_ARSettlementTransaction]

Columns

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity	Default
	SettlementTransactionSK	bigint	8	NOT NULL	1 - 1	
	SourceModuleSK	bigint	8	NOT NULL		
	SourceTransactionTypeSK	bigint	8	NOT NULL		
	SourceTransactionSK	bigint	8	NOT NULL		
	SettleToEntityTypeEN	bigint	8	NOT NULL		
	SettleToEntitySK	bigint	8	NOT NULL		
	AmountToSettle	numeric(18,5)	9	NOT NULL		
	TakenDiscountAmount	numeric(18,5)	9	NOT NULL		
	AppliedAmount	numeric(18,5)	9	NOT NULL		
	RemainingAmount	numeric(18,5)	9	NOT NULL		
	DoesCustomerOwe	bit	1	NOT NULL		
	IsFullySettled	bit	1	NOT NULL		
	FullySettledOn	datetime	8	NULL allowed		
	LastUpdated	datetime	8	NOT NULL		
	LastUser	varchar(150)	150	NOT NULL		
	DataEntityCompanySK	bigint	8	NOT NULL		
	AvailableDiscountamount	numeric(18,5)	9	NOT NULL		((0))
	WriteoffAmount	numeric(18,5)	9	NULL allowed		
	CurrencySK	bigint	8	NULL allowed		

Indexes

Key	Name	Key Columns	Unique
	PK_ERPx_ARSettlementTransaction	SettlementTransactionSK	True
	IX_ERPx_ARSettlementTransaction	SourceModuleSK, SourceTransactionSK, SourceTransactionTypeSK	True

Foreign Keys

Name	Columns
FK_ERPx_ARSettlementTransaction_ERPx_MFCurrency_CurrencySK	CurrencySK->[dbo].[ERPx_MFCurrency].[CurrencySK]
FK_ERPx_ARSettlementTransaction_ERPx_MFData-EntityCompany	DataEntityCompanySK->[dbo].[ERPx_MFDataEntityCompany].[Data-EntityCompanySK]

FK_ERPx_ARSettlementTransaction_ERPx_MFModule	SourceModuleSK->[dbo].[ERPx_MFModule].[ModuleSK]
---	--

Uses




[dbo].[ERPx_MFCurrency]
 [dbo].[ERPx_MFDataEntityCompany]
 [dbo].[ERPx_MFModule]

Used By

[dbo].[ERPx_ARSettlementApplication]
 [dbo].[FNx_GetCustomerBalance]
 [dbo].[FNx_GetDynamicRecordViewURL]
 [dbo].[FNx_GetTransactionAccounts]
 [dbo].[FNx_GetTransactionAmounts]
 [dbo].[IQx_ARSEL_ApplicationList]
 [dbo].[IQx_ARSEL_CustomerHistory]
 [dbo].[IQx_ARSEL_PaymentReceiptHistoryInquiry]
 [dbo].[IQx_MFSEL_ApplicationList]
 [dbo].[IQx_MFUpdate_VoidApplication]
 [dbo].[SPx_ARINS_SettlementTransaction]
 [dbo].[SPx_ARInsert_CustomerSaleCashReceipt]
 [dbo].[SPx_ARMerge_CustomerAndAddress]
 [dbo].[SPx_ARProcess_Customer]
 [dbo].[SPx_ARProcess_PaymentReceipt]
 [dbo].[SPx_ARProcess_PaymentReceipt_SettleRebates]
 [dbo].[SPx_ARProcess_RefreshAvgDaysToPay]
 [dbo].[SPx_ARSEL_ApplyCreditAndRebateDetail]
 [dbo].[SPx_ARSEL_ApplyCreditAndRebateHeader]
 [dbo].[SPx_ARSEL_ApplyDocumentList]
 [dbo].[SPx_ARSEL_ApplyDocumentsDetail]
 [dbo].[SPx_ARSEL_ApplyDocumentsHeader]
 [dbo].[SPx_ARSEL_CustomerBalanceList]
 [dbo].[SPx_ARSEL_PaymentReceipt_ApplyDocumentsDetail]
 [dbo].[SPx_ARSEL_PaymentReceiptHeader]
 [dbo].[SPx_ARSEL_PaymentReceiptHeaderProperty]
 [dbo].[SPx_ARSEL_PaymentReceiptList]
 [dbo].[SPx_ARSEL_TransactionHeader]
 [dbo].[SPx_ARUpdate_ApplyDocuments]
 [dbo].[SPx_ARUpdate_CustomerList]
 [dbo].[SPx_ARUpdate_PaymentReceiptList]
 [dbo].[SPx_ARUpdate_SettlementTransactionRollup]
 [dbo].[SPx_GLSEL_JournalDetailDetailLine]
 [dbo].[SPx_GLSEL_JournalDetailEntryLine]
 [dbo].[SPx_GLSEL_JournalDetailHeader]
 [dbo].[SPx_MFProcess_ApplyDocuments]
 [dbo].[SPx_MFSEL_CashReceiptARList]
 [dbo].[SPx_MFSEL_CashReceiptHeader]
 [dbo].[SPx_MFSEL_VoidTransactionApplicationList]
 [dbo].[SPx_MFSEL_VoidTransactionHeader]
 [dbo].[SPx_MFUpdate_ApplyDocumentRecord]
 [dbo].[SPx_MFUpdate_CashReceipt]

[dbo].[SPx_MFUpdate_JournalDetails]
[dbo].[SPx_MFUpdate_MassUpdate]
[dbo].[SPx_MFUpdate_VoidTransaction]
[dbo].[SPx_SPSEL_ProcessSettlementBatchItems]

[dbo].[ERPx_ARTransactionAttributes]**Columns**

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity
	TransactionAttributeSK	bigint	8	NOT NULL	1 - 1
	TransactionHeaderSK	bigint	8	NOT NULL	
	AttributeSK	bigint	8	NOT NULL	
	AttributeValue	varchar(200)	200	NULL allowed	
	DataEntityCompanySK	bigint	8	NOT NULL	

Indexes

Key	Name	Key Columns	Unique
	PK_ERPx_ARTransactionAttributes	TransactionAttributeSK	True
	UK_ERPx_ARTransactionAttributes_TransasctionHeaderSK_AttributeSK	TransactionHeaderSK, AttributeSK	True

Foreign Keys

Name	No Check	Columns
FK_ERPx_ARTransactionAttributes_ERPx_ARTransactionHeader	True	TransactionHeaderSK->[dbo].[ERPx_ARTransactionHeader].[TransactionHeaderSK]
FK_ERPx_ARTransactionAttributes_ERPx_MFAttribute		AttributeSK->[dbo].[ERPx_MFAttribute].[AttributeSK]





Uses

[dbo].[ERPx_ARTransactionHeader]
[dbo].[ERPx_MFAttribute]


Used By

[dbo].[FNx_ARSaleInvoiceAttributeValues]
[dbo].[SPx_ARProcess_Transaction]
[dbo].[SPx_ARSEL_TransactionHeaderAttributeList]
[dbo].[SPx_MFDEL_Attribute]
[dbo].[SPx_MFUpdate_MassUpdate]

[dbo].[ERPx_ARTransactionClass]**Columns**

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity
 PK	TransactionClassSK	bigint	8	NOT NULL	1 - 1
 FK	TransactionTypeSK	bigint	8	NOT NULL	
 FK	TransactionClassID	varchar(50)	50	NOT NULL	
	TransactionClassDescription	varchar(200)	200	NOT NULL	
	DocPrefix	varchar(10)	10	NULL allowed	
	NextDocNumber	bigint	8	NULL allowed	
	IntegratesToHostAs	varchar(50)	50	NULL allowed	
	IntegrationMethodEN	bigint	8	NULL allowed	
	VisibleInInterface	bit	1	NULL allowed	
	LastUpdated	datetime	8	NOT NULL	
	LastUser	varchar(150)	150	NOT NULL	
 FK	DataEntityCompanySK	bigint	8	NOT NULL	

Indexes

Key	Name	Key Columns	Unique
 PK	PK_ERPx_ARTransactionClass	TransactionClassSK	True
	UK_ERPx_ARTransactionClass	TransactionClassID, DataEntityCompanySK, TransactionTypeSK	True

Foreign Keys

Name	Columns
FK_ERPx_ARTransactionClass_ERPx_ARTransactionType	TransactionTypeSK->[dbo].[ERPx_ARTransactionType].[TransactionTypeSK]
FK_ERPx_ARTransactionClass_ERPx_MFDataEntityCompany	DataEntityCompanySK->[dbo].[ERPx_MFDataEntityCompany].[DataEntityCompanySK]

Uses

[dbo].[ERPx_ARTransactionType]
[dbo].[ERPx_MFDataEntityCompany]

Used By













[dbo].[ERPx_ARSettlementApplicationTransaction]
[dbo].[ERPx_ARTransactionHeader]




[dbo].[FNx_GetCustomerBalance]
[dbo].[FNx_GetTransactionAccounts]
[dbo].[FNx_GetTransactionAmounts]
[dbo].[IQx_APSEL_SaleLineList]
[dbo].[IQx_ARSEL_CustomerHistory]
[dbo].[IQx_ARSEL_PaymentReceiptHistoryInquiry]
[dbo].[IQx_ARSEL_SaleInvoiceLineList]
[dbo].[IQx_ARSEL_SaleInvoiceList]
[dbo].[IQx_ARSEL_TransactionDetail]
[dbo].[IQx_EmployeeDeductions]
[dbo].[RPx_SettlementBalancesSummary]
[dbo].[SPx_ARINS_SettlementTransaction]
[dbo].[SPx_ARInsert_CustomerSaleCashReceipt]
[dbo].[SPx_ARProcess_Customer]
[dbo].[SPx_ARProcess_PaymentReceipt]
[dbo].[SPx_ARProcess_PaymentReceipt_SettleRebates]
[dbo].[SPx_ARProcess_RefreshAvgDaysToPay]
[dbo].[SPx_ARProcess_Transaction]
[dbo].[SPx_ARSEL_ApplyCreditAndRebateDetail]
[dbo].[SPx_ARSEL_ApplyCreditAndRebateHeader]
[dbo].[SPx_ARSEL_ApplyDocumentList]
[dbo].[SPx_ARSEL_ApplyDocumentsDetail]
[dbo].[SPx_ARSEL_ApplyDocumentsHeader]
[dbo].[SPx_ARSEL_CustomerBalanceList]
[dbo].[SPx_ARSEL_PaymentReceipt_ApplyDocumentsDetail]
[dbo].[SPx_ARSEL_PaymentReceiptHeader]
[dbo].[SPx_ARSEL_PaymentReceiptHeaderProperty]
[dbo].[SPx_ARSEL_PaymentReceiptList]
[dbo].[SPx_ARSEL_SaleInvoiceLineList]
[dbo].[SPx_ARSEL_SaleInvoiceList]
[dbo].[SPx_ARSEL_TransactionHeader]
[dbo].[SPx_ARSEL_TransactionHeaderAttributeList]
[dbo].[SPx_ARSEL_TransactionHeaderProperties]
[dbo].[SPx_ARSEL_TransactionList]
[dbo].[SPx_ARSEL_TransactionNewButtonLookup]
[dbo].[SPx_ARSEL_TransactionSoldToLookup]
[dbo].[SPx_ARUpdate_ApplyDocuments]
[dbo].[SPx_ARUpdate_CustomerList]
[dbo].[SPx_ARUpdate_PaymentReceipt]
[dbo].[SPx_ARUpdate_PaymentReceiptList]
[dbo].[SPx_ARUpdate_Transaction]
[dbo].[SPx_GLProcess_CheckbookTransaction]
[dbo].[SPx_GLSEL_CheckbookTransactionDepositDetails]
[dbo].[SPx_GLSEL_JournalDetailDetailLine]
[dbo].[SPx_GLSEL_JournalDetailEntryLine]
[dbo].[SPx_GLSEL_JournalDetailHeader]
[dbo].[SPx_GLUpdate_CheckbookList]
[dbo].[SPx_INTEG_AREmployeeDeduction]
[dbo].[SPx_INTEG_GPARInvoiceOutbound]
[dbo].[SPx_MFDEL_DeleteCompany]
[dbo].[SPx_MFProcess_ApplyDocuments]
[dbo].[SPx_MFSEL_CashReceiptARList]
[dbo].[SPx_MFSEL_CashReceiptHeader]

[dbo].[SPx_MFSEL_ListViewNewButtonLookup]
[dbo].[SPx_MFSEL_SPPreferences]
[dbo].[SPx_MFSEL_VoidTransactionApplicationList]
[dbo].[SPx_MFSEL_VoidTransactionHeader]
[dbo].[SPx_MFUpdate_CashReceipt]
[dbo].[SPx_MFUpdate_JournalDetails]
[dbo].[SPx_MFUpdate_MassUpdate]
[dbo].[SPx_MFUpdate_VoidTransaction]


 [dbo].[ERPx_ARTransactionHeader]

Columns

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity	Default
	TransactionHeaderSK	bigint	8	NOT NULL	1 - 1	
	TransactionClassSK	bigint	8	NOT NULL		
	TransactionID	varchar(25)	25	NOT NULL		
	TransactionDate	datetime	8	NOT NULL		
	CustomerSK	bigint	8	NOT NULL		
	DocNumber	varchar(50)	50	NULL allowed		
	PurchaseOrderID	varchar(50)	50	NULL allowed		
	Description	varchar(60)	60	NULL allowed		
	TransactionStatusSK	bigint	8	NOT NULL		
	PaymentTermSK	bigint	8	NULL allowed		
	CurrencySK	bigint	8	NULL allowed		
	ExtendedAmount	numeric(18,5)	9	NULL allowed		
	LastUpdated	datetime	8	NOT NULL		
	LastUser	varchar(150)	150	NOT NULL		
	DataEntityCompanySK	bigint	8	NOT NULL		
	PmtCash	numeric(18,5)	9	NULL allowed		
	PmtCheck	numeric(18,5)	9	NULL allowed		
	PmtCard	numeric(18,5)	9	NULL allowed		
	PmtCashCheckbookSK	bigint	8	NULL allowed		
	PmtCheckCheckbookSK	bigint	8	NULL allowed		
	PmtCardCheckbookSK	bigint	8	NULL allowed		
	PmtCashReference	varchar(150)	150	NULL allowed		
	PmtCheckReference	varchar(150)	150	NULL allowed		
	PmtCardReference	varchar(150)	150	NULL allowed		
	TaxClassSK	bigint	8	NULL allowed		
	TaxableAmount	numeric(18,5)	9	NULL allowed		
	TaxedAmount	numeric(18,5)	9	NULL allowed		
	PayrollDeductionCodeSK	bigint	8	NULL allowed		
	CreatedDate	datetime	8	NULL allowed		
	CreatedBy	varchar(150)	150	NULL allowed		
	PostedDate	datetime	8	NULL allowed		
	CashReceiptTypeEN	bigint	8	NULL allowed		

	CheckbookSK	bigint	8	NULL allowed		
	DueDate	datetime	8	NULL allowed		
	DiscountDate	datetime	8	NULL allowed		
	GLDate	date	3	NULL allowed		
	Version	bigint	8	NOT NULL		((1))
	PreviousVersionTransactionHeaderSK	bigint	8	NULL allowed		
	PriceListHeaderSK	bigint	8	NULL allowed		
	SourceModuleSK	bigint	8	NULL allowed		
	SourceTransactionTypeSK	bigint	8	NULL allowed		
	SourceTransactionSK	bigint	8	NULL allowed		

Indexes

Key	Name	Key Columns	Unique
	PK_ERPx_ARTransactionHeader	TransactionHeaderSK	True
	IX_ERPx_ARTransactionHeader	TransactionID, DataEntityCompanySK, Version	True

Foreign Keys

Name	Columns
FK_ERPx_ARTransactionHeader_ERPx_ARCustomer	CustomerSK->[dbo].[ERPx_ARCustomer].[CustomerSK]
FK_ERPx_ARTransactionHeader_ERPx_ARTransactionClass	TransactionClassSK->[dbo].[ERPx_ARTransactionClass].[TransactionClassSK]
FK_ERPx_ARTransactionHeader_ERPx_ARTransactionStatus	TransactionStatusSK->[dbo].[ERPx_ARTransactionStatus].[TransactionStatusSK]
FK_ERPx_ARTransactionHeader_ERPx_MFCheckbook	PmtCashCheckbookSK->[dbo].[ERPx_MFCheckbook].[CheckbookSK]
FK_ERPx_ARTransactionHeader_ERPx_MFCheckbook1	CheckbookSK->[dbo].[ERPx_MFCheckbook].[CheckbookSK]
FK_ERPx_ARTransactionHeader_ERPx_MFCheckbook2	PmtCheckCheckbookSK->[dbo].[ERPx_MFCheckbook].[CheckbookSK]
FK_ERPx_ARTransactionHeader_ERPx_MFCheckbook3	PmtCheckCheckbookSK->[dbo].[ERPx_MFCheckbook].[CheckbookSK]
FK_ERPx_ARTransactionHeader_ERPx_MFCurrency	CurrencySK->[dbo].[ERPx_MFCurrency].[CurrencySK]
FK_ERPx_ARTransactionHeader_ERPx_MFDataEntityCompany	DataEntityCompanySK->[dbo].[ERPx_MFDataEntityCompany].[DataEntityCompanySK]
FK_ERPx_ARTransactionHeader_ERPx_MFPaymentTerms	PaymentTermSK->[dbo].[ERPx_MFPaymentTerms].[PaymentTermSK]
FK_ERPx_ARTransactionHeader_ERPx_MFPriceListHeader	PriceListHeaderSK->[dbo].[ERPx_MFPriceListHeader].[PriceListHeaderSK]
FK_ERPx_ARTransactionHeader_ERPx_MFTaxClass	TaxClassSK->[dbo].[ERPx_MFTaxClass].[TaxClassSK]
FK_ERPx_ARTransactionHeader_ERPx_PRCCode	PayrollDeductionCodeSK->[dbo].[ERPx_PRCCode].[CodeSK]

Uses





[dbo].[ERPx_ARCustomer]
[dbo].[ERPx_ARTransactionClass]
[dbo].[ERPx_ARTransactionStatus]
[dbo].[ERPx_MFCheckbook]
[dbo].[ERPx_MFCurrency]
[dbo].[ERPx_MFDataEntityCompany]
[dbo].[ERPx_MFPaymentTerms]
[dbo].[ERPx_MFPriceListHeader]
[dbo].[ERPx_MFTaxClass]
[dbo].[ERPx_PRCODE]

Used By

[dbo].[ERPx_ARTransactionAttributes]
[dbo].[ERPx_ARTransactionHeaderNote]
[dbo].[ERPx_ARTransactionLine]
[dbo].[ERPx_MFAttribute_ARTransactionHeader]
[dbo].[ERPx_MFCheckbookDetail]
[dbo].[FNx_GetCustomerBalance]
[dbo].[FNx_GetTransactionAccounts]
[dbo].[FNx_GetTransactionAmounts]
[dbo].[IQx_APSEL_SaleLineList]
[dbo].[IQx_ARSEL_ApplicationList]
[dbo].[IQx_ARSEL_CustomerHistory]
[dbo].[IQx_ARSEL_PaymentReceiptHistoryInquiry]
[dbo].[IQx_ARSEL_SaleInvoiceLineList]
[dbo].[IQx_ARSEL_SaleInvoiceList]
[dbo].[IQx_ARSEL_TransactionDetail]
[dbo].[IQx_EmployeeDeductions]
[dbo].[IQx_MFSEL_ApplicationList]
[dbo].[IQx_MFUpdate_VoidApplication]
[dbo].[RPx_SettlementBalancesSummary]
[dbo].[SPx_ARINS_SettlementTransaction]
[dbo].[SPx_ARInsert_CustomerSaleCashReceipt]
[dbo].[SPx_ARMerge_CustomerAndAddress]
[dbo].[SPx_ARProcess_Customer]
[dbo].[SPx_ARProcess_PaymentReceipt]
[dbo].[SPx_ARProcess_PaymentReceipt_SettleRebates]
[dbo].[SPx_ARProcess_RefreshAvgDaysToPay]
[dbo].[SPx_ARProcess_Transaction]
[dbo].[SPx_ARSEL_ApplyCreditAndRebateDetail]
[dbo].[SPx_ARSEL_ApplyCreditAndRebateHeader]
[dbo].[SPx_ARSEL_ApplyDocumentList]
[dbo].[SPx_ARSEL_ApplyDocumentsDetail]
[dbo].[SPx_ARSEL_ApplyDocumentsHeader]
[dbo].[SPx_ARSEL_CustomerBalanceList]
[dbo].[SPx_ARSEL_CustomerSalePriceListLookup]
[dbo].[SPx_ARSEL_PaymentReceipt_ApplyDocumentsDetail]
[dbo].[SPx_ARSEL_PaymentReceiptAccountLookup]

[dbo].[SPx_ARSEL_PaymentReceiptCheckbookLookup]
[dbo].[SPx_ARSEL_PaymentReceiptCurrency]
[dbo].[SPx_ARSEL_PaymentReceiptHeader]
[dbo].[SPx_ARSEL_PaymentReceiptHeaderProperty]
[dbo].[SPx_ARSEL_PaymentReceiptList]
[dbo].[SPx_ARSEL_PaymentReceiptTransactionStatusLookup]
[dbo].[SPx_ARSEL_SaleInvoiceLineList]
[dbo].[SPx_ARSEL_SaleInvoiceList]
[dbo].[SPx_ARSEL_TaxClassLookup]
[dbo].[SPx_ARSEL_TransactionHeader]
[dbo].[SPx_ARSEL_TransactionHeaderAttributeList]
[dbo].[SPx_ARSEL_TransactionHeaderProperties]
[dbo].[SPx_ARSEL_TransactionLine]
[dbo].[SPx_ARSEL_TransactionLineNew]
[dbo].[SPx_ARSEL_TransactionList]
[dbo].[SPx_ARSEL_TransactionPaymentDetail]
[dbo].[SPx_ARSEL_TransactionPaymentTermsLookup]
[dbo].[SPx_ARSEL_TransactionSoldToLookup]
[dbo].[SPx_ARSEL_TransactionStatusLookup]
[dbo].[SPx_ARUPD_TransactionHeaderRollup]
[dbo].[SPx_ARUpdate_ApplyDocuments]
[dbo].[SPx_ARUpdate_CustomerList]
[dbo].[SPx_ARUpdate_PaymentReceipt]
[dbo].[SPx_ARUpdate_PaymentReceiptList]
[dbo].[SPx_ARUpdate_SaleInvoiceList]
[dbo].[SPx_ARUpdate_TransactionList]
[dbo].[SPx_GLProcess_CheckbookTransaction]
[dbo].[SPx_GLSEL_CheckbookTransactionDepositDetails]
[dbo].[SPx_GLSEL_JournalDetailDetailLine]
[dbo].[SPx_GLSEL_JournalDetailEntryLine]
[dbo].[SPx_GLSEL_JournalDetailHeader]
[dbo].[SPx_GLUUpdate_CheckbookList]
[dbo].[SPx_GLUUpdate_FiscalYear]
[dbo].[SPx_GLUUpdate_FiscalYearList]
[dbo].[SPx_INTEG_AREmployeeDeduction]
[dbo].[SPx_INTEG_GPARInvoiceOutbound]
[dbo].[SPx_MFDEL_DeleteCompany]
[dbo].[SPx_MFSEL_CashReceiptARList]
[dbo].[SPx_MFSEL_CashReceiptHeader]
[dbo].[SPx_MFSEL_CashReceiptTransactionStatusLookup]
[dbo].[SPx_MFSEL_VoidTransactionApplicationList]
[dbo].[SPx_MFSEL_VoidTransactionHeader]
[dbo].[SPx_MFUpdate_ApplyDocumentRecord]
[dbo].[SPx_MFUpdate_CashReceipt]
[dbo].[SPx_MFUpdate_JournalDetails]
[dbo].[SPx_MFUpdate_MassUpdate]
[dbo].[SPx_MFUpdate_PaymentTermList]
[dbo].[SPx_MFUpdate_PriceList]
[dbo].[SPx_MFUpdate_PriceListList]
[dbo].[SPx_MFUpdate_TaxClass]
[dbo].[SPx_MFUpdate_TaxClassList]
[dbo].[SPx_MFUpdate_TransactionTax]
[dbo].[SPx_MFUpdate_VoidTransaction]

[dbo].[ERPx_ARTransactionHeaderNote]**Columns**

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity	Default
	TransactionHeaderNoteSK	bigint	8	NOT NULL	1 - 1	
	TransactionHeaderSK	bigint	8	NOT NULL		
	NoteTypeSK	bigint	8	NOT NULL		
	Note	varchar(max)	max	NOT NULL		
	NoteHTML	varchar(max)	max	NULL allowed		
	LastUpdated	datetime	8	NOT NULL		(getdate())
	LastUser	varchar(150)	150	NOT NULL		
	DataEntityCompanySK	bigint	8	NOT NULL		

Indexes

Key	Name	Key Columns	Unique
	PK_ERPx_ARTransactionHeaderNote	TransactionHeaderNoteSK	True

Foreign Keys

Name	Columns
FK_ERPx_ARTransactionHeaderNote_ERPx_ARTransactionHeader	TransactionHeaderSK->[dbo].[ERPx_ARTransactionHeader].[TransactionHeaderSK]
FK_ERPx_ARTransactionHeaderNote_ERPx_MFDataEntityCompany	DataEntityCompanySK->[dbo].[ERPx_MFDataEntityCompany].[DataEntityCompanySK]
FK_ERPx_ARTransactionHeaderNote_ERPx_MFNoteType	NoteTypeSK->[dbo].[ERPx_MFNoteType].[NoteTypeSK]

Uses








[dbo].[ERPx_ARTransactionHeader]
 [dbo].[ERPx_MFDataEntityCompany]
 [dbo].[ERPx_MFNoteType]

Used By

[dbo].[SPx_ARProcess_PaymentReceipt]
 [dbo].[SPx_MFManage_NoteAssignment]
 [dbo].[SPx_MFSEL_NoteList]
 [dbo].[SPx_MFUpdate_VoidTransaction]

 [dbo].[ERPx_ARTransactionLine]

Columns

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity
	TransactionLineSK	bigint	8	NOT NULL	1 - 1
	TransactionHeaderSK	bigint	8	NOT NULL	
	ItemSK	bigint	8	NULL allowed	
	ItemDescription	varchar(200)	200	NULL allowed	
	AccountSK	bigint	8	NULL allowed	
	Quantity	numeric(18,5)	9	NOT NULL	
	QuantityUOMSK	bigint	8	NULL allowed	
	Price	numeric(18,5)	9	NOT NULL	
	ExtendedAmount	numeric(18,5)	9	NOT NULL	
	PayrollDeductionCodeSK	bigint	8	NULL allowed	
	LastUpdated	datetime	8	NOT NULL	
	LastUser	varchar(150)	150	NOT NULL	
	DataEntityCompanySK	bigint	8	NOT NULL	
	Taxable	bit	1	NULL allowed	
	ItemTypeSK	bigint	8	NULL allowed	
	SourceTransactionSK	bigint	8	NULL allowed	
	SourceTransactionTypeEN	bigint	8	NULL allowed	
	PriceListItemSK	bigint	8	NULL allowed	
	PriceListPrice	numeric(18,5)	9	NULL allowed	
	Reference	varchar(150)	150	NULL allowed	

Indexes

Key	Name	Key Columns	Unique
	PK_ERPx_ARTransactionLine	TransactionLineSK	True

Foreign Keys

Name	Columns
FK_ERPx_ARTransactionLine_ERPx_ARTransactionHeader	TransactionHeaderSK->[dbo].[ERPx_ARTransactionHeader].[TransactionHeaderSK]
FK_ERPx_ARTransactionLine_ERPx_ARTransactionLine	TransactionLineSK->[dbo].[ERPx_ARTransactionLine].[TransactionLineSK]

FK_ERPx_ARTransactionLine_ERPx_GLAaccount	AccountSK->[dbo].[ERPx_GLAaccount].[AccountSK]
FK_ERPx_ARTransactionLine_ERPx_IMItemtype	ItemtypeSK->[dbo].[ERPx_IMItemtype].[ItemtypeSK]
FK_ERPx_ARTransactionLine_ERPx_IMUOM	QuantityUOMSK->[dbo].[ERPx_IMUOM].[UOMSK]
FK_ERPx_ARTransactionLine_ERPx_MFDataEntity-Company	DataEntityCompanySK->[dbo].[ERPx_MFDataEntityCompany].[DataEntity-CompanySK]
FK_ERPx_ARTransactionLine_ERPx_MFPriceList-Item	PriceListItemSK->[dbo].[ERPx_MFPriceListItem].[PriceListItemSK]



Uses

[dbo].[ERPx_ARTransactionHeader]
[dbo].[ERPx_GLAaccount]
[dbo].[ERPx_IMItemtype]
[dbo].[ERPx_IMUOM]
[dbo].[ERPx_MFDataEntityCompany]
[dbo].[ERPx_MFPriceListItem]


Used By

[dbo].[FNx_GetTransactionAccounts]
[dbo].[FNx_GetTransactionAmounts]
[dbo].[IQx_APSEL_SaleLineList]
[dbo].[IQx_ARSEL_SaleInvoiceLineList]
[dbo].[IQx_ARSEL_TransactionDetail]
[dbo].[SPx_ARProcess_PaymentReceipt_SettleRebates]
[dbo].[SPx_ARProcess_Transaction]
[dbo].[SPx_ARSEL_SaleInvoiceLineList]
[dbo].[SPx_ARSEL_TransactionAccountLookup]
[dbo].[SPx_ARSEL_TransactionItemLookup]
[dbo].[SPx_ARSEL_TransactionLine]
[dbo].[SPx_ARSEL_TransactionLineNew]
[dbo].[SPx_ARSEL_TransactionUOMLookup]
[dbo].[SPx_ARUPD_TransactionHeaderRollup]
[dbo].[SPx_INTEG_GPARInvoiceOutbound]
[dbo].[SPx_MFDEL_DeleteCompany]
[dbo].[SPx_MFUpdate_JournalDetails]
[dbo].[SPx_MFUpdate_MassUpdate]
[dbo].[SPx_MFUpdate_PriceList]
[dbo].[SPx_MFUpdate_TransactionTax]
[dbo].[SPx_MFUpdate_VoidTransaction]

[dbo].[ERPx_ARTransactionStatus]**Columns**

Key	Name	Data Type	Max Length (Bytes)	Nullability
	TransactionStatusSK	bigint	8	NOT NULL
	StatusName	varchar(200)	200	NOT NULL
	Sort	int	4	NOT NULL




Indexes

Key	Name	Key Columns	Unique
	PK_ERPx_ARTransactionStatus	TransactionStatusSK	True
	IX_ERPx_ARTransactionStatus	StatusName	True

Used By

[dbo].[ERPx_ARSettlementApplication]
 [dbo].[ERPx_ARTransactionHeader]
 [dbo].[IQx_APSEL_SaleLineList]
 [dbo].[IQx_ARSEL_CustomerHistory]
 [dbo].[IQx_ARSEL_PaymentReceiptHistoryInquiry]
 [dbo].[IQx_ARSEL_SaleInvoiceLineList]
 [dbo].[IQx_ARSEL_SaleInvoiceList]
 [dbo].[IQx_ARSEL_TransactionDetail]
 [dbo].[IQx_EmployeeDeductions]
 [dbo].[SPx_ARSEL_PaymentReceiptList]
 [dbo].[SPx_ARSEL_PaymentReceiptTransactionStatusLookup]
 [dbo].[SPx_ARSEL_SaleInvoiceLineList]
 [dbo].[SPx_ARSEL_SaleInvoiceList]
 [dbo].[SPx_ARSEL_TransactionHeader]
 [dbo].[SPx_ARSEL_TransactionLine]
 [dbo].[SPx_ARSEL_TransactionList]
 [dbo].[SPx_ARSEL_TransactionStatusLookup]
 [dbo].[SPx_ARUpdate_TransactionList]
 [dbo].[SPx_INTEG_UpdatePostedARTransactionsFromGP]
 [dbo].[SPx_MFSEL_CashReceiptTransactionStatusLookup]

[dbo].[ERPx_ARTransactionType]**Columns**

Key	Name	Data Type	Max Length (Bytes)	Nullability
	TransactionTypeSK	bigint	8	NOT NULL
	TransactionName	varchar(200)	200	NOT NULL
	Sort	int	4	NULL allowed
	RecordViewName	varchar(50)	50	NULL allowed
	TransactionAbbreviation	varchar(25)	25	NULL allowed
	OrderTypeSK	bigint	8	NULL allowed

Indexes

Key	Name	Key Columns	Unique
	PK_ERPx_ARTransactionType	TransactionTypeSK	True
	UK_ERPx_ARTransactionType	TransactionName	True

Foreign Keys

Name	Columns
FK_ERPx_ARTransactionType_ERPx_SOOrderType	OrderTypeSK->[dbo].[ERPx_SOOrderType].[OrderTypeSK]

Uses







[dbo].[ERPx_SOOrderType]

Used By


[dbo].[ERPx_ARTransactionClass]
 [dbo].[FNx_GetCustomerBalance]
 [dbo].[FNx_GetDynamicRecordViewURL]
 [dbo].[FNx_GetTransactionAccounts]
 [dbo].[FNx_GetTransactionAmounts]
 [dbo].[FNx_GetTransactionRecordViewURL]
 [dbo].[IQx_APSEL_SaleLineList]
 [dbo].[IQx_ARSEL_ApplicationList]
 [dbo].[IQx_ARSEL_CustomerHistory]
 [dbo].[IQx_ARSEL_SaleInvoiceList]
 [dbo].[IQx_Billing]
 [dbo].[IQx_EmployeeDeductions]
 [dbo].[IQx_MFSEL_ApplicationList]

[dbo].[IQx_SOSEL_ShipmentHistory]
[dbo].[SPx_ARINS_SettlementTransaction]
[dbo].[SPx_ARProcess_PaymentReceipt]
[dbo].[SPx_ARProcess_RefreshAvgDaysToPay]
[dbo].[SPx_ARProcess_Transaction]
[dbo].[SPx_ARSEL_ApplyCreditAndRebateDetail]
[dbo].[SPx_ARSEL_ApplyCreditAndRebateHeader]
[dbo].[SPx_ARSEL_ApplyDocumentList]
[dbo].[SPx_ARSEL_ApplyDocumentsDetail]
[dbo].[SPx_ARSEL_ApplyDocumentsHeader]
[dbo].[SPx_ARSEL_CustomerBalanceList]
[dbo].[SPx_ARSEL_PaymentReceipt_ApplyDocumentsDetail]
[dbo].[SPx_ARSEL_SaleInvoiceLineList]
[dbo].[SPx_ARSEL_SaleInvoiceList]
[dbo].[SPx_ARSEL_TransactionList]
[dbo].[SPx_ARUpdate_ApplyDocuments]
[dbo].[SPx_ARUpdate_PaymentReceipt]
[dbo].[SPx_ARUpdate_SettlementTransactionRollup]
[dbo].[SPx_GLSEL_JournalDetailDetailLine]
[dbo].[SPx_GLSEL_JournalDetailEntryLine]
[dbo].[SPx_GLSEL_JournalDetailHeader]
[dbo].[SPx_INTEG_GPGLJournal]
[dbo].[SPx_INTEG_GPSOInvoice]
[dbo].[SPx_MFDEL_DeleteCompany]
[dbo].[SPx_MFSEL_CashReceiptARList]
[dbo].[SPx_MFSEL_ListViewNewButtonLookup]
[dbo].[SPx_MFSEL_VoidTransactionApplicationList]
[dbo].[SPx_MFSEL_VoidTransactionHeader]
[dbo].[SPx_MFUpdate_JournalDetails]
[dbo].[SPx_MFUpdate_MassUpdate]
[dbo].[SPx_SOPProcess_Transaction]
[dbo].[SPx_SOSEL_TransactionHeaderHome]
[dbo].[SPx_SPPProcess_SettlementBatch]
[dbo].[SPx_SPSEL_BrokerActivity]
[dbo].[SPx_SPSEL_ProcessSettlementsList]
[dbo].[SPx_SPSEL_ProgramList_Balances]
[dbo].[VWx_MFSysAccountingRule]

[dbo].[ERPx_CPAccrual]**Columns**

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity	Default
	AccrualSK	bigint	8	NOT NULL	1 - 1	
	AccrualItem	varchar(25)	25	NOT NULL		
	Rate	decimal(32,19)	17	NOT NULL		((0))
	AccrualCalcMethodSK	bigint	8	NOT NULL		
	UOMSK	bigint	8	NULL allowed		
	AccrualSettleMethodSK	bigint	8	NOT NULL		
	VendorSK	bigint	8	NULL allowed		
	DRAccountSK	bigint	8	NULL allowed		
	CRAccountSK	bigint	8	NULL allowed		
	StartDate	date	3	NULL allowed		
	EndDate	date	3	NULL allowed		
	AssignRulesByCSVEN	varchar(100)	100	NULL allowed		
	AssignRateByEN	bigint	8	NULL allowed		
	IsInactive	bit	1	NOT NULL		((0))
	LastUpdated	datetime	8	NOT NULL		
	LastUser	varchar(110)	110	NOT NULL		
	DataEntityCompanySK	bigint	8	NOT NULL		

Indexes

Key	Name	Key Columns	Unique
	PK_ERPx_CPAccrual	AccrualSK	True
	UK_ERPx_CPAccrual_1	AccrualItem, DataEntityCompanySK	True

Foreign Keys

Name	Columns
FK_ERPx_CPAccrual_ERPx_APVendor	VendorSK->[dbo].[ERPx_APVendor].[VendorSK]
FK_ERPx_CPAccrual_ERPx_GLAccount_CR	CRAccountSK->[dbo].[ERPx_GLAccount].[AccountSK]
FK_ERPx_CPAccrual_ERPx_GLAccount_DR	DRAccountSK->[dbo].[ERPx_GLAccount].[AccountSK]

Uses





[dbo].[ERPx_APVendor]
[dbo].[ERPx_GLAccount]

Used By

[dbo].[ERPx_CPAccrualCrop]
[dbo].[ERPx_CPAccrualItem]
[dbo].[ERPx_CPPriceListAccrual]
[dbo].[ERPx_CPTicketAccrual]
[dbo].[FNx_GetTransactionAccounts]
[dbo].[SPx_APProcess_Vendor]
[dbo].[SPx_APUUpdate_VendorList]
[dbo].[SPx_CPProcess_Accrual]
[dbo].[SPx_CPProcess_CalculateTicketChargesAndAccruals]
[dbo].[SPx_CPProcess_CreateAPTransaction]
[dbo].[SPx_CPProcess_Ticket]
[dbo].[SPx_CPSEL_AccrualCrop]
[dbo].[SPx_CPSEL_AccrualCropAndItemDefault]
[dbo].[SPx_CPSEL_AccrualHeader]
[dbo].[SPx_CPSEL_AccrualItem]
[dbo].[SPx_CPSEL_AccrualList]
[dbo].[SPx_CPSEL_AccrualLookup]
[dbo].[SPx_CPSEL_AccrualProperties]
[dbo].[SPx_CPSEL_AccrualRateLookup]
[dbo].[SPx_CPSEL_PriceListAccrualList]
[dbo].[SPx_CPSEL_TicketAccrualsList]
[dbo].[SPx_CPSEL_TicketChargesAndAccrualsList]
[dbo].[SPx_CPSEL_TicketRepriceAccrualLookup]
[dbo].[SPx_FAUpdate_FishermanTenderList]
[dbo].[SPx_FAUpdate_LoanList]
[dbo].[SPx_MFDEL_DeleteCompany]
[dbo].[SPx_MFUpdate_JournalDetails]

 [dbo].[ERPx_CPAccrualCrop]

Columns

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity
	AccrualCropSK	bigint	8	NOT NULL	1 - 1
	AccrualSK	bigint	8	NOT NULL	
	CropSK	bigint	8	NULL allowed	
	Rate	decimal(32,19)	17	NULL allowed	
	UOMSK	bigint	8	NULL allowed	
	Created	datetime	8	NOT NULL	
	CreatedBy	varchar(110)	110	NOT NULL	
	LastUpdated	datetime	8	NOT NULL	
	LastUser	varchar(110)	110	NOT NULL	
	DataEntityCompanySK	bigint	8	NOT NULL	

Indexes

Key	Name	Key Columns	Unique
	PK_ERPx_CPAccrualCrop	AccrualCropSK	True

Foreign Keys

Name	Columns
FK_ERPx_CPAccrualCrop_ERPx_CPAccrual	AccrualSK->[dbo].[ERPx_CPAccrual].[AccrualSK]
FK_ERPx_CPAccrualCrop_ERPx_CPCrop	CropSK->[dbo].[ERPx_CPCrop].[CropSK]
FK_ERPx_CPAccrualCrop_ERPx_IMUOM	UOMSK->[dbo].[ERPx_IMUOM].[UOMSK]

Uses





[dbo].[ERPx_CPAccrual]
 [dbo].[ERPx_CPCrop]
 [dbo].[ERPx_IMUOM]

Used By

[dbo].[SPx_CPPProcess_Accrual]
 [dbo].[SPx_CPPProcess_CalculateTicketChargesAndAccruals]
 [dbo].[SPx_CPSEL_AccrualCrop]

 [dbo].[ERPx_CPAccrualItem]

Columns

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity
	AccrualItemSK	bigint	8	NOT NULL	1 - 1
	AccrualSK	bigint	8	NOT NULL	
	ItemSK	bigint	8	NULL allowed	
	Rate	decimal(32,19)	17	NULL allowed	
	UOMSK	bigint	8	NULL allowed	
	Created	datetime	8	NOT NULL	
	CreatedBy	varchar(110)	110	NOT NULL	
	LastUpdated	datetime	8	NOT NULL	
	LastUser	varchar(110)	110	NOT NULL	
	DataEntityCompanySK	bigint	8	NOT NULL	

Indexes

Key	Name	Key Columns	Unique
	PK_ERPx_CPAccrualItem	AccrualItemSK	True

Foreign Keys

Name	Columns
FK_ERPx_CPAccrualItem_ERPx_CPAccrual	AccrualSK->[dbo].[ERPx_CPAccrual].[AccrualSK]
FK_ERPx_CPAccrualItem_ERPx_CPIItem	ItemSK->[dbo].[ERPx_CPIItem].[ItemSK]
FK_ERPx_CPAccrualItem_ERPx_IMUOM	UOMSK->[dbo].[ERPx_IMUOM].[UOMSK]



Uses

[dbo].[ERPx_CPAccrual]
 [dbo].[ERPx_CPIItem]
 [dbo].[ERPx_IMUOM]

Used By

[dbo].[SPx_CPPProcess_Accrual]
 [dbo].[SPx_CPPProcess_CalculateTicketChargesAndAccruals]
 [dbo].[SPx_CPSEL_AccrualItem]

[dbo].[ERPx_CPAccrualProperty]**Columns**

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity	Default
	AccrualPropertySK	bigint	8	NOT NULL	1 - 1	
	PropertyGroupDescription	varchar(200)	200	NOT NULL		
	PropertyName	varchar(50)	50	NOT NULL		
	PropertyDescription	varchar(200)	200	NOT NULL		
	PropertyDefinitionSK	bigint	8	NOT NULL		
	Sort	bigint	8	NOT NULL		
	TabLocation	varchar(50)	50	NOT NULL		
	MaxLengthOrDecimals	bigint	8	NULL allowed		
	EnumerationClass	varchar(100)	100	NULL allowed		
	LastUpdated	datetime	8	NOT NULL		(getdate())
	LastUser	varchar(150)	150	NOT NULL		
	DataEntityCompanySK	bigint	8	NOT NULL		
	IsReadOnly	bit	1	NOT NULL		((0))

Indexes

Key	Name	Key Columns	Unique
	PK_ERPx_CPAccrualProperty	AccrualPropertySK	True

Foreign Keys

Name	Columns
FK_ERPx_CPAccrualProperty_ERPx_MFDataEntity-Company	DataEntityCompanySK->[dbo].[ERPx_MFDataEntityCompany].[DataEntity-CompanySK]

Uses

[dbo].[ERPx_MFDataEntityCompany]







Used By

[dbo].[SPx_CPPProcess_Accrual]


[dbo].[SPx_CPSEL_AccrualProperties]

 [dbo].[ERPx_CPCharge]

Columns

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity	Default
	ChargeSK	bigint	8	NOT NULL	1 - 1	
	ChargeItem	varchar(25)	25	NOT NULL		
	Rate	numeric(18,5)	9	NOT NULL		((0))
	ChargeCalcMethodSK	bigint	8	NOT NULL		
	UOMSK	bigint	8	NULL allowed		
	ChargeSettleMethodSK	bigint	8	NOT NULL		
	VendorSK	bigint	8	NULL allowed		
	DRAccountSK	bigint	8	NULL allowed		
	CRAccountSK	bigint	8	NULL allowed		
	StartDate	date	3	NULL allowed		
	EndDate	date	3	NULL allowed		
	AssignRulesByCSVEN	varchar(100)	100	NULL allowed		
	AssignRateByEN	bigint	8	NULL allowed		
	IsInactive	bit	1	NOT NULL		((0))
	LastUpdated	datetime	8	NOT NULL		
	LastUser	varchar(110)	110	NOT NULL		
	DataEntityCompanySK	bigint	8	NOT NULL		

Indexes

Key	Name	Key Columns	Unique
	PK_ERPx_CPCharge	ChargeSK	True
	UK_ERPx_CPCharge_1	ChargeItem, DataEntityCompanySK	True

Foreign Keys


Name	Columns
FK_ERPx_CPCharge_ERPx_APVendor	VendorSK->[dbo].[ERPx_APVendor].[VendorSK]
FK_ERPx_CPCharge_ERPx_GLAccount_CR	CRAccountSK->[dbo].[ERPx_GLAccount].[AccountSK]
FK_ERPx_CPCharge_ERPx_GLAccount_DR	DRAccountSK->[dbo].[ERPx_GLAccount].[AccountSK]

Uses





[dbo].[ERPx_APVendor]
[dbo].[ERPx_GLAccount]

Used By


[dbo].[ERPx_CPChargeCrop]
[dbo].[ERPx_CPChargeItem]
[dbo].[ERPx_CPPriceListCharge]
[dbo].[ERPx_CPTicketCharge]
[dbo].[FNx_GetTransactionAccounts]
[dbo].[SPx_APProcess_Vendor]
[dbo].[SPx_APUUpdate_VendorList]
[dbo].[SPx_CPINS_PriceListCharge]
[dbo].[SPx_CPProcess_CalculateTicketChargesAndAccruals]
[dbo].[SPx_CPProcess_Charge]
[dbo].[SPx_CPProcess_CreateAPTransaction]
[dbo].[SPx_CPProcess_Ticket]
[dbo].[SPx_CPSEL_ChargeCrop]
[dbo].[SPx_CPSEL_ChargeCropAndItemDefault]
[dbo].[SPx_CPSEL_ChargeHeader]
[dbo].[SPx_CPSEL_ChargeItem]
[dbo].[SPx_CPSEL_ChargeList]
[dbo].[SPx_CPSEL_ChargeLookup]
[dbo].[SPx_CPSEL_ChargeProperties]
[dbo].[SPx_CPSEL_ChargeRateLookup]
[dbo].[SPx_CPSEL_PriceListChargeList]
[dbo].[SPx_CPSEL_TicketChargesAndAccrualsList]
[dbo].[SPx_CPSEL_TicketChargesList]
[dbo].[SPx_CPSEL_TicketRepriceChargeLookup]
[dbo].[SPx_FAUpdate_FishermanTenderList]
[dbo].[SPx_FAUpdate_LoanList]
[dbo].[SPx_MFDEL_DeleteCompany]
[dbo].[SPx_MFUpdate_JournalDetails]

 **[dbo].[ERPx_CPChargeCrop]**

Columns

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity
	ChargeCropSK	bigint	8	NOT NULL	1 - 1
	ChargeSK	bigint	8	NOT NULL	
	CropSK	bigint	8	NULL allowed	
	Rate	decimal(32,19)	17	NULL allowed	
	UOMSK	bigint	8	NULL allowed	
	Created	datetime	8	NOT NULL	
	CreatedBy	varchar(110)	110	NOT NULL	
	LastUpdated	datetime	8	NOT NULL	
	LastUser	varchar(110)	110	NOT NULL	
	DataEntityCompanySK	bigint	8	NOT NULL	

Indexes

Key	Name	Key Columns	Unique
	PK_ERPx_CPChargeCrop	ChargeCropSK	True

Foreign Keys

Name	Columns
FK_ERPx_CPChargeCrop_ERPx_CPCharge	ChargeSK->[dbo].[ERPx_CPCharge].[ChargeSK]
FK_ERPx_CPChargeCrop_ERPx_CPCrop	CropSK->[dbo].[ERPx_CPCrop].[CropSK]
FK_ERPx_CPChargeCrop_ERPx_IMUOM	UOMSK->[dbo].[ERPx_IMUOM].[UOMSK]





Uses

[dbo].[ERPx_CPCharge]
 [dbo].[ERPx_CPCrop]
 [dbo].[ERPx_IMUOM]

Used By

[dbo].[SPx_CPPProcess_CalculateTicketChargesAndAccruals]
 [dbo].[SPx_CPPProcess_Charge]
 [dbo].[SPx_CPSEL_ChargeCrop]

[dbo].[ERPx_CPChargeItem]**Columns**

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity
	ChargeItemSK	bigint	8	NOT NULL	1 - 1
	ChargeSK	bigint	8	NOT NULL	
	ItemSK	bigint	8	NULL allowed	
	Rate	decimal(32,19)	17	NULL allowed	
	UOMSK	bigint	8	NULL allowed	
	Created	datetime	8	NOT NULL	
	CreatedBy	varchar(110)	110	NOT NULL	
	LastUpdated	datetime	8	NOT NULL	
	LastUser	varchar(110)	110	NOT NULL	
	DataEntityCompanySK	bigint	8	NOT NULL	

Indexes

Key	Name	Key Columns	Unique
	PK_ERPx_CPChargeItem	ChargeItemSK	True

Foreign Keys

Name	Columns
FK_ERPx_CPChargeItem_ERPx_CPCharge	ChargeSK->[dbo].[ERPx_CPCharge].[ChargeSK]
FK_ERPx_CPChargeItem_ERPx_CPIItem	ItemSK->[dbo].[ERPx_CPIItem].[ItemSK]
FK_ERPx_CPChargeItem_ERPx_IMUOM	UOMSK->[dbo].[ERPx_IMUOM].[UOMSK]

Uses



[dbo].[ERPx_CPCharge]
[dbo].[ERPx_CPIItem]
[dbo].[ERPx_IMUOM]

Used By

[dbo].[SPx_CPPProcess_CalculateTicketChargesAndAccruals]
[dbo].[SPx_CPPProcess_Charge]
[dbo].[SPx_CPSEL_ChargeItem]

 [dbo].[ERPx_CPChargeProperty]

Columns

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity	Default
	ChargePropertySK	bigint	8	NOT NULL	1 - 1	
	PropertyGroupDescription	varchar(200)	200	NOT NULL		
	PropertyName	varchar(50)	50	NOT NULL		
	PropertyDescription	varchar(200)	200	NOT NULL		
	PropertyDefinitionSK	bigint	8	NOT NULL		
	Sort	bigint	8	NOT NULL		
	TabLocation	varchar(50)	50	NOT NULL		
	MaxLengthOrDecimals	bigint	8	NULL allowed		
	EnumerationClass	varchar(100)	100	NULL allowed		
	LastUpdated	datetime	8	NOT NULL		(getdate())
	LastUser	varchar(150)	150	NOT NULL		
	DataEntityCompanySK	bigint	8	NOT NULL		
	IsReadOnly	bit	1	NOT NULL		((0))

Indexes

Key	Name	Key Columns	Unique
	PK_ERPx_CPChargeProperty	ChargePropertySK	True

Foreign Keys

Name	Columns
FK_ERPx_CPChargeProperty_ERPx_MFDataEntity-Company	DataEntityCompanySK->[dbo].[ERPx_MFDataEntityCompany].[DataEntity-CompanySK]

Uses





[dbo].[ERPx_MFDataEntityCompany]

Used By


[dbo].[SPx_CPPProcess_Charge]

[dbo].[SPx_CPSEL_ChargeProperties]

[dbo].[ERPx_CPCrop]**Columns**

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity
	CropSK	bigint	8	NOT NULL	1 - 1
	Commodity	varchar(50)	50	NOT NULL	
	Variety	varchar(50)	50	NULL allowed	
	Crop	varchar(103)	103	NOT NULL	
	LastUpdated	datetime	8	NOT NULL	
	LastUser	varchar(110)	110	NOT NULL	
	DataEntityCompanySK	bigint	8	NOT NULL	

Indexes

Key	Name	Key Columns	Unique
	PK_ERPx_CPCrop	CropSK	True
	UK_ERPx_CPCrop	Commodity, Variety, DataEntityCompanySK	True





Used By

[dbo].[ERPx_CPAccrualCrop]
 [dbo].[ERPx_CPChargeCrop]
 [dbo].[ERPx_CPField]
 [dbo].[ERPx_CPItem]
 [dbo].[ERPx_CPItemCrop]
 [dbo].[ERPx_CPTicketHeader]
 [dbo].[ERPx_CPTtransactionClassCrop]
 [dbo].[IQx_CPSEL_TicketHistory_CropLookup]
 [dbo].[IQx_CPTicketHistory]
 [dbo].[SPx_CPPProcess_Accrual]
 [dbo].[SPx_CPPProcess_Charge]
 [dbo].[SPx_CPPProcess_SearchMetadata_RefreshCPTicketHeader]
 [dbo].[SPx_CPSEL_AccrualAndCharge_CropLookup]
 [dbo].[SPx_CPSEL_AccrualCrop]
 [dbo].[SPx_CPSEL_ChargeCrop]
 [dbo].[SPx_CPSEL_CommodityLookup]
 [dbo].[SPx_CPSEL_CropList]
 [dbo].[SPx_CPSEL_CropLookup]
 [dbo].[SPx_CPSEL_FieldList]
 [dbo].[SPx_CPSEL_GetTicketHeaders]
 [dbo].[SPx_CPSEL_ItemCrop]
 [dbo].[SPx_CPSEL_ItemCropLookup]


[dbo].[SPx_CPSEL_ItemList]
[dbo].[SPx_CPSEL_ItemProperties]
[dbo].[SPx_CPSEL_ItemProperties_CropLookup]
[dbo].[SPx_CPSEL_NewTicketLines]
[dbo].[SPx_CPSEL_PriceListAccrualList]
[dbo].[SPx_CPSEL_PriceListChargeList]
[dbo].[SPx_CPSEL_PriceListItemList]
[dbo].[SPx_CPSEL_PriceListItemLookup]
[dbo].[SPx_CPSEL_PriceListMassUpdateItemPrices]
[dbo].[SPx_CPSEL_TicketCropLookup]
[dbo].[SPx_CPSEL_TicketRepriceItemLookup]
[dbo].[SPx_CPSEL_TransactionClassCrop]
[dbo].[SPx_CPSEL_TransactionClassCropLookup]
[dbo].[SPx_CPSEL_TransactionClassList]
[dbo].[SPx_CPSEL_TransactionClassProperties]
[dbo].[SPx_CPSEL_VarietyLookup]
[dbo].[SPx_CPUUpdate_Crop]
[dbo].[SPx_MFDEL_DeleteCompany]

 [dbo].[ERPx_CPFarmer]

Columns

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity
	FarmerSK	bigint	8	NOT NULL	1 - 1
	LinkedToVendorSK	bigint	8	NOT NULL	
	PriceListHeaderSK	bigint	8	NULL allowed	
	LastUpdated	datetime	8	NOT NULL	
	LastUser	varchar(110)	110	NOT NULL	
	DataEntityCompanySK	bigint	8	NOT NULL	
	SettleMethodEN	bigint	8	NULL allowed	

Indexes

Key	Name	Key Columns	Unique
	PK_ERPx_CPFarmers	FarmerSK	True
	UK_ERPx_CPFarmers_1	LinkedToVendorSK, DataEntityCompanySK	True

Foreign Keys

Name	No Check	Columns
FK_ERPx_CPFarmer_ERPx_MFPriceList-Header	True	PriceListHeaderSK->[dbo].[ERPx_MFPriceListHeader].[PriceList-HeaderSK]
FK_ERPx_CPFarmers_ERPx_APVendor	True	LinkedToVendorSK->[dbo].[ERPx_APVendor].[VendorSK]

Uses










[dbo].[ERPx_APVendor]
 [dbo].[ERPx_MFPriceListHeader]

Used By


[dbo].[ERPx_CPField]
 [dbo].[ERPx_CPTicketHeader]
 [dbo].[FNx_GetTransactionAccounts]
 [dbo].[IQx_CPSEL_TicketHistory_FarmerClassLookup]
 [dbo].[IQx_CPSEL_TicketHistory_FarmerLookup]
 [dbo].[IQx_CPTicketHistory]
 [dbo].[SPx_APPProcess_Vendor]
 [dbo].[SPx_APUUpdate_VendorList]

[dbo].[SPx_CPPProcess_CreateAPTransaction]
[dbo].[SPx_CPPProcess_CreateIMReceiptTransaction]
[dbo].[SPx_CPPProcess_SearchMetadata_RefreshCPTicketHeader]
[dbo].[SPx_CPPProcess_Ticket]
[dbo].[SPx_CPSEL_APVendorLookup]
[dbo].[SPx_CPSEL_FarmerList]
[dbo].[SPx_CPSEL_FarmerLookup]
[dbo].[SPx_CPSEL_FieldList]
[dbo].[SPx_CPSEL_GetTicketHeaders]
[dbo].[SPx_CPSEL_NewTicketLines]
[dbo].[SPx_CPSEL_PriceListByFarmer]
[dbo].[SPx_CPSEL_PriceListLookup]
[dbo].[SPx_CPSEL_TicketCropLookup]
[dbo].[SPx_CPSEL_TicketHeader]
[dbo].[SPx_CPUUpdate_Farmer]
[dbo].[SPx_FAUpdate_FishermanTenderList]
[dbo].[SPx_FAUpdate_LoanList]
[dbo].[SPx_MFDEL_DeleteCompany]
[dbo].[SPx_MFSEL_PriceListFarmerList]
[dbo].[SPx_MFUpdate_JournalDetails]
[dbo].[SPx_MFUpdate_PriceListList]

[dbo].[ERPx_CPField]**Columns**

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity	Default
	FieldSK	bigint	8	NOT NULL	1 - 1	
	FieldName	varchar(50)	50	NOT NULL		
	FarmerSK	bigint	8	NOT NULL		
	CropSK	bigint	8	NOT NULL		
	HarvesterSK	bigint	8	NULL allowed		
	HaulerSK	bigint	8	NULL allowed		
	LastUpdated	datetime	8	NOT NULL		
	LastUser	varchar(110)	110	NOT NULL		
	DataEntityCompanySK	bigint	8	NOT NULL		
	IsInactive	bit	1	NOT NULL		((0))
	DefaultSiteSK	bigint	8	NULL allowed		
	AttributeClassSK	bigint	8	NULL allowed		
	CPGrowthMethodEN	bigint	8	NULL allowed		

Indexes

Key	Name	Key Columns	Unique
	PK_ERPx_CPField	FieldSK	True
	IX_ERPx_CPField	FieldName, FarmerSK, CropSK, DataEntityCompanySK	True

Foreign Keys

Name	Columns
FK_ERPx_CPField_ERPx_CPCrop	CropSK->[dbo].[ERPx_CPCrop].[CropSK]
FK_ERPx_CPField_ERPx_CPFarmer	FarmerSK->[dbo].[ERPx_CPFarmer].[FarmerSK]
FK_ERPx_CPField_ERPx_CPHarvester	HarvesterSK->[dbo].[ERPx_CPHarvester].[HarvesterSK]
FK_ERPx_CPField_ERPx_CPHauler	HaulerSK->[dbo].[ERPx_CPHauler].[HaulerSK]
FK_ERPx_CPField_ERPx_MFAttributeClass	AttributeClassSK->[dbo].[ERPx_MFAttributeClass].[AttributeClassSK]
FK_ERPx_CPField_ERPx_MFSite	DefaultSiteSK->[dbo].[ERPx_MFSite].[SiteSK]

Uses





[dbo].[ERPx_CPCrop]
[dbo].[ERPx_CPFarmer]
[dbo].[ERPx_CPHarvester]
[dbo].[ERPx_CPHauler]
[dbo].[ERPx_MFAttributeClass]
[dbo].[ERPx_MFSite]

Used By

[dbo].[ERPx_CPFieldAttributes]
[dbo].[ERPx_CPTicketHeader]
[dbo].[ERPx_MFAttribute_CPField]
[dbo].[IQx_CPTicketHistory]
[dbo].[SPx_CPProcess_SearchMetadata_RefreshCPTicketHeader]
[dbo].[SPx_CPSEL_FarmerLookup]
[dbo].[SPx_CPSEL_FieldList]
[dbo].[SPx_CPSEL_Fields_SiteLookup]
[dbo].[SPx_CPSEL_FieldsHarvesterLookup]
[dbo].[SPx_CPSEL_FieldsHaulerLookup]
[dbo].[SPx_CPSEL_GetTicketHeaders]
[dbo].[SPx_CPSEL_NewTicketLines]
[dbo].[SPx_CPSEL_TicketCropLookup]
[dbo].[SPx_CPSEL_TicketFieldLookup]
[dbo].[SPx_CPUUpdate_Crop]
[dbo].[SPx_CPUUpdate_Farmer]
[dbo].[SPx_CPUUpdate_FieldList]
[dbo].[SPx_CPUUpdate_HarvesterList]
[dbo].[SPx_CPUUpdate_HaulerList]
[dbo].[SPx_CPUUpdate_NewTicket]
[dbo].[SPx_MFDEL_DeleteCompany]
[dbo].[SPx_MFINSUPDDEL_Site_XML]
[dbo].[SPx_MFUpdate_Site]

 [dbo].[ERPx_CPFieldAttributes]

Columns

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity
	FieldAttributeSK	bigint	8	NOT NULL	1 - 1
	FieldSK	bigint	8	NOT NULL	
	AttributeSK	bigint	8	NOT NULL	
	AttributeValue	varchar(200)	200	NULL allowed	
	DataEntityCompanySK	bigint	8	NOT NULL	
	LastUpdated	datetime	8	NOT NULL	
	LastUser	varchar(110)	110	NOT NULL	

Indexes

Key	Name	Key Columns	Unique
	PK_ERPx_CPFieldAttributes	FieldAttributeSK	True

Foreign Keys

Name	Columns
FK_ERPx_CPFieldAttributes_ERPx_CPField	FieldSK->[dbo].[ERPx_CPField].[FieldSK]
FK_ERPx_CPFieldAttributes_ERPx_MFAttribute	AttributeSK->[dbo].[ERPx_MFAttribute].[AttributeSK]
FK_ERPx_CPFieldAttributes_ERPx_MFDataEntity-Company	DataEntityCompanySK->[dbo].[ERPx_MFDataEntityCompany].[DataEntity-CompanySK]

Uses





[dbo].[ERPx_CPField]
 [dbo].[ERPx_MFAttribute]
 [dbo].[ERPx_MFDataEntityCompany]

Used By

[dbo].[SPx_CPUUpdate_FieldList]

 [dbo].[ERPx_CPHarvester]

Columns

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity	Default
	HarvesterSK	bigint	8	NOT NULL	1 - 1	
	HarvesterName	varchar(100)	100	NOT NULL		
	LinkedToVendorSK	bigint	8	NULL allowed		
	LastUpdated	datetime	8	NOT NULL		
	LastUser	varchar(110)	110	NOT NULL		
	DataEntityCompanySK	bigint	8	NOT NULL		
	IsInactive	bit	1	NOT NULL		((0))

Indexes

Key	Name	Key Columns	Unique
	PK_ERPx_CPHarvester	HarvesterSK	True
	UK_ERPx_CPHarvester_1	HarvesterName, DataEntityCompanySK	True

Foreign Keys

Name	Columns
FK_ERPx_CPHarvester_ERPx_APVendor	LinkedToVendorSK->[dbo].[ERPx_APVendor].[VendorSK]

Uses

[dbo].[ERPx_APVendor]


Used By

[dbo].[ERPx_CPField]
 [dbo].[ERPx_CPTicketHeader]
 [dbo].[SPx_APPProcess_Vendor]
 [dbo].[SPx_APUUpdate_VendorList]
 [dbo].[SPx_CPSEL_APHarvestersVendorLookup]
 [dbo].[SPx_CPSEL_FieldList]
 [dbo].[SPx_CPSEL_FieldsHarvesterLookup]
 [dbo].[SPx_CPSEL_GetTicketHeaders]
 [dbo].[SPx_CPSEL_HarvesterList]
 [dbo].[SPx_CPSEL_NewTicketHarvesterLookup]
 [dbo].[SPx_CPSEL_NewTicketLines]
 [dbo].[SPx_CPSEL_TicketHarvesterLookup]

[dbo].[SPx_CPSEL_TicketHeaderProperty]
[dbo].[SPx_CPUUpdate_HarvesterList]
[dbo].[SPx_FAUpdate_FishermanTenderList]
[dbo].[SPx_FAUpdate_LoanList]
[dbo].[SPx_MFDEL_DeleteCompany]

 [dbo].[ERPx_CPHarvestMethod]

Columns

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity
	HarvestMethodSK	bigint	8	NOT NULL	1 - 1
	HarvestMethod	varchar(25)	25	NOT NULL	

Indexes





Key	Name	Key Columns	Unique
	PK_ERPx_CPHarvestMethod	HarvestMethodSK	True

Used By


[dbo].[ERPx_CPTicketHeader]
[dbo].[SPx_CPSEL_TicketHeader]

 **[dbo].[ERPx_CPHauler]**

Columns

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity	Default
	HaulerSK	bigint	8	NOT NULL	1 - 1	
	HaulerName	varchar(100)	100	NOT NULL		
	LinkedToVendorSK	bigint	8	NULL allowed		
	LastUpdated	datetime	8	NOT NULL		
	LastUser	varchar(110)	110	NOT NULL		
	DataEntityCompanySK	bigint	8	NOT NULL		
	IsInactive	bit	1	NOT NULL		((0))

Indexes

Key	Name	Key Columns	Unique
	PK_ERPx_CPHaulers	HaulerSK	True
	UK_ERPx_CPHaulers_1	HaulerName, DataEntityCompanySK	True

Foreign Keys

Name	Columns
FK_ERPx_CPHaulers_ERPx_APVendor	LinkedToVendorSK->[dbo].[ERPx_APVendor].[VendorSK]

Uses








[dbo].[ERPx_APVendor]

Used By


[dbo].[ERPx_CPField]
 [dbo].[ERPx_CPTicketHeader]
 [dbo].[SPx_APPProcess_Vendor]
 [dbo].[SPx_APUUpdate_VendorList]
 [dbo].[SPx_CPSEL_APHaulersVendorLookup]
 [dbo].[SPx_CPSEL_FieldList]
 [dbo].[SPx_CPSEL_FieldsHaulerLookup]
 [dbo].[SPx_CPSEL_GetTicketHeaders]
 [dbo].[SPx_CPSEL_HaulerList]
 [dbo].[SPx_CPSEL_NewTicketHaulerLookup]
 [dbo].[SPx_CPSEL_NewTicketLines]
 [dbo].[SPx_CPSEL_TicketHaulerLookup]

[dbo].[SPx_CPSEL_TicketHeaderProperty]
[dbo].[SPx_CPUUpdate_HaulerList]
[dbo].[SPx_FAUpdate_FishermanTenderList]
[dbo].[SPx_FAUpdate_LoanList]
[dbo].[SPx_MFDEL_DeleteCompany]

[dbo].[ERPx_CPItem]**Columns**

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity	Default
	ItemSK	bigint	8	NOT NULL	1 - 1	
	ItemID	varchar(25)	25	NOT NULL		
	ItemDescription	varchar(100)	100	NOT NULL		
	CropSK	bigint	8	NULL allowed		
	ItemTypeEN	bigint	8	NULL allowed		
	PurchaseGLAccountSK	bigint	8	NULL allowed		
	LastUpdated	datetime	8	NOT NULL		
	LastUser	varchar(110)	110	NOT NULL		
	DataEntityCompanySK	bigint	8	NOT NULL		
	CreatedBy	varchar(150)	150	NULL allowed		
	AttributeClassSK	bigint	8	NULL allowed		
	CreatedDateTime	datetime	8	NOT NULL		(getdate())
	CPGrowthMethodEN	bigint	8	NULL allowed		
	IMItemSK	bigint	8	NULL allowed		

Indexes

Key	Name	Key Columns	Unique
	PK_ERPx_CPItem	ItemSK	True
	UK_ERPx_CPItem_1	ItemID, DataEntityCompanySK	True
	UK_ERPx_CPItem_2	ItemDescription, DataEntityCompanySK	True

Foreign Keys

Name	Columns
FK_ERPx_CPItem_ERPx_CPCrop	CropSK->[dbo].[ERPx_CPCrop].[CropSK]
FK_ERPx_CPItem_ERPx_GLAccount	PurchaseGLAccountSK->[dbo].[ERPx_GLAccount].[AccountSK]
FK_ERPx_CPItem_ERPx_IMItem	IMItemSK->[dbo].[ERPx_IMItem].[ItemSK]

Uses





[dbo].[ERPx_CPCrop]
[dbo].[ERPx_GLAccount]

[dbo].[ERPx_IMItem]

Used By

[dbo].[ERPx_CPAccrualItem]
[dbo].[ERPx_CPChargeItem]
[dbo].[ERPx_CPIItemAttributes]
[dbo].[ERPx_CPIItemCrop]
[dbo].[ERPx_CPPriceListItem]
[dbo].[ERPx_CPTicketItem]
[dbo].[ERPx_MFAttribute_CPIItem]
[dbo].[IQx_CPSEL_TicketLine_ItemLookup]
[dbo].[SPx_CPPProcess_Accrual]
[dbo].[SPx_CPPProcess_Charge]
[dbo].[SPx_CPPProcess_CreateAPTransaction]
[dbo].[SPx_CPPProcess_CreateIMReceiptTransaction]
[dbo].[SPx_CPPProcess_Item]
[dbo].[SPx_CPPProcess_SearchMetadata_RefreshCPTicketItem]
[dbo].[SPx_CPPProcess_Ticket]
[dbo].[SPx_CPSEL_AccrualAndCharge_ItemLookup]
[dbo].[SPx_CPSEL_AccrualItem]
[dbo].[SPx_CPSEL_ChargeItem]
[dbo].[SPx_CPSEL_DefaultItemAccountLookup]
[dbo].[SPx_CPSEL_GetTicketLines]
[dbo].[SPx_CPSEL_Item]
[dbo].[SPx_CPSEL_ItemAttributes]
[dbo].[SPx_CPSEL_ItemList]
[dbo].[SPx_CPSEL_ItemLookup]
[dbo].[SPx_CPSEL_ItemRecord]
[dbo].[SPx_CPSEL_PriceListAccrualList]
[dbo].[SPx_CPSEL_PriceListChargeList]
[dbo].[SPx_CPSEL_PriceListItemList]
[dbo].[SPx_CPSEL_PriceListItemLookup]
[dbo].[SPx_CPSEL_PriceListItemLookupByCrop]
[dbo].[SPx_CPSEL_PriceListMassUpdateItemPrices]
[dbo].[SPx_CPSEL_TicketAccrualsList]
[dbo].[SPx_CPSEL_TicketChargesList]
[dbo].[SPx_CPSEL_TicketItemList]
[dbo].[SPx_CPSEL_TicketItemLookup]
[dbo].[SPx_CPSEL_TicketRepriceItemLookup]
[dbo].[SPx_CPUUpdate_NewTicket]
[dbo].[SPx_MFDEL_DeleteCompany]
[dbo].[SPx_MFSEL_PriceListItemList]
[dbo].[SPx_MFSEL_PriceListItemLookup]
[dbo].[SPx_MFUpdate_JournalDetails]
[dbo].[SPx_MFUpdate_PriceList]

[dbo].[ERPx_CPIItemAttributes]**Columns**

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity
	ItemAttributeSK	bigint	8	NOT NULL	1 - 1
	ItemSK	bigint	8	NOT NULL	
	AttributeSK	bigint	8	NOT NULL	
	AttributeValue	varchar(200)	200	NOT NULL	
	LastUpdated	datetime	8	NOT NULL	
	LastUser	varchar(150)	150	NOT NULL	
	DataEntityCompanySK	bigint	8	NOT NULL	

Indexes

Key	Name	Key Columns	Unique
	PK_ERPx_CPIItemAttributes	ItemAttributeSK	True
	UK_ERPx_CPIItemAttributes_ItemSK_AttributeSK	ItemSK, AttributeSK	True

Foreign Keys

Name	Columns
FK_ERPx_CPIItemAttributes_ERPx_CPIItem	ItemSK->[dbo].[ERPx_CPIItem].[ItemSK]
FK_ERPx_CPIItemAttributes_ERPx_MFAttribute	AttributeSK->[dbo].[ERPx_MFAttribute].[AttributeSK]
FK_ERPx_CPIItemAttributes_ERPx_MFDataEntity-Company	DataEntityCompanySK->[dbo].[ERPx_MFDataEntityCompany].[DataEntity-CompanySK]

Uses




[dbo].[ERPx_CPIItem]
[dbo].[ERPx_MFAttribute]
[dbo].[ERPx_MFDataEntityCompany]

Used By


[dbo].[SPx_CPPProcess_Item]
[dbo].[SPx_CPPProcess_SearchMetadata_RefreshCPTicketItem]
[dbo].[SPx_CPSEL_ItemAttributes]
[dbo].[SPx_CPSEL_ItemList]
[dbo].[SPx_MFDEL_Attribute]

 **[dbo].[ERPx_CPItemCrop]**

Columns

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity
	ItemCropSK	bigint	8	NOT NULL	1 - 1
	ItemSK	bigint	8	NOT NULL	
	CropSK	bigint	8	NULL allowed	

Indexes

Key	Name	Key Columns	Unique
	PK_ERPx_CPItemCrop	ItemCropSK	True
	UK_ERPx_CPItemCrop	ItemSK, CropSK	True

Foreign Keys

Name	Columns
FK_ERPx_CPItemCrop_ERPx_CPCrop	CropSK->[dbo].[ERPx_CPCrop].[CropSK]
FK_ERPx_CPItemCrop_ERPx_CPItem	ItemSK->[dbo].[ERPx_CPItem].[ItemSK]




Uses

[dbo].[ERPx_CPCrop]
[dbo].[ERPx_CPItem]

Used By

[dbo].[SPx_CPPProcess_CalculateTicketChargesAndAccruals]
[dbo].[SPx_CPPProcess_Item]
[dbo].[SPx_CPSEL_ItemCrop]
[dbo].[SPx_CPSEL_ItemCropLookup]
[dbo].[SPx_CPSEL_ItemList]
[dbo].[SPx_CPSEL_ItemProperties]
[dbo].[SPx_CPSEL_TicketItemLookup]
[dbo].[SPx_CPSEL_TicketRepricelItemLookup]
[dbo].[SPx_CPUUpdate_Crop]
[dbo].[SPx_CPUUpdate_NewTicket]

[dbo].[ERPx_CPIItemProperty]**Columns**

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity	Default
	ItemPropertySK	bigint	8	NOT NULL	1 - 1	
	PropertyGroupDescription	varchar(200)	200	NULL allowed		
	PropertyName	varchar(50)	50	NOT NULL		
	PropertyDescription	varchar(200)	200	NOT NULL		
	PropertyDefinitionSK	bigint	8	NULL allowed		
	Sort	bigint	8	NOT NULL		
	LastUpdated	datetime	8	NOT NULL		(getdate())
	LastUser	varchar(150)	150	NOT NULL		
	DataEntityCompanySK	bigint	8	NOT NULL		
	IsReadOnly	bit	1	NOT NULL		((0))
	TabLocation	varchar(50)	50	NOT NULL		('Properties')
	MaxLengthOrDecimals	bigint	8	NULL allowed		
	EnumerationClass	varchar(100)	100	NULL allowed		

Indexes

Key	Name	Key Columns	Unique
	PK_ERPx_CPIItemProperty	ItemPropertySK	True

Foreign Keys

Name	Columns
FK_ERPx_CPIItemProperty_ERPx_MFDataEntity-Company	DataEntityCompanySK->[dbo].[ERPx_MFDataEntityCompany].[DataEntity-CompanySK]
FK_ERPx_CPIItemProperty_ERPx_MFProperty-Definition	PropertyDefinitionSK->[dbo].[ERPx_MFPropertyDefinition].[Property-DefinitionSK]

Uses

[dbo].[ERPx_MFDataEntityCompany]






[dbo].[ERPx_MFPropertyDefinition]

Used By


[dbo].[SPx_CPSEL_ItemProperties]

 [dbo].[ERPx_CPPPriceListAccrual]

Columns

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity	Default
	PriceListAccrualSK	bigint	8	NOT NULL	1 - 1	
	PriceListHeaderSK	bigint	8	NOT NULL		
	AccrualSK	bigint	8	NOT NULL		
	Rate	numeric(18,5)	9	NOT NULL		((0.00))
	UOMSK	bigint	8	NOT NULL		
	ExpirationDate	datetime	8	NULL allowed		
	CropSK	varchar(50)	50	NOT NULL		
	ItemSK	varchar(50)	50	NOT NULL		
	IsInactive	bit	1	NOT NULL		((0))
	LastUpdated	datetime	8	NOT NULL		
	LastUser	varchar(110)	110	NOT NULL		
	DataEntityCompanySK	bigint	8	NOT NULL		

Indexes

Key	Name	Key Columns	Unique
	PK_ERPx_CPPPriceListAccrual	PriceListAccrualSK	True
	UK_ERPx_CPPPriceListAccrual_1	PriceListHeaderSK, AccrualSK, CropSK, ItemSK	True

Foreign Keys

Name	Columns
FK_ERPx_CPPPriceListAccrual_ERPx_CPAccrual	AccrualSK->[dbo].[ERPx_CPAccrual].[AccrualSK]
FK_ERPx_CPPPriceListAccrual_ERPx_CPPPriceList-Header	PriceListHeaderSK->[dbo].[ERPx_CPPPriceListHeader].[PriceListHeaderSK]

Uses

[dbo].[ERPx_CPAccrual]
 [dbo].[ERPx_CPPPriceListHeader]






Used By

[dbo].[SPx_CPDEL_PriceListAccrual]
 [dbo].[SPx_CPDEL_PriceListHeaderSK]


[dbo].[SPx_CPINS_PriceListAccrual]
[dbo].[SPx_CPSEL_PriceListAccrualList]
[dbo].[SPx_CPUPD_CopyPriceList]
[dbo].[SPx_CPUPD_PriceListAccrual]
[dbo].[SPx_CPUPD_PriceListHeader_AccrualCount]
[dbo].[SPx_CPUUpdate_Crop]
[dbo].[SPx_MFDEL_DeleteCompany]

 [dbo].[ERPx_CPPPriceListCharge]

Columns

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity	Default
	PriceListChargeSK	bigint	8	NOT NULL	1 - 1	
	PriceListHeaderSK	bigint	8	NOT NULL		
	ChargeSK	bigint	8	NOT NULL		
	Rate	numeric(18,5)	9	NOT NULL		((0.00))
	UOMSK	bigint	8	NULL allowed		
	ExpirationDate	datetime	8	NULL allowed		
	CropSK	varchar(50)	50	NOT NULL		
	ItemSK	varchar(50)	50	NOT NULL		
	IsInactive	bit	1	NOT NULL		((0))
	LastUpdated	datetime	8	NOT NULL		
	LastUser	varchar(110)	110	NOT NULL		
	DataEntityCompanySK	bigint	8	NOT NULL		

Indexes

Key	Name	Key Columns	Unique
	PK_ERPx_CPPPriceListCharge	PriceListChargeSK	True
	UK_ERPx_CPPPriceListCharge_1	PriceListHeaderSK, ChargeSK, CropSK, IsInactive	True

Foreign Keys

Name	Columns
FK_ERPx_CPPPriceListCharge_ERPx_CPCharge	ChargeSK->[dbo].[ERPx_CPCharge].[ChargeSK]
FK_ERPx_CPPPriceListCharge_ERPx_CPPPriceList-Header	PriceListHeaderSK->[dbo].[ERPx_CPPPriceListHeader].[PriceListHeader-SK]

Uses

[dbo].[ERPx_CPCharge]
 [dbo].[ERPx_CPPPriceListHeader]




Used By

[dbo].[SPx_CPDEL_PriceListCharge]
 [dbo].[SPx_CPDEL_PriceListHeaderSK]

[dbo].[SPx_CPINS_PriceListCharge]
[dbo].[SPx_CPSEL_PriceListChargeList]
[dbo].[SPx_CPUPD_CopyPriceList]
[dbo].[SPx_CPUPD_PriceListCharge]
[dbo].[SPx_CPUPD_PriceListHeader_ChargeCount]
[dbo].[SPx_CPUUpdate_Crop]
[dbo].[SPx_MFDEL_DeleteCompany]

 [dbo].[ERPx_CPPPriceListHeader]

Columns

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity	Default
	PriceListHeaderSK	bigint	8	NOT NULL	1 - 1	
	PriceListName	varchar(50)	50	NOT NULL		
	PriceListItemCount	bigint	8	NOT NULL		((0))
	IsInactive	bit	1	NOT NULL		((0))
	LastUpdated	datetime	8	NOT NULL		
	LastUser	varchar(110)	110	NOT NULL		
	DataEntityCompanySK	bigint	8	NOT NULL		
	PriceListChargeCount	bigint	8	NOT NULL		((0))
	PriceListAccrualCount	bigint	8	NOT NULL		((0))

Indexes




Key	Name	Key Columns	Unique
	PK_ERPx_CPPPriceListHeader	PriceListHeaderSK	True
	UK_ERPx_CPPPriceListHeader_1	PriceListName, DataEntityCompanySK	True

Used By

[dbo].[ERPx_CPPPriceListAccrual]
 [dbo].[ERPx_CPPPriceListCharge]
 [dbo].[ERPx_CPPPriceListItem]
 [dbo].[SPx_CPDEL_PriceListHeaderSK]
 [dbo].[SPx_CPINS_PriceListHeader]
 [dbo].[SPx_CPSEL_PriceListHeader]
 [dbo].[SPx_CPSEL_PriceListList]
 [dbo].[SPx_CPSEL_PriceListMassUpdateItemPrices]
 [dbo].[SPx_CPUPD_CopyPriceList]
 [dbo].[SPx_CPUPD_PriceListHeader]
 [dbo].[SPx_CPUPD_PriceListHeader_AccrualCount]
 [dbo].[SPx_CPUPD_PriceListHeader_ChargeCount]
 [dbo].[SPx_CPUPD_PriceListHeader_ItemCount]
 [dbo].[SPx_MFDEL_DeleteCompany]

 [dbo].[ERPx_CPPPriceListItem]

Columns

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity	Default
	PriceListItemSK	bigint	8	NOT NULL	1 - 1	
	PriceListHeaderSK	bigint	8	NOT NULL		
	ItemSK	bigint	8	NOT NULL		
	ItemPrice	numeric(18,5)	9	NOT NULL		((0.00))
	UOMSK	bigint	8	NOT NULL		
	LastUpdated	datetime	8	NOT NULL		
	LastUser	varchar(110)	110	NOT NULL		
	DataEntityCompanySK	bigint	8	NOT NULL		
	IsInactive	bit	1	NOT NULL		((0))
	ExpirationDate	datetime	8	NULL allowed		

Indexes

Key	Name	Key Columns	Unique
	PK_ERPx_CPPPriceListItem	PriceListItemSK	True
	UK_ERPx_CPPPriceListItem_1	PriceListHeaderSK, ItemSK	True

Foreign Keys

Name	Columns
FK_ERPx_CPPPriceListItem_ERPx_CPIItem	ItemSK->[dbo].[ERPx_CPIItem].[ItemSK]
FK_ERPx_CPPPriceListItem_ERPx_CPPPriceList-Header	PriceListHeaderSK->[dbo].[ERPx_CPPPriceListHeader].[PriceListHeader-SK]

Uses






[dbo].[ERPx_CPIItem]
 [dbo].[ERPx_CPPPriceListHeader]

Used By

[dbo].[SPx_CPDEL_PriceListHeaderSK]
 [dbo].[SPx_CPDEL_PriceListItem]
 [dbo].[SPx_CPINS_PriceListItem]
 [dbo].[SPx_CPPProcess_Item]
 [dbo].[SPx_CPSEL_PriceListItemList]

[dbo].[SPx_CPSEL_PriceListMassUpdateItemPrices]
[dbo].[SPx_CPUPD_CopyPriceList]
[dbo].[SPx_CPUPD_PriceListHeader_ItemCount]
[dbo].[SPx_CPUPD_PriceListItem]
[dbo].[SPx_CPUPD_PriceListMassUpdateItemPrices]
[dbo].[SPx_MFDEL_DeleteCompany]

[dbo].[ERPx_CPTicketAccrual]**Columns**

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity	Default
	TicketAccrualSK	bigint	8	NOT NULL	1 - 1	
	TicketHeaderSK	bigint	8	NOT NULL		
	TicketItemSK	bigint	8	NULL allowed		
	AccrualSK	bigint	8	NOT NULL		
	Rate	decimal(32,19)	17	NOT NULL		((0))
	OriginalRate	decimal(32,19)	17	NOT NULL		((0))
	GrossAmount	numeric(18,5)	9	NOT NULL		((0))
	LastUpdated	datetime	8	NOT NULL		
	LastUser	varchar(110)	110	NOT NULL		
	RateChangedByUser	varchar(110)	110	NULL allowed		
	DataEntityCompanySK	bigint	8	NOT NULL		
	AccrualCalcMethodSK	bigint	8	NOT NULL		
	PreviousVersionTicketAccrualSK	bigint	8	NULL allowed		

Indexes

Key	Name	Key Columns	Unique
	PK_ERPx_CPTicketAccrual	TicketAccrualSK	True

Foreign Keys

Name	Columns
FK_ERPx_CPTicketAccrual_ERPx_CPAccrual	AccrualSK->[dbo].[ERPx_CPAccrual].[AccrualSK]
FK_ERPx_CPTicketAccrual_ERPx_CPTicketHeader	TicketHeaderSK->[dbo].[ERPx_CPTicketHeader].[TicketHeaderSK]
FK_ERPx_CPTicketAccrual_ERPx_CPTicketItem	TicketItemSK->[dbo].[ERPx_CPTicketItem].[TicketItemSK]
FK_ERPx_CPTicketAccrual_Previous_ERPx_CPTicketAccrual	PreviousVersionTicketAccrualSK->[dbo].[ERPx_CPTicketAccrual].[TicketAccrualSK]





Uses

[dbo].[ERPx_CPAccrual]
[dbo].[ERPx_CPTicketHeader]
[dbo].[ERPx_CPTicketItem]


Used By

[dbo].[FNx_GetTransactionAccounts]
[dbo].[FNx_GetTransactionAmounts]
[dbo].[SPx_CPDEL_Ticket]
[dbo].[SPx_CPPProcess_Accrual]
[dbo].[SPx_CPPProcess_CalculateTicketChargesAndAccruals]
[dbo].[SPx_CPPProcess_CreateAPTransaction]
[dbo].[SPx_CPPProcess_Ticket]
[dbo].[SPx_CPPProcess_TicketChargesAndAccruals]
[dbo].[SPx_CPSEL_TicketAccrualsList]
[dbo].[SPx_CPSEL_TicketChargesAndAccrualsList]
[dbo].[SPx_CPSEL_TicketRepriceAccrualLookup]
[dbo].[SPx_CPUPD_TicketHeaderRollup]
[dbo].[SPx_CPUPD_UpdateTicketAccrualAmount]
[dbo].[SPx_CPUUpdate_TicketReprice]
[dbo].[SPx_MFDEL_DeleteCompany]
[dbo].[SPx_MFUpdate_JournalDetails]

[dbo].[ERPx_CPTicketAttributes]**Columns**

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity
	TicketAttributeSK	bigint	8	NOT NULL	1 - 1
	TicketHeaderSK	bigint	8	NOT NULL	
	AttributeSK	bigint	8	NOT NULL	
	AttributeValue	varchar(200)	200	NOT NULL	
	LastUpdated	datetime	8	NOT NULL	
	LastUser	varchar(150)	150	NOT NULL	
	DataEntityCompanySK	bigint	8	NOT NULL	

Indexes

Key	Name	Key Columns	Unique
	PK_ERPx_CPTicketAttributes	TicketAttributeSK	True
	UK_ERPx_CPTicketAttributes_TicketHeaderSK_AttributeSK	TicketHeaderSK, AttributeSK	True

Foreign Keys

Name	Columns
FK_ERPx_CPTicketAttributes_ERPx_CPTicket-Header	TicketHeaderSK->[dbo].[ERPx_CPTicketHeader].[TicketHeaderSK]
FK_ERPx_CPTicketAttributes_ERPx_MFAttribute	AttributeSK->[dbo].[ERPx_MFAttribute].[AttributeSK]
FK_ERPx_CPTicketAttributes_ERPx_MFDataEntity-Company	DataEntityCompanySK->[dbo].[ERPx_MFDataEntityCompany].[DataEntity-CompanySK]






Uses

[dbo].[ERPx_CPTicketHeader]
 [dbo].[ERPx_MFAttribute]
 [dbo].[ERPx_MFDataEntityCompany]

Used By

[dbo].[SPx_CPPProcess_SearchMetadata_RefreshCPTicketHeader]
 [dbo].[SPx_CPPProcess_Ticket]
 [dbo].[SPx_CPSEL_TransactionAttributeList]
 [dbo].[SPx_CPUUpdate_TicketReprice]
 [dbo].[SPx_MFDEL_Attribute]
 [dbo].[SPx_MFDEL_DeleteCompany]

[dbo].[ERPx_CPTicketCharge]**Columns**

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity	Default
	TicketChargeSK	bigint	8	NOT NULL	1 - 1	
	TicketHeaderSK	bigint	8	NOT NULL		
	TicketItemSK	bigint	8	NULL allowed		
	ChargeSK	bigint	8	NOT NULL		
	OriginalRate	decimal(32,19)	17	NOT NULL		((0))
	Rate	decimal(32,19)	17	NOT NULL		((0))
	GrossAmount	numeric(18,5)	9	NOT NULL		((0))
	LastUpdated	datetime	8	NOT NULL		
	LastUser	varchar(110)	110	NOT NULL		
	RateChangedByUser	varchar(110)	110	NULL allowed		
	DataEntityCompanySK	bigint	8	NOT NULL		
	ChargeCalcMethodSK	bigint	8	NOT NULL		
	PreviousVersionTicketChargeSK	bigint	8	NULL allowed		

Indexes

Key	Name	Key Columns	Unique
	PK_ERPx_CPTicketCharge	TicketChargeSK	True

Foreign Keys

Name	Columns
FK_ERPx_CPTicketCharge_ERPx_CPCharge	ChargeSK->[dbo].[ERPx_CPCharge].[ChargeSK]
FK_ERPx_CPTicketCharge_ERPx_CPTicketHeader	TicketHeaderSK->[dbo].[ERPx_CPTicketHeader].[TicketHeaderSK]
FK_ERPx_CPTicketCharge_ERPx_CPTicketItem	TicketItemSK->[dbo].[ERPx_CPTicketItem].[TicketItemSK]
FK_ERPx_CPTicketCharge_Previous_ERPx_CPTicketCharge	PreviousVersionTicketChargeSK->[dbo].[ERPx_CPTicketCharge].[TicketChargeSK]



Uses

[dbo].[ERPx_CPCharge]
[dbo].[ERPx_CPTicketHeader]
[dbo].[ERPx_CPTicketItem]

Used By

[dbo].[FNx_GetTransactionAccounts]
[dbo].[FNx_GetTransactionAmounts]
[dbo].[SPx_CPDEL_Ticket]
[dbo].[SPx_CPPProcess_CalculateTicketChargesAndAccruals]
[dbo].[SPx_CPPProcess_Charge]
[dbo].[SPx_CPPProcess_CreateAPTransaction]
[dbo].[SPx_CPPProcess_Ticket]
[dbo].[SPx_CPPProcess_TicketChargesAndAccruals]
[dbo].[SPx_CPSEL_TicketChargesAndAccrualsList]
[dbo].[SPx_CPSEL_TicketChargesList]
[dbo].[SPx_CPSEL_TicketRepriceChargeLookup]
[dbo].[SPx_CPUPD_TicketHeaderRollup]
[dbo].[SPx_CPUPD_UpdateTicketChargeAmount]
[dbo].[SPx_CPUUpdate_TicketReprice]
[dbo].[SPx_MFDEL_DeleteCompany]
[dbo].[SPx_MFUpdate_JournalDetails]

[dbo].[ERPx_CPTicketContainer]**Columns**

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity
	TicketContainerSK	bigint	8	NOT NULL	1 - 1
	TicketEntitySK	bigint	8	NOT NULL	
	IsItemLevelContainer	bit	1	NOT NULL	
	NumberOfPallets	numeric(18,5)	9	NULL allowed	
	PalletTare	numeric(18,5)	9	NULL allowed	
	ContainersPerPallet	numeric(18,5)	9	NULL allowed	
	NumberOfContainers	numeric(18,5)	9	NULL allowed	
	ContainerTare	numeric(18,5)	9	NULL allowed	
	TotalTare	numeric(18,5)	9	NULL allowed	
	LastUpdated	datetime	8	NOT NULL	
	LastUser	varchar(150)	150	NOT NULL	
	DataEntityCompanySK	bigint	8	NOT NULL	

Indexes

Key	Name	Key Columns	Unique
	PK_ERPx_CPTicketContainer	TicketContainerSK	True

Foreign Keys

Name	Columns
FK_ERPx_CPTicketContainer_ERPx_MFDataEntity-Company	DataEntityCompanySK->[dbo].[ERPx_MFDataEntityCompany].[DataEntity-CompanySK]















Uses



[dbo].[ERPx_MFDataEntityCompany]

Used By


[dbo].[SPx_CPPProcess_Ticket]
 [dbo].[SPx_CPSEL_TicketContainerLookup]
 [dbo].[SPx_CPSEL_TicketHeader]
 [dbo].[SPx_CPUUpdate_TicketReprice]
 [dbo].[SPx_MFDEL_DeleteCompany]

[dbo].[ERPx_CPTicketHeader]**Columns**

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity	Default
 PK	TicketHeaderSK	bigint	8	NOT NULL	1 - 1	
 PK	TicketNumber	varchar(25)	25	NOT NULL		
 FK	SiteSK	bigint	8	NOT NULL		
 FK	FarmerSK	bigint	8	NULL allowed		
 FK	FieldSK	bigint	8	NULL allowed		
 FK	CropSK	bigint	8	NULL allowed		
	HarvestDate	date	3	NULL allowed		
 FK	HarvesterSK	bigint	8	NULL allowed		
	DeliveryDate	date	3	NOT NULL		
 FK	HaulerSK	bigint	8	NULL allowed		
	HarvestPhase	varchar(50)	50	NULL allowed		
 FK	HarvestMethodSK	bigint	8	NULL allowed		
	PriceListSK	bigint	8	NULL allowed		
 FK	WorkflowSK	bigint	8	NULL allowed		
 FK	TicketStatusSK	bigint	8	NULL allowed		
 FK	UOMSK	bigint	8	NULL allowed		
 FK	SampleUOMSK	bigint	8	NULL allowed		
	WeightIn	numeric(18,5)	9	NULL allowed		((0.00))
	WeightOut	numeric(18,5)	9	NULL allowed		((0.00))
	GrossWeight	numeric(18,5)	9	NULL allowed		((0.00))
	ContainerTare	numeric(18,5)	9	NULL allowed		((0.00))
	NetWeight	numeric(18,5)	9	NULL allowed		((0.00))
	SampleWeight	numeric(18,5)	9	NULL allowed		((0.00))
	PaidWeight	numeric(18,5)	9	NULL allowed		((0))
	UnpaidWeight	numeric(18,5)	9	NULL allowed		((0))
	Units	numeric(18,5)	9	NULL allowed		
	LastUpdated	datetime	8	NOT NULL		(getdate())
	LastUser	varchar(110)	110	NOT NULL		
 PK	DataEntityCompanySK	bigint	8	NOT NULL		
	GrossTicketAmount	numeric(18,5)	9	NOT NULL		((0))
	GrossChargesAmount	numeric(18,5)	9	NOT NULL		((0))

	NetTicketAmount	numeric(18,5)	9	NOT NULL		((0))
	GrossAccrualsAmount	numeric(18,5)	9	NOT NULL		((0))
	CreatedDate	datetime	8	NULL allowed		
	TicketVersion	int	4	NOT NULL		((1))
	PreviousVersionTicketHeaderSK	bigint	8	NULL allowed		
	TransactionClassSK	bigint	8	NULL allowed		
	AttributeClassSK	bigint	8	NULL allowed		
	GLDate	date	3	NULL allowed		
	CreatedBy	varchar(110)	110	NULL allowed		

Indexes

Key	Name	Key Columns	Unique
	PK_ERPx_CPTicketHeader_1	TicketHeaderSK	True
	UK_ERPx_CPTicketHeader_1	TicketNumber, DataEntityCompanySK, TicketVersion	True

Foreign Keys

Name	Columns
FK_ERPx_CPTicketHeader_ERPx_CPCrop	CropSK->[dbo].[ERPx_CPCrop].[CropSK]
FK_ERPx_CPTicketHeader_ERPx_CPFarmer	FarmerSK->[dbo].[ERPx_CPFarmer].[FarmerSK]
FK_ERPx_CPTicketHeader_ERPx_CPField	FieldSK->[dbo].[ERPx_CPField].[FieldSK]
FK_ERPx_CPTicketHeader_ERPx_CPHarvester	HarvesterSK->[dbo].[ERPx_CPHarvester].[HarvesterSK]
FK_ERPx_CPTicketHeader_ERPx_CPHarvestMethod	HarvestMethodSK->[dbo].[ERPx_CPHarvestMethod].[HarvestMethodSK]
FK_ERPx_CPTicketHeader_ERPx_CPHauler	HaulerSK->[dbo].[ERPx_CPHauler].[HaulerSK]
FK_ERPx_CPTicketHeader_ERPx_CPTicketStatus	TicketStatusSK->[dbo].[ERPx_CPTicketStatus].[TicketStatusSK]
FK_ERPx_CPTicketHeader_ERPx_IMUOM	UOMSK->[dbo].[ERPx_IMUOM].[UOMSK]
FK_ERPx_CPTicketHeader_ERPx_IMUOM1	SampleUOMSK->[dbo].[ERPx_IMUOM].[UOMSK]
FK_ERPx_CPTicketHeader_ERPx_MFAttributeClass	AttributeClassSK->[dbo].[ERPx_MFAttributeClass].[AttributeClassSK]
FK_ERPx_CPTicketHeader_ERPx_MFSite	SiteSK->[dbo].[ERPx_MFSite].[SiteSK]
FK_ERPx_CPTicketHeader_ERPx_WKWorkflow	WorkflowSK->[dbo].[ERPx_WKWorkflow].[WorkflowSK]

Uses

[dbo].[ERPx_CPCrop]
[dbo].[ERPx_CPFarmer]
[dbo].[ERPx_CPField]
[dbo].[ERPx_CPHarvester]
[dbo].[ERPx_CPHarvestMethod]
[dbo].[ERPx_CPHauler]
[dbo].[ERPx_CPTicketStatus]
[dbo].[ERPx_IMUOM]

[dbo].[ERPx_MFAttributeClass]
[dbo].[ERPx_MFSite]
[dbo].[ERPx_WKWorkflow]

Used By

[dbo].[ERPx_CPTicketAccrual]
[dbo].[ERPx_CPTicketAttributes]
[dbo].[ERPx_CPTicketCharge]
[dbo].[ERPx_CPTicketHeader_SearchMetadata]
[dbo].[ERPx_CPTicketHeaderHold]
[dbo].[ERPx_CPTicketHeaderNote]
[dbo].[ERPx_CPTicketItem]
[dbo].[ERPx_MFAttribute_CPTicketHeader]
[dbo].[FNx_GetCPTicketHeaderforReprice]
[dbo].[FNx_GetTransactionAccounts]
[dbo].[FNx_GetTransactionAmounts]
[dbo].[IQx_CPSEL_TicketHistory]
[dbo].[IQx_CPSEL_TicketLineList]
[dbo].[IQx_CPTicketHistory]
[dbo].[SPx_CPDEL_Ticket]
[dbo].[SPx_CPPProcess_CalculateTicketChargesAndAccruals]
[dbo].[SPx_CPPProcess_CreateAPTransaction]
[dbo].[SPx_CPPProcess_CreateIMReceiptTransaction]
[dbo].[SPx_CPPProcess_SearchMetadata_RefreshCPTicketHeader]
[dbo].[SPx_CPPProcess_Ticket]
[dbo].[SPx_CPPProcess_TicketHeaderRollup]
[dbo].[SPx_CPPProcess_TransactionClass]
[dbo].[SPx_CPSEL_GetTicketHeaders]
[dbo].[SPx_CPSEL_HoldCodeLookup]
[dbo].[SPx_CPSEL_PriceListByFarmer]
[dbo].[SPx_CPSEL_Ticket_SiteLookup]
[dbo].[SPx_CPSEL_TicketAccrualsList]
[dbo].[SPx_CPSEL_TicketChargeAndAccrualHeader]
[dbo].[SPx_CPSEL_TicketChargesList]
[dbo].[SPx_CPSEL_TicketContainerLookup]
[dbo].[SPx_CPSEL_TicketCropLookup]
[dbo].[SPx_CPSEL_TicketFieldLookup]
[dbo].[SPx_CPSEL_TicketHeader]
[dbo].[SPx_CPSEL_TicketHeaderProperty]
[dbo].[SPx_CPSEL_TicketItemList]
[dbo].[SPx_CPSEL_TicketItemLookup]
[dbo].[SPx_CPSEL_TicketItemNew]
[dbo].[SPx_CPSEL_TicketRepriceAccrualLookup]
[dbo].[SPx_CPSEL_TicketRepriceChargeLookup]
[dbo].[SPx_CPSEL_TicketRepriceItemLookup]
[dbo].[SPx_CPSEL_TicketStatusLookup]
[dbo].[SPx_CPSEL_TransactionAttributeList]
[dbo].[SPx_CPUPD_TicketHeaderRollup]
[dbo].[SPx_CPUPD_UpdateTicketAccrualAmount]
[dbo].[SPx_CPUPD_UpdateTicketChargeAmount]
[dbo].[SPx_CPUUpdate_Crop]
[dbo].[SPx_CPUUpdate_Farmer]





[dbo].[SPx_CPUUpdate_FieldList]
[dbo].[SPx_CPUUpdate_HarvesterList]
[dbo].[SPx_CPUUpdate_HaulerList]
[dbo].[SPx_CPUUpdate_NewTicket]
[dbo].[SPx_CPUUpdate_TicketList]
[dbo].[SPx_CPUUpdate_TicketMassUpdate]
[dbo].[SPx_CPUUpdate_TicketReprice]
[dbo].[SPx_CPUUpdate_TicketXML]
[dbo].[SPx_GLSEL_JournalDetailHeader]
[dbo].[SPx_GLUUpdate_FiscalYear]
[dbo].[SPx_GLUUpdate_FiscalYearList]
[dbo].[SPx_MFDEL_DeleteCompany]
[dbo].[SPx_MFINSUPDDEL_Site_XML]
[dbo].[SPx_MFUpdate_JournalDetails]
[dbo].[SPx_MFUpdate_Site]

Used By


[dbo].[SPx_CPPProcess_SearchMetadata_RefreshCPTicketHeader]

[dbo].[SPx_CPPProcess_Ticket]

[dbo].[ERPx_CPTicketHeaderHold]**Columns**

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity	Default
	HeaderHoldSK	bigint	8	NOT NULL	1 - 1	
	TicketHeaderSK	bigint	8	NOT NULL		
	HoldCodeSK	bigint	8	NOT NULL		
	AppliedByUser	varchar(110)	110	NOT NULL		
	AppliedOn	datetime	8	NOT NULL		(getdate())
	RemovedByUser	varchar(110)	110	NULL allowed		
	RemovedOn	datetime	8	NULL allowed		
	IsRemoved	bit	1	NULL allowed		((0))
	LastUpdated	datetime	8	NOT NULL		(getdate())
	LastUser	varchar(110)	110	NULL allowed		
	DataEntityCompanySK	bigint	8	NOT NULL		

Indexes

Key	Name	Key Columns	Unique
	PK_ERPx_CPTicketHeaderHold	HeaderHoldSK	True
	IX_ERPx_CPTicketHeaderHold	HoldCodeSK, TicketHeaderSK	

Foreign Keys

Name	Columns
FK_ERPx_CPTicketHeaderHold_ERPx_CPTicket-Header	TicketHeaderSK->[dbo].[ERPx_CPTicketHeader].[TicketHeaderSK]
FK_ERPx_CPTicketHeaderHold_ERPx_MFData-EntityCompany	DataEntityCompanySK->[dbo].[ERPx_MFDataEntityCompany].[Data-EntityCompanySK]
FK_ERPx_CPTicketHeaderHold_ERPx_MFHoldCode	HoldCodeSK->[dbo].[ERPx_MFHoldCode].[HoldCodeSK]

Uses





[dbo].[ERPx_CPTicketHeader]
[dbo].[ERPx_MFDataEntityCompany]
[dbo].[ERPx_MFHoldCode]

Used By

[dbo].[FNx_GetCPTicketHoldCodeSK]

[dbo].[FNx_IsCPTicketOnHold]
[dbo].[SPx_CPPProcess_Ticket]
[dbo].[SPx_CPSEL_GetTicketHeaders]
[dbo].[SPx_CPSEL_TicketHeader]
[dbo].[SPx_CPUUpdate_TicketMassUpdate]
[dbo].[SPx_CPUUpdate_TicketReprice]
[dbo].[SPx_MFUpdate_HoldCode]
[dbo].[SPx_MFUpdate_HoldCodes]

[dbo].[ERPx_CPTicketHeaderNote]**Columns**

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity
	TicketHeaderNoteSK	bigint	8	NOT NULL	1 - 1
	TicketHeaderSK	bigint	8	NOT NULL	
	NoteTypeSK	bigint	8	NOT NULL	
	Note	varchar(max)	max	NULL allowed	
	NoteHTML	varchar(max)	max	NULL allowed	
	LastUpdated	datetime	8	NOT NULL	
	LastUser	varchar(150)	150	NOT NULL	
	DataEntityCompanySK	bigint	8	NOT NULL	

Indexes

Key	Name	Key Columns	Unique
	PK_ERPx_CPTicketHeaderNote	TicketHeaderNoteSK	True

Foreign Keys

Name	Columns
FK_ERPx_CPTicketHeaderNote_ERPx_CPTicket-Header	TicketHeaderSK->[dbo].[ERPx_CPTicketHeader].[TicketHeaderSK]
FK_ERPx_CPTicketHeaderNote_ERPx_MFData-EntityCompany	DataEntityCompanySK->[dbo].[ERPx_MFDataEntityCompany].[Data-EntityCompanySK]
FK_ERPx_CPTicketHeaderNote_ERPx_MFNoteType	NoteTypeSK->[dbo].[ERPx_MFNoteType].[NoteTypeSK]

Uses



[dbo].[ERPx_CPTicketHeader]
[dbo].[ERPx_MFDataEntityCompany]
[dbo].[ERPx_MFNoteType]

Used By

[dbo].[SPx_CPPProcess_Ticket]
[dbo].[SPx_MFDEL_DeleteCompany]
[dbo].[SPx_MFManage_NoteAssignment]
[dbo].[SPx_MFSEL_NoteList]

 [dbo].[ERPx_CPTicketHeaderProperty]

Columns

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity	Default
	TicketPropertySK	bigint	8	NOT NULL	1 - 1	
	PropertyGroupDescription	varchar(200)	200	NOT NULL		
	PropertyName	varchar(50)	50	NOT NULL		
	PropertyDescription	varchar(200)	200	NOT NULL		
	PropertyDefinitionSK	bigint	8	NOT NULL		
	Sort	bigint	8	NOT NULL		
	TabLocation	varchar(50)	50	NOT NULL		
	MaxLengthOrDecimals	bigint	8	NULL allowed		
	LastUpdated	datetime	8	NOT NULL		(getdate())
	LastUser	varchar(150)	150	NOT NULL		
	DataEntityCompanySK	bigint	8	NOT NULL		
	IsReadOnly	bit	1	NOT NULL		((0))

Indexes

Key	Name	Key Columns	Unique
	PK_ERPx_CPTicketHeaderProperty	TicketPropertySK	True

Foreign Keys

Name	Columns
FK_ERPx_CPTicketHeaderProperty_ERPx_MFData-EntityCompany	DataEntityCompanySK->[dbo].[ERPx_MFDataEntityCompany].[Data-EntityCompanySK]

Uses

[dbo].[ERPx_MFDataEntityCompany]






Used By

[dbo].[SPx_CPSEL_TicketHeaderProperty]

[dbo].[SPx_MFDEL_DeleteCompany]

 [dbo].[ERPx_CPTicketItem]

Columns

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity	Default
	TicketItemSK	bigint	8	NOT NULL	1 - 1	
	TicketHeaderSK	bigint	8	NOT NULL		
	ItemSK	bigint	8	NOT NULL		
	UOMSK	bigint	8	NOT NULL		
	Units	numeric(18,5)	9	NULL allowed		
	SampleWeight	numeric(18,5)	9	NOT NULL		((0.00))
	SampleWeightPercent	numeric(18,5)	9	NOT NULL		((0.00))
	PaidWeight	numeric(18,5)	9	NOT NULL		((0))
	UnpaidWeight	numeric(18,5)	9	NOT NULL		
	TotalWeight	numeric(18,5)	9	NOT NULL		((0.00))
	Price	numeric(18,5)	9	NOT NULL		((0.00))
	GrossAmount	numeric(18,5)	9	NOT NULL		((0.00))
	ChargeAmount	numeric(18,5)	9	NULL allowed		
	AccrualAmount	numeric(18,5)	9	NULL allowed		
	NetAmount	numeric(18,5)	9	NULL allowed		
	PurchaseGLAccountSK	bigint	8	NULL allowed		
	PreviousVersionTicketItemSK	bigint	8	NULL allowed		
	LastUpdated	datetime	8	NOT NULL		
	LastUser	varchar(110)	110	NOT NULL		
	DataEntityCompanySK	bigint	8	NOT NULL		

Indexes

Key	Name	Key Columns	Unique
	PK_ERPx_CPTicketItem	TicketItemSK	True

Foreign Keys

Name	Columns
FK_ERPx_CPTicketItem_ERPx_CPIItem	ItemSK->[dbo].[ERPx_CPIItem].[ItemSK]
FK_ERPx_CPTicketItem_ERPx_CPTicketHeader	TicketHeaderSK->[dbo].[ERPx_CPTicketHeader].[TicketHeaderSK]
FK_ERPx_CPTicketItem_ERPx_GLAccount	PurchaseGLAccountSK->[dbo].[ERPx_GLAccount].[AccountSK]
FK_ERPx_CPTicketItem_Previous_ERPx_CPTicket-	PreviousVersionTicketItemSK->[dbo].[ERPx_CPTicketItem].[TicketItem-

Item	SKJ
------	-----




Uses

[dbo].[ERPx_CPIItem]
 [dbo].[ERPx_CPTicketHeader]
 [dbo].[ERPx_GLAccount]

Used By

[dbo].[ERPx_CPTicketAccrual]
 [dbo].[ERPx_CPTicketCharge]
 [dbo].[ERPx_CPTicketItem_SearchMetadata]
 [dbo].[ERPx_CPTicketItemNote]
 [dbo].[FNx_GetTransactionAccounts]
 [dbo].[FNx_GetTransactionAmounts]
 [dbo].[SPx_CPDEL_Ticket]
 [dbo].[SPx_CPPProcess_CalculateTicketChargesAndAccruals]
 [dbo].[SPx_CPPProcess_CreateAPTransaction]
 [dbo].[SPx_CPPProcess_CreateIMReceiptTransaction]
 [dbo].[SPx_CPPProcess_Item]
 [dbo].[SPx_CPPProcess_SearchMetadata_RefreshCPTicketItem]
 [dbo].[SPx_CPPProcess_Ticket]
 [dbo].[SPx_CPPProcess_TicketHeaderRollup]
 [dbo].[SPx_CPSEL_GetTicketLines]
 [dbo].[SPx_CPSEL_TicketAccrualsList]
 [dbo].[SPx_CPSEL_TicketChargesList]
 [dbo].[SPx_CPSEL_TicketContainerLookup]
 [dbo].[SPx_CPSEL_TicketHeader]
 [dbo].[SPx_CPSEL_TicketItemAccountLookup]
 [dbo].[SPx_CPSEL_TicketItemList]
 [dbo].[SPx_CPSEL_TicketRepriceItemLookup]
 [dbo].[SPx_CPUPD_TicketHeaderRollup]
 [dbo].[SPx_CPUPD_UpdateTicketAccrualAmount]
 [dbo].[SPx_CPUPD_UpdateTicketChargeAmount]
 [dbo].[SPx_CPUUpdate_NewTicket]
 [dbo].[SPx_CPUUpdate_TicketMassUpdate]
 [dbo].[SPx_CPUUpdate_TicketReprice]
 [dbo].[SPx_MFDEL_DeleteCompany]
 [dbo].[SPx_MFUpdate_JournalDetails]

[dbo].[ERPx_CPTicketItem_SearchMetadata]**Columns**

Key	Name	Data Type	Persisted	Computed	Max Length (Bytes)	Nullability
	TicketItemSK	bigint			8	NOT NULL
	Item	varchar(150)			150	NULL allowed
	AttributeValues	varchar(max)			max	NULL allowed
	SearchText	varchar(max)	True	True	max	NOT NULL
	DataEntityCompanySK	bigint			8	NOT NULL

Computed columns

Name	Column definition
SearchText	((isnull([AttributeValues], '')+'')+isnull([Item], ''))+'')

Indexes

Key	Name	Key Columns	Unique
	PK_ERPx_CPTicketItem_SearchMetadata	TicketItemSK	True
	IX_ERPx_CPTicketItem_SearchMetadata	Item, DataEntityCompanySK	

Foreign Keys

Name	Columns
FK_ERPx_CPTicketItem_SearchMetadata_ERPx_CPTicketItem	TicketItemSK->[dbo].[ERPx_CPTicketItem].[TicketItemSK]
FK_ERPx_CPTicketItem_SearchMetadata_ERPx_MFDataEntityCompany	DataEntityCompanySK->[dbo].[ERPx_MFDataEntityCompany].[DataEntityCompanySK]





Uses

[dbo].[ERPx_CPTicketItem]
[dbo].[ERPx_MFDataEntityCompany]

Used By

[dbo].[SPx_CPPProcess_SearchMetadata_RefreshCPTicketItem]
[dbo].[SPx_CPPProcess_Ticket]

[dbo].[ERPx_CPTicketItemNote]**Columns**

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity
	TicketItemNoteSK	bigint	8	NOT NULL	1 - 1
	TicketItemSK	bigint	8	NOT NULL	
	NoteTypeSK	bigint	8	NOT NULL	
	Note	varchar(max)	max	NULL allowed	
	NoteHTML	varchar(max)	max	NULL allowed	
	LastUpdated	datetime	8	NOT NULL	
	LastUser	varchar(150)	150	NOT NULL	
	DataEntityCompanySK	bigint	8	NOT NULL	

Indexes

Key	Name	Key Columns	Unique
	PK_ERPx_CPTicketItemNote	TicketItemNoteSK	True

Foreign Keys

Name	Columns
FK_ERPx_CPTicketItemNote_ERPx_CPTicketItem	TicketItemSK->[dbo].[ERPx_CPTicketItem].[TicketItemSK]
FK_ERPx_CPTicketItemNote_ERPx_MFDataEntityCompany	DataEntityCompanySK->[dbo].[ERPx_MFDataEntityCompany].[DataEntityCompanySK]
FK_ERPx_CPTicketItemNote_ERPx_MFNoteType	NoteTypeSK->[dbo].[ERPx_MFNoteType].[NoteTypeSK]

Uses




[dbo].[ERPx_CPTicketItem]
 [dbo].[ERPx_MFDataEntityCompany]
 [dbo].[ERPx_MFNoteType]

Used By

[dbo].[SPx_CPPProcess_Ticket]
 [dbo].[SPx_MFDEL_DeleteCompany]
 [dbo].[SPx_MFManage_NoteAssignment]
 [dbo].[SPx_MFSEL_NoteList]

 [dbo].[ERPx_CPTicketLineNote]

Columns

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity
	TicketLineNoteSK	bigint	8	NOT NULL	1 - 1
	TicketLineSK	bigint	8	NOT NULL	
	NoteTypeSK	bigint	8	NOT NULL	
	Note	varchar(max)	max	NULL allowed	
	NoteHTML	varchar(max)	max	NULL allowed	
	LastUpdated	datetime	8	NOT NULL	
	LastUser	varchar(150)	150	NOT NULL	
	DataEntityCompanySK	bigint	8	NOT NULL	

Indexes

Key	Name	Key Columns	Unique
	PK_ERPx_CPTicketLineNote	TicketLineNoteSK	True

Foreign Keys

Name	Columns
FK_ERPx_CPTicketLineNote_ERPx_MFDataEntity-Company	DataEntityCompanySK->[dbo].[ERPx_MFDataEntityCompany].[DataEntity-CompanySK]
FK_ERPx_CPTicketLineNote_ERPx_MFNoteType	NoteTypeSK->[dbo].[ERPx_MFNoteType].[NoteTypeSK]

Uses

[dbo].[ERPx_MFDataEntityCompany]

[dbo].[ERPx_MFNoteType]

 **[dbo].[ERPx_CPTicketReprice]**

Columns

Name	Data Type	Max Length (Bytes)	Nullability
TicketHeaderSK	bigint	8	NOT NULL
TicketDetailSK	bigint	8	NULL allowed
EntitySK	bigint	8	NULL allowed
Entity	varchar(20)	20	NULL allowed
Original	numeric(18,5)	9	NULL allowed
New	numeric(18,5)	9	NULL allowed
UserSK	bigint	8	NOT NULL
DataEntityCompanySK	bigint	8	NOT NULL

Used By

[dbo].[SPx_CPSEL_TicketHeaderList]
 [dbo].[SPx_CPSEL_TicketRepriceAccrualLookup]
 [dbo].[SPx_CPSEL_TicketRepriceChargeLookup]
 [dbo].[SPx_CPSEL_TicketRepriceItemLookup]
 [dbo].[SPx_CPUUpdate_TicketReprice]

 **[dbo].[ERPx_CPTicketRepriceCriteria]**
Columns



Name	Data Type	Max Length (Bytes)	Nullability	Default
TicketNumber	varchar(max)	max	NULL allowed	
SiteSK	bigint	8	NULL allowed	
FarmerSK	bigint	8	NULL allowed	
FieldSK	bigint	8	NULL allowed	
CropSK	bigint	8	NULL allowed	
DateFrom	datetime	8	NOT NULL	
DateTo	datetime	8	NOT NULL	
Commodity	varchar(max)	max	NULL allowed	
Variety	varchar(max)	max	NULL allowed	
ItemSKCSV	varchar(max)	max	NULL allowed	
SaveAsStatusSK	bigint	8	NOT NULL	
ItemTypeEN	varchar(10)	10	NULL allowed	
SearchLevel	varchar(100)	100	NOT NULL	
TicketCount	numeric(18,0)	9	NULL allowed	
GLDate	date	3	NOT NULL	(getdate())
TransactionClassSK	bigint	8	NULL allowed	
UserSK	bigint	8	NOT NULL	
DataEntityCompanySK	bigint	8	NOT NULL	

Used By

[dbo].[FNx_GetCPTicketHeaderforReprice]
 [dbo].[SPx_CPSEL_TicketHeaderList]
 [dbo].[SPx_CPSEL_TicketRepriceAccrualLookup]
 [dbo].[SPx_CPSEL_TicketRepriceChargeLookup]
 [dbo].[SPx_CPSEL_TicketRepriceCriteriaLookup]
 [dbo].[SPx_CPSEL_TicketRepriceItemLookup]
 [dbo].[SPx_CPUUpdate_TicketReprice]
 [dbo].[SPx_MFINSUPDDEL_Site_XML]
 [dbo].[SPx_MFUpdate_Site]

 **[dbo].[ERPx_CPTicketStatus]**

Columns

Key	Name	Data Type	Max Length (Bytes)	Nullability
	TicketStatusSK	bigint	8	NOT NULL
	StatusName	varchar(50)	50	NOT NULL
	LastUpdated	datetime	8	NOT NULL
	LastUser	varchar(110)	110	NOT NULL

Indexes








Key	Name	Key Columns	Unique
	PK_ERPx_CPTicketStatus	TicketStatusSK	True
	UK_ERPx_CPTicketStatus	StatusName	True

Used By


[dbo].[ERPx_CPTicketHeader]
 [dbo].[IQx_CPTicketHistory]
 [dbo].[SPx_CPDEL_TicketStatus]
 [dbo].[SPx_CPSEL_GetTicketHeaders]
 [dbo].[SPx_CPSEL_TicketStatusList]
 [dbo].[SPx_CPSEL_TicketStatusLookup]
 [dbo].[SPx_CPUPD_TicketStatus]

[dbo].[ERPx_CPTransactionClass]

Columns

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity	Default
	TransactionClassSK	bigint	8	NOT NULL	1 - 1	
	TransactionTypeSK	bigint	8	NOT NULL		
	TransactionClassID	varchar(25)	25	NOT NULL		
	TransactionClassDescription	varchar(200)	200	NOT NULL		
	DocPrefix	varchar(10)	10	NULL allowed		
	NextDocNumber	bigint	8	NULL allowed		
	IntegratesToHostAs	varchar(50)	50	NULL allowed		
	CPGrowthMethodEN	bigint	8	NULL allowed		
	IMTransactionClassSK	bigint	8	NULL allowed		
	CPCreateProductionBatchAsEN	bigint	8	NULL allowed		
	CPCreateWarehouseLotAsEN	bigint	8	NULL allowed		
	DefaultLotOwnerSK	bigint	8	NULL allowed		
	IMTransactionStatusSK	bigint	8	NULL allowed		
	IsInactive	bit	1	NOT NULL		((0))
	AutoCreateReceipt	bit	1	NOT NULL		((0))
	LastUpdated	datetime	8	NOT NULL		
	LastUser	varchar(150)	150	NOT NULL		
	DataEntityCompanySK	bigint	8	NOT NULL		

Indexes

Key	Name	Key Columns	Unique
	PK_ERPx__CPTicketClass	TransactionClassSK	True
	IX_ERPx__CPTicketClass	TransactionClassID, DataEntityCompanySK, TransactionTypeSK	True

Foreign Keys

Name	Columns
FK_ERPx__CPTicketClass_ERPx_CPTransactionType	TransactionTypeSK->[dbo].[ERPx_CPTransactionType].[TransactionTypeSK]
FK_ERPx__CPTicketClass_ERPx_IMLotOwner	DefaultLotOwnerSK->[dbo].[ERPx_IMLotOwner].[LotOwnerSK]
FK_ERPx__CPTicketClass_ERPx_IMTransactionClass	IMTransactionClassSK->[dbo].[ERPx_IMTransactionClass].[TransactionClassSk]


FK_ERPx__CPTicketClass_ERPx_IMTransaction-Status	IMTransactionStatusSK->[dbo].[ERPx_IMTransactionStatus].[Transaction-StatusSK]
FK_ERPx__CPTicketClass_ERPx_MFDataEntity-Company	DataEntityCompanySK->[dbo].[ERPx_MFDataEntityCompany].[DataEntity-CompanySK]

Uses




[dbo].[ERPx_CPTtransactionType]
 [dbo].[ERPx_IMLotOwner]
 [dbo].[ERPx_IMTransactionClass]
 [dbo].[ERPx_IMTransactionStatus]
 [dbo].[ERPx_MFDataEntityCompany]

Used By


[dbo].[ERPx_CPTtransactionClassCrop]
 [dbo].[FNx_GetTransactionAccounts]
 [dbo].[FNx_GetTransactionAmounts]
 [dbo].[IQx_CPSEL_TicketHistory_TransactionClassLookup]
 [dbo].[SPx_CPPProcess_CreateIMReceiptTransaction]
 [dbo].[SPx_CPPProcess_Ticket]
 [dbo].[SPx_CPPProcess_TransactionClass]
 [dbo].[SPx_CPSEL_CropTransactionClassLookup]
 [dbo].[SPx_CPSEL_GetTicketHeaders]
 [dbo].[SPx_CPSEL_HoldCodeLookup]
 [dbo].[SPx_CPSEL_NewTicketLines]
 [dbo].[SPx_CPSEL_TicketHeader]
 [dbo].[SPx_CPSEL_TicketItemLookup]
 [dbo].[SPx_CPSEL_TicketListViewNewButtonLookup]
 [dbo].[SPx_CPSEL_TicketRepriceTransactionClassLookup]
 [dbo].[SPx_CPSEL_TransactionClassList]
 [dbo].[SPx_CPSEL_TransactionClassLookup]
 [dbo].[SPx_CPSEL_TransactionClassProperties]
 [dbo].[SPx_CPSEL_TransactionClassRecord]
 [dbo].[SPx_CPUUpdate_NewTicket]
 [dbo].[SPx_MFDEL_DeleteCompany]
 [dbo].[SPx_MFUpdate_JournalDetails]

 [dbo].[ERPx_CPTransactionClassCrop]

Columns

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity
	TransactionClassCropSK	bigint	8	NOT NULL	1 - 1
	TransactionClassSK	bigint	8	NOT NULL	
	CropSK	bigint	8	NULL allowed	

Indexes

Key	Name	Key Columns	Unique
	PK_ERPx_CPTransactionClassCrop	TransactionClassCropSK	True
	UK_ERPx_CPTransactionClassCrop	TransactionClassSK, CropSK	True

Foreign Keys

Name	Columns
FK_ERPx_CPTransactionClassCrop_ERPx_CPCrop	CropSK->[dbo].[ERPx_CPCrop].[CropSK]
FK_ERPx_CPTransactionClassCrop_ERPx_CPTTransactionClass	TransactionClassSK->[dbo].[ERPx_CPTransactionClass].[TransactionClassSK]




Uses

[dbo].[ERPx_CPCrop]
 [dbo].[ERPx_CPTransactionClass]

Used By

[dbo].[SPx_CPPProcess_TransactionClass]
 [dbo].[SPx_CPSEL_NewTicketLines]
 [dbo].[SPx_CPSEL_TransactionClassCrop]
 [dbo].[SPx_CPSEL_TransactionClassCropLookup]
 [dbo].[SPx_CPSEL_TransactionClassList]
 [dbo].[SPx_CPSEL_TransactionClassProperties]
 [dbo].[SPx_CPUUpdate_NewTicket]

[dbo].[ERPx_CPTtransactionClassProperty]**Columns**

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity	Default
	TransactionClassPropertySK	bigint	8	NOT NULL	1 - 1	
	PropertyGroupDescription	varchar(200)	200	NULL allowed		
	PropertyName	varchar(50)	50	NOT NULL		
	PropertyDescription	varchar(200)	200	NOT NULL		
	PropertyDefinitionSK	bigint	8	NULL allowed		
	Sort	bigint	8	NOT NULL		
	LastUpdated	datetime	8	NOT NULL		(getdate())
	LastUser	varchar(150)	150	NOT NULL		
	DataEntityCompanySK	bigint	8	NOT NULL		
	IsReadOnly	bit	1	NOT NULL		((0))
	TabLocation	varchar(50)	50	NOT NULL		('Properties')
	MaxLengthOrDecimals	bigint	8	NULL allowed		
	EnumerationClass	varchar(100)	100	NULL allowed		

Indexes

Key	Name	Key Columns	Unique
	PK_ERPx_CPTtransactionClassProperty	TransactionClassPropertySK	True

Foreign Keys

Name	Columns
FK_ERPx_CPTtransactionClassProperty_ERPx_MFData-EntityCompany	DataEntityCompanySK->[dbo].[ERPx_MFDataEntityCompany].[Data-EntityCompanySK]
FK_ERPx_CPTtransactionClassProperty_ERPx_-MFPropertyDefinition	PropertyDefinitionSK->[dbo].[ERPx_MFPropertyDefinition].[Property-DefinitionSK]

Uses

[dbo].[ERPx_MFDataEntityCompany]



[dbo].[ERPx_MFPropertyDefinition]

Used By

[dbo].[SPx_CPSEL_TransactionClassProperties]

 [dbo].[ERPx_CPTransactionType]

Columns


Key	Name	Data Type	Max Length (Bytes)	Nullability
	TransactionTypeSK	bigint	8	NOT NULL
	TransactionName	varchar(200)	200	NOT NULL
	Sort	int	4	NULL allowed
	RecordViewName	varchar(50)	50	NULL allowed
	ControlParameter	varchar(100)	100	NULL allowed
	IntegrationMethodEN	bigint	8	NOT NULL

Indexes


Key	Name	Key Columns	Unique
	PK_ERPx_CPTransactionType	TransactionTypeSK	True
	IX_ERPx_CPTransactionType	TransactionName	True


Used By

[dbo].[ERPx_CPTransactionClass]
 [dbo].[SPx_CPSEL_HoldCodeLookup]
 [dbo].[SPx_CPSEL_TicketListViewNewButtonLookup]
 [dbo].[SPx_MFDEL_DeleteCompany]
 [dbo].[SPx_MFSEL_HoldCodeList]
 [dbo].[SPx_MFSEL_HoldCodeRecord]
 [dbo].[SPx_MFSEL_HoldCodeTransactionLookup]
 [dbo].[SPx_MFUpdate_JournalDetails]
 [dbo].[VWx_MFSysAccountingRule]

 [dbo].[ERPx_DW_FATicketHistory]

Columns

Key	Name	Data Type	Max Length (Bytes)	Nullability	Default
	DeliveryTicketHeaderSK	bigint	8	NOT NULL	
	Landed	date	3	NULL allowed	
	Delivery Date	date	3	NULL allowed	
	Ticket Number	varchar(122)	122	NULL allowed	
	Delivery Number	varchar(50)	50	NULL allowed	
	Ticket Class	varchar(50)	50	NULL allowed	
	Fisherman Account	varchar(100)	100	NULL allowed	
	Permit Holder	varchar(100)	100	NULL allowed	
	Fishing Vessel	varchar(50)	50	NULL allowed	
	Tender Delivered	varchar(100)	100	NULL allowed	
	Status Name	varchar(200)	200	NULL allowed	
	Net Weight	numeric(18,5)	9	NULL allowed	
	Units	numeric(18,5)	9	NULL allowed	
	Net Amount	numeric(18,5)	9	NULL allowed	
	Premiums	numeric(18,5)	9	NULL allowed	
	Taxes	numeric(18,5)	9	NULL allowed	
	Extended Amount	numeric(18,5)	9	NULL allowed	
	Gross Amount	numeric(18,5)	9	NULL allowed	
	Chill Type ID	varchar(20)	20	NULL allowed	
	Dock Delivery	varchar(250)	250	NULL allowed	
	Permit	varchar(20)	20	NULL allowed	
	Gear	varchar(200)	200	NULL allowed	
	Landing Number	varchar(50)	50	NULL allowed	
	Source	varchar(20)	20	NULL allowed	
	Season	varchar(100)	100	NULL allowed	
	Fishing Period	varchar(20)	20	NULL allowed	
	Version	varchar(20)	20	NULL allowed	
	Version Type	varchar(250)	250	NULL allowed	
	Processor ID	varchar(10)	10	NULL allowed	
	Port Description	varchar(100)	100	NULL allowed	
	Reprice Comment	varchar(200)	200	NULL allowed	
	GL Date	date	3	NULL allowed	
	Management Program	varchar(20)	20	NULL allowed	
	Headland	varchar(200)	200	NULL allowed	

	GL Period	varchar(50)	50	NULL allowed	
	GL Year	varchar(10)	10	NULL allowed	
	Site Processed	varchar(35)	35	NULL allowed	
	Price List ID	varchar(25)	25	NULL allowed	
	CFECID	varchar(50)	50	NULL allowed	
	Tender Vessel	varchar(73)	73	NULL allowed	
	Buying Station Name	varchar(100)	100	NULL allowed	
	Total Fisherman Tax Amount	numeric(18,5)	9	NULL allowed	
	Total Company Tax Amount	numeric(18,5)	9	NULL allowed	
	Created Date	datetime	8	NULL allowed	
	Created By	varchar(150)	150	NULL allowed	
	Last Updated	datetime	8	NULL allowed	
	Last User	varchar(150)	150	NULL allowed	
	TransactionTypeSK	bigint	8	NOT NULL	
	JournalHeaderSKCSV	nvarchar(max)	max	NULL allowed	
	Floating	varchar(3)	3	NULL allowed	
	Slide	varchar(3)	3	NULL allowed	
	Version Gross Amount	numeric(19,5)	9	NULL allowed	
	Version Fisherman Tax Amount	numeric(19,5)	9	NULL allowed	
	Version Net Amount	numeric(19,5)	9	NULL allowed	
	Version Company Tax Amount	numeric(19,5)	9	NULL allowed	
	Fishing Began	date	3	NULL allowed	
	DataEntityCompanySK	bigint	8	NOT NULL	
	DateTimePopulated	datetime	8	NOT NULL	(getdate())

Indexes

Key	Name	Key Columns	Unique
	PK_ERPx_DW_FATicketHistory	DeliveryTicketHeaderSK	True

Foreign Keys

Name	Columns
FK_ERPx_DW_FATicketHistory_ERPx_DW_-FATicketHistory	DataEntityCompanySK->[dbo].[ERPx_MFDataEntityCompany].[DataEntity-CompanySK]

Uses

[dbo].[ERPx_MFDataEntityCompany]

Used By


[dbo].[SPx_DWUpdate_FATicketHistory]

 [dbo].[ERPx_DW_FATicketItemHistory]

Columns

Key	Name	Data Type	Max Length (Bytes)	Nullability	Default
	DeliveryTicketHeaderSK	bigint	8	NOT NULL	
	DeliveryTicketLineSK	bigint	8	NOT NULL	
	Landed	date	3	NULL allowed	
	Delivery Date	date	3	NULL allowed	
	Ticket Number	varchar(100)	100	NULL allowed	
	Delivery Number	varchar(50)	50	NULL allowed	
	Ticket Class	varchar(50)	50	NULL allowed	
	Fisherman Account	varchar(100)	100	NULL allowed	
	Permit Holder	varchar(100)	100	NULL allowed	
	Fishing Vessel	varchar(50)	50	NULL allowed	
	Tender Delivered	varchar(100)	100	NULL allowed	
	Status Name	varchar(200)	200	NULL allowed	
	Net Weight	numeric(18,5)	9	NULL allowed	
	Units	numeric(18,5)	9	NULL allowed	
	Net Amount	numeric(18,5)	9	NULL allowed	
	Premiums	numeric(18,5)	9	NULL allowed	
	Taxes	numeric(18,5)	9	NULL allowed	
	Extended Amount	numeric(18,5)	9	NULL allowed	
	Gross Amount	numeric(18,5)	9	NULL allowed	
	Chill Type ID	varchar(20)	20	NULL allowed	
	Dock Delivery	varchar(250)	250	NULL allowed	
	Permit	varchar(20)	20	NULL allowed	
	Gear	varchar(123)	123	NULL allowed	
	Landing Number	varchar(50)	50	NULL allowed	
	Source	varchar(20)	20	NULL allowed	
	Specie	varchar(123)	123	NULL allowed	
	Condition	varchar(123)	123	NULL allowed	
	Grade	varchar(123)	123	NULL allowed	
	Disposition	varchar(123)	123	NULL allowed	
	Sold Condition	varchar(123)	123	NULL allowed	
	Price	numeric(18,5)	9	NULL allowed	
	Price UOM	varchar(10)	10	NULL allowed	
	Season	varchar(100)	100	NULL allowed	
	Fishing Period	varchar(20)	20	NULL allowed	

Purchase Account	varchar(75)	75	NULL allowed
Purchase Account Description	varchar(75)	75	NULL allowed
Payable Account	varchar(75)	75	NULL allowed
Payable Account Description	varchar(75)	75	NULL allowed
Version	varchar(20)	20	NULL allowed
Version Type	varchar(250)	250	NULL allowed
Processor ID	varchar(10)	10	NULL allowed
Port Description	varchar(100)	100	NULL allowed
Reprice Comment	varchar(200)	200	NULL allowed
Delivered Weight	numeric(18,5)	9	NULL allowed
Weight Modifier	numeric(18,5)	9	NULL allowed
GL Date	date	3	NULL allowed
Management Program	varchar(20)	20	NULL allowed
Major Specie	varchar(100)	100	NULL allowed
Headland	varchar(200)	200	NULL allowed
GL Period	varchar(50)	50	NULL allowed
GL Year	varchar(10)	10	NULL allowed
Site Processed	varchar(35)	35	NULL allowed
Price List ID	varchar(25)	25	NULL allowed
CFECID	varchar(50)	50	NULL allowed
Ticket Item ID	varchar(105)	105	NULL allowed
Generated Item Description	varchar(600)	600	NULL allowed
Tender Vessel	varchar(78)	78	NULL allowed
Buying Station Name	varchar(100)	100	NULL allowed
Unit UOM	varchar(10)	10	NULL allowed
Fisherman Tax Amount	numeric(18,5)	9	NULL allowed
Company Tax Amount	numeric(18,5)	9	NULL allowed
Created Date	datetime	8	NULL allowed
Created By	varchar(150)	150	NULL allowed
Last Updated	datetime	8	NULL allowed
Last User	varchar(150)	150	NULL allowed
TransactionTypeSK	bigint	8	NULL allowed
JournalHeaderSKCSV	bigint	8	NULL allowed
Account Class	varchar(50)	50	NULL allowed
Floating	varchar(3)	3	NULL allowed
Slide	varchar(3)	3	NULL allowed
Tax Price	numeric(18,5)	9	NULL allowed
Ext Tax Amount	numeric(18,5)	9	NULL allowed
Version Gross Amount	numeric(19,5)	9	NULL allowed
Version Fisherman Tax Amount	numeric(19,5)	9	NULL allowed
Version Net Amount	numeric(19,5)	9	NULL allowed

	Version Company Tax Amount	numeric(19,5)	9	NULL allowed	
	Sequence	bigint	8	NULL allowed	
	DataEntityCompanySK	bigint	8	NOT NULL	
	DateTimePopulated	datetime	8	NOT NULL	(getdate())

Indexes

Key	Name	Key Columns	Unique
	PK_ERPx_DW_FATicketItemHistory	DeliveryTicketLineSK	True

Foreign Keys

Name	Columns
FK_ERPx_DW_FATicketItemHistory_ERPx_DW_FATicketItemHistory	DataEntityCompanySK->[dbo].[ERPx_MFDataEntityCompany].[DataEntityCompanySK]

Uses

[dbo].[ERPx_MFDataEntityCompany]


Used By

[dbo].[SPx_DWUpdate_FATicketItemHistory]

 [dbo].[ERPx_DW_FATicketStatAreaLineHistory]

Columns

Key	Name	Data Type	Max Length (Bytes)	Nullability	Default
	DeliveryTicketHeaderSK	bigint	8	NOT NULL	
	DeliveryTicketLineSK	bigint	8	NOT NULL	
	DeliveryTicketItemSK	bigint	8	NULL allowed	
	StatAreaSK	bigint	8	NOT NULL	
	Percent	numeric(18,5)	9	NULL allowed	
	Net Weight	numeric(18,5)	9	NULL allowed	
	Units	numeric(18,5)	9	NULL allowed	
	Net Amount	numeric(18,5)	9	NULL allowed	
	Premiums	numeric(18,5)	9	NULL allowed	
	Taxes	numeric(18,5)	9	NULL allowed	
	Extended Amount	numeric(18,5)	9	NULL allowed	
	Gross Amount	numeric(18,5)	9	NULL allowed	
	Landed	date	3	NULL allowed	
	Delivery Date	date	3	NULL allowed	
	Ticket Number	varchar(50)	50	NULL allowed	
	Delivery Number	varchar(50)	50	NULL allowed	
	Ticket Class	varchar(50)	50	NULL allowed	
	Stat Area ID	varchar(20)	20	NULL allowed	
	Fisherman Account	varchar(100)	100	NULL allowed	
	Permit Holder	varchar(100)	100	NULL allowed	
	Fishing Vessel	varchar(50)	50	NULL allowed	
	Tender Delivered	varchar(100)	100	NULL allowed	
	Status Name	varchar(200)	200	NULL allowed	
	Chill Type ID	varchar(20)	20	NULL allowed	
	Dock Delivery	varchar(250)	250	NULL allowed	
	Permit	varchar(20)	20	NULL allowed	
	Gear	varchar(125)	125	NULL allowed	
	Landing Number	varchar(50)	50	NULL allowed	
	Source	varchar(20)	20	NULL allowed	
	Specie	varchar(123)	123	NULL allowed	
	Condition	varchar(123)	123	NULL allowed	
	Grade	varchar(123)	123	NULL allowed	
	Disposition	varchar(123)	123	NULL allowed	
	Sold Condition	varchar(123)	123	NULL allowed	

	Price	numeric(18,5)	9	NULL allowed	
	Price UOM	varchar(10)	10	NULL allowed	
	Season	varchar(100)	100	NULL allowed	
	Purchase Account	varchar(75)	75	NULL allowed	
	Purchase Account Description	varchar(75)	75	NULL allowed	
	Payable Account	varchar(75)	75	NULL allowed	
	Payable Account Description	varchar(75)	75	NULL allowed	
	Version	bigint	8	NULL allowed	
	Version Type	varchar(250)	250	NULL allowed	
	Reprice Comment	varchar(200)	200	NULL allowed	
	Delivered Weight	numeric(18,5)	9	NULL allowed	
	Weight Modifier	numeric(18,5)	9	NULL allowed	
	GL Date	date	3	NULL allowed	
	Management Program	varchar(20)	20	NULL allowed	
	Major Specie	varchar(100)	100	NULL allowed	
	Headland	varchar(200)	200	NULL allowed	
	GL Period	varchar(50)	50	NULL allowed	
	GL Year	varchar(10)	10	NULL allowed	
	Site Processed	varchar(35)	35	NULL allowed	
	Price List ID	varchar(25)	25	NULL allowed	
	JournalHeaderSKCSV	varchar(100)	100	NULL allowed	
	Tax District	varchar(60)	60	NULL allowed	
	Item ID	varchar(105)	105	NULL allowed	
	Item ID Description	varchar(600)	600	NULL allowed	
	DataEntityCompanySK	bigint	8	NOT NULL	
	DateTimePopulated	datetime	8	NOT NULL	(getdate())

Indexes

Key	Name	Key Columns	Unique
	PK_ERPx_DW_FATicketStatAreaLineHistory	DeliveryTicketLineSK, StatAreaSK	True

Foreign Keys

Name	Columns
FK_ERPx_DW_FATicketStatAreaLineHistory_ERPx_MFDataEntityCompany	DataEntityCompanySK->[dbo].[ERPx_MFDataEntityCompany].[DataEntityCompanySK]

Uses

[dbo].[ERPx_MFDataEntityCompany]



Used By

[dbo].[SPx_DWUpdate_FATicketStatAreaLineHistory]

 [dbo].[ERPx_DW_FNJournalLine]

Columns

Key	Name	Data Type	Max Length (Bytes)	Nullability	Default
 FK	JournalHeaderSK	bigint	8	NOT NULL	
 PK	JournalLineSK	bigint	8	NOT NULL	
	Journal ID	varchar(20)	20	NULL allowed	
	Journal Date	date	3	NULL allowed	
	GL Period	varchar(50)	50	NULL allowed	
	GL Year	varchar(50)	50	NULL allowed	
	Source Transaction Type	varchar(25)	25	NULL allowed	
	Source Transaction ID	varchar(250)	250	NULL allowed	
	Source Transaction Date	date	3	NULL allowed	
	Source Transaction Detail	varchar(500)	500	NULL allowed	
	Note	varchar(max)	max	NULL allowed	
	Transaction Status	varchar(25)	25	NULL allowed	
	Line Comment	varchar(500)	500	NULL allowed	
	Account Number	varchar(75)	75	NULL allowed	
	Description	varchar(100)	100	NULL allowed	
	Debit Amount	numeric(18,5)	9	NULL allowed	
	Credit Amount	numeric(18,5)	9	NULL allowed	
	Distributed To Type	varchar(250)	250	NULL allowed	
	Distributed To	varchar(250)	250	NULL allowed	
	Host Journal ID	varchar(200)	200	NULL allowed	
	Comment	varchar(500)	500	NULL allowed	
	Reference	varchar(100)	100	NULL allowed	
	Journal Transaction Type	varchar(200)	200	NULL allowed	
	Master Number	varchar(50)	50	NULL allowed	
	Created Date	datetime	8	NULL allowed	
	Created By	varchar(150)	150	NULL allowed	
	Posted Date	datetime	8	NULL allowed	
	Posted By	varchar(150)	150	NULL allowed	
	Last Updated	datetime	8	NULL allowed	
	Last User	varchar(150)	150	NULL allowed	
	Net Change	numeric(18,5)	9	NULL allowed	
	Balance	numeric(18,5)	9	NULL allowed	
	Functional Area	varchar(max)	max	NULL allowed	

	AccountSK	bigint	8	NULL allowed	
	Account Number Description	varchar(max)	max	NULL allowed	
	FiscalYearSK	bigint	8	NULL allowed	
	SourceModuleSK	bigint	8	NULL allowed	
	SourceTransactionTypeSK	bigint	8	NULL allowed	
	SourceTransactionSK	bigint	8	NULL allowed	
	FormSK	bigint	8	NULL allowed	
	AccountType	varchar(150)	150	NULL allowed	
	DataEntityCompanySK	bigint	8	NOT NULL	
	DateTimePopulated	datetime	8	NOT NULL	(getdate())

Indexes

Key	Name	Key Columns	Unique
	PK_ERPx_DW_FNJournalLine	JournalLineSK	True

Foreign Keys

Name	Columns
FK_ERPx_DW_FNJournalLine_ERPx_GLAccount	AccountSK->[dbo].[ERPx_GLAccount].[AccountSK]
FK_ERPx_DW_FNJournalLine_ERPx_GLJournal-Header	JournalHeaderSK->[dbo].[ERPx_GLJournalHeader].[JournalHeaderSK]
FK_ERPx_DW_FNJournalLine_ERPx_MFData-EntityCompany	DataEntityCompanySK->[dbo].[ERPx_MFDataEntityCompany].[DataEntity-CompanySK]

Uses


[dbo].[ERPx_GLAccount]
 [dbo].[ERPx_GLJournalHeader]
 [dbo].[ERPx_MFDataEntityCompany]

Used By


[dbo].[SPx_DWUpdate_FNJournalLine]
 [dbo].[SPx_GLUpdate_YearEndClose]

 **[dbo].[ERPx_DW_IMLotHistory]**
Columns

Key	Name	Data Type	Max Length (Bytes)	Nullability	Default
	TransactionHeaderSK	bigint	8	NOT NULL	
	TransactionDetailSK	bigint	8	NOT NULL	
	Transaction ID	varchar(50)	50	NULL allowed	
	Item ID Description	varchar(157)	157	NULL allowed	
	Site	varchar(58)	58	NULL allowed	
	Transaction Date	date	3	NULL allowed	
	Transaction Type	varchar(200)	200	NULL allowed	
	Record View Name	varchar(8000)	8000	NULL allowed	
	Transaction Class ID	varchar(50)	50	NULL allowed	
	Production Lot ID	varchar(50)	50	NULL allowed	
	ProductionLotSK	bigint	8	NULL allowed	
	Batch Date	date	3	NULL allowed	
	Production Lot Site	varchar(58)	58	NULL allowed	
	Warehouse Lot ID	varchar(50)	50	NULL allowed	
	Quantity	numeric(38,11)	17	NULL allowed	
	Reporting Decimals	bigint	8	NULL allowed	
	UOMID	varchar(10)	10	NULL allowed	
	Units	numeric(18,5)	9	NULL allowed	
	Unit Decimals	bigint	8	NULL allowed	
	Unit UOMID	varchar(10)	10	NULL allowed	
	Weight	numeric(18,5)	9	NULL allowed	
	Weight Decimals	bigint	8	NULL allowed	
	Weight UOMID	varchar(10)	10	NULL allowed	
	Schedule ID	varchar(25)	25	NULL allowed	
	GL Date	date	3	NULL allowed	
	Void Date	date	3	NULL allowed	
	Owner Name	varchar(25)	25	NULL allowed	
	LotSK	bigint	8	NULL allowed	
	BOL	varchar(100)	100	NULL allowed	
	ItemSK	bigint	8	NULL allowed	
	RowColor	varchar(5)	5	NULL allowed	
	LoadTransactionSK	bigint	8	NULL allowed	
	Reference	varchar(100)	100	NULL allowed	

	Corrected From TransactionID	varchar(50)	50	NULL allowed	
	Batch Comment	varchar(100)	100	NULL allowed	
	Purchase Order ID	varchar(50)	50	NULL allowed	
	Received From	varchar(100)	100	NULL allowed	
	DataEntityCompanySK	bigint	8	NULL allowed	
	DateTimePopulated	datetime	8	NOT NULL	(getdate())

Indexes

Key	Name	Key Columns	Unique
	PK_ERPx_DW_IMLotHistory	TransactionHeaderSK, TransactionDetailSK	True

Foreign Keys

Name	Columns
FK_ERPx_DW_IMLotHistory_ERPx_IMItem	ItemSK->[dbo].[ERPx_IMItem].[ItemSK]
FK_ERPx_DW_IMLotHistory_ERPx_IMLotBalance	LotSK->[dbo].[ERPx_IMLotBalance].[LotSK]
FK_ERPx_DW_IMLotHistory_ERPx_MFDataEntity-Company	DataEntityCompanySK->[dbo].[ERPx_MFDataEntityCompany].[DataEntity-CompanySK]

Uses

[dbo].[ERPx_IMItem]
 [dbo].[ERPx_IMLotBalance]
 [dbo].[ERPx_MFDataEntityCompany]


Used By

[dbo].[SPx_DWUpdate_IMLotHistory]

 [dbo].[ERPx_DW_SOBillingHistory]

Columns

Key	Name	Data Type	Max Length (Bytes)	Nullability	Default
	OrderHeaderSK	bigint	8	NOT NULL	
	Transaction Type	varchar(25)	25	NULL allowed	
	TransactionTypeSK	bigint	8	NULL allowed	
	Transaction Class	varchar(15)	15	NULL allowed	
	Invoice Number	varchar(50)	50	NULL allowed	
	Invoice Date	date	3	NULL allowed	
	Customer ID	varchar(50)	50	NULL allowed	
	Customer Name	varchar(100)	100	NULL allowed	
	Purchase Order	varchar(35)	35	NULL allowed	
	Ship Address ID	varchar(25)	25	NULL allowed	
	Ship Address Name	varchar(150)	150	NULL allowed	
	Ship City State	varchar(67)	67	NULL allowed	
	Ship Country	varchar(50)	50	NULL allowed	
	Order Date	datetime	8	NULL allowed	
	Salesperson Inside	varchar(50)	50	NULL allowed	
	Salesperson Outside	varchar(50)	50	NULL allowed	
	Amount	numeric(18,5)	9	NULL allowed	
	GL Period	varchar(50)	50	NULL allowed	
	GL Year	varchar(10)	10	NULL allowed	
	Order Status	varchar(25)	25	NULL allowed	
	Master Number	bigint	8	NULL allowed	
	Original Transaction Class	varchar(15)	15	NULL allowed	
	Original Order Number	varchar(50)	50	NULL allowed	
	Currency	varchar(15)	15	NULL allowed	
	InvoiceURL	varchar(141)	141	NULL allowed	
	OrderURL	varchar(141)	141	NULL allowed	
	InvoiceHeaderSKCSV	varchar(max)	max	NULL allowed	
	TransactionURL	varchar(141)	141	NULL allowed	
	Order ID	varchar(50)	50	NULL allowed	
	Attention To	varchar(100)	100	NULL allowed	
	Ship Phone	varchar(25)	25	NULL allowed	
	GL Date	date	3	NULL allowed	
	Payment Terms	varchar(50)	50	NULL allowed	
	Allocated Units	numeric(18,5)	9	NULL allowed	

	Allocated Weight	numeric(18,5)	9	NULL allowed	
	Allocated Amount	numeric(18,5)	9	NULL allowed	
	Product Cost Amt	bigint	8	NULL allowed	
	Gross Margin Amt	bigint	8	NULL allowed	
	Gross Margin Percent	bigint	8	NULL allowed	
	Freight Amt	bigint	8	NULL allowed	
	Brokerage Amt	bigint	8	NULL allowed	
	Other Accrual Amt	bigint	8	NULL allowed	
	Net Margin Amt	bigint	8	NULL allowed	
	Net Margin Percent	bigint	8	NULL allowed	
	CurrencyReportFormatString	varchar(50)	50	NULL allowed	
	DataEntityCompanySK	bigint	8	NOT NULL	
	DateTimePopulated	datetime	8	NOT NULL	(getdate())

Indexes

Key	Name	Key Columns	Unique
	PK_ERPx_DW_SOBillingHistory	OrderHeaderSK	True

Foreign Keys

Name	Columns
FK_ERPx_DW_SOBillingHistory_ERPx_DW_SOBillingHistory	DataEntityCompanySK->[dbo].[ERPx_MFDataEntityCompany].[DataEntityCompanySK]

Uses

[dbo].[ERPx_MFDataEntityCompany]

Used By

[dbo].[SPx_DWUpdate_SOBillingHistory]

 **[dbo].[ERPx_DW_SOItemHistory]**
Columns

Key	Name	Data Type	Max Length (Bytes)	Nullability	Default
	Transaction Type	varchar(25)	25	NULL allowed	
	Document ID	varchar(15)	15	NULL allowed	
	Order ID	varchar(50)	50	NULL allowed	
	Order Date	datetime	8	NULL allowed	
	Customer ID	varchar(50)	50	NULL allowed	
	Customer Name	varchar(100)	100	NULL allowed	
	Address ID	varchar(25)	25	NULL allowed	
	Address Name	varchar(150)	150	NULL allowed	
	Attention To	varchar(65)	65	NULL allowed	
	Ship City State	varchar(100)	100	NULL allowed	
	Ship Country	varchar(50)	50	NULL allowed	
	Ship Phone	varchar(25)	25	NULL allowed	
	Purchase Order	varchar(35)	35	NULL allowed	
	Order Status Name	varchar(25)	25	NULL allowed	
	Inside Salesperson Name	varchar(50)	50	NULL allowed	
	Outside Salesperson Name	varchar(50)	50	NULL allowed	
	Invoice Number	varchar(50)	50	NULL allowed	
	Invoice Date	date	3	NULL allowed	
	GL Period	varchar(50)	50	NULL allowed	
	GL Year	varchar(10)	10	NULL allowed	
	GL Date	date	3	NULL allowed	
	Load ID	varchar(50)	50	NULL allowed	
	Actual Ship Date	datetime	8	NULL allowed	
	Days Out	int	4	NULL allowed	
	Site ID	varchar(20)	20	NULL allowed	
	Site Name	varchar(35)	35	NULL allowed	
	Carrier Name	varchar(50)	50	NULL allowed	
	BOL	varchar(100)	100	NULL allowed	
	Item Type	varchar(50)	50	NULL allowed	
	Item Class	varchar(25)	25	NULL allowed	
	Attribute Class	varchar(50)	50	NULL allowed	
	Item ID Description	varchar(200)	200	NULL allowed	
	Invoice Description	varchar(105)	105	NULL allowed	
	Sub Item	varchar(10)	10	NULL allowed	

	Sub For Item	varchar(50)	50	NULL allowed	
	Ordered Units	numeric(18,5)	9	NULL allowed	
	Units UOM	varchar(10)	10	NULL allowed	
	Ordered Weight	numeric(18,5)	9	NULL allowed	
	Weight UOM	varchar(10)	10	NULL allowed	
	Price	numeric(18,5)	9	NULL allowed	
	Price UOM	varchar(10)	10	NULL allowed	
	Ordered Amount	numeric(18,5)	9	NULL allowed	
	Currency ID	varchar(15)	15	NULL allowed	
	Allocated Units	numeric(18,5)	9	NULL allowed	
	Allocated Weight	numeric(18,5)	9	NULL allowed	
	Allocated Amount	numeric(18,5)	9	NULL allowed	
	Filled Units	numeric(18,5)	9	NULL allowed	
	Filled Weight	numeric(18,5)	9	NULL allowed	
	Created By	varchar(110)	110	NULL allowed	
	Created Date	datetime	8	NULL allowed	
	Last Updated By	varchar(110)	110	NULL allowed	
	Last Updated Date	datetime	8	NULL allowed	
	Production Instruction	varchar(100)	100	NULL allowed	
	Currency Report Format String	varchar(30)	30	NULL allowed	
	Unit Decimals	bigint	8	NULL allowed	
	Weight Decimals	bigint	8	NULL allowed	
	Price Decimals	bigint	8	NULL allowed	
	OrderHeaderSK	bigint	8	NOT NULL	
	LoadHeaderSK	bigint	8	NULL allowed	
	LoadTransactionSK	bigint	8	NULL allowed	
	OrderItemSK	bigint	8	NOT NULL	
	ItemSK	bigint	8	NOT NULL	
	DataEntityCompanySK	bigint	8	NOT NULL	
	DateTimePopulated	datetime	8	NOT NULL	(getdate())

Indexes

Key	Name	Key Columns	Unique
	PK_ERPx_DW_SOItemHistory	OrderItemSK	True

Foreign Keys

Name	Columns
FK_ERPx_DW_SOItemHistory_ERPx_MFData-	DataEntityCompanySK->[dbo].[ERPx_MFDataEntityCompany].[DataEntity-

EntityCompany	CompanySK
---------------	-----------

Uses


[dbo].[ERPx_MFDataEntityCompany]

Used By

[dbo].[SPx_DWUpdate_SOItemHistory]

 [dbo].[ERPx_DWSOHeader]

Columns

Key	Name	Data Type	Max Length (Bytes)	Nullability
	SOHeaderSK	bigint	8	NOT NULL
	Customer	varchar(50)	50	NOT NULL
	CustomerName	varchar(50)	50	NOT NULL
	Invoice	varchar(20)	20	NOT NULL
	SalesOrder	varchar(12)	12	NOT NULL
	PurchaseOrder	varchar(25)	25	NOT NULL
	ShipDate	datetime	8	NOT NULL
	InvoiceDate	datetime	8	NOT NULL
	DueDate	datetime	8	NOT NULL
	InvoiceAmt	decimal(18,2)	9	NOT NULL
	ItemAmt	decimal(18,2)	9	NOT NULL
	BrokerageAmt	decimal(18,2)	9	NOT NULL
	PaidDate	datetime	8	NULL allowed
	BrokerID	varchar(20)	20	NULL allowed
	GIYear	varchar(4)	4	NULL allowed
	GLPeriod	varchar(2)	2	NULL allowed
	DataEntityCompanySK	bigint	8	NOT NULL

Indexes


Key	Name	Key Columns	Unique
	PK_ERPx_DWSOHeader	SOHeaderSK	True

Used By

[dbo].[SPx_BRSEL_BRCollectionsOrderHeaderAging]
 [dbo].[SPx_MFSEL_Commodity]
 [dbo].[SPx_MFSEL_CustomerSales]
 [dbo].[SPx_MFSEL_MonthlySales_Kendo]

 [dbo].[ERPx_DWSOItem]

Columns

Key	Name	Data Type	Max Length (Bytes)	Nullability
	SOItemSK	bigint	8	NOT NULL
	SOHeaderSK	bigint	8	NOT NULL
	ItemType	varchar(10)	10	NOT NULL
	ItemID	varchar(15)	15	NOT NULL
	ItemDescription	varchar(1000)	1000	NOT NULL
	ItemAmt	decimal(18,2)	9	NOT NULL
	BrokerageAmt	decimal(18,2)	9	NOT NULL
	Attr1	varchar(20)	20	NULL allowed
	Attr2	varchar(20)	20	NULL allowed
	Attr3	varchar(20)	20	NULL allowed
	DataEntityCompanySK	bigint	8	NOT NULL





Indexes

Key	Name	Key Columns	Unique
	PK_ERPx_DWSOItem	SOItemSK	True


Used By

[dbo].[SPx_MFSEL_Commodity]
 [dbo].[SPx_MFSEL_CustomerSales]

[dbo].[ERPx_GLAccount]**Columns**

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity	Default
	AccountSK	bigint	8	NOT NULL	1 - 1	
	HostSystemLink	varchar(25)	25	NULL allowed		
	AccountNumber	varchar(75)	75	NOT NULL		
	GLAccountTypeEN	bigint	8	NULL allowed		
	GLAccountPostingTypeEN	bigint	8	NULL allowed		
	AccountClassSK	bigint	8	NULL allowed		
	GLTypicalBalanceEN	bigint	8	NULL allowed		
	UseInGL	bit	1	NOT NULL		((1))
	UseInIM	bit	1	NOT NULL		((1))
	UseInAP	bit	1	NOT NULL		((1))
	UseInSP	bit	1	NOT NULL		((1))
	UseInSO	bit	1	NOT NULL		((1))
	IsInactive	bit	1	NOT NULL		((0))
	Description	varchar(75)	75	NOT NULL		
	GLAccountClassCategoryEN	bigint	8	NOT NULL		
	LastUser	varchar(110)	110	NULL allowed		
	LastUpdated	datetime	8	NULL allowed		
	DataEntityCompanySK	bigint	8	NOT NULL		
	GLControlAccountTypeEN	bigint	8	NULL allowed		
	CreatedBy	varchar(150)	150	NULL allowed		
	CreatedDateTime	datetime	8	NOT NULL		(getdate())

Indexes

Key	Name	Key Columns	Included Columns	Unique
	PK_ERPx_GLAccount	AccountSK		True
	IX_ERPx_GLAccount	AccountNumber, DataEntityCompanySK		True
	IX_ERPx_GLAccount_IsInactive	IsInactive, DataEntityCompanySK	AccountNumber, AccountSK	

Used By

[dbo].[ERPx_APDeliveryTicketItem]
 [dbo].[ERPx_APDeliveryTicketLine]
 [dbo].[ERPx_APDeliveryTicketLineProgram]

[dbo].[ERPx_APPoHeader]
[dbo].[ERPx_APPoLine]
[dbo].[ERPx_APProgram]
[dbo].[ERPx_APProgramEntity]
[dbo].[ERPx_APSpecie]
[dbo].[ERPx_APTransactionHeader]
[dbo].[ERPx_APTransactionLine]
[dbo].[ERPx_APTransactionTax]
[dbo].[ERPx_APVendorInterestCalculationLine]
[dbo].[ERPx_ARCustomer]
[dbo].[ERPx_ARCustomerClass]
[dbo].[ERPx_ARSettlementApplication]
[dbo].[ERPx_ARTransactionLine]
[dbo].[ERPx_CPAccrual]
[dbo].[ERPx_CPCharge]
[dbo].[ERPx_CPIItem]
[dbo].[ERPx_CPTicketItem]
[dbo].[ERPx_DW_FNJournalLine]
[dbo].[ERPx_GLAccountPeriodSummary]
[dbo].[ERPx_GLJournalLine]
[dbo].[ERPx_GLJournalLineDetail]
[dbo].[ERPx_IMItem]
[dbo].[ERPx_IMItemClass]
[dbo].[ERPx_IMLotCostPostingLog]
[dbo].[ERPx_IMTransactionClass]
[dbo].[ERPx_LMLoadTransaction]
[dbo].[ERPx_MFCheckbook]
[dbo].[ERPx_MFDataEntityCompanyCurrency]
[dbo].[ERPx_MFTaxDetail]
[dbo].[ERPx_SOOrderTypeDocument]
[dbo].[ERPx_SOTransactionTax]
[dbo].[ERPx_SPProgramHeader]
[dbo].[ERPx_SPProgramSettlementBatchPayment]
[dbo].[ERPx_SPProgramSettlementItem]
[hist].[ERPx_LMLoadTransaction]
[dbo].[FNx_GetActiveGLAccountFromSK]
[dbo].[FNx_GetGLAccountAndDescriptionFromNumber]
[dbo].[FNx_GetGLAccountAndDescriptionFromSK]
[dbo].[FNx_GetGLAccountFromSK]
[dbo].[FNx_GetGLAccountHostLinkFromSK]
[dbo].[FNx_GetTransactionAccounts]
[dbo].[FNx_GLAccountNumberSearch]
[dbo].[FNx_GLAccountRangeSearch]
[dbo].[IQx_APCheckDetailInquiry]
[dbo].[IQx_APSEL_Activity]
[dbo].[IQx_APSEL_AdjustmentLineList]
[dbo].[IQx_APSEL_APTransactionDetail]
[dbo].[IQx_APSEL_BalanceTransferLineList]
[dbo].[IQx_APSEL_InvoiceLineList]
[dbo].[IQx_APSEL_POLineList]
[dbo].[IQx_APSEL_POLinkedItems]
[dbo].[IQx_APSEL_SaleLineList]
[dbo].[IQx_APSEL_TicketLineList]

[dbo].[IQx_APSEL_TicketStatAreaLineList]
[dbo].[IQx_ARSEL_SaleInvoiceLineList]
[dbo].[IQx_ARSEL_TransactionDetail]
[dbo].[IQx_GLSEL_AccountBalances]
[dbo].[IQx_GLSEL_AccountBalanceSummaryAccountLookup]
[dbo].[IQx_GLSEL_AccountBalanceSummaryAdditionalColumnList]
[dbo].[IQx_GLSEL_AccountBalanceSummaryList]
[dbo].[IQx_GLSEL_JournalLine_AccountLookup]
[dbo].[IQx_GLSEL_JournalLine_AdditionalColumnList]
[dbo].[IQx_GLSEL_JournalLineList]
[dbo].[IQx_GLSEL_NetAffectInquiry]
[dbo].[IQx_ProjectTransaction]
[dbo].[IQx_SettlementTransactionInquiry]
[dbo].[RPx_SettlementBalancesSummary]
[dbo].[SPx_APSEL_APTransaction_AccountLookup]
[dbo].[SPx_APSEL_APTransaction_ItemDefaultLookup]
[dbo].[SPx_APSEL_APTransaction_Line]
[dbo].[SPx_APSEL_APTransaction_POLineDefaultLookup]
[dbo].[SPx_APSEL_APVendor_Accounts]
[dbo].[SPx_APSEL_APVendor_GLAccountLookup]
[dbo].[SPx_APSEL_APVendor_Properties]
[dbo].[SPx_APSEL_APVendorClass_Accounts]
[dbo].[SPx_APSEL_APVendorClass_Properties]
[dbo].[SPx_APSEL_DeliveryTicketItem]
[dbo].[SPx_APSEL_DeliveryTicketItem_PurchaseAccountLookup]
[dbo].[SPx_APSEL_DeliveryTicketLine]
[dbo].[SPx_APSEL_DeliveryTicketLineGLAccountLookup]
[dbo].[SPx_APSEL_DeliveryTicketPremium]
[dbo].[SPx_APSEL_DeliveryTicketSplitLine]
[dbo].[SPx_APSEL_DeliveryTicketTax]
[dbo].[SPx_APSEL_FishermanBalancesList]
[dbo].[SPx_APSEL_FishermanSaleLineList]
[dbo].[SPx_APSEL_GLAccountLookup]
[dbo].[SPx_APSEL_InvoiceLineList]
[dbo].[SPx_APSEL_POLine]
[dbo].[SPx_APSEL_POLineList]
[dbo].[SPx_APSEL_ProcessInterestChargesLines]
[dbo].[SPx_APSEL_ProcessInterestPaymentsLines]
[dbo].[SPx_APSEL_ProgramGLAccountLookup]
[dbo].[SPx_APSEL_ProgramPremiumEntityChillType]
[dbo].[SPx_APSEL_ProgramPremiumEntityChillTypeNewDefault]
[dbo].[SPx_APSEL_ProgramPremiumEntityFishermen]
[dbo].[SPx_APSEL_ProgramPremiumEntityFishermenNewDefault]
[dbo].[SPx_APSEL_ProgramPremiumEntityGear]
[dbo].[SPx_APSEL_ProgramPremiumEntityGearNewDefault]
[dbo].[SPx_APSEL_ProgramPremiumEntityManagementProgram]
[dbo].[SPx_APSEL_ProgramPremiumEntityManagementProgramNewDefault]
[dbo].[SPx_APSEL_ProgramPremiumEntitySiteProcessed]
[dbo].[SPx_APSEL_ProgramPremiumEntitySiteProcessedNewDefault]
[dbo].[SPx_APSEL_ProgramPremiumEntitySpecie]
[dbo].[SPx_APSEL_ProgramPremiumEntitySpecieNewDefault]
[dbo].[SPx_APSEL_ProgramPremiumEntityStatArea]
[dbo].[SPx_APSEL_ProgramPremiumEntityStatAreaNewDefault]





[dbo].[SPx_APSEL_ProgramPremiumEntityTicketItem]
[dbo].[SPx_APSEL_ProgramPremiumEntityTicketItemNewDefault]
[dbo].[SPx_APSEL_ProgramPremiumProperties]
[dbo].[SPx_APSEL_ProgramTaxEntityChillType]
[dbo].[SPx_APSEL_ProgramTaxEntityChillTypeNewDefault]
[dbo].[SPx_APSEL_ProgramTaxEntityFishermen]
[dbo].[SPx_APSEL_ProgramTaxEntityFishermenNewDefault]
[dbo].[SPx_APSEL_ProgramTaxEntityGear]
[dbo].[SPx_APSEL_ProgramTaxEntityGearNewDefault]
[dbo].[SPx_APSEL_ProgramTaxEntityManagementProgram]
[dbo].[SPx_APSEL_ProgramTaxEntityManagementProgramNewDefault]
[dbo].[SPx_APSEL_ProgramTaxEntitySiteProcessed]
[dbo].[SPx_APSEL_ProgramTaxEntitySiteProcessedNewDefault]
[dbo].[SPx_APSEL_ProgramTaxEntitySpecie]
[dbo].[SPx_APSEL_ProgramTaxEntitySpecieNewDefault]
[dbo].[SPx_APSEL_ProgramTaxEntityStatArea]
[dbo].[SPx_APSEL_ProgramTaxEntityStatAreaNewDefault]
[dbo].[SPx_APSEL_ProgramTaxEntityTicketItem]
[dbo].[SPx_APSEL_ProgramTaxEntityTicketItemNewDefault]
[dbo].[SPx_APSEL_ProgramTaxProperties]
[dbo].[SPx_APSEL_PurchaseOrder_AccountLookup]
[dbo].[SPx_APSEL_PurchaseOrder_ItemDefaultLookup]
[dbo].[SPx_APSEL_SpecieList]
[dbo].[SPx_APSEL_SpecieList_GLAccountLookup]
[dbo].[SPx_APSEL_TicketLinelist]
[dbo].[SPx_APSEL_TransactionAccountLookup]
[dbo].[SPx_APSEL_TransactionLine]
[dbo].[SPx_APSEL_TransactionPaymentDetail]
[dbo].[SPx_APSEL_VendorBalanceList]
[dbo].[SPx_APSEL_VendorList]
[dbo].[SPx_APSEL_VendorRecordAccounts]
[dbo].[SPx_APUUpdate_ProcessInterestCharges]
[dbo].[SPx_APUUpdate_ProcessInterestPayments]
[dbo].[SPx_APUUpdate_VendorClassAccounts]
[dbo].[SPx_APUUpdate_VendorInterestCalculation]
[dbo].[SPx_ARSEL_ApplyDocumentsDetail]
[dbo].[SPx_ARSEL_ApplyDocumentsWriteOffGLAccountLookup]
[dbo].[SPx_ARSEL_CustomerAccounts]
[dbo].[SPx_ARSEL_CustomerBalanceList]
[dbo].[SPx_ARSEL_GLAccountLookup]
[dbo].[SPx_ARSEL_PaymentReceipt_ApplyDocumentsDetail]
[dbo].[SPx_ARSEL_SaleInvoiceLineList]
[dbo].[SPx_ARSEL_TransactionAccountLookup]
[dbo].[SPx_ARSEL_TransactionItemLookup]
[dbo].[SPx_ARSEL_TransactionLine]
[dbo].[SPx_ARSEL_TransactionPaymentDetail]
[dbo].[SPx_COSEL_CompanyCurrencyList]
[dbo].[SPx_CPSEL_AccrualList]
[dbo].[SPx_CPSEL_AccrualProperties]
[dbo].[SPx_CPSEL_ChargeList]
[dbo].[SPx_CPSEL_ChargeProperties]
[dbo].[SPx_CPSEL_DefaultItemAccountLookup]
[dbo].[SPx_CPSEL_GetTicketLines]

[dbo].[SPx_CPSEL_ItemAccountLookup]
[dbo].[SPx_CPSEL_ItemProperties]
[dbo].[SPx_CPSEL_TicketAccrualsList]
[dbo].[SPx_CPSEL_TicketChargesList]
[dbo].[SPx_CPSEL_TicketItemAccountLookup]
[dbo].[SPx_CPSEL_TicketItemList]
[dbo].[SPx_FASEL_FishermanBalancesWithInterest]
[dbo].[SPx_FASEL_FishermanTenderList]
[dbo].[SPx_FASEL_LoanList]
[dbo].[SPx_FASEL_PremiumList]
[dbo].[SPx_FASEL_TaxList]
[dbo].[SPx_GLProcess_Journal]
[dbo].[SPx_GLSEL_AccountClassLookup]
[dbo].[SPx_GLSEL_AccountFormatList]
[dbo].[SPx_GLSEL_AccountFormatListNew]
[dbo].[SPx_GLSEL_AccountList]
[dbo].[SPx_GLSEL_CheckbookList]
[dbo].[SPx_GLSEL_CheckbookListAccountLookup]
[dbo].[SPx_GLSEL_CheckbookTransactionAdjustmentDetails]
[dbo].[SPx_GLSEL_GetAccountBalance]
[dbo].[SPx_GLSEL_JEGLAccountLookup]
[dbo].[SPx_GLSEL_JournalDetailDetailLine]
[dbo].[SPx_GLSEL_JournalDetailEntryLine]
[dbo].[SPx_GLSEL_JournalLine]
[dbo].[SPx_GLSEL_JournalLineList]
[dbo].[SPx_GLSEL_MoreActionsGLAccountLookup]
[dbo].[SPx_GLSEL_RetainedEarningsGLAcctLookup]
[dbo].[SPx_GLSEL_StatAccount_AccountList]
[dbo].[SPx_GLUUpdate_AccountClassList]
[dbo].[SPx_GLUUpdate_AccountFormatList]
[dbo].[SPx_GLUUpdate_AccountList]
[dbo].[SPx_GLUUpdate_AccountPeriodSummaryRollup]
[dbo].[SPx_GLUUpdate_AccountSegmentNumberRollup]
[dbo].[SPx_GLUUpdate_FiscalYearClose]
[dbo].[SPx_GLUUpdate_StatAccount_AccountList]
[dbo].[SPx_GLUUpdate_YearEndClose]
[dbo].[SPx_GLValidate_JournalEntry]
[dbo].[SPx_IMProcess_PostLotCosts]
[dbo].[SPx_IMSEL_CostHistoryInquiry]
[dbo].[SPx_IMSEL_GLAccountLookup]
[dbo].[SPx_IMSEL_Item]
[dbo].[SPx_IMSEL_ItemClassAccounts]
[dbo].[SPx_IMSEL_ItemRecordAccounts]
[dbo].[SPx_IMSEL_TransactionClass_AccountLookup]
[dbo].[SPx_IMSEL_TransactionClass_Property]
[dbo].[SPx_IMSEL_TransactionClass_TransferFreightAccountLookup]
[dbo].[SPx_IMSEL_UpdateCostList]
[dbo].[SPx_INTEG_APTransaction]
[dbo].[SPx_INTEG_GPAPVendorOutbound]
[dbo].[SPx_INTEG_GPARInvoiceOutbound]
[dbo].[SPx_INTEG_GPCustomerClass]
[dbo].[SPx_INTEG_GPGLAccount]
[dbo].[SPx_INTEG_GPGLJournal]


[dbo].[SPx_INTEG_GPMFCheckbookTransaction]
[dbo].[SPx_INTEG_GPSOInvoice]
[dbo].[SPx_INTEG_GPSPPProgramAccrual]
[dbo].[SPx_INTEG_NSAPIInvoiceAndCreditMemo]
[dbo].[SPx_MFDEL_DeleteCompany]
[dbo].[SPx_MFExport_IMItems]
[dbo].[SPx_MFSEL_CashReceiptLine]
[dbo].[SPx_MFSEL_CheckbookLookup]
[dbo].[SPx_MFSEL_FAPreferences]
[dbo].[SPx_MFSEL_GLAccountLookup]
[dbo].[SPx_MFSEL_GLAccountLookupByForm]
[dbo].[SPx_MFSEL_GLPreferences]
[dbo].[SPx_MFSEL_SPPreferences]
[dbo].[SPx_MFSEL_TaxDetailAccountLookup]
[dbo].[SPx_MFSEL_TaxDetailList]
[dbo].[SPx_MFUpdate_AccountPeriodSummarySync]
[dbo].[SPx_MFUpdate_CashReceipt]
[dbo].[SPx_SOSEL_SalesProgramDetail_Accrual]
[dbo].[SPx_SOSEL_TransactionClass_AccountLookup]
[dbo].[SPx_SOSEL_TransactionClass_SalesFreightAccountLookup]
[dbo].[SPx_SOSEL_TransactionClassProperty]
[dbo].[SPx_SP_CalculateOrderPrograms]
[dbo].[SPx_SPPProcess_SettlementBatch]
[dbo].[SPx_SPSEL_BrokerActivity]
[dbo].[SPx_SPSEL_GLAccountLookup]
[dbo].[SPx_SPSEL_ProcessSettlementItems]
[dbo].[SPx_SPSEL_ProgramList]
[dbo].[SPx_SPSEL_SalesProgram_OffBookGLAccountLookup]
[dbo].[SPx_SPSEL_SalesProgram_Property]
[dbo].[SPX_SYSEL_AccountLookup]
[dbo].[VWx_IMItemAccounts]

 [dbo].[ERPx_GLAccountClass]

Columns

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity	Default
	AccountClassSK	bigint	8	NOT NULL	1 - 1	
	ClassName	varchar(50)	50	NOT NULL		
	Sort	bigint	8	NOT NULL		
	IsInactive	bit	1	NOT NULL		((0))
	GLAccountClassCategoryEN	bigint	8	NULL allowed		
	LastUpdated	datetime	8	NOT NULL		
	LastUser	varchar(150)	150	NOT NULL		
 (2)	DataEntityCompanySK	bigint	8	NOT NULL		
	SystemID	bigint	8	NULL allowed		

Indexes





Key	Name	Key Columns	Unique
	PK_ERPx_GLAccountClass	AccountClassSK	True
	IX_ERPx_GLAccountClass	ClassName, DataEntityCompanySK	True
	IX_ERPx_GLAccountClass_SystemID	SystemID, DataEntityCompanySK	True

Used By


[dbo].[IQx_GLSEL_AccountBalances]
 [dbo].[SPx_GLSEL_AccountClassList]
 [dbo].[SPx_GLSEL_AccountClassLookup]
 [dbo].[SPx_GLSEL_AccountList]
 [dbo].[SPx_GLSEL_GLAccountClassLookup]
 [dbo].[SPx_GLUpdate_AccountClassList]
 [dbo].[SPx_INTEG_GPGLAccount]

 **[dbo].[ERPx_GLAccountFormat]**

Columns

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity	Default
	SegmentSK	bigint	8	NOT NULL	1 - 1	
	Sequence	bigint	8	NOT NULL		
	SegmentName	varchar(15)	15	NOT NULL		
	IsNaturalAccount	bit	1	NOT NULL		((1))
	SegmentLength	bigint	8	NULL allowed		
	SegmentMaxLength	bigint	8	NULL allowed		
	LastUpdated	datetime	8	NOT NULL		
	LastUser	varchar(100)	100	NOT NULL		
	DataEntityCompanySK	bigint	8	NOT NULL		

Indexes

Key	Name	Key Columns	Unique
	PK_ERPx_GLAccountFormat	SegmentSK	True
	IX_ERPx_GLAccountFormat_2	Sequence, SegmentName, DataEntityCompanySK	True

Foreign Keys

Name	Columns
FK_ERPx_GLAccountFormat_ERPx_MFDataEntity-Company	DataEntityCompanySK->[dbo].[ERPx_MFDataEntityCompany].[DataEntity-CompanySK]

Uses

[dbo].[ERPx_MFDataEntityCompany]





Used By

[dbo].[ERPx_GLAccountSegmentNumber]
 [dbo].[FNx_GLAccountRangeSearch]
 [dbo].[SPx_GLSEL_AccountFormatHeader]
 [dbo].[SPx_GLSEL_AccountFormatList]
 [dbo].[SPx_GLSEL_AccountFormatNumber]
 [dbo].[SPx_GLUpdate_AccountFormatList]
 [dbo].[SPx_GLUpdate_AccountFormatRecord]
 [dbo].[SPx_GLUpdate_AccountList]
 [dbo].[SPx_GLUpdate_AccountSegmentNumberRollup]


[dbo].[SPx_GLUpdate_StatAccount_AccountList]
[dbo].[SPx_INTEG_GPGLAccountFormat]
[dbo].[SPx_MFDEL_DeleteCompany]
[dbo].[SPx_MFSYS_Install_GLRebuildAccountFormatView]

 [dbo].[ERPx_GLAccountPeriodSummary]

Columns

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity	Default
	SummarySK	bigint	8	NOT NULL	1 - 1	
	AccountSK	bigint	8	NOT NULL		
	FiscalPeriodSK	bigint	8	NOT NULL		
	DebitAmount	numeric(18,5)	9	NOT NULL		((0))
	CreditAmount	numeric(18,5)	9	NOT NULL		((0))
	PeriodBalance	numeric(18,5)	9	NOT NULL		((0))
	DataEntityCompanySK	bigint	8	NOT NULL		

Indexes

Key	Name	Key Columns	Unique
	PK_ERPx_GLAccountPeriodSummary	SummarySK	True
	IX_ERPx_GLAccountPeriodSummary	AccountSK, FiscalPeriodSK	True
	IX_ERPx_GLAccountPeriodSummary_1	DataEntityCompanySK	

Foreign Keys

Name	Columns
FK_ERPx_GLAccountPeriodSummary_ERPx_-GLAccount	AccountSK->[dbo].[ERPx_GLAccount].[AccountSK]
FK_ERPx_GLAccountPeriodSummary_ERPx_MFData-EntityCompany	DataEntityCompanySK->[dbo].[ERPx_MFDataEntityCompany].[Data-EntityCompanySK]
FK_ERPx_GLAccountPeriodSummary_ERPx_-MFFiscalPeriod	FiscalPeriodSK->[dbo].[ERPx_MFFiscalPeriod].[FiscalPeriodSK]

Uses

[dbo].[ERPx_GLAccount]
 [dbo].[ERPx_MFDataEntityCompany]
 [dbo].[ERPx_MFFiscalPeriod]




Used By

[dbo].[SPx_GLSEL_GetAccountBalance]
 [dbo].[SPx_GLUpdate_AccountList]
 [dbo].[SPx_GLUpdate_AccountPeriodSummary]
 [dbo].[SPx_GLUpdate_AccountPeriodSummaryRollup]

[dbo].[SPx_GLUpdate_FiscalYear]
[dbo].[SPx_GLUpdate_FiscalYearClose]
[dbo].[SPx_GLUpdate_FiscalYearList]
[dbo].[SPx_GLUpdate_StatAccount_AccountList]
[dbo].[SPx_MFUpdate_AccountPeriodSummarySync]

 [dbo].[ERPx_GLAccountSegmentNumber]

Columns

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity
	SegmentNumberSK	bigint	8	NOT NULL	1 - 1
	SegmentSK	bigint	8	NOT NULL	
	Number	varchar(25)	25	NOT NULL	
	Description	varchar(150)	150	NULL allowed	
	RecordCount	bigint	8	NULL allowed	
	LastUpdated	datetime	8	NOT NULL	
	LastUser	varchar(150)	150	NOT NULL	
	DataEntityCompanySK	bigint	8	NOT NULL	

Indexes

Key	Name	Key Columns	Unique
	PK_ERPx_GLAccountSegmentNumber	SegmentNumberSK	True

Foreign Keys

Name	Columns
FK_ERPx_GLAccountSegmentNumber_ERPx_GLAccountFormat	SegmentSK->[dbo].[ERPx_GLAccountFormat].[SegmentSK]
FK_ERPx_GLAccountSegmentNumber_ERPx_MFData-EntityCompany	DataEntityCompanySK->[dbo].[ERPx_MFDataEntityCompany].[Data-EntityCompanySK]

Uses




[dbo].[ERPx_GLAccountFormat]
 [dbo].[ERPx_MFDataEntityCompany]

Used By

[dbo].[SPx_GLSEL_AccountFormatNumber]
 [dbo].[SPx_GLUpdate_AccountFormatRecord]
 [dbo].[SPx_GLUpdate_AccountSegmentNumberRollup]

 [dbo].[ERPx_GLACHFile]

Columns

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity
	ACHFileSK	bigint	8	NOT NULL	1 - 1
	FileID	varchar(5)	5	NOT NULL	
	CreatedDateTime	datetime	8	NOT NULL	
	CreatedBy	varchar(150)	150	NOT NULL	
	Contents	varchar(max)	max	NOT NULL	
	DataEntityCompanySK	bigint	8	NULL allowed	
	TransactionBatchSKCSV	varchar(max)	max	NULL allowed	





Indexes

Key	Name	Key Columns	Unique
	PK_ERPx_GLACHFile	ACHFileSK	True
	IX_ERPx_GLACHFile_CreatedDateTime	CreatedDateTime	
	IX_ERPx_GLACHFile_DataEntityCompanySK	DataEntityCompanySK	

Used By

[dbo].[RPx_GLSEL_ACHFile]

[dbo].[ERPx_GLCheckbookTransactionNote]**Columns**

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity	Default
	CheckbookTransactionNoteSK	bigint	8	NOT NULL	1 - 1	
	CheckbookTransactionSK	bigint	8	NOT NULL		
	NoteTypeSK	bigint	8	NOT NULL		
	Note	varchar(max)	max	NOT NULL		
	NoteHTML	varchar(max)	max	NULL allowed		
	LastUpdated	datetime	8	NOT NULL		(getdate())
	LastUser	varchar(150)	150	NOT NULL		
	DataEntityCompanySK	bigint	8	NOT NULL		

Indexes

Key	Name	Key Columns	Unique
	PK_ERPx_GLCheckbookTransactionNote	CheckbookTransactionNoteSK	True

Foreign Keys

Name	Columns
FK_ERPx_GLCheckbookTransactionNote_ERPx_MFCheckbookTransaction	CheckbookTransactionSK->[dbo].[ERPx_MFCheckbookTransaction].[CheckbookTransactionSK]
FK_ERPx_GLCheckbookTransactionNote_ERPx_MFDataEntityCompany	DataEntityCompanySK->[dbo].[ERPx_MFDataEntityCompany].[DataEntityCompanySK]
FK_ERPx_GLCheckbookTransactionNote_ERPx_MFNoteType	NoteTypeSK->[dbo].[ERPx_MFNoteType].[NoteTypeSK]

Uses



[dbo].[ERPx_MFCheckbookTransaction]
 [dbo].[ERPx_MFDataEntityCompany]
 [dbo].[ERPx_MFNoteType]

Used By


[dbo].[SPx_MFManage_NoteAssignment]
 [dbo].[SPx_MFSEL_NoteList]

 **[dbo].[ERPx_GLCheckbookTransactionProperty]**

Columns

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity	Default
	CheckbookTransactionPropertySK	bigint	8	NOT NULL	1 - 1	
	PropertyGroupDescription	varchar(200)	200	NOT NULL		
	PropertyName	varchar(50)	50	NOT NULL		
	PropertyDescription	varchar(200)	200	NOT NULL		
	PropertyDefinitionSK	bigint	8	NOT NULL		
	Sort	bigint	8	NOT NULL		
	LastUpdated	datetime	8	NOT NULL		(getdate())
	LastUser	varchar(150)	150	NOT NULL		
	DataEntityCompanySK	bigint	8	NOT NULL		
	IsReadOnly	bit	1	NOT NULL		((0))

Indexes

Key	Name	Key Columns	Unique
	PK_ERPx_GLCheckbookTransactionProperty	CheckbookTransactionPropertySK	True

Foreign Keys

Name	Columns
FK_ERPx_GLCheckbookTransactionProperty_ERPx_MFDataEntityCompany	DataEntityCompanySK->[dbo].[ERPx_MFDataEntityCompany].[DataEntityCompanySK]

Uses

[dbo].[ERPx_MFDataEntityCompany]

Used By














[dbo].[SPx_GLSEL_CheckbookTransactionAdjustmentProperty]



[dbo].[SPx_GLSEL_CheckbookTransactionDepositProperty]

[dbo].[SPx_GLSEL_CheckbookTransactionTransferProperty]

 [dbo].[ERPx_GLJournalHeader]

Columns


Key	Name	Data Type	Persisted	Computed	Max Length (Bytes)	Nullability	Identity	Default
 	JournalHeaderSK	bigint			8	NOT NULL	1 - 1	
	JournalTransaction-ClassSK	bigint			8	NOT NULL		
	JournalTransaction-TypeSK	bigint			8	NOT NULL		
	JournalID	varchar(20)			20	NULL allowed		
	JournalDate	date			3	NULL allowed		
	SourceModuleSK	bigint			8	NULL allowed		
	SourceTransaction-TypeSK	bigint			8	NULL allowed		
	SourceTransaction-TypeName	varchar(25)			25	NULL allowed		
	SourceTransactionSK	bigint			8	NULL allowed		
	SourceTransactionID	varchar(250)			250	NULL allowed		
	CurrencySK	bigint			8	NULL allowed		
	SourceTransaction-CurrencySK	bigint			8	NULL allowed		
	TransactionStatusSK	bigint			8	NOT NULL		
	LastUpdated	datetime			8	NOT NULL		(getdate())
	LastUser	varchar(150)			150	NOT NULL		
	DataEntityCompany-SK	bigint			8	NOT NULL		
	HostJournalID	varchar(200)			200	NULL allowed		
	IntegrateToHost	bit			1	NOT NULL		((0))
	ZeroSumJournal	bit			1	NOT NULL		((0))
	SourceTransaction-Date	datetime			8	NULL allowed		
	ManuallyUpdated	bit			1	NOT NULL		((0))
	SourceTransaction-Detail	varchar(500)			500	NULL allowed		
	ExchangeSK	bigint			8	NULL allowed		

	ExchangeRate-CalculationMethodEN	bigint			8	NULL allowed		
	ExchangeRate	numeric(19,7)			9	NULL allowed		
	Comment	varchar(500)			500	NULL allowed		
	Reference	varchar(100)			100	NULL allowed		
	ReversingDate	date			3	NULL allowed		
	MasterNumber-Override	bigint			8	NULL allowed		
	MasterNumber	bigint	True	True	8	NOT NULL		
	CreatedDate	datetime			8	NOT NULL		
	CreatedBy	varchar(150)			150	NOT NULL		
	PostedDate	datetime			8	NULL allowed		
	PostedBy	varchar(150)			150	NULL allowed		
	SourceTransaction-URL	varchar(250)			250	NULL allowed		

Computed columns

Name	Column definition
MasterNumber	(isnull([MasterNumberOverride],[JournalHeaderSK]))

Indexes

Key	Name	Key Columns	Included Columns	Unique	Filtered
	PK_ERPx_-GLJournalHeader	JournalHeaderSK		True	
	IX_ERPx_-GLJournalHeader	JournalID, JournalTransaction-ClassSK, DataEntityCompany-SK		True	True
	IX_ERPx_-GLJournalHeader_-Source	SourceModuleSK, Source-TransactionTypeSK, Source-TransactionSK	JournalHeaderSK, CurrencySK, Exchange-SK, ExchangeRateCalculationMethodEN, ExchangeRate		

Foreign Keys

Name	Columns
FK_ERPx_GLJournalHeader_ERPx_-GLTransactionClass	JournalTransactionClassSK->[dbo].[ERPx_GLTransaction-Class].[TransactionClassSK]
FK_ERPx_GLJournalHeader_ERPx_-GLTransactionStatus	TransactionStatusSK->[dbo].[ERPx_GLTransactionStatus].[Transaction-StatusSK]
FK_ERPx_GLJournalHeader_ERPx_-GLTransactionType	JournalTransactionTypeSK->[dbo].[ERPx_GLTransactionType].[TransType-SK]

FK_ERPx_GLJournalHeader_ERPx_MFCurrency	CurrencySK->[dbo].[ERPx_MFCurrency].[CurrencySK]
FK_ERPx_GLJournalHeader_ERPx_MFCurrency1	SourceTransactionCurrencySK->[dbo].[ERPx_MFCurrency].[CurrencySK]
FK_ERPx_GLJournalHeader_ERPx_MFDataEntity-Company	DataEntityCompanySK->[dbo].[ERPx_MFDataEntityCompany].[DataEntity-CompanySK]

Uses

[dbo].[ERPx_GLTransactionClass]
[dbo].[ERPx_GLTransactionStatus]
[dbo].[ERPx_GLTransactionType]
[dbo].[ERPx_MFCurrency]
[dbo].[ERPx_MFDataEntityCompany]





Used By

[dbo].[ERPx_DW_FNJournalLine]
[dbo].[ERPx_GLJournalHeaderNote]
[dbo].[ERPx_GLJournalLine]
[dbo].[ERPx_GLJournalLineDetail]
[dbo].[ERPx_IMLotCostPostingLog]
[dbo].[ERPx_LMLoadTransactionLegBalanceDetail]
[dbo].[IQx_APSEL_Activity]
[dbo].[IQx_APSEL_AdjustmentLineList]
[dbo].[IQx_APSEL_FishermanBalanceDetail]
[dbo].[IQx_APSEL_FishermanSaleList]
[dbo].[IQx_APSEL_SaleLineList]
[dbo].[IQx_APSEL_TicketLinelist]
[dbo].[IQx_APSEL_TicketList]
[dbo].[IQx_APSEL_TicketStatAreaLinelist]
[dbo].[IQx_APSEL_VendorTransactionHistory]
[dbo].[IQx_ARSEL_CustomerHistory]
[dbo].[IQx_ARSEL_PaymentReceiptHistoryInquiry]
[dbo].[IQx_ARSEL_SaleInvoiceLineList]
[dbo].[IQx_ARSEL_SaleInvoiceList]
[dbo].[IQx_GLSEL_JournalLineList]
[dbo].[IQx_GLSEL_JournalList]
[dbo].[IQx_GLSEL_NetAffectInquiry]
[dbo].[IQx_ProjectTransaction]
[dbo].[IQx_SettlementTransactionInquiry]
[dbo].[SPx_APPProcess_DeliveryTicket]
[dbo].[SPx_APPProcess_PaymentReceipt]
[dbo].[SPx_APPProcess_Transaction]
[dbo].[SPx_APSEL_APTransaction_Header]
[dbo].[SPx_APSEL_TransactionHeader]
[dbo].[SPx_APUUpdate_InvoiceList]
[dbo].[SPx_APUUpdate_TransactionList]
[dbo].[SPx_ARProcess_PaymentReceipt]
[dbo].[SPx_ARSEL_ApplyDocumentsDetail]
[dbo].[SPx_ARSEL_CustomerBalanceList]
[dbo].[SPx_ARSEL_PaymentReceipt_ApplyDocumentsDetail]
[dbo].[SPx_ARSEL_PaymentReceiptHeaderProperty]
[dbo].[SPx_ARSEL_SaleInvoiceLineList]


[dbo].[SPx_ARUpdate_ApplyDocuments]
[dbo].[SPx_ARUpdate_PaymentReceiptList]
[dbo].[SPx_CPPProcess_Ticket]
[dbo].[SPx_GLProcess_CheckbookTransaction]
[dbo].[SPx_GLProcess_Journal]
[dbo].[SPx_GLSEL_CheckbookTransactionAdjustmentHeader]
[dbo].[SPx_GLSEL_CheckbookTransactionAdjustmentProperty]
[dbo].[SPx_GLSEL_CheckbookTransactionDepositDetails]
[dbo].[SPx_GLSEL_CheckbookTransactionDepositHeader]
[dbo].[SPx_GLSEL_CheckbookTransactionTransferHeader]
[dbo].[SPx_GLSEL_CheckbookTransactionTransferProperty]
[dbo].[SPx_GLSEL_GetAccountBalance]
[dbo].[SPx_GLSEL_JEStatusLookup]
[dbo].[SPx_GLSEL_JournalDetailDetailLine]
[dbo].[SPx_GLSEL_JournalDetailEntryLine]
[dbo].[SPx_GLSEL_JournalDetailHeader]
[dbo].[SPx_GLSEL_JournalHeader]
[dbo].[SPx_GLSEL_JournalHeaderCurrencyLookup]
[dbo].[SPx_GLSEL_JournalHeaderExchangeLookup]
[dbo].[SPx_GLSEL_JournalHeaderProperties]
[dbo].[SPx_GLSEL_JournalLine]
[dbo].[SPx_GLSEL_JournalLineList]
[dbo].[SPx_GLSEL_JournalList]
[dbo].[SPx_GLSEL_MoreActionsJournalList]
[dbo].[SPx_GLSEL_Project]
[dbo].[SPx_GLSEL_ProjectProperties]
[dbo].[SPx_GLSEL_TransactionTypeLookup]
[dbo].[SPx_GLUUpdate_AccountList]
[dbo].[SPx_GLUUpdate_AccountPeriodSummary]
[dbo].[SPx_GLUUpdate_AccountPeriodSummaryRollup]
[dbo].[SPx_GLUUpdate_DuplicateJournal]
[dbo].[SPx_GLUUpdate_FiscalYear]
[dbo].[SPx_GLUUpdate_FiscalYearClose]
[dbo].[SPx_GLUUpdate_FiscalYearList]
[dbo].[SPx_GLUUpdate_Journal]
[dbo].[SPx_GLUUpdate_JournalLineRollup]
[dbo].[SPx_GLUUpdate_JournalList]
[dbo].[SPx_GLUUpdate_Project]
[dbo].[SPx_GLUUpdate_ProjectList]
[dbo].[SPx_GLUUpdate_YearEndClose]
[dbo].[SPx_GLValidate_JournalEntry]
[dbo].[SPx_IMPProcess_PostLotCosts]
[dbo].[SPx_INTEG_AREmployeeDeduction]
[dbo].[SPx_INTEG_GPGLJournal]
[dbo].[SPx_INTEG_GPSOInvoice]
[dbo].[SPx_MFDEL_DeleteCompany]
[dbo].[SPx_MFProcess_ApplyDocuments]
[dbo].[SPx_MFProcess_CurrencyGainLossJournal]
[dbo].[SPx_MFSEL_ApplyDocumentRecordList]
[dbo].[SPx_MFSEL_CashReceiptARList]
[dbo].[SPx_MFUpdate_JournalDetails]
[dbo].[SPx_MFUpdate_MassUpdate]
[dbo].[SPx_SOPProcess_AssignInvoiceNumber]

[dbo].[SPx_SPPProcess_SettlementBatch]
[dbo].[SPx_SPSEL_BrokerActivity]
[dbo].[SPx_SPSEL_ProcessSettlementsList]
[dbo].[SPx_SPSEL_ProgramList_Balances]

[dbo].[ERPx_GLJournalHeaderNote]**Columns**

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity	Default
 PK	HeaderNoteSK	bigint	8	NOT NULL	1 - 1	
 FK	JournalHeaderSK	bigint	8	NOT NULL		
 FK	NoteTypeSK	bigint	8	NOT NULL		
	Note	varchar(max)	max	NULL allowed		
	LastUpdated	datetime	8	NULL allowed		(getdate())
	LastUser	varchar(110)	110	NULL allowed		
 FK	DataEntityCompanySK	bigint	8	NOT NULL		
	NoteHTML	varchar(max)	max	NULL allowed		

Indexes

Key	Name	Key Columns	Unique
 PK	PK_ERPx_GLJournalHeaderNote	HeaderNoteSK	True
	UK_ERPx_GLJournalHeaderNote_1	JournalHeaderSK, NoteTypeSK, DataEntityCompanySK	True

Foreign Keys

Name	Columns
FK_ERPx_GLJournalHeaderNote_ERPx_GLJournalHeader	JournalHeaderSK->[dbo].[ERPx_GLJournalHeader].[JournalHeaderSK]
FK_ERPx_GLJournalHeaderNote_ERPx_MFNoteType	NoteTypeSK->[dbo].[ERPx_MFNoteType].[NoteTypeSK]

Uses





[dbo].[ERPx_GLJournalHeader]
[dbo].[ERPx_MFNoteType]

Used By

[dbo].[IQx_GLSEL_JournalLineList]
[dbo].[IQx_GLSEL_JournalList]
[dbo].[SPx_GLProcess_Journal]
[dbo].[SPx_GLSEL_JournalLineList]
[dbo].[SPx_GLSEL_JournalList]
[dbo].[SPx_GLUpdate_DuplicateJournal]
[dbo].[SPx_GLUpdate_JournalList]
[dbo].[SPx_GLUpdate_YearEndClose]

[dbo].[SPx_MFDEL_DeleteCompany]
[dbo].[SPx_MFManage_NoteAssignment]
[dbo].[SPx_MFSEL_NoteList]

[dbo].[ERPx_GLJournalLine]**Columns**

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity	Default
	JournalHeaderSK	bigint	8	NOT NULL		
	JournalLineSK	bigint	8	NOT NULL	1 - 1	
	GLAccountSK	bigint	8	NOT NULL		
	Comment	varchar(500)	500	NULL allowed		
	TransCurrencyDebitAmount	numeric(18,5)	9	NULL allowed		
	TransCurrencyCreditAmount	numeric(18,5)	9	NULL allowed		
	DebitAmount	numeric(18,5)	9	NULL allowed		
	CreditAmount	numeric(18,5)	9	NULL allowed		
	MFDistributionAccountTypeEN	bigint	8	NULL allowed		
	DistributionAccountSK	varchar(25)	25	NULL allowed		
	SourceTransactionSK	bigint	8	NULL allowed		
	SourceTransactionID	bigint	8	NULL allowed		
	LastUpdated	datetime	8	NOT NULL		(getdate())
	LastUser	varchar(max)	max	NULL allowed		
	DataEntityCompanySK	bigint	8	NOT NULL		

Indexes

Key	Name	Key Columns	Unique
	PK_ERPx_GLJournalLine	JournalLineSK	True
	IX_ERPx_GLJournalLine_JournalHeader	JournalHeaderSK	

Foreign Keys

Name	Columns
FK_ERPx_GLJournalLine_ERPx_GLAccount	GLAccountSK->[dbo].[ERPx_GLAccount].[AccountSK]
FK_ERPx_GLJournalLine_ERPx_GLJournal-Header	JournalHeaderSK->[dbo].[ERPx_GLJournalHeader].[JournalHeaderSK]
FK_ERPx_GLJournalLine_ERPx_MFDataEntity-Company	DataEntityCompanySK->[dbo].[ERPx_MFDataEntityCompany].[DataEntity-CompanySK]

Uses






[dbo].[ERPx_GLAccount]

[dbo].[ERPx_GLJournalHeader]
[dbo].[ERPx_MFDataEntityCompany]

Used By

[dbo].[IQx_GLSEL_JournalLineList]
[dbo].[IQx_GLSEL_NetAffectInquiry]
[dbo].[IQx_ProjectTransaction]
[dbo].[SPx_APPProcess_DeliveryTicket]
[dbo].[SPx_APPProcess_PaymentReceipt]
[dbo].[SPx_APPProcess_Transaction]
[dbo].[SPx_APUUpdate_InvoiceList]
[dbo].[SPx_APUUpdate_TransactionList]
[dbo].[SPx_CPPProcess_Ticket]
[dbo].[SPx_GLProcess_CheckbookTransaction]
[dbo].[SPx_GLProcess_Journal]
[dbo].[SPx_GLSEL_GetAccountBalance]
[dbo].[SPx_GLSEL_JEGLAccountLookup]
[dbo].[SPx_GLSEL_JournalDetailEntryLine]
[dbo].[SPx_GLSEL_JournalLine]
[dbo].[SPx_GLSEL_JournalLineList]
[dbo].[SPx_GLSEL_JournalLineNewRow]
[dbo].[SPx_GLSEL_MoreActionsJournalList]
[dbo].[SPx_GLSEL_Project]
[dbo].[SPx_GLSEL_ProjectList]
[dbo].[SPx_GLSEL_ProjectProperties]
[dbo].[SPx_GLUUpdate_AccountList]
[dbo].[SPx_GLUUpdate_AccountPeriodSummary]
[dbo].[SPx_GLUUpdate_AccountPeriodSummaryRollup]
[dbo].[SPx_GLUUpdate_DuplicateJournal]
[dbo].[SPx_GLUUpdate_FiscalYearClose]
[dbo].[SPx_GLUUpdate_JournalLineRollup]
[dbo].[SPx_GLUUpdate_JournalList]
[dbo].[SPx_GLUUpdate_Project]
[dbo].[SPx_GLUUpdate_ProjectList]
[dbo].[SPx_GLUUpdate_StatAccount_AccountList]
[dbo].[SPx_GLUUpdate_YearEndClose]
[dbo].[SPx_GLValidate_JournalEntry]
[dbo].[SPx_INTEG_GPGLJournal]
[dbo].[SPx_MFDEL_DeleteCompany]
[dbo].[SPx_MFProcess_CurrencyGainLossJournal]
[dbo].[SPx_MFUpdate_JournalDetails]
[dbo].[SPx_MFUpdate_MassUpdate]
[dbo].[SPx_SOPProcess_AssignInvoiceNumber]

[dbo].[ERPx_GLJournalLineDetail]**Columns**

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity
	JournalLineDetailSK	bigint	8	NOT NULL	1 - 1
	JournalHeaderSK	bigint	8	NOT NULL	
	JournalLineTypeSK	bigint	8	NOT NULL	
	SourceTransactionSK	bigint	8	NULL allowed	
	SourceTransactionID	varchar(150)	150	NULL allowed	
	SourceTransactionLineSK	bigint	8	NULL allowed	
	Description	varchar(500)	500	NULL allowed	
	AccountSourceDescriptionEN	bigint	8	NOT NULL	
	GLAccountSK	bigint	8	NULL allowed	
	TransCurrencyDebitAmount	numeric(18,5)	9	NULL allowed	
	TransCurrencyCreditAmount	numeric(18,5)	9	NULL allowed	
	DebitAmount	numeric(18,5)	9	NOT NULL	
	CreditAmount	numeric(18,5)	9	NOT NULL	
	LastUpdated	datetime	8	NOT NULL	
	LastUser	varchar(150)	150	NOT NULL	
	DataEntityCompanySK	bigint	8	NULL allowed	
	MFDistributionAccountTypeEN	bigint	8	NULL allowed	
	DistributionAccountSK	bigint	8	NULL allowed	

Indexes

Key	Name	Key Columns	Unique
	PK_ERPx_GLJournalLineDetail	JournalLineDetailSK	True
	IX_ERPx_GLJournalLineDetail_JournalHeader	JournalHeaderSK	

Foreign Keys

Name	Columns
FK_ERPx_GLJournalLineDetail_ERPx_GLAccount	GLAccountSK->[dbo].[ERPx_GLAccount].[AccountSK]
FK_ERPx_GLJournalLineDetail_ERPx_GLJournal-Header	JournalHeaderSK->[dbo].[ERPx_GLJournalHeader].[JournalHeaderSK]
FK_ERPx_GLJournalLineDetail_ERPx_GLJournal-LineType	JournalLineTypeSK->[dbo].[ERPx_GLJournalLineType].[JournalLineType-SK]
FK_ERPx_GLJournalLineDetail_ERPx_MFData-	DataEntityCompanySK->[dbo].[ERPx_MFDataEntityCompany].[DataEntity-

EntityCompany	CompanySK
---------------	-----------

Uses


[dbo].[ERPx_GLAccount]
[dbo].[ERPx_GLJournalHeader]
[dbo].[ERPx_GLJournalLineType]
[dbo].[ERPx_MFDataEntityCompany]

Used By

[dbo].[IQx_ProjectTransaction]
[dbo].[SPx_APPProcess_DeliveryTicket]
[dbo].[SPx_APPProcess_PaymentReceipt]
[dbo].[SPx_APPProcess_Transaction]
[dbo].[SPx_APUUpdate_InvoiceList]
[dbo].[SPx_APUUpdate_TransactionList]
[dbo].[SPx_CPPProcess_Ticket]
[dbo].[SPx_GLProcess_CheckbookTransaction]
[dbo].[SPx_GLProcess_Journal]
[dbo].[SPx_GLSEL_JournalDetailDetailLine]
[dbo].[SPx_GLUUpdate_DuplicateJournal]
[dbo].[SPx_GLUUpdate_JournalLineRollup]
[dbo].[SPx_GLUUpdate_StatAccount_AccountList]
[dbo].[SPx_GLUUpdate_YearEndClose]
[dbo].[SPx_GLValidate_JournalEntry]
[dbo].[SPx_IMProcess_Transfer_PurchaseOrder]
[dbo].[SPx_INTEG_GPSOInvoice]
[dbo].[SPx_MFDEL_DeleteCompany]
[dbo].[SPx_MFProcess_CurrencyGainLossJournal]
[dbo].[SPx_MFUpdate_JournalDetails]
[dbo].[SPx_SOPProcess_AssignInvoiceNumber]
[dbo].[SPx_SOPProcess_PurchaseOrder]

 [dbo].[ERPx_GLJournalLineType]

Columns

Key	Name	Data Type	Max Length (Bytes)	Nullability
	JournalLineTypeSK	bigint	8	NOT NULL
	JournalLineTypeName	varchar(50)	50	NOT NULL
	HostSystemLink	varchar(50)	50	NULL allowed

Indexes



Key	Name	Key Columns	Unique
	PK_ERPx_GLJournalLineType	JournalLineTypeSK	True

Used By

[dbo].[ERPx_GLJournalLineDetail]
 [dbo].[ERPx_MFSysAccountingRule]
 [dbo].[SPx_GLSEL_JournalDetailDetailLine]
 [dbo].[SPx_INTEG_GPSOInvoice]
 [dbo].[VWx_MFSysAccountingRule]

 **[dbo].[ERPx_GLJournalMoreActionsCriteria]**

Columns

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity
	MoreActionsSK	bigint	8	NOT NULL	1 - 1
	TransactionTypeSK	bigint	8	NULL allowed	
	GLMoreActionEN	bigint	8	NOT NULL	
	DateFrom	date	3	NULL allowed	
	DateTo	date	3	NOT NULL	
	PostingDate	date	3	NOT NULL	
	GLAccountSKCSV	varchar(max)	max	NULL allowed	
	JournalID	varchar(20)	20	NULL allowed	
	DataEntityCompanySK	bigint	8	NOT NULL	
	UserSK	bigint	8	NOT NULL	

Foreign Keys

Name	Columns
FK_ERPx_GLJournalMoreActionsCriteria_ERPx_MFDataEntityCompany	DataEntityCompanySK->[dbo].[ERPx_MFDataEntityCompany].[DataEntityCompanySK]
FK_ERPx_GLJournalMoreActionsCriteria_ERPx_MFUser1	UserSK->[dbo].[ERPx_MFUser].[UserSk]

Uses






[dbo].[ERPx_MFDataEntityCompany]
 [dbo].[ERPx_MFUser]

Used By


[dbo].[IQx_GLSEL_JournalLineList]
 [dbo].[IQx_GLSEL_JournalList]
 [dbo].[SPx_GLSEL_JournalLineList]
 [dbo].[SPx_GLSEL_JournalList]
 [dbo].[SPx_GLSEL_MoreActionsHeader]
 [dbo].[SPx_GLSEL_MoreActionsJournalList]
 [dbo].[SPx_GLUpdate_MoreActions]

 [dbo].[ERPx_GLProject]

Columns

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity	Default
	ProjectSK	bigint	8	NOT NULL	1 - 1	
	ProjectID	bigint	8	NOT NULL		
	ProjectDescription	varchar(200)	200	NULL allowed		
	ProjectClassSK	bigint	8	NOT NULL		
	ProjectStartDate	datetime	8	NOT NULL		
	ProjectEndDate	datetime	8	NULL allowed		
	RevenueBudget	numeric(18,5)	9	NULL allowed		
	ExpenseBudget	numeric(18,5)	9	NULL allowed		
	CurrencySK	bigint	8	NULL allowed		
	IsInactive	bit	1	NOT NULL		((0))
	LastUpdated	datetime	8	NOT NULL		(getdate())
	LastUser	varchar(200)	200	NOT NULL		
	DataEntityCompanySK	bigint	8	NOT NULL		
	CreatedBy	varchar(150)	150	NULL allowed		
	CreatedDateTime	datetime	8	NOT NULL		(getdate())

Indexes

Key	Name	Key Columns	Unique
	PK_ERPx_GLProject	ProjectSK	True
	UK_ERPx_GLProject	ProjectID, DataEntityCompanySK	True

Foreign Keys

Name	Columns
FK_ERPx_GLProject_ERPx_GLProjectClass	ProjectClassSK->[dbo].[ERPx_GLProjectClass].[ProjectClassSK]
FK_ERPx_GLProject_ERPx_MFCurrency	CurrencySK->[dbo].[ERPx_MFCurrency].[CurrencySK]
FK_ERPx_GLProject_ERPx_MFDataEntity-Company	DataEntityCompanySK->[dbo].[ERPx_MFDataEntityCompany].[DataEntity-CompanySK]

Uses




[dbo].[ERPx_GLProjectClass]
 [dbo].[ERPx_MFCurrency]

[dbo].[ERPx_MFDataEntityCompany]


Used By

[dbo].[ERPx_GLProjectModule]
[dbo].[IQx_APSEL_APTransactionDetail]
[dbo].[IQx_APSEL_InvoiceLineList]
[dbo].[IQx_APSEL_POLineList]
[dbo].[IQx_GLSEL_JournalLineList]
[dbo].[IQx_ProjectTransaction]
[dbo].[SPx_APSEL_APTransaction_DistributionLookup]
[dbo].[SPx_APSEL_APTransaction_Line]
[dbo].[SPx_APSEL_APTransaction_POLineDefaultLookup]
[dbo].[SPx_APSEL_InvoiceLineList]
[dbo].[SPx_APSEL_PoDistributionLookup]
[dbo].[SPx_APSEL_POLine]
[dbo].[SPx_APSEL_POLineList]
[dbo].[SPx_APSEL_TransactionDistributionLookup]
[dbo].[SPx_APSEL_TransactionLine]
[dbo].[SPx_GLSEL_JournalDetailDetailLine]
[dbo].[SPx_GLSEL_JournalDetailEntryLine]
[dbo].[SPx_GLSEL_JournalLineList]
[dbo].[SPx_GLSEL_Project]
[dbo].[SPx_GLSEL_ProjectList]
[dbo].[SPx_GLSEL_ProjectLookup]
[dbo].[SPx_GLSEL_ProjectLookupByModule]
[dbo].[SPx_GLSEL_ProjectProperties]
[dbo].[SPx_GLUpdate_Project]
[dbo].[SPx_GLUpdate_ProjectClassList]
[dbo].[SPx_GLUpdate_ProjectList]
[dbo].[SPx_INTEG_NSAPInvoiceAndCreditMemo]
[dbo].[SPx_MFDEL_DeleteCompany]

[dbo].[ERPx_GLProjectClass]**Columns**

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity	Default
 PK	ProjectClassSK	bigint	8	NOT NULL	1 - 1	
 PK	ClassID	varchar(50)	50	NOT NULL		
	ClassDescription	varchar(200)	200	NULL allowed		
	LastUpdated	datetime	8	NOT NULL		(getdate())
	LastUser	varchar(200)	200	NOT NULL		
 FK	DataEntityCompanySK	bigint	8	NOT NULL		
	IsInactive	bit	1	NOT NULL		((0))

Indexes

Key	Name	Key Columns	Unique
 PK	PK_ERPx_GLProjectClass	ProjectClassSK	True
	UK_ERPx_GLProjectClass	ClassID, DataEntityCompanySK	True

Foreign Keys

Name	Columns
FK_ERPx_GLProjectClass_ERPx_MFDataEntity-CompanySK	DataEntityCompanySK->[dbo].[ERPx_MFDataEntityCompany].[DataEntity-CompanySK]





Uses

[dbo].[ERPx_MFDataEntityCompany]


Used By

[dbo].[ERPx_GLProject]
 [dbo].[IQx_ProjectTransaction]
 [dbo].[SPx_GLSEL_ProjectClassList]
 [dbo].[SPx_GLSEL_ProjectClassLookup]
 [dbo].[SPx_GLSEL_ProjectList]
 [dbo].[SPx_GLSEL_ProjectProperties]
 [dbo].[SPx_GLUpdate_ProjectClassList]
 [dbo].[SPx_MFDEL_DeleteCompany]

[dbo].[ERPx_GLProjectModule]**Columns**

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity	Default
	ProjectModuleSK	bigint	8	NOT NULL	1 - 1	
	ProjectSK	bigint	8	NOT NULL		
	ModuleSK	bigint	8	NOT NULL		
	IsEnabled	bit	1	NOT NULL		((1))
	LastUpdated	datetime	8	NOT NULL		(getdate())
	LastUser	varchar(200)	200	NOT NULL		
	DataEntityCompanySK	bigint	8	NOT NULL		

Indexes

Key	Name	Key Columns	Unique
	PK_ERPx_GLProjectModule	ProjectModuleSK	True
	UK_ERPx_GLProjectModule	ModuleSK, ProjectSK, DataEntityCompanySK	True

Foreign Keys

Name	Columns
FK_ERPx_GLProjectModule_ERPx_GLProject	ProjectSK->[dbo].[ERPx_GLProject].[ProjectSK]
FK_ERPx_GLProjectModule_ERPx_MFDataEntity-Company	DataEntityCompanySK->[dbo].[ERPx_MFDataEntityCompany].[DataEntity-CompanySK]
FK_ERPx_GLProjectModule_ERPx_MFModule	ModuleSK->[dbo].[ERPx_MFModule].[ModuleSK]

Uses



[dbo].[ERPx_GLProject]
 [dbo].[ERPx_MFDataEntityCompany]
 [dbo].[ERPx_MFModule]

Used By

[dbo].[SPx_GLSEL_ProjectLookupByModule]
 [dbo].[SPx_GLSEL_ProjectProperties]
 [dbo].[SPx_GLUpdate_Project]
 [dbo].[SPx_GLUpdate_ProjectList]
 [dbo].[SPx_MFDEL_DeleteCompany]

 [dbo].[ERPx_GLTransactionClass]

Columns

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity
	TransactionClassSK	bigint	8	NOT NULL	1 - 1
	TransactionClassID	varchar(20)	20	NOT NULL	
	TransactionClassDescription	varchar(200)	200	NULL allowed	
	NextTransactionID	bigint	8	NOT NULL	
	DataEntityCompanySK	bigint	8	NOT NULL	

Indexes

Key	Name	Key Columns	Unique
	PK_ERPx_GLTransactionClass	TransactionClassSK	True

Foreign Keys

Name	Columns
FK_ERPx_GLTransactionClass_ERPx_MFDataEntity-Company	DataEntityCompanySK->[dbo].[ERPx_MFDataEntityCompany].[Data-EntityCompanySK]

Uses



[dbo].[ERPx_MFDataEntityCompany]

Used By


[dbo].[ERPx_GLJournalHeader]
 [dbo].[SPx_GLProcess_CheckbookTransaction]
 [dbo].[SPx_GLProcess_Journal]
 [dbo].[SPx_GLSEL_JournalHeader]
 [dbo].[SPx_GLSEL_JournalHeaderProperties]
 [dbo].[SPx_GLUpdate_DuplicateJournal]
 [dbo].[SPx_GLUpdate_FiscalYearClose]
 [dbo].[SPx_MFDEL_DeleteCompany]
 [dbo].[SPx_MFProcess_CurrencyGainLossJournal]
 [dbo].[SPx_MFUpdate_JournalDetails]

 [dbo].[ERPx_GLTransactionStatus]

Columns

Key	Name	Data Type	Max Length (Bytes)	Nullability
	TransactionStatusSK	bigint	8	NOT NULL
	TransactionStatusName	varchar(25)	25	NOT NULL
	Sort	int	4	NOT NULL



Indexes

Key	Name	Key Columns	Unique
	PK_ERPx_GLTransactionStatus	TransactionStatusSK	True
	UK_ERPx_GLTransactionStatus	TransactionStatusName	True

Used By

[dbo].[ERPx_GLJournalHeader]
 [dbo].[IQx_GLSEL_JournalLineList]
 [dbo].[IQx_ProjectTransaction]
 [dbo].[SPx_GLSEL_CheckbookTransactionList]
 [dbo].[SPx_GLSEL_JEStatusLookup]
 [dbo].[SPx_GLSEL_JournalLineList]
 [dbo].[SPx_GLSEL_JournalList]
 [dbo].[SPx_INTEG_UpdatePostedGLJournalFromGP]
 [dbo].[SPx_MFDEL_DeleteCompany]

[dbo].[ERPx_GLTransactionType]**Columns**

Key	Name	Data Type	Max Length (Bytes)	Nullability	Default
	TransTypeSK	bigint	8	NOT NULL	
	TransTypeName	varchar(200)	200	NULL allowed	
	IsEnabled	bit	1	NOT NULL	((1))
	Sort	int	4	NOT NULL	
	IntegrationMethodEN	bigint	8	NOT NULL	((3))
	IsVisibleInInterface	bit	1	NOT NULL	((0))

Indexes




Key	Name	Key Columns	Unique
	PK_ERPx_GLTransactionType	TransTypeSK	True
	UK_ERPx_GLTransactionType	TransTypeName	True

Used By


[dbo].[ERPx_GLJournalHeader]
 [dbo].[IQx_GLSEL_JournalEntry_JournalTypeLookup]
 [dbo].[IQx_GLSEL_JournalLineList]
 [dbo].[IQx_GLSEL_JournalList]
 [dbo].[SPx_GLSEL_JournalDetailHeader]
 [dbo].[SPx_GLSEL_JournalHeader]
 [dbo].[SPx_GLSEL_JournalLineList]
 [dbo].[SPx_GLSEL_JournalList]
 [dbo].[SPx_GLSEL_MoreActionsTransactionTypeLookup]
 [dbo].[SPx_GLSEL_NewButtonLookup]
 [dbo].[SPx_GLSEL_TransactionTypeLookup]
 [dbo].[SPx_GLUUpdate_DuplicateJournal]
 [dbo].[SPx_MFDEL_DeleteCompany]
 [dbo].[VWx_MFSysAccountingRule]

 [dbo].[ERPx_IMBin]

Columns

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity
	BinSK	bigint	8	NOT NULL	1 - 1
	SiteSK	bigint	8	NOT NULL	
	BinID	varchar(25)	25	NOT NULL	
	DataEntityCompanySK	bigint	8	NOT NULL	

Indexes

Key	Name	Key Columns	Unique
	PK_ERPx_IMBin	BinSK	True
	IX_ERPx_IMBin	SiteSK, BinID	True

Foreign Keys

Name	Columns
FK_ERPx_IMBin_ERPx_MFSite	SiteSK->[dbo].[ERPx_MFSite].[SiteSK]

Uses




[dbo].[ERPx_MFSite]

Used By

[dbo].[ERPx_IMBinBalance]
 [dbo].[ERPx_IMLotBin]
 [dbo].[SPx_INTEG_GPSItem]
 [dbo].[SPx_MFDEL_DeleteCompany]
 [dbo].[SPx_SOINs_BWInboundInvoice_XML]

 [dbo].[ERPx_IMBinBalance]

Columns

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity	Default
	BinBalanceSK	bigint	8	NOT NULL	1 - 1	
	BinSK	bigint	8	NOT NULL		
	ItemSK	bigint	8	NOT NULL		
	OnHandUnits	numeric(18,5)	9	NOT NULL		((0))
	OnHandWeight	numeric(18,5)	9	NOT NULL		((0))
	AllocatedUnits	numeric(18,5)	9	NOT NULL		((0))
	AllocatedWeight	numeric(18,5)	9	NOT NULL		((0))
	DataEntityCompanySK	nchar(10)	20	NOT NULL		

Indexes

Key	Name	Key Columns	Unique
	PK_ERPx_IMBinBalance	BinBalanceSK	True
	IX_ERPx_IMBinBalance	BinSK, ItemSK	True

Foreign Keys

Name	Columns
FK_ERPx_IMBinBalance_ERPx_IMBin	BinSK->[dbo].[ERPx_IMBin].[BinSK]
FK_ERPx_IMBinBalance_ERPx_IMItem	ItemSK->[dbo].[ERPx_IMItem].[ItemSK]




Uses

[dbo].[ERPx_IMBin]
[dbo].[ERPx_IMItem]


Used By

[dbo].[SPx_MFDEL_DeleteCompany]

[dbo].[ERPx_IMCertification]**Columns**

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity	Default
	CertificationSK	bigint	8	NOT NULL	1 - 1	
	Certification	varchar(25)	25	NOT NULL		
	CertificationNumber	varchar(50)	50	NULL allowed		
	Comment	varchar(250)	250	NULL allowed		
	IMCertificationTypeEN	bigint	8	NOT NULL		
	IsInactive	bit	1	NOT NULL		
	LastUpdated	datetime	8	NOT NULL		
	LastUser	varchar(150)	150	NOT NULL		
	DataEntityCompanySK	bigint	8	NOT NULL		
	CreatedBy	varchar(150)	150	NULL allowed		
	CreatedDateTime	datetime	8	NOT NULL		(getdate())
	EscapedName	varchar(max)	max	NOT NULL		

Indexes

Key	Name	Key Columns	Unique
	PK_ERPx_IMCertification	CertificationSK	True
	IX_ERPx_IMCertification_Certification_Company	Certification, DataEntityCompanySK	True

Foreign Keys

Name	Columns
FK_ERPx_IMCertification_ERPx_MFDataEntity-Company	DataEntityCompanySK->[dbo].[ERPx_MFDataEntityCompany].[DataEntity-CompanySK]

Uses

[dbo].[ERPx_MFDataEntityCompany]






Used By

[dbo].[ERPx_ARCcustomerCertification]
 [dbo].[ERPx_IMCertificationAssignment]
 [dbo].[ERPx_SOOrderHeaderCertification]
 [dbo].[ERPx_SOOrderItemCertification]
 [dbo].[FNx_IMWarehouseCertificationValues]


[dbo].[FNx_IMWarehouseLotCertificationValues]
[dbo].[SPx_IMProcess_ProductionLot]
[dbo].[SPx_IMSEL_CertificationList]
[dbo].[SPx_IMSEL_ItemAndLotAttributeList]
[dbo].[SPx_IMSEL_ItemAttributeCertificationList_ItemList]
[dbo].[SPx_IMSEL_ItemAttributeCertificationList_LotList]
[dbo].[SPx_IMSEL_ItemCertificationList]
[dbo].[SPx_IMSEL_ProductionBatchCertificationList]
[dbo].[SPx_IMSEL_ProductionLotAttributeList]
[dbo].[SPx_IMSEL_ProductionLotCertificationList]
[dbo].[SPx_IMSEL_TransactionDetailAttributeList]
[dbo].[SPx_IMUpdate_CertificationList]
[dbo].[SPx_INTEG_NSIMInventoryTrans]
[dbo].[SPx_MFDEL_DeleteCompany]
[dbo].[SPx_MFINSUPD_Attribute]
[dbo].[SPx_MFSEL_MassUpdate]
[dbo].[SPx_MFSEL_SiteCertificationList]
[dbo].[SPx_MFSYS_InstallSystemSiteCertificationsUDF]
[dbo].[SPx_MFSYS_InstallSystemWarehouseCertificationFunction]
[dbo].[SPx_MFSYS_InstallSystemWarehouseLotsCertificationFunction]
[dbo].[SPx_MFUPD_CertificationPivotTableColumnsAndView]
[dbo].[SPx_MFUPD_CertificationPivotTableSync]
[dbo].[SPx_MFUPD_CertificationView]
[dbo].[SPx_MFUpdate_MassUpdate]
[dbo].[SPx_SOSEL_Properties_CertificationLookup]
[dbo].[SPx_SOSEL_SiteList_Certifications]
[dbo].[SPx_SOSEL_TransactionCertificationLookup]
[dbo].[SPx_SOSEL_TransactionDetailItem]
[dbo].[SPx_SOSEL_TransactionHeaderProperty]

 [dbo].[ERPx_IMCertificationAssignment]

Columns

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity
	CertificationAssignmentSK	bigint	8	NOT NULL	1 - 1
 (2)	CertificationSK	bigint	8	NOT NULL	
 (2)	EntitySK	bigint	8	NOT NULL	
 (2)	CertificationAssignmentTypeEN	bigint	8	NOT NULL	
	LastUpdated	datetime	8	NOT NULL	
	LastUser	varchar(150)	150	NOT NULL	
 (2)	DataEntityCompanySK	bigint	8	NOT NULL	

Indexes

Key	Name	Key Columns	Unique
	PK_ERPx_IMCertificationAssignment	CertificationAssignmentSK	True
	IX_ERPx_IMCertificationAssignment	CertificationSK, EntitySK, CertificationAssignmentTypeEN, DataEntityCompanySK	True
	IX_ERPx_IMCertificationAssignment_CertificationTypeEntityCertification	DataEntityCompanySK, CertificationAssignmentTypeEN, EntitySK, CertificationSK	

Foreign Keys

Name	Columns
FK_ERPx_IMCertificationAssignment_ERPx_IMCertificationAssignment	CertificationSK->[dbo].[ERPx_IMCertification].[CertificationSK]
FK_ERPx_IMCertificationAssignment_ERPx_MFDataEntityCompany	DataEntityCompanySK->[dbo].[ERPx_MFDataEntityCompany].[DataEntityCompanySK]

Uses

[dbo].[ERPx_IMCertification]
 [dbo].[ERPx_MFDataEntityCompany]




Used By

[dbo].[FNx_IMWarehouseCertificationValues]
 [dbo].[FNx_IMWarehouseLotCertificationValues]
 [dbo].[SPx_IMProcess_Item]
 [dbo].[SPx_IMProcess_ProductionLot]
 [dbo].[SPx_IMSEL_ItemCertificationList]


[dbo].[SPx_IMSEL_ProductionBatchCertificationList]
[dbo].[SPx_IMUpdate_CertificationList]
[dbo].[SPx_IMUpdate_CleanUpLots]
[dbo].[SPx_IMUpdate_ItemCopy]
[dbo].[SPx_INTEG_NSIMInventoryTrans]
[dbo].[SPx_MFDEL_DeleteCompany]
[dbo].[SPx_MFINSUPDDEL_Site_XML]
[dbo].[SPx_MFSEL_AllocateDetails]
[dbo].[SPx_MFSEL_SiteCertificationList]
[dbo].[SPx_MFUpdate_MassUpdate]
[dbo].[SPx_MFUpdate_Site]
[dbo].[SPx_SOPProcess_Transaction_InsertItem]
[dbo].[SPx_SOSEL_Properties_CertificationLookup]
[dbo].[SPx_SOSEL_TransactionCertificationLookup]
[dbo].[SPx_SOUUpdate_TransactionDetailAutoAllocate]

 **[dbo].[ERPx_IMCostGroup]**

Columns

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity	Default
	CostGroupSK	bigint	8	NOT NULL	1 - 1	
	CostGroupID	varchar(50)	50	NOT NULL		
	CostGroupDescription	varchar(100)	100	NOT NULL		
	IsInactive	bit	1	NOT NULL		((0))
	LastUpdated	datetime	8	NOT NULL		(getdate())
	LastUser	varchar(100)	100	NOT NULL		
	DataEntityCompanySK	bigint	8	NOT NULL		

Indexes

Key	Name	Key Columns	Unique
	PK_ERPx_IMCostGroup	CostGroupSK	True
	IX_ERPx_IMCostGroup	DataEntityCompanySK, CostGroupID	True

Foreign Keys

Name	Columns
FK_ERPx_IMCostGroup_ERPx_MFDataEntity-Company	DataEntityCompanySK->[dbo].[ERPx_MFDataEntityCompany].[DataEntity-CompanySK]

Uses



[dbo].[ERPx_MFDataEntityCompany]

Used By

[dbo].[IQx_IMSEL_InventoryAsOf]
 [dbo].[SPx_IMSEL_CostGroup]
 [dbo].[SPx_IMSEL_CostGroupLookup]
 [dbo].[SPx_IMSEL_CostHistoryInquiry]
 [dbo].[SPx_IMSEL_Item]
 [dbo].[SPx_IMSEL_ItemClassProperties]
 [dbo].[SPx_IMSEL_ItemPropertiesAdvanced]
 [dbo].[SPx_IMSEL_UpdateCostList]
 [dbo].[SPx_IMUpdate_CostGroup]
 [dbo].[SPx_MFExport_IMItems]
 [dbo].[VWx_IMItemProperties]

 [dbo].[ERPx_IMCountryOfOrigin]

Columns


Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity
	CountryOfOriginSK	bigint	8	NOT NULL	1 - 1
	CountryCode	varchar(10)	10	NOT NULL	
	CountryName	varchar(100)	100	NOT NULL	

Indexes



Key	Name	Key Columns	Unique
	PK_ERPx_IMCountryOfOrigin	CountryOfOriginSK	True
	IX_ERPx_IMCountryOfOrigin_CountryCode	CountryCode	True

Used By

[dbo].[ERPx_IMCountryOfOrigin_Company]
 [dbo].[ERPx_IMProductionLotCountryOfOrigin]
 [dbo].[SPx_IMSEL_CountryOfOrigin]
 [dbo].[SPx_IMSEL_CountryOfOriginLookup]
 [dbo].[SPx_IMSEL_ProductionLot_CountryOfOrigin]
 [dbo].[SPx_IMSEL_ProductionLot_CountryOfOriginLookup]
 [dbo].[SPx_IMUpdate_CountryOfOrigin]
 [dbo].[SPx_IMUpdate_ProductionLot_Rollup]

 [dbo].[ERPx_IMCountryOfOrigin_Company]

Columns

Key	Name	Data Type	Max Length (Bytes)	Nullability
 PK	CountryOfOriginSK	bigint	8	NOT NULL
 FK	DataEntityCompanySK	bigint	8	NOT NULL
	LastUpdated	datetime	8	NOT NULL
	LastUser	varchar(110)	110	NOT NULL

Indexes

Key	Name	Key Columns	Unique
 PK	PK_ERPx_IMCountryOfOrigin_Company	CountryOfOriginSK, DataEntityCompanySK	True

Foreign Keys

Name	Columns
FK_ERPx_IMCountryOfOrigin_Company_CountryOfOriginSK	CountryOfOriginSK->[dbo].[ERPx_IMCountryOfOrigin].[CountryOfOriginSK]
FK_ERPx_IMCountryOfOrigin_Company_DataEntityCompanySK	DataEntityCompanySK->[dbo].[ERPx_MFDataEntityCompany].[DataEntityCompanySK]




Uses

[dbo].[ERPx_IMCountryOfOrigin]
 [dbo].[ERPx_MFDataEntityCompany]


Used By

[dbo].[SPx_IMSEL_CountryOfOrigin]
 [dbo].[SPx_IMSEL_CountryOfOriginLookup]
 [dbo].[SPx_IMSEL_ProductionLot_CountryOfOriginLookup]
 [dbo].[SPx_IMUpdate_CountryOfOrigin]

[dbo].[ERPx_IMCycleCountFilter]**Columns**

Key	Name	Data Type	Max Length (Bytes)	Nullability
	UserSK	bigint	8	NOT NULL
	DataEntityCompanySK	bigint	8	NOT NULL
	CreatedDate	datetime	8	NOT NULL
	LastUpdated	datetime	8	NOT NULL
	SiteSK	varchar(200)	200	NULL allowed
	IMIncludeInCycleCountEN	varchar(200)	200	NULL allowed
	BalanceAsOf	datetime	8	NULL allowed
	GLDate	date	3	NULL allowed
	DefaultReasonCode	bigint	8	NULL allowed
	Attributes	xml	max	NULL allowed
	ProcessAdjustmentStatusSK	bigint	8	NULL allowed

Indexes

Key	Name	Key Columns	Unique
	PK_ERPx_IMCycleCountFilter	UserSK, DataEntityCompanySK	True

Foreign Keys

Name	Columns
FK_ERPx_IMCycleCountFilter_ERPx_IMTransactionStatus	ProcessAdjustmentStatusSK->[dbo].[ERPx_IMTransactionStatus].[TransactionStatusSK]
FK_ERPx_IMCycleCountFilter_ERPx_MFDataEntityCompany	DataEntityCompanySK->[dbo].[ERPx_MFDataEntityCompany].[DataEntityCompanySK]

Uses

[dbo].[ERPx_IMTransactionStatus]
 [dbo].[ERPx_MFDataEntityCompany]



Used By

[dbo].[SPx_IMSEL_CycleCountAttributes]
 [dbo].[SPx_IMSEL_CycleCountHeader]
 [dbo].[SPx_IMSEL_CycleCountList]
 [dbo].[SPx_IMUpdate_CycleCount]
 [dbo].[SPx_MFINSUPDDEL_Site_XML]

[dbo].[SPx_MFUpdate_Site]

 [dbo].[ERPx_IMCycleCountLog]

Columns

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity	Default
	CycleCountLogSK	bigint	8	NOT NULL	1 - 1	
	CycleCountRecordXML	xml	max	NULL allowed		
	CreatedDateTime	datetime	8	NOT NULL		(getdate())
	CreatedByUser	varchar(110)	110	NOT NULL		
	DataEntityCompanySK	bigint	8	NULL allowed		

Indexes

Key	Name	Key Columns	Unique
	PK_ERPx_IMCycleCountLog	CycleCountLogSK	True

Foreign Keys

Name	Columns
FK_ERPx_IMCycleCountLog_ERPx_MFDataEntity-Company	DataEntityCompanySK->[dbo].[ERPx_MFDataEntityCompany].[DataEntity-CompanySK]





Uses

[dbo].[ERPx_MFDataEntityCompany]

Used By

[dbo].[ERPx_IMCycleCountTransactionLog]
 [dbo].[SPx_IMUpdate_CycleCount]

[dbo].[ERPx_IMCycleCountTransactionLog]**Columns**

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity	Default
	CycleCountTransactionLogSK	bigint	8	NOT NULL	1 - 1	
	CycleCountLogSK	bigint	8	NOT NULL		
	IMTransactionHeaderSK	bigint	8	NULL allowed		
	TransactionXML	xml	max	NULL allowed		
	CreatedBy	varchar(110)	110	NOT NULL		
	CreatedDateTime	datetime	8	NOT NULL		(getdate())
	DataEntityCompanySK	bigint	8	NOT NULL		

Indexes

Key	Name	Key Columns	Unique
	PK_ERPx_IMCycleCountTransactionLog	CycleCountTransactionLogSK	True

Foreign Keys

Name	Columns
FK_ERPx_IMCycleCountTransactionLog_ERPx_IMCycleCountLog	CycleCountLogSK->[dbo].[ERPx_IMCycleCountLog].[CycleCountLogSK]
FK_ERPx_IMCycleCountTransactionLog_ERPx_IMTransactionHeader	IMTransactionHeaderSK->[dbo].[ERPx_IMTransactionHeader].[TransactionHeaderSK]
FK_ERPx_IMCycleCountTransactionLog_ERPx_MFDataEntityCompany	DataEntityCompanySK->[dbo].[ERPx_MFDataEntityCompany].[DataEntityCompanySK]

Uses














[dbo].[ERPx_IMCycleCountLog]
 [dbo].[ERPx_IMTransactionHeader]
 [dbo].[ERPx_MFDataEntityCompany]





















Used By










[dbo].[SPx_IMUpdate_CycleCount]








 [dbo].[ERPx_IMItem]

Columns


Key	Name	Data Type	Max Length (Bytes)	Nullability	Full Text Indexed	Language	Identity	Default
 	ItemSK	bigint	8	NOT NULL			1 - 1	
	HostSystemLink	varchar(100)	100	NULL allowed				
 (2)	ItemID	varchar(50)	50	NOT NULL				
	ItemDescription	varchar(105)	105	NOT NULL				
	ItemTypeSK	bigint	8	NOT NULL				
	ItemClassSk	bigint	8	NOT NULL				
	UOMScheduleSK	bigint	8	NOT NULL				
	ItemAttributeString	varchar(1000)	1000	NULL allowed				
	DefaultSOUnit-UOMSK	bigint	8	NULL allowed				
	DefaultSOWeight-UOMSK	bigint	8	NULL allowed				
	DefaultSOPrice-UOMSK	bigint	8	NULL allowed				
	DefaultIMUnit-UOMSK	bigint	8	NULL allowed				
	DefaultIMWeight-UOMSK	bigint	8	NULL allowed				
	BaseUOMSK	bigint	8	NULL allowed				
	IsItemVariable-Weight	bit	1	NOT NULL				((0))
	CurrencyDecimals	int	4	NULL allowed				((2))
	ShippingWeight	numeric(18,5)	9	NOT NULL				((0))
	IsInactive	bit	1	NOT NULL				((0))
	IsVisibleToWMS	bit	1	NOT NULL				((1))
	ExpirationDays	int	4	NULL allowed				
	LotHoldNew	bigint	8	NULL allowed				
	LotHoldReturn	bigint	8	NULL allowed				
	ManagetItemsByEN	bigint	8	NOT NULL				((1))
	UPC	varchar(15)	15	NULL				

				allowed				
	GTIN	varchar(20)	20	NULL allowed				
	BrokerageExpActSK	bigint	8	NULL allowed				
	BrokerageAccrual-ActSK	bigint	8	NULL allowed				
	BrokerageWriteOff-ActSK	bigint	8	NULL allowed				
	FreightAccrualDebit-ActSK	bigint	8	NULL allowed				
	FreightAccrualCredit-ActSK	bigint	8	NULL allowed				
	InventoryActSK	bigint	8	NULL allowed				
	InvOffsetActSK	bigint	8	NULL allowed				
	COGSActSK	bigint	8	NULL allowed				
	SalesActSK	bigint	8	NULL allowed				
	MarkdownActSK	bigint	8	NULL allowed				
	SalesReturnsActSK	bigint	8	NULL allowed				
	InventoryRtnActSK	bigint	8	NULL allowed				
	InUseActSK	bigint	8	NULL allowed				
	InServiceActSK	bigint	8	NULL allowed				
	DamagedActSK	bigint	8	NULL allowed				
	VarianceActSK	bigint	8	NULL allowed				
	DropShipItemsActSK	bigint	8	NULL allowed				
	PurchPriceVarActSK	bigint	8	NULL allowed				
	UnrealPurchPrice-VarActSK	bigint	8	NULL allowed				
	AssemblyVarActSK	bigint	8	NULL allowed				
	AttributeClassSK	bigint	8	NULL allowed				
	LastUpdated	datetime	8	NOT NULL				(getdate())
	LastUser	varchar(110)	110	NULL allowed				
 (3)	DataEntityCompany-SK	bigint	8	NOT NULL				
	SalesInvoice-	varchar(105)	105	NULL				

	Description			allowed				
	BarCodeLabel-Description	varchar(105)	105	NULL allowed				
	PalletConfiguration-SK	bigint	8	NULL allowed				
	StandardCost	numeric(18,5)	9	NULL allowed				
	CurrentCost	numeric(18,5)	9	NULL allowed				
	RequireWholeUnits	bit	1	NULL allowed				
	CubeWeight	numeric(18,5)	9	NULL allowed				
	GrossPalletWeight	numeric(18,5)	9	NULL allowed				
	TrackMethodEN	bigint	8	NOT NULL				((1))
	ValuationMethodEN	bigint	8	NULL allowed				
	TaxableForSales	bit	1	NULL allowed				
	CostUOMSK	bigint	8	NULL allowed				
	DefaultReporting-UOMSK	bigint	8	NULL allowed				
	MarketCost	numeric(18,5)	9	NULL allowed				
	DeductionCodeSK	bigint	8	NULL allowed				
	ProductionBatch-ClassSK	bigint	8	NULL allowed				
	QualityTestClassSK	bigint	8	NULL allowed				
	CostGroupSK	bigint	8	NULL allowed				
	DepreciationActSK	bigint	8	NULL allowed				
	SearchText	varchar(max)	max	NULL allowed	True	2057		(")
	UnitDecimals	bigint	8	NULL allowed				
	WeightDecimals	bigint	8	NULL allowed				
	UnitTareWeight	numeric(18,5)	9	NULL allowed				
	FreightRevenueAct-SK	bigint	8	NULL allowed				
	ShippingDescription	varchar(105)	105	NULL allowed				
	AllowVariable-OrderedQty	bit	1	NOT NULL				((0))
	TransferFrExpense-	bigint	8	NULL				

	GLAccountSK			allowed				
	TransferFrtAccrual-GLAccountSK	bigint	8	NULL allowed				
	CreatedBy	varchar(150)	150	NULL allowed				
	CreatedDateTime	datetime	8	NOT NULL				(getdate())
	MinMarginPercent	numeric(18,5)	9	NULL allowed				
	PurchaseUOMSK	bigint	8	NULL allowed				
	Purchase-GLAccountSK	bigint	8	NULL allowed				
	CubesPerBox	bigint	8	NULL allowed				
	PurchaseClearing-GLAccountSK	bigint	8	NULL allowed				
	InventoryProduction-OffsetGLAccountSK	bigint	8	NULL allowed				
	PurchasePrice-VarianceGLAccount-SK	bigint	8	NULL allowed				
	InventoryValuation-GainLoss-GLAccountSK	bigint	8	NULL allowed				

Indexes

Key	Name	Key Columns	Included Columns	Unique
	PK_ERPx_IMItem	ItemSK		True
	UK_ERPx_-IMItem_1	HostSystemLink, DataEntityCompany-SK		True
	UK_ERPx_-IMItem_2	ItemID, DataEntity-CompanySK		True
	IX_IMItem_Data-EntityCompanySK	DataEntityCompany-SK	ItemClassSk, UOMScheduleSK, DefaultSUnitUOMSK, Default-SOWeightUOMSK, DefaultSOPPriceUOMSK, ItemSK, ItemID, Item-Description, ItemTypeSK	

Foreign Keys

Name	Columns
FK_ERPx_IMItem_ERPx_GLAccount_AssemblyVarActSK	AssemblyVarActSK->[dbo].[ERPx_GLAccount].[AccountSK]
FK_ERPx_IMItem_ERPx_GLAccount_BrokerageAccrualAct-SK	BrokerageAccrualActSK->[dbo].[ERPx_GLAccount].[AccountSK]
FK_ERPx_IMItem_ERPx_GLAccount_BrokerageExpActSK	BrokerageExpActSK->[dbo].[ERPx_GLAccount].[AccountSK]
FK_ERPx_IMItem_ERPx_GLAccount_BrokerageWriteOffAct-SK	BrokerageWriteOffActSK->[dbo].[ERPx_GLAccount].[AccountSK]
FK_ERPx_IMItem_ERPx_GLAccount_COGSActSK	COGSActSK->[dbo].[ERPx_GLAccount].[AccountSK]

FK_ERPx_IMItem_ERPx_GLAaccount_DamagedActSK	DamagedActSK->[dbo].[ERPx_GLAaccount].[AccountSK]
FK_ERPx_IMItem_ERPx_GLAaccount_DepreciationActSK	DepreciationActSK->[dbo].[ERPx_GLAaccount].[AccountSK]
FK_ERPx_IMItem_ERPx_GLAaccount_DropShipItemsActSK	DropShipItemsActSK->[dbo].[ERPx_GLAaccount].[AccountSK]
FK_ERPx_IMItem_ERPx_GLAaccount_FreightAccrualCreditActSK	FreightAccrualCreditActSK->[dbo].[ERPx_GLAaccount].[AccountSK]
FK_ERPx_IMItem_ERPx_GLAaccount_FreightAccrualDebitActSK	FreightAccrualDebitActSK->[dbo].[ERPx_GLAaccount].[AccountSK]
FK_ERPx_IMItem_ERPx_GLAaccount_FreightRevenueActSK	FreightRevenueActSK->[dbo].[ERPx_GLAaccount].[AccountSK]
FK_ERPx_IMItem_ERPx_GLAaccount_InServiceActSK	InServiceActSK->[dbo].[ERPx_GLAaccount].[AccountSK]
FK_ERPx_IMItem_ERPx_GLAaccount_InUseActSK	InUseActSK->[dbo].[ERPx_GLAaccount].[AccountSK]
FK_ERPx_IMItem_ERPx_GLAaccount_InventoryActSK	InventoryActSK->[dbo].[ERPx_GLAaccount].[AccountSK]
FK_ERPx_IMItem_ERPx_GLAaccount_InventoryProductionOffsetGLAccountSK	InventoryProductionOffsetGLAccountSK->[dbo].[ERPx_GLAaccount].[AccountSK]
FK_ERPx_IMItem_ERPx_GLAaccount_InventoryRtnActSK	InventoryRtnActSK->[dbo].[ERPx_GLAaccount].[AccountSK]
FK_ERPx_IMItem_ERPx_GLAaccount_InventoryValuationGainLossGLAccountSK	InventoryValuationGainLossGLAccountSK->[dbo].[ERPx_GLAaccount].[AccountSK]
FK_ERPx_IMItem_ERPx_GLAaccount_InvOffsetActSK	InvOffsetActSK->[dbo].[ERPx_GLAaccount].[AccountSK]
FK_ERPx_IMItem_ERPx_GLAaccount_MarkdownActSK	MarkdownActSK->[dbo].[ERPx_GLAaccount].[AccountSK]
FK_ERPx_IMItem_ERPx_GLAaccount_PurchaseClearingGLAccountSK	PurchaseClearingGLAccountSK->[dbo].[ERPx_GLAaccount].[AccountSK]
FK_ERPx_IMItem_ERPx_GLAaccount_PurchaseGLAccountSK	PurchaseGLAccountSK->[dbo].[ERPx_GLAaccount].[AccountSK]
FK_ERPx_IMItem_ERPx_GLAaccount_PurchasePriceVarianceGLAccountSK	PurchasePriceVarianceGLAccountSK->[dbo].[ERPx_GLAaccount].[AccountSK]
FK_ERPx_IMItem_ERPx_GLAaccount_PurchPriceVarActSK	PurchPriceVarActSK->[dbo].[ERPx_GLAaccount].[AccountSK]
FK_ERPx_IMItem_ERPx_GLAaccount_SalesActSK	SalesActSK->[dbo].[ERPx_GLAaccount].[AccountSK]
FK_ERPx_IMItem_ERPx_GLAaccount_SalesReturnsActSK	SalesReturnsActSK->[dbo].[ERPx_GLAaccount].[AccountSK]
FK_ERPx_IMItem_ERPx_GLAaccount_TransferFrtAccrualGLAccountSK	TransferFrtAccrualGLAccountSK->[dbo].[ERPx_GLAaccount].[AccountSK]
FK_ERPx_IMItem_ERPx_GLAaccount_TransferFrtExpenseGLAccountSK	TransferFrtExpenseGLAccountSK->[dbo].[ERPx_GLAaccount].[AccountSK]
FK_ERPx_IMItem_ERPx_GLAaccount_UnrealPurchPriceVarActSK	UnrealPurchPriceVarActSK->[dbo].[ERPx_GLAaccount].[AccountSK]
FK_ERPx_IMItem_ERPx_GLAaccount_VarianceActSK	VarianceActSK->[dbo].[ERPx_GLAaccount].[AccountSK]
FK_ERPx_IMItem_ERPx_IMItem	ItemSK->[dbo].[ERPx_IMItem].[ItemSK]
FK_ERPx_IMItem_ERPx_IMPalletConfiguration	PalletConfigurationSK->[dbo].[ERPx_IMPalletConfiguration].[PalletConfigurationSK]
FK_ERPx_IMItem_ERPx_IMUOM	CostUOMSK->[dbo].[ERPx_IMUOM].[UOMSK]
FK_ERPx_IMItem_ERPx_IMUOM_PurchaseUOMSK	PurchaseUOMSK->[dbo].[ERPx_IMUOM].[UOMSK]
FK_ERPx_IMItem_ERPx_IMUOM1	DefaultReportingUOMSK->[dbo].[ERPx_IMUOM].[UOMSK]
FK_ERPx_IMItem_ERPx_MFAttributeClass	AttributeClassSK->[dbo].[ERPx_MFAttributeClass].[AttributeClassSK]
FK_ERPx_IMItem_ERPx_MFAttributeClass1	ProductionBatchClassSK->[dbo].[ERPx_MFAttributeClass].[AttributeClassSK]
FK_ERPx_IMItem_ERPx_MFAttributeClass2	QualityTestClassSK->[dbo].[ERPx_MFAttributeClass].[AttributeClassSK]
FK_ERPx_IMItem_ERPx_MFHoldCode_LotHoldNew	LotHoldNew->[dbo].[ERPx_MFHoldCode].[HoldCodeSK]

FK_ERPx_IMItem_ERPx_MFHoldCode_LotHoldReturn	LotHoldReturn->[dbo].[ERPx_MFHoldCode].[HoldCodeSK]
FK_ERPx_IMItem_ERPx_PRCCode	DeductionCodeSK->[dbo].[ERPx_PRCCode].[CodeSK]

Uses

[dbo].[ERPx_GLAAccount]
 [dbo].[ERPx_IMPalletConfiguration]
 [dbo].[ERPx_IMUOM]
 [dbo].[ERPx_MFAttributeClass]
 [dbo].[ERPx_MFHoldCode]
 [dbo].[ERPx_PRCCode]

Used By

[dbo].[ERPx_APPoLine]
 [dbo].[ERPx_APTransactionClass]
 [dbo].[ERPx_APTransactionLine]
 [dbo].[ERPx_APVendorFavorite]
 [dbo].[ERPx_ARCustomerFavorite]
 [dbo].[ERPx_ARCustomerSubstituteItem]
 [dbo].[ERPx_CPItem]
 [dbo].[ERPx_DW_IMLotHistory]
 [dbo].[ERPx_IMBinBalance]
 [dbo].[ERPx_IMItemAttributes]
 [dbo].[ERPx_IMItemNote]
 [dbo].[ERPx_IMLotBalance]
 [dbo].[ERPx_IMLotBalance_SearchMetadata]
 [dbo].[ERPx_IMLotCostPostingLog]
 [dbo].[ERPx_IMPProductionLot]
 [dbo].[ERPx_IMPProductionOrderDetail]
 [dbo].[ERPx_IMTemplateDetail]
 [dbo].[ERPx_IMTransactionClass]
 [dbo].[ERPx_IMTransactionDetail]
 [dbo].[ERPx_MFAttribute_IMItem]
 [dbo].[ERPx_MFCertificationSetup_IMItem]
 [dbo].[ERPx_MPBOMOutput]
 [dbo].[ERPx_SCContractItem]
 [dbo].[ERPx_SOOrderItem]
 [dbo].[ERPx_SOOrderItemSubstitution]
 [dbo].[ERPx_SOOrderTypeDocument]
 [dbo].[FNx_CalcSOItemPrice]
 [dbo].[FNx_GetItemConversionData]
 [dbo].[FNx_GetItemsFromAllItemSets]
 [dbo].[FNx_GetItemsFromCustomerItemSets]
 [dbo].[FNX_GetOnHandBalances]
 [dbo].[FNx_GetPriceListFormula]
 [dbo].[FNx_GetProductionOrderPlannedAndActuals]
 [dbo].[FNx_GetTransactionAccounts]
 [dbo].[FNX_GetUnpostedBalances]
 [dbo].[FNx_IMInventoryBalances]
 [dbo].[FNx_IMInventoryTransactionDetail]
 [dbo].[FNx_LMLoadLegFreightWeightDetails]

[dbo].[FNx_LMLoadWeightDetails]
[dbo].[IQx_APSEL_InvoiceLineList]
[dbo].[IQx_APSEL_POLineList]
[dbo].[IQx_APSEL_POLinkedItems]
[dbo].[IQx_APSEL_POLinkedItems_ItemLookup]
[dbo].[IQx_APSEL_SaleLineList]
[dbo].[IQx_ARSEL_SaleInvoiceLineList]
[dbo].[IQx_ARSEL_TransactionDetail]
[dbo].[IQx_IMSEL_InventoryAsOf]
[dbo].[IQx_IMSEL_ItemHistory]
[dbo].[IQx_IMSEL_LotHistory]
[dbo].[IQx_IMSEL_ProductionOrderItemHistory]
[dbo].[IQx_IMSEL_QualityTestResults]
[dbo].[IQx_ItemInquiryItem]
[dbo].[IQx_LMSEL_LoadList]
[dbo].[IQx_MFSEL_PriceListHistory]
[dbo].[IQx_SOSEL_ItemHistory]
[dbo].[IQx_SOSEL_ItemHistory_ItemLookup]
[dbo].[IQx_SPSEL_FreightRatesByItem]
[dbo].[SPx_APPProcess_APTransaction_PurchaseOrder]
[dbo].[SPx_APPProcess_PurchaseOrder]
[dbo].[SPx_APPProcess_SearchMetadata_RefreshAPTransactionLine]
[dbo].[SPx_APPProcess_SearchMetadata_RefreshPOLine]
[dbo].[SPx_APPProcess_Transaction]
[dbo].[SPx_APSEL_APTransaction_ItemDefaultLookup]
[dbo].[SPx_APSEL_APTransaction_Line]
[dbo].[SPx_APSEL_APTransaction_POLineDefaultLookup]
[dbo].[SPx_APSEL_APTransaction_UOMLookupByItem]
[dbo].[SPx_APSEL_FishermanSaleLineList]
[dbo].[SPx_APSEL_InvoiceLineList]
[dbo].[SPx_APSEL_POLine]
[dbo].[SPx_APSEL_POLineList]
[dbo].[SPx_APSEL_POVendorTransactionSummary]
[dbo].[SPx_APSEL_PurchaseOrder_ItemDefaultLookup]
[dbo].[SPx_APSEL_PurchaseOrder_UOMLookupByItem]
[dbo].[SPx_APSEL_PurchaseOrder_UOMQuantityDecimalLookup]
[dbo].[SPx_APSEL_TransactionClass_ItemLookup]
[dbo].[SPx_APSEL_TransactionClass_Property]
[dbo].[SPx_APSEL_TransactionLine]
[dbo].[SPx_APUPD_TransactionHeaderRollup]
[dbo].[SPx_APUUpdate_FishermanSale]
[dbo].[SPx_APUUpdate_TransactionTenderSale]
[dbo].[SPx_ARProcess_Customer]
[dbo].[SPx_ARProcess_CustomerAddress]
[dbo].[SPx_ARProcess_Transaction]
[dbo].[SPx_ARSEL_CustomerFavoriteList]
[dbo].[SPx_ARSEL_CustomerSubstituteItemDetail]
[dbo].[SPx_ARSEL_CustomerSubstituteItemHeader]
[dbo].[SPx_ARSEL_CustomerSubstituteItemLookup]
[dbo].[SPx_ARSEL_FavoriteItemLookup]
[dbo].[SPx_ARSEL_FavoriteItemUOMDefaults]
[dbo].[SPx_ARSEL_SaleInvoiceLineList]
[dbo].[SPx_ARSEL_TransactionItemLookup]

[dbo].[SPx_ARSEL_TransactionLine]
[dbo].[SPx_ARUpdate_FixCustomerFavorites]
[dbo].[SPx_COUpdate_AttributeClassList]
[dbo].[SPx_CPPProcess_CreateAPTransaction]
[dbo].[SPx_CPPProcess_CreateIMReceiptTransaction]
[dbo].[SPx_CPPProcess_Ticket]
[dbo].[SPx_CPSEL_AccrualProperties]
[dbo].[SPx_CPSEL_APIItemLookup]
[dbo].[SPx_CPSEL_ChargeProperties]
[dbo].[SPx_CPSEL_IMItemLookup]
[dbo].[SPx_CPSEL_ItemProperties]
[dbo].[SPx_HistoricalInventoryBalance]
[dbo].[SPx_IMDEL_UOMSchedule]
[dbo].[SPx_IMPProcess_AdjustmentTransaction]
[dbo].[SPx_IMPProcess_Item]
[dbo].[SPx_IMPProcess_ItemClass]
[dbo].[SPx_IMPProcess_PostLotCosts]
[dbo].[SPx_IMPProcess_ProductionLot]
[dbo].[SPx_IMPProcess_ProductionOrder]
[dbo].[SPx_IMPProcess_ProductionTransaction]
[dbo].[SPx_IMPProcess_Receipt_PurchaseOrder]
[dbo].[SPx_IMPProcess_ReceiptTransaction]
[dbo].[SPx_IMPProcess_RefreshLotBalanceSearchMetadata]
[dbo].[SPx_IMPProcess_Transfer_PurchaseOrder]
[dbo].[SPx_IMPProcess_TransferTransaction]
[dbo].[SPx_IMPProcess_UpdateLotCostsFromPO]
[dbo].[SPx_IMSEL_Adjustment_TransactionItemDataLookup]
[dbo].[SPx_IMSEL_AllocationAndCommitment]
[dbo].[SPx_IMSEL_AllocationAndCommitmentList]
[dbo].[SPx_IMSEL_CostHistoryInquiry]
[dbo].[SPx_IMSEL_CycleCountList]
[dbo].[SPx_IMSEL_FindLotDetails]
[dbo].[SPx_IMSEL_GetLotBalance]
[dbo].[SPx_IMSEL_GetLotCost]
[dbo].[SPx_IMSEL_GetProductionOrderPlannedAndActuals]
[dbo].[SPx_IMSEL_Item]
[dbo].[SPx_IMSEL_ItemAttributes]
[dbo].[SPx_IMSEL_ItemBalance]
[dbo].[SPx_IMSEL_ItemBalance_ItemLookup]
[dbo].[SPx_IMSEL_ItemCopyHeader]
[dbo].[SPx_IMSEL_ItemData]
[dbo].[SPx_IMSEL_ItemLookup]
[dbo].[SPx_IMSEL_ItemPropertiesAdvanced]
[dbo].[SPx_IMSEL_ItemRecord]
[dbo].[SPx_IMSEL_ItemSearch]
[dbo].[SPx_IMSEL_ItemSetItemList]
[dbo].[SPx_IMSEL_ItemUOMData]
[dbo].[SPx_IMSEL_LotBalance]
[dbo].[SPx_IMSEL_LotBalance_ItemLookup]
[dbo].[SPx_IMSEL_Production_TransactionItemDataLookup]
[dbo].[SPx_IMSEL_ProductionLot_Properties]
[dbo].[SPx_IMSEL_ProductionLotIQ]
[dbo].[SPx_IMSEL_ProductionLotLookup]




[dbo].[SPx_IMSEL_ProductionLotRecord]
[dbo].[SPx_IMSEL_ProductionLots]
[dbo].[SPx_IMSEL_ProductionOrderDetail]
[dbo].[SPx_IMSEL_ProductionOrderDetailList]
[dbo].[SPx_IMSEL_ProductionOrderItemLookup]
[dbo].[SPx_IMSEL_PropertyCostMethodLookup]
[dbo].[SPx_IMSEL_PropertyUOMLookup]
[dbo].[SPx_IMSEL_QualityTestResults_ItemLookup]
[dbo].[SPx_IMSEL_Receipt_POLineDefaultLookup]
[dbo].[SPx_IMSEL_Receipt_PORecordLookupDetail]
[dbo].[SPx_IMSEL_Receipt_TransactionItemDataLookup]
[dbo].[SPx_IMSEL_TransactionClass_ChargePOItemLookup]
[dbo].[SPx_IMSEL_TransactionClass_FreightSurchargePOItemLookup]
[dbo].[SPx_IMSEL_TransactionClass_HandlingPOItemLookup]
[dbo].[SPx_IMSEL_TransactionClass_Property]
[dbo].[SPx_IMSEL_TransactionDetailAdjustment]
[dbo].[SPx_IMSEL_TransactionDetailProduction]
[dbo].[SPx_IMSEL_TransactionDetailReceipt]
[dbo].[SPx_IMSEL_TransactionDetailTransfer]
[dbo].[SPx_IMSEL_TransactionHeaderReceipt]
[dbo].[SPx_IMSEL_TransactionItemDataLookup]
[dbo].[SPx_IMSEL_TransactionItemDefaults]
[dbo].[SPx_IMSEL_TransactionItemLookup]
[dbo].[SPx_IMSEL_TransactionUOMLookupByItem]
[dbo].[SPx_IMSEL_Transfer_TransactionItemDataLookup]
[dbo].[SPx_IMSEL_UOMConversionLookupByItem]
[dbo].[SPx_IMSEL_UOMLookup]
[dbo].[SPx_IMSEL_UOMLookupByItem]
[dbo].[SPx_IMSEL_UpdateCostList]
[dbo].[SPx_IMSEL_WarehouseLotItemLookup]
[dbo].[SPx_IMSEL_WarehouseLotList]
[dbo].[SPx_IMUPD_ItemClass]
[dbo].[SPx_IMUPD_UOMScheduleUOMList]
[dbo].[SPx_IMUpdate_CheckForLots]
[dbo].[SPx_IMUpdate_CleanUpLots]
[dbo].[SPx_IMUpdate_CostBaseUpdate]
[dbo].[SPx_IMUpdate_CostGroup]
[dbo].[SPx_IMUpdate_CostLayerAdd]
[dbo].[SPx_IMUpdate_CostToCostLayerAdd]
[dbo].[SPx_IMUpdate_InventoryLot]
[dbo].[SPx_IMUpdate_ItemCopy]
[dbo].[SPx_IMUpdate_ItemSetItems]
[dbo].[SPx_IMUpdate_PalletConfiguration]
[dbo].[SPx_IMUpdate_RecalculateLotBalance]
[dbo].[SPx_INTEG_BWIMInventoryTrans]
[dbo].[SPx_INTEG_BWInvoiceHeaderItem_XML]
[dbo].[SPx_INTEG_BWOrderHeaderItem_XML]
[dbo].[SPx_INTEG_FileUploadImport]
[dbo].[SPx_INTEG_GPIMTransaction]
[dbo].[SPx_INTEG_GPINVInquiry]
[dbo].[SPx_INTEG_GPItem]
[dbo].[SPx_INTEG_GPSOHeader]
[dbo].[SPx_INTEG_GPSOInvoice]

[dbo].[SPx_INTEG_GPSItem]
[dbo].[SPx_INTEG_GPSProgramAccrual]
[dbo].[SPx_INTEG_NSAPInvoiceAndCreditMemo]
[dbo].[SPx_INTEG_NSIMInventoryTrans]
[dbo].[SPx_LMINS_LoadBuilder]
[dbo].[SPx_LMSEL_LoadRecordHeader]
[dbo].[SPx_LMSEL_LoadRecordOrderItems]
[dbo].[SPx_LMSEL_LoadSOOrderList]
[dbo].[SPx_LMUpdate_Load]
[dbo].[SPx_LMUpdate_LoadList]
[dbo].[SPx_LMUpdate_LoadTransactionFreight]
[dbo].[SPx_Load_ARCustomerFavorites]
[dbo].[SPx_Load_IMLotsAndBins_GP]
[dbo].[SPx_MFDEL_DeleteCompany]
[dbo].[SPx_MFExport_IMItems]
[dbo].[SPx_MFINS_AttributeDataSynch]
[dbo].[SPx_MFSEL_AllocateDetails]
[dbo].[SPx_MFSEL_AllocateItemLookup]
[dbo].[SPx_MFSEL_PriceListFormulaStepHeader]
[dbo].[SPx_MFSEL_PriceListFormulaStepLine]
[dbo].[SPx_MFSEL_PriceListItemLinkLookup]
[dbo].[SPx_MFSEL_PriceListItemList]
[dbo].[SPx_MFSEL_PriceListItemLookup]
[dbo].[SPx_MFSEL_PriceListMassUpdateItemList]
[dbo].[SPx_MFSEL_PriceListUOMLookup]
[dbo].[SPx_MFSYS_InstallSystemSearchText]
[dbo].[SPx_MFUPD_UpdateLinkedPrices]
[dbo].[SPx_MFUpdate_Allocate]
[dbo].[SPx_MFUpdate_JournalDetails]
[dbo].[SPx_MFUpdate_MassUpdate]
[dbo].[SPx_MFUpdate_PriceList]
[dbo].[SPx_MFUpdate_PriceListMassUpdate]
[dbo].[SPx_MFUpdate_RecordLookup]
[dbo].[SPx_MFUpdate_SPPreferences]
[dbo].[SPx_MFUpdate_TransactionTax]
[dbo].[SPx_MFUtil_ConvertAttribute]
[dbo].[SPx_MPSEL_BOMItemList]
[dbo].[SPx_MPSEL_BOMItemLookup]
[dbo].[SPx_MPSEL_BOMOutput]
[dbo].[SPx_MPSEL_ItemLookup]
[dbo].[SPx_SCSEL_ContractItems]
[dbo].[SPx_SCSEL_ContractItemUOMLookup]
[dbo].[SPx_SCSEL_ItemLookup]
[dbo].[SPx_SCUPD_ContractHeaderRollup]
[dbo].[SPx_SOINs_BWInboundInvoice_XML]
[dbo].[SPx_SOINs_BWInboundInvoicee_XML]
[dbo].[SPx_SOINs_SalesInvoiceExecutionHistory]
[dbo].[SPx_SOPProcess_FindItems]
[dbo].[SPx_SOPProcess_FindItemsWithBalances]
[dbo].[SPx_SOPProcess_OrderSubstitutionItem]
[dbo].[SPx_SOPProcess_PurchaseOrder]
[dbo].[SPx_SOPProcess_Transaction]
[dbo].[SPx_SOPProcess_Transaction_InsertItem]

[dbo].[SPx_SOPProcess_Transaction_InsertOrderItemLot]
[dbo].[SPx_SOPProcess_Transaction_UpdateItem]
[dbo].[SPx_SOPProcess_Transaction_UpdateOrderItemLot]
[dbo].[SPx_SOPProcess_Transaction_Validations]
[dbo].[SPx_SOPProcess_ValidateTransaction]
[dbo].[SPx_SOSEL_Allocate_HeaderOrderSummary]
[dbo].[SPx_SOSEL_FindItems_Detail]
[dbo].[SPx_SOSEL_FindItems_OrderSummary]
[dbo].[SPx_SOSEL_FindItems_PriceUOMLookup]
[dbo].[SPx_SOSEL_FindItems_UOMLookup]
[dbo].[SPx_SOSEL_FindItemsWithBalances_Detail]
[dbo].[SPx_SOSEL_FindItemsWithBalances_OrderSummary]
[dbo].[SPx_SOSEL_FindItemsWithBalances_PriceUOMLookup]
[dbo].[SPx_SOSEL_FindItemsWithBalances_UOMLookup]
[dbo].[SPx_SOSEL_FindLotDetails]
[dbo].[SPx_SOSEL_FindLots_HeaderOrderSummary]
[dbo].[SPx_SOSEL_ItemAllocationDetails]
[dbo].[SPx_SOSEL_ItemContractLookup]
[dbo].[SPx_SOSEL_ItemDefaultLookup]
[dbo].[SPx_SOSEL_ItemLookup]
[dbo].[SPx_SOSEL_OrderItemLookup]
[dbo].[SPx_SOSEL_PriceAdjustmentItems]
[dbo].[SPx_SOSEL_Properties_CertificationLookup]
[dbo].[SPx_SOSEL_ReturnItems]
[dbo].[SPx_SOSEL_SalesProgramDetail_Accrual]
[dbo].[SPx_SOSEL_SalesProgramDetail_OnInvoice]
[dbo].[SPx_SOSEL_SOAdjustmentItemList]
[dbo].[SPx_SOSEL_TransactionCertificationLookup]
[dbo].[SPx_SOSEL_TransactionClass_ItemLookup]
[dbo].[SPx_SOSEL_TransactionClassProperty]
[dbo].[SPx_SOSEL_TransactionDetailItem]
[dbo].[SPx_SOSEL_TransactionItemList]
[dbo].[SPx_SOSEL_TransactionPriceUOMLookupByItem]
[dbo].[SPx_SOSEL_TransactionSubstitutelItemDetail]
[dbo].[SPx_SOSEL_TransactionSubstitutelItemLookup]
[dbo].[SPx_SOSEL_TransactionSubstitutionParentItemLookup]
[dbo].[SPx_SOSEL_TransactionUOMLookupByItem]
[dbo].[SPx_SOUPD_ApplyProgramToOrder]
[dbo].[SPx_SOUPD_OrderHeaderRollup]
[dbo].[SPx_SOUUpdate_RepriceOrders]
[dbo].[SPx_SOUUpdate_Return]
[dbo].[SPx_SOUUpdate_Transaction]
[dbo].[SPx_SOUUpdate_TransactionDetailAutoAllocate]
[dbo].[SPx_SOUUpdate_TransactionItem]
[dbo].[SPx_SOUUpdate_TransactionSubstitutelItem]
[dbo].[SPx_SP_CalculateOrderPrograms]
[dbo].[SPx_SPPProcess_SettlementBatch]
[dbo].[SPx_SPSEL_DefaultARItemLookup]
[dbo].[SPx_SPSEL_ProcessSettlementItems]
[dbo].[SPx_SPSEL_ProgramItemSetList]
[dbo].[SPx_SPSEL_PromotionFreightItemsLookup]
[dbo].[SPx_SPUUpdate_Program]
[dbo].[VWx_IMInventoryBalances]

[dbo].[VWx_IMItemAccounts]
[dbo].[VWx_IMItemProperties]
[dbo].[VWx_IMTransactionHistory]
[dbo].[VWx_LotBalances]
[dbo].[VWx_MFAllocateLotBalance]
[dbo].[VWx_SOSEL_SalesTransactionDetail]
[hist].[SPx_IMRollup]
[hist].[SPx_SOHistory_SyncHistory]
[hist].[SPx_SOPProcess_SearchMetadata_RefreshOrder]
[NS_20221128]

[dbo].[ERPx_IMItemAttributes]**Columns**

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity
	ItemAttributeSK	bigint	8	NOT NULL	1 - 1
	ItemSk	bigint	8	NOT NULL	
	ItemClassSK	bigint	8	NOT NULL	
	AttributeSK	bigint	8	NOT NULL	
	AttributeValue	varchar(200)	200	NULL allowed	

Indexes

Key	Name	Key Columns	Unique
	PK_ERPx_IMItemAttributes	ItemAttributeSK	True
	UK_ERPx_IMItemAttributes_1	ItemSk, AttributeSK	True

Foreign Keys

Name	No Check	Columns
FK_ERPx_IMItemAttributes_ERPx_IMItem	True	ItemSk->[dbo].[ERPx_IMItem].[ItemSK]
FK_ERPx_IMItemAttributes_ERPx_MFAttribute		AttributeSK->[dbo].[ERPx_MFAttribute].[AttributeSK]

Uses

[dbo].[ERPx_IMItem]
[dbo].[ERPx_MFAttribute]





Used By





[dbo].[FNx_GetItemsFromAllItemSets]
[dbo].[FNx_GetUDFItemValues]
[dbo].[SPx_IMProcess_Item]
[dbo].[SPx_IMProcess_RefreshLotBalanceSearchMetadata]
[dbo].[SPx_IMSEL_Item]
[dbo].[SPx_IMSEL_ItemAttributes]
[dbo].[SPx_IMUpdate_ItemCopy]
[dbo].[SPx_IMUpdate_ItemSetItems]
[dbo].[SPx_MFDEL_Attribute]
[dbo].[SPx_MFDEL_DeleteCompany]
[dbo].[SPx_MFSYS_InstallSystemSearchText]
[dbo].[SPx_MFUpdate_MassUpdate]

[dbo].[SPx_MFUtil_ConvertAttribute]


[hist].[SPx_SOPProcess_SearchMetadata_RefreshOrder]

 **[dbo].[ERPx_IMItemClass]**
Columns

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity	Default
 	ItemClassSK	bigint	8	NOT NULL	1 - 1	
	HostSystemLink	varchar(100)	100	NULL allowed		
	ClassID	varchar(25)	25	NOT NULL		
	Description	varchar(50)	50	NOT NULL		
	IsVisibleToWMS	bit	1	NULL allowed		((0))
	ExpirationDays	int	4	NULL allowed		
	TrackMethodEN	bigint	8	NULL allowed		((1))
	LotHoldNew	bigint	8	NULL allowed		
	LotHoldReturn	bigint	8	NULL allowed		
	ManageItemsByEN	bigint	8	NULL allowed		
	BrokerageExpActSK	bigint	8	NULL allowed		
	BrokerageAccrualActSK	bigint	8	NULL allowed		
	BrokerageWriteOffActSK	bigint	8	NULL allowed		
	FreightAccrualDebitActSK	bigint	8	NULL allowed		
	FreightAccrualCreditActSK	bigint	8	NULL allowed		
	InventoryActSK	bigint	8	NULL allowed		
	InvOffsetActSK	bigint	8	NULL allowed		
	COGSActSK	bigint	8	NULL allowed		
	SalesActSK	bigint	8	NULL allowed		
	PurchaseGLAccountSK	bigint	8	NULL allowed		
	MarkdownActSK	bigint	8	NULL allowed		
	SalesReturnsActSK	bigint	8	NULL allowed		

	InventoryRtnActSK	bigint	8	NULL allowed		
	InUseActSK	bigint	8	NULL allowed		
	InServiceActSK	bigint	8	NULL allowed		
	DamagedActSK	bigint	8	NULL allowed		
	VarianceActSK	bigint	8	NULL allowed		
	DropShipItemsActSK	bigint	8	NULL allowed		
	PurchPriceVarActSK	bigint	8	NULL allowed		
	UnrealPurchPriceVarActSK	bigint	8	NULL allowed		
	AssemblyVarActSK	bigint	8	NULL allowed		
	DataEntityCompanySK	bigint	8	NOT NULL		
	AttributeClassSK	bigint	8	NULL allowed		
	TaxableForSales	bit	1	NULL allowed		((0))
	Inactive	bit	1	NOT NULL		((0))
	CostGroupSK	bigint	8	NULL allowed		
	DepreciationActSK	bigint	8	NULL allowed		
	UnitDecimals	bigint	8	NULL allowed		
	WeightDecimals	bigint	8	NULL allowed		
	PriceDecimals	bigint	8	NULL allowed		
	FreightRevenueActSK	bigint	8	NULL allowed		
	TransferFrtExpenseGLAccountSK	bigint	8	NULL allowed		
	TransferFrtAccrualGLAccountSK	bigint	8	NULL allowed		
	LastUpdated	datetime	8	NOT NULL		
	LastUser	varchar(150)	150	NOT NULL		
	PurchaseClearingGLAccountSK	bigint	8	NULL allowed		
	InventoryProductionOffsetGLAccountSK	bigint	8	NULL allowed		
	PurchasePriceVarianceGLAccountSK	bigint	8	NULL allowed		
	InventoryValuationGainLossGLAccount-SK	bigint	8	NULL allowed		

Indexes

Key	Name	Key Columns	Unique
	PK_ERPx_IMItemClass	ItemClassSK	True
	UK_ERPx_IMItemClass_1	HostSystemLink, DataEntityCompanySK	True
	UK_ERPx_IMItemClass_2	ClassID, DataEntityCompanySK	True

Foreign Keys

Name	Columns
FK_ERPx_IMItemClass_ERPx_GLAaccount	FreightRevenueActSK->[dbo].[ERPx_GLAaccount],[AccountSK]
FK_ERPx_IMItemClass_ERPx_GLAaccount_Inventory-ProductionOffsetGLAccountSK	InventoryProductionOffsetGLAccountSK->[dbo].[ERPx_GLAaccount],[AccountSK]
FK_ERPx_IMItemClass_ERPx_GLAaccount_Inventory-ValuationGainLossGLAccountSK	InventoryValuationGainLossGLAccountSK->[dbo].[ERPx_GLAaccount],[AccountSK]
FK_ERPx_IMItemClass_ERPx_GLAaccount_Purchase-ClearingGLAccountSK	PurchaseClearingGLAccountSK->[dbo].[ERPx_GLAaccount],[AccountSK]
FK_ERPx_IMItemClass_ERPx_GLAaccount_PurchasePrice-VarianceGLAccountSK	PurchasePriceVarianceGLAccountSK->[dbo].[ERPx_GLAaccount],[AccountSK]
FK_ERPx_IMItemClass_ERPx_GLAaccount_TransferFrt-AccrualGLAccountSK	TransferFrtAccrualGLAccountSK->[dbo].[ERPx_GLAaccount],[AccountSK]
FK_ERPx_IMItemClass_ERPx_GLAaccount_TransferFrt-ExpenseGLAccountSK	TransferFrtExpenseGLAccountSK->[dbo].[ERPx_GLAaccount],[AccountSK]
FK_ERPx_IMItemClass_ERPx_MFDataEntityCompany	DataEntityCompanySK->[dbo].[ERPx_MFDataEntityCompany],[DataEntityCompanySK]

Uses




[dbo].[ERPx_GLAaccount]
[dbo].[ERPx_MFDataEntityCompany]

Used By

[dbo].[FNx_GetItemsFromAllItemSets]
[dbo].[IQx_APSEL_SaleLineList]
[dbo].[IQx_IMSEL_ItemHistory]
[dbo].[IQx_IMSEL_LotHistory]
[dbo].[IQx_SOSEL_ItemHistory]
[dbo].[IQx_SOSEL_ItemHistory_ItemClassLookup]
[dbo].[SPx_APSEL_FishermanSaleLineList]
[dbo].[SPx_ARSEL_SaleInvoiceLineList]
[dbo].[SPx_HistoricalInventoryBalance]
[dbo].[SPx_IMProcess_Item]
[dbo].[SPx_IMProcess_ItemClass]
[dbo].[SPx_IMSEL_Item]
[dbo].[SPx_IMSEL_ItemBalance_ItemClassLookup]
[dbo].[SPx_IMSEL_ItemClassHeader]

[dbo].[SPx_IMSEL_ItemClassList]
[dbo].[SPx_IMSEL_ItemProperties]
[dbo].[SPx_IMSEL_ItemSetItemList]
[dbo].[SPx_IMSEL_LotBalance_ItemClassLookup]
[dbo].[SPx_IMSEL_QualityTestResults_ItemClassLookup]
[dbo].[SPx_IMSEL_UpdateCostList]
[dbo].[SPx_IMUPD_ItemClass]
[dbo].[SPx_IMUpdate_CostGroup]
[dbo].[SPx_INTEG_GPIItem]
[dbo].[SPx_INTEG_GPIItemClass]
[dbo].[SPx_MFDEL_DeleteCompany]
[dbo].[SPx_MFExport_IMItems]
[dbo].[SPx_MFINS_AttributeClass]
[dbo].[SPx_MFINS_AttributeDataSynch]
[dbo].[SPx_MFSEL_ClassLookupByForm]
[dbo].[SPx_MFSEL_ContactTypeReportMappingDistributionFilter]
[dbo].[SPx_MFSEL_PriceListItemList]
[dbo].[SPx_MFSEL_PriceListMassUpdateItemlist]
[dbo].[SPx_SOSEL_TransactionItemList]
[dbo].[VWx_IMItemProperties]

[dbo].[ERPx_IMItemClassProperty]**Columns**

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity	Default
	ItemClassPropertySK	bigint	8	NOT NULL	1 - 1	
	PropertyGroupDescription	varchar(200)	200	NULL allowed		
	PropertyName	varchar(50)	50	NOT NULL		
	PropertyDescription	varchar(200)	200	NOT NULL		
	PropertyDefinitionSK	bigint	8	NULL allowed		
	Sort	bigint	8	NOT NULL		
	LastUpdated	datetime	8	NOT NULL		(getdate())
	LastUser	varchar(150)	150	NOT NULL		
	DataEntityCompanySK	bigint	8	NOT NULL		
	IsReadOnly	bit	1	NOT NULL		((0))
	TabLocation	varchar(50)	50	NOT NULL		('Properties')
	MaxLengthOrDecimals	bigint	8	NULL allowed		

Indexes

Key	Name	Key Columns	Unique
	PK_ERPx_IMItemClassProperty	ItemClassPropertySK	True

Foreign Keys

Name	Columns
FK_ERPx_IMItemClassProperty_ERPx_MFData-EntityCompany	DataEntityCompanySK->[dbo].[ERPx_MFDataEntityCompany].[Data-EntityCompanySK]
FK_ERPx_IMItemClassProperty_ERPx_MFProperty-Definition	PropertyDefinitionSK->[dbo].[ERPx_MFPropertyDefinition].[Property-DefinitionSK]

Uses

[dbo].[ERPx_MFDataEntityCompany]





[dbo].[ERPx_MFPropertyDefinition]

Used By


[dbo].[SPx_IMSEL_ItemClassAccounts]

[dbo].[SPx_IMSEL_ItemClassProperties]

[dbo].[ERPx_IMItemNote]**Columns**

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity	Default
	ItemNoteSK	bigint	8	NOT NULL	1 - 1	
	ItemSK	bigint	8	NOT NULL		
	NoteTypeSK	bigint	8	NOT NULL		
	Note	varchar(2000)	2000	NULL allowed		
	LastUpdated	datetime	8	NULL allowed		(getdate())
	LastUser	varchar(110)	110	NULL allowed		
	DataEntityCompanySK	bigint	8	NOT NULL		
	NoteHTML	varchar(max)	max	NULL allowed		

Indexes

Key	Name	Key Columns	Unique
	PK_ERPx_IMItemNote	ItemNoteSK	True
	UK_ERPx_IMItemNote_1	ItemSK, NoteTypeSK, DataEntityCompanySK	True

Foreign Keys

Name	Columns
FK_ERPx_IMItemNote_ERPx_IMItem	ItemSK->[dbo].[ERPx_IMItem].[ItemSK]
FK_ERPx_IMItemNote_ERPx_MFNoteType	NoteTypeSK->[dbo].[ERPx_MFNoteType].[NoteTypeSK]




Uses

[dbo].[ERPx_IMItem]
 [dbo].[ERPx_MFNoteType]

Used By

[dbo].[SPx_MFManage_NoteAssignment]
 [dbo].[SPx_MFSEL_NoteList]

[dbo].[ERPx_IMItemProperty]**Columns**

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity	Default
	ItemPropertySK	bigint	8	NOT NULL	1 - 1	
	PropertyGroupDescription	varchar(200)	200	NULL allowed		
	PropertyName	varchar(50)	50	NOT NULL		
	PropertyDescription	varchar(200)	200	NOT NULL		
	PropertyDefinitionSK	bigint	8	NULL allowed		
	Sort	bigint	8	NOT NULL		
	LastUpdated	datetime	8	NOT NULL		(getdate())
	LastUser	varchar(150)	150	NOT NULL		
	DataEntityCompanySK	bigint	8	NOT NULL		
	IsReadOnly	bit	1	NOT NULL		((0))
	TabLocation	varchar(50)	50	NOT NULL		('Properties')
	MaxLengthOrDecimals	bigint	8	NULL allowed		

Indexes

Key	Name	Key Columns	Unique
	PK_ERPx_IMItemProperty	ItemPropertySK	True

Foreign Keys

Name	Columns
FK_ERPx_IMItemProperty_ERPx_MFDataEntity-Company	DataEntityCompanySK->[dbo].[ERPx_MFDataEntityCompany].[DataEntity-CompanySK]
FK_ERPx_IMItemProperty_ERPx_MFProperty-Definition	PropertyDefinitionSK->[dbo].[ERPx_MFPropertyDefinition].[Property-DefinitionSK]

Uses

[dbo].[ERPx_MFDataEntityCompany]

[dbo].[ERPx_MFPropertyDefinition]

Used By





[dbo].[SPx_IMSEL_ItemProperties]

[dbo].[SPx_IMSEL_ItemPropertiesAdvanced]


[dbo].[SPx_IMSEL_ItemRecordAccounts]

 [dbo].[ERPx_IMItemSet]

Columns

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity	Default
	ItemSetSK	bigint	8	NOT NULL	1 - 1	
	ItemSetName	varchar(50)	50	NOT NULL		
	Description	varchar(500)	500	NULL allowed		
	AutoGeneratedDescription	varchar(2000)	2000	NULL allowed		
	IncludedItemsCount	int	4	NULL allowed		
	ItemsetTypeEN	bigint	8	NOT NULL		((1))
	LastUpdated	datetime	8	NOT NULL		(getdate())
	LastUser	varchar(150)	150	NOT NULL		
	DataEntityCompanySK	bigint	8	NOT NULL		
	RuleXML	xml	max	NULL allowed		

Indexes

Key	Name	Key Columns	Unique
	PK_ERPx_IMItemSet	ItemSetSK	True
	UK_ERPx_IMItemSet_1	ItemSetName, DataEntityCompanySK	True

Check Constraints

Name	On Column	Constraint
CK_ERPx_IMItemSet	ItemsetTypeEN	((ItemsetTypeEN)=[dbo].[FNx_ValidateEnumValue]('itemsetType',[ItemsetTypeEN]))

Foreign Keys

Name	Columns
FK_ERPx_IMItemSet_ERPx_MFDataEntity-Company	DataEntityCompanySK->[dbo].[ERPx_MFDataEntityCompany].[DataEntity-CompanySK]

Uses





[dbo].[ERPx_MFDataEntityCompany]
 [dbo].[FNx_ValidateEnumValue]

Used By



[dbo].[ERPx_ARCustomerItemSet]
[dbo].[ERPx_IMItemSetRule]
[dbo].[ERPx_MFPriceListItem]
[dbo].[ERPx_SPProgramItemSet]
[dbo].[FNx_GetItemsFromAllItemSets]
[dbo].[IQx_SPSEL_FreightRatesByItem]
[dbo].[IQx_SPSEL_FreightRatesByItemSet]
[dbo].[SPx_ARSEL_CustomerItemSetList]
[dbo].[SPx_IMSEL_ItemSet]
[dbo].[SPx_IMSEL_ItemSetAttributes]
[dbo].[SPx_IMSEL_ItemSetHeader]
[dbo].[SPx_IMSEL_ItemSetList]
[dbo].[SPx_IMSEL_ItemSetProperties]
[dbo].[SPx_IMUpdate_ItemSet]
[dbo].[SPx_IMUpdate_ItemSetItems]
[dbo].[SPx_IMUpdate_ItemSetList]
[dbo].[SPx_MFDEL_DeleteCompany]
[dbo].[SPx_MFSEL_PriceListItemList]
[dbo].[SPx_MFSEL_PriceListMassUpdateItemSetList]
[dbo].[SPx_SP_CalculateOrderPrograms]
[dbo].[SPx_SPSEL_ProgramItemSetList]
[dbo].[SPx_SPSEL_ProgramItemSetLookup]

 **[dbo].[ERPx_IMItemSetItems]**

Columns

Key	Name	Data Type	Max Length (Bytes)	Nullability
 	ItemSetSK	bigint	8	NOT NULL
 	ItemSK	bigint	8	NOT NULL

Indexes



Key	Name	Key Columns	Unique
 	PK_ERPx_IMItemSetItems	ItemSetSK, ItemSK	True
	IX_ERPx_IMItemSetItems_ItemSK	ItemSK	
	IX_ERPx_IMItemSetItems_ItemSetSK	ItemSetSK	

Used By

[dbo].[FNx_CalcSOItemPrice]
 [dbo].[SPx_IMSEL_ItemSetItemList]
 [dbo].[SPx_IMUpdate_ItemSetItems]
 [dbo].[SPx_IMUpdate_ItemSetList]
 [dbo].[SPx_MFDEL_DeleteCompany]
 [dbo].[SPx_SP_CalculateOrderPrograms]

 [dbo].[ERPx_IMItemSetRule]

Columns

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity
	ItemSetRuleSK	bigint	8	NOT NULL	1 - 1
	ItemSetSK	bigint	8	NOT NULL	
	ItemSetRuleTypeSK	bigint	8	NOT NULL	
	AttributeDescription	varchar(50)	50	NULL allowed	
	RuleEntityList	varchar(max)	max	NOT NULL	

Indexes

Key	Name	Key Columns	Unique
	PK_ERPx_IMItemSetRule	ItemSetRuleSK	True

Foreign Keys

Name	Columns
FK_ERPx_IMItemSetRule_ERPx_IMItemSet	ItemSetSK->[dbo].[ERPx_IMItemSet].[ItemSetSK]

Uses

[dbo].[ERPx_IMItemSet]

Used By

[dbo].[FNx_GetItemsFromAllItemSets]
 [dbo].[SPx_IMSEL_ItemSet]
 [dbo].[SPx_IMUpdate_ItemSetList]
 [dbo].[SPx_MFDEL_DeleteCompany]

[dbo].[ERPx_IMItemType]**Columns**

Key	Name	Data Type	Max Length (Bytes)	Nullability
	ItemTypeSK	bigint	8	NOT NULL
	HostSystemLink	varchar(100)	100	NULL allowed
	TypeID	varchar(25)	25	NOT NULL
	Description	varchar(50)	50	NOT NULL
	IsInvTracked	bit	1	NOT NULL

Indexes

Key	Name	Key Columns	Unique
	PK_ERPx_IMItemType_1	ItemTypeSK	True
	IX_ERPx_IMItemType	TypeID	True














Used By

[dbo].[ERPx_APTransactionLine]
 [dbo].[ERPx_ARTransactionLine]
 [dbo].[FNx_GetItemsFromAllItemSets]
 [dbo].[FNx_IMInventoryTransactionDetail]
 [dbo].[FNx_LMLoadWeightDetails]
 [dbo].[IQx_APSEL_InvoiceLineList]
 [dbo].[IQx_APSEL_POLineList]
 [dbo].[IQx_APSEL_POLinkedItems]
 [dbo].[IQx_SOSEL_ItemHistory]
 [dbo].[SPx_APSEL_APTransaction_ItemDefaultLookup]
 [dbo].[SPx_APSEL_APTransaction_Line]
 [dbo].[SPx_APSEL_InvoiceLineList]
 [dbo].[SPx_APSEL_POLine]
 [dbo].[SPx_APSEL_POLineList]
 [dbo].[SPx_APSEL_PurchaseOrder_ItemDefaultLookup]
 [dbo].[SPx_ARSEL_CustomerSubstituteItemLookup]
 [dbo].[SPx_IMSEL_CostHistoryInquiry]
 [dbo].[SPx_IMSEL_Item]
 [dbo].[SPx_IMSEL_ItemAttributes]
 [dbo].[SPx_IMSEL_ItemProperties]
 [dbo].[SPx_IMSEL_ItemSetItemList]
 [dbo].[SPx_IMSEL_ItemType]
 [dbo].[SPx_IMSEL_ProductionOrderItemLookup]
 [dbo].[SPx_IMSEL_TransactionItemLookup]
 [dbo].[SPx_IMSEL_UpdateCostList]

[dbo].[SPx_INTEG_GPSItem]
[dbo].[SPx_LMINS_LoadBuilder]
[dbo].[SPx_Load_ARCustomerFavorites]
[dbo].[SPx_MFDEL_DeleteCompany]
[dbo].[SPx_MFExport_IMItems]
[dbo].[SPx_MFSEL_AllocateDetails]
[dbo].[SPx_MFSEL_AllocateItemLookup]
[dbo].[SPx_MFSEL_PriceListItemList]
[dbo].[SPx_MFSEL_PriceListMassUpdateItemList]
[dbo].[SPx_SOPProcess_FindItems]
[dbo].[SPx_SOPProcess_FindItemsWithBalances]
[dbo].[SPx_SOPProcess_OrderSubstitutionItem]
[dbo].[SPx_SOPProcess_Transaction_InsertItem]
[dbo].[SPx_SOPProcess_Transaction_UpdateItem]
[dbo].[SPx_SOSEL_FindItems_Detail]
[dbo].[SPx_SOSEL_FindItemsWithBalances_Detail]
[dbo].[SPx_SOSEL_ItemLookup]
[dbo].[SPx_SOSEL_ReturnItems]
[dbo].[SPx_SOSEL_TransactionDetailItem]
[dbo].[SPx_SOSEL_TransactionItemList]
[dbo].[SPx_SOSEL_TransactionSubstituteItemLookup]
[dbo].[SPx_SOSEL_TransactionSubstitutionParentItemLookup]
[dbo].[SPx_SOUPD_OrderHeaderRollup]
[dbo].[SPx_SOUUpdate_TransactionDetailAutoAllocate]
[dbo].[VWx_IMItemProperties]


 [dbo].[ERPx_IMLotBalance]

Columns

Key	Name	Data Type	Max Length (Bytes)	Nullability	Full Text Indexed	Language	Identity	Default
 	LotSK	bigint	8	NOT NULL			1 - 1	
	ItemSK	bigint	8	NOT NULL				
 	SiteSK	bigint	8	NOT NULL				
	ProductionLotSK	bigint	8	NULL allowed				
	WarehouseLotSK	bigint	8	NULL allowed				
	LotOwnerSK	bigint	8	NOT NULL				
	CreatedBy-TransactionModule-SK	bigint	8	NULL allowed				
	CreatedBy-TransactionTypeSK	bigint	8	NULL allowed				
	CreatedBy-TransactionSK	bigint	8	NULL allowed				
	CreatedBy-TransactionDate-Time	datetime	8	NULL allowed				
	Units	numeric(18,5)	9	NOT NULL				((0.00))
	Weight	numeric(18,5)	9	NOT NULL				((0.00))
	ActualCost	numeric(18,5)	9	NOT NULL				((0.00))
	StandardCost	numeric(18,5)	9	NOT NULL				((0.00))
	MarketCost	numeric(18,5)	9	NOT NULL				((0.00))
	CreatedDate	datetime	8	NOT NULL				(getdate())
	CreatedBy	varchar(150)	150	NOT NULL				
	LastUpdated	datetime	8	NOT NULL				(getdate())
	LastUpdatedBy	varchar(150)	150	NOT NULL				
 	DataEntity-CompanySK	bigint	8	NOT NULL				
	LotStatusEN	bigint	8	NOT NULL				((1))
	UnitsUOMSK	bigint	8	NULL allowed				
	WeightUOMSK	bigint	8	NULL allowed				
	LotLevelEN	bigint	8	NULL allowed				
	SearchText	varchar(max)	max	NULL allowed	True	2057		('')

	LotCostingStatusEN	bigint	8	NOT NULL				((1))
	ClosedBy	varchar(150)	150	NULL allowed				
	ClosedDateTime	datetime	8	NULL allowed				
	IsValid	bit	1	NOT NULL				((1))
	BornOnDate	date	3	NULL allowed				

Indexes

Key	Name	Key Columns	Unique
	PK_ERPx_IMLotBalance	LotSK	True
	IX_ERPx_IMLotBalance	LotSK, DataEntityCompanySK, SiteSK, LotStatusEN	

Foreign Keys

Name	Columns
FK_ERPx_IMLotBalance_ERPx_IMItem	ItemSK->[dbo].[ERPx_IMItem].[ItemSK]
FK_ERPx_IMLotBalance_ERPx_IMLotOwner	LotOwnerSK->[dbo].[ERPx_IMLotOwner].[LotOwnerSK]
FK_ERPx_IMLotBalance_ERPx_IMProductionLot	ProductionLotSK->[dbo].[ERPx_IMProductionLot].[ProductionLotSK]
FK_ERPx_IMLotBalance_ERPx_IMUOM_Units	UnitsUOMSK->[dbo].[ERPx_IMUOM].[UOMSK]
FK_ERPx_IMLotBalance_ERPx_IMUOM_Weight	WeightUOMSK->[dbo].[ERPx_IMUOM].[UOMSK]
FK_ERPx_IMLotBalance_ERPx_IMWarehouseLot	WarehouseLotSK->[dbo].[ERPx_IMWarehouseLot].[WarehouseLotSK]
FK_ERPx_IMLotBalance_ERPx_MFDataEntity-Company	DataEntityCompanySK->[dbo].[ERPx_MFDataEntityCompany].[DataEntity-CompanySK]
FK_ERPx_IMLotBalance_ERPx_MFModule	CreatedByTransactionModuleSK->[dbo].[ERPx_MFModule].[ModuleSK]
FK_ERPx_IMLotBalance_ERPx_MFSite	SiteSK->[dbo].[ERPx_MFSite].[SiteSK]

Uses


[dbo].[ERPx_IMItem]
 [dbo].[ERPx_IMLotOwner]
 [dbo].[ERPx_IMProductionLot]
 [dbo].[ERPx_IMUOM]
 [dbo].[ERPx_IMWarehouseLot]
 [dbo].[ERPx_MFDataEntityCompany]
 [dbo].[ERPx_MFModule]
 [dbo].[ERPx_MFSite]

Used By















[dbo].[ERPx_DW_IMLotHistory]
 [dbo].[ERPx_IMLotBalance_SearchMetadata]
 [dbo].[ERPx_IMLotBalanceHold]
 [dbo].[ERPx_IMLotBalanceRollupLog]

[dbo].[ERPx_IMLotCostHistory]
[dbo].[ERPx_IMLotCostPostingLog]
[dbo].[ERPx_IMLotNote]
[dbo].[ERPx_IMTransactionDetail]
[dbo].[FNX_GetOnHandBalances]
[dbo].[FNx_IMInventoryBalances]
[dbo].[FNx_IMInventoryTransactionDetail]
[dbo].[FNx_IMWarehouseCertificationValues]
[dbo].[FNx_IMWarehouseLotCertificationValues]
[dbo].[IQx_APSEL_POLinkedItems]
[dbo].[IQx_IMSEL_InventoryAsOf]
[dbo].[IQx_IMSEL_ItemHistory]
[dbo].[IQx_IMSEL_LotHistory]
[dbo].[SPx_HistoricalInventoryBalance]
[dbo].[SPx_IMPProcess_AdjustmentTransaction]
[dbo].[SPx_IMPProcess_CorrectTransaction]
[dbo].[SPx_IMPProcess_Item]
[dbo].[SPx_IMPProcess_ProductionLot]
[dbo].[SPx_IMPProcess_ProductionTransaction]
[dbo].[SPx_IMPProcess_ReceiptTransaction]
[dbo].[SPx_IMPProcess_RefreshLotBalanceSearchMetadata]
[dbo].[SPx_IMPProcess_TransferTransaction]
[dbo].[SPx_IMPProcess_UpdateLotCostsFromPO]
[dbo].[SPx_IMSEL_AllocationAndCommitment]
[dbo].[SPx_IMSEL_AllocationAndCommitmentList]
[dbo].[SPx_IMSEL_CostHistoryInquiry]
[dbo].[SPx_IMSEL_CycleCountList]
[dbo].[SPx_IMSEL_FindLotDetails]
[dbo].[SPx_IMSEL_GetLotBalance]
[dbo].[SPx_IMSEL_GetLotCost]
[dbo].[SPx_IMSEL_TransactionDetailAdjustment]
[dbo].[SPx_IMSEL_TransactionDetailProduction]
[dbo].[SPx_IMSEL_TransactionDetailReceipt]
[dbo].[SPx_IMSEL_TransactionDetailTransfer]
[dbo].[SPx_IMSEL_TransactionHeaderReceipt]
[dbo].[SPx_IMSEL_UpdateCostList]
[dbo].[SPx_IMUpdate_CheckForLots]
[dbo].[SPx_IMUpdate_CleanUpLots]
[dbo].[SPx_IMUpdate_CostBaseUpdate]
[dbo].[SPx_IMUpdate_CostLayerAdd]
[dbo].[SPx_IMUpdate_CostToCostLayerAdd]
[dbo].[SPx_IMUpdate_FindLots]
[dbo].[SPx_IMUpdate_InventoryLot]
[dbo].[SPx_IMUpdate_LotCostRollup]
[dbo].[SPx_IMUpdate_LotOwnerList]
[dbo].[SPx_IMUpdate_PostInventory]
[dbo].[SPx_IMUpdate_ProductionLotList]
[dbo].[SPx_IMUpdate_RecalculateLotBalance]
[dbo].[SPx_IMUpdate_TransactionMoreActions]
[dbo].[SPx_IMUpdate_TransactionSOShipmentReturn]
[dbo].[SPx_IMUpdate_UpdateCostsFromBOM]
[dbo].[SPx_IMUpdate_UpdateCostsMassUpdate]
[dbo].[SPx_IMUpdate_WarehouseLot]

[dbo].[SPx_MFDEL_DeleteCompany]
[dbo].[SPx_MFINSUPDDEL_Site_XML]
[dbo].[SPx_MFSYS_InstallSystemSearchText]
[dbo].[SPx_MFUpdate_Allocate]
[dbo].[SPx_MFUpdate_MassUpdate]
[dbo].[SPx_MFUpdate_Site]
[dbo].[SPx_MFUpdate_Site_AddDefaultWarehouseLot]
[dbo].[SPx_SOSEL_ItemLotsAndBins]
[dbo].[SPx_SOSEL_PriceAdjustmentItems]
[dbo].[SPx_SOSEL_ReturnItems]
[dbo].[SPx_SOUUpdate_Return]
[dbo].[VWx_IMInventoryBalances]
[dbo].[VWx_LotBalances]
[dbo].[VWx_MFAllocateLotBalance]
[hist].[SPx_IMRollup]
[NS_20221128]

 [dbo].[ERPx_IMLotBalance_SearchMetadata]


Columns

Key	Name	Data Type	Persisted	Computed	Max Length (Bytes)	Nullability
	LotSK	bigint			8	NOT NULL
	ItemSK	bigint			8	NOT NULL
	ItemID	varchar(50)			50	NOT NULL
	ItemDescription	varchar(105)			105	NOT NULL
	Item	varchar(158)	True	True	158	NOT NULL
	ProductionLotSK	bigint			8	NULL allowed
	Batch	varchar(50)			50	NULL allowed
	WarehouseLotSK	bigint			8	NULL allowed
	WLot	varchar(50)			50	NULL allowed
	LotOwnerSK	bigint			8	NOT NULL
	Owner	varchar(25)			25	NOT NULL
	SiteSK	bigint			8	NOT NULL
	SiteID	varchar(20)			20	NOT NULL
	SiteName	varchar(35)			35	NOT NULL
	Site	varchar(58)	True	True	58	NOT NULL
	AttributeValues	varchar(max)			max	NULL allowed
	SearchText	varchar(max)	True	True	max	NOT NULL
	DataEntityCompanySK	bigint			8	NOT NULL

Computed columns

Name	Column definition
Item	((isnull([ItemID], '')+ ' - ')+isnull([ItemDescription], ''))
Site	((isnull([SiteID], '')+ ' - ')+isnull([SiteName], ''))
Search-Text	((((((((((((((isnull([ItemID], '')+ ' ')+isnull([ItemDescription], ''))+ ' ')+isnull([Batch], ''))+ ' ')+isnull([WLot], ''))+ ' ')+isnull([Owner], ''))+ ' ')+isnull([SiteID], ''))+ ' ')+isnull([SiteName], ''))+ ' ')+isnull([AttributeValues], ''))

Indexes

Key	Name	Key Columns	Unique
	PK_ERPx_IMLotBalance_Search-Metadata	LotSK	True

IX_ERPx_IMLotBalance_Search-Metadata	Owner, ItemID, ItemDescription, SiteID, SiteName, WLot, Batch, Data-EntityCompanySK
--------------------------------------	---

Foreign Keys

Name	Columns
FK_ERPx_IMLotBalance_SearchMetadata_ERPx_IMItem	ItemSK->[dbo].[ERPx_IMItem].[ItemSK]
FK_ERPx_IMLotBalance_SearchMetadata_ERPx_IMLot-Balance	LotSK->[dbo].[ERPx_IMLotBalance].[LotSK]
FK_ERPx_IMLotBalance_SearchMetadata_ERPx_IMLot-Owner	LotOwnerSK->[dbo].[ERPx_IMLotOwner].[LotOwnerSK]
FK_ERPx_IMLotBalance_SearchMetadata_ERPx_-IMProductionLot	ProductionLotSK->[dbo].[ERPx_IMProductionLot].[ProductionLotSK]
FK_ERPx_IMLotBalance_SearchMetadata_ERPx_-IMWarehouseLot	WarehouseLotSK->[dbo].[ERPx_IMWarehouseLot].[WarehouseLot-SK]
FK_ERPx_IMLotBalance_SearchMetadata_ERPx_-MFDDataEntityCompany	DataEntityCompanySK->[dbo].[ERPx_MFDDataEntityCompany].[Data-EntityCompanySK]
FK_ERPx_IMLotBalance_SearchMetadata_ERPx_MFSite	SiteSK->[dbo].[ERPx_MFSite].[SiteSK]

Uses




[dbo].[ERPx_IMItem]
 [dbo].[ERPx_IMLotBalance]
 [dbo].[ERPx_IMLotOwner]
 [dbo].[ERPx_IMProductionLot]
 [dbo].[ERPx_IMWarehouseLot]
 [dbo].[ERPx_MFDDataEntityCompany]
 [dbo].[ERPx_MFSite]

Used By

[dbo].[IQx_APSEL_POLinkedItems]
 [dbo].[IQx_IMSEL_ItemHistory]
 [dbo].[IQx_IMSEL_LotHistory]
 [dbo].[SPx_IMProcess_RefreshLotBalanceSearchMetadata]
 [dbo].[SPx_IMUpdate_CleanUpLots]

 [dbo].[ERPx_IMLotBalanceHold]

Columns

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity	Default
	LotHoldSK	bigint	8	NOT NULL	1 - 1	
	LotSK	bigint	8	NOT NULL		
	HoldCodeSK	bigint	8	NOT NULL		
	LastUser	varchar(110)	110	NULL allowed		
	LastUpdated	datetime	8	NOT NULL		(getdate())
	DataEntityCompanySK	bigint	8	NOT NULL		
	AppliedByUser	varchar(110)	110	NOT NULL		
	AppliedOn	datetime	8	NOT NULL		(getdate())
	RemovedByUser	varchar(110)	110	NULL allowed		
	RemovedOn	datetime	8	NULL allowed		
	IsRemoved	bit	1	NULL allowed		((0))

Indexes

Key	Name	Key Columns	Unique
	PK_ERPx_IMLotBalanceHold	LotHoldSK	True
	IX_ERPx_IMLotBalanceHold	HoldCodeSK, LotSK	

Foreign Keys

Name	Columns
FK_ERPx_IMLotBalanceHold_ERPx_IMLots	LotSK->[dbo].[ERPx_IMLotBalance].[LotSK]
FK_ERPx_IMLotBalanceHold_ERPx_MFHoldCode	HoldCodeSK->[dbo].[ERPx_MFHoldCode].[HoldCodeSK]


Uses

[dbo].[ERPx_IMLotBalance]
 [dbo].[ERPx_MFHoldCode]




Used By

[dbo].[FNX_GetOnHandBalances]
 [dbo].[FNx_IMInventoryBalances]
 [dbo].[SPx_IMProcess_ProductionTransaction]
 [dbo].[SPx_IMProcess_TransferTransaction]
 [dbo].[SPx_IMSEL_CycleCountList]

[dbo].[SPx_IMSEL_FindLotDetails]
[dbo].[SPx_IMSEL_GetLotBalance]
[dbo].[SPx_IMUpdate_CleanUpLots]
[dbo].[SPx_MFSEL_AllocateDetails]
[dbo].[SPx_MFUpdate_Allocate]
[dbo].[SPx_MFUpdate_HoldCode]
[dbo].[SPx_MFUpdate_HoldCodes]
[dbo].[SPx_MFUpdate_MassUpdate]
[dbo].[SPx_SOPProcess_Transaction_Validations]
[dbo].[SPx_SOSEL_FindItemsWithBalances_Detail]
[dbo].[VWx_IMInventoryBalances]
[dbo].[VWx_LotBalances]
[dbo].[VWx_MFAllocateLotBalance]

 [dbo].[ERPx_IMLotBalanceRollupLog]

Columns

Key	Name	Data Type	Max Length (Bytes)	Nullability	Default
	LotSK	bigint	8	NOT NULL	
	ProductionLotSK	bigint	8	NULL allowed	
	ItemSK	bigint	8	NOT NULL	
	SiteSK	bigint	8	NOT NULL	
	WarehouseLotSK	bigint	8	NULL allowed	
	ProductionLotID	varchar(100)	100	NULL allowed	
	ItemID	varchar(150)	150	NOT NULL	
	SiteID	varchar(150)	150	NOT NULL	
	WarehouseLotID	varchar(150)	150	NULL allowed	
	UnitDifference	numeric(18,5)	9	NULL allowed	
	PreviousUnitUOMSK	bigint	8	NULL allowed	
	PreviousUnitUOMID	varchar(50)	50	NULL allowed	
	UnitUOMSK	bigint	8	NULL allowed	
	UnitUOMID	varchar(50)	50	NULL allowed	
	WeightDifference	numeric(18,5)	9	NULL allowed	
	PreviousWeightUOMSK	bigint	8	NULL allowed	
	PreviousWeightUOMID	varchar(50)	50	NULL allowed	
	WeightUOMSK	bigint	8	NULL allowed	
	WieghtUOMID	varchar(50)	50	NULL allowed	
	IsError	bit	1	NOT NULL	((0))
	Processed	datetime	8	NOT NULL	
	DataEntityCompanySK	bigint	8	NOT NULL	

Indexes

Name	Key Columns
IX_ERPx_IMLotBalanceRollupLog	LotSK, ItemSK, DataEntityCompanySK

Foreign Keys

Name	Columns
FK_ERPx_IMLotBalanceRollupLog_ERPx_IMLot-Balance	LotSK->[dbo].[ERPx_IMLotBalance].[LotSK]
FK_ERPx_IMLotBalanceRollupLog_ERPx_MFData-	DataEntityCompanySK->[dbo].[ERPx_MFDataEntityCompany].[Data-

EntityCompany	EntityCompanySK
---------------	-----------------

Uses

[dbo].[ERPx_IMLotBalance]

[dbo].[ERPx_MFDataEntityCompany]




Used By

[dbo].[SPx_IMUpdate_CleanUpLots]


[dbo].[SPx_IMUpdate_RecalculateLotBalance]

 [dbo].[ERPx_IMLotBin]

Columns

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity	Default
	LotBinSK	bigint	8	NOT NULL	1 - 1	
	LotSK	bigint	8	NOT NULL		
	BinSK	bigint	8	NOT NULL		
	OnHandUnits	numeric(18,5)	9	NOT NULL		((0))
	OnHandWeight	numeric(18,5)	9	NOT NULL		((0))
	AllocatedUnits	numeric(18,5)	9	NOT NULL		((0))
	AllocatedWeight	numeric(18,5)	9	NOT NULL		((0))
	DataEntityCompanySK	bigint	8	NOT NULL		

Indexes

Key	Name	Key Columns	Unique
	PK_ERPx_IMLotBin	LotBinSK	True
	IX_ERPx_IMLotBin	LotSK, BinSK	True

Foreign Keys

Name	Columns
FK_ERPx_IMLotBin_ERPx_IMBin	BinSK->[dbo].[ERPx_IMBin].[BinSK]

Uses




[dbo].[ERPx_IMBin]

Used By


[dbo].[SPx_MFDEL_DeleteCompany]

 **[dbo].[ERPx_IMLotClass]**

Columns

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity
	LotClassSK	bigint	8	NOT NULL	1 - 1
	ClassDescription	varchar(25)	25	NOT NULL	
	DataEntityCompanySK	bigint	8	NOT NULL	

Indexes





Key	Name	Key Columns	Unique
	PK_ERPx_IMLotClass	LotClassSK	True
	IX_ERPx_IMLotClass	ClassDescription, DataEntityCompanySK	True

Used By

[dbo].[IQx_LotInquiryClass]
 [dbo].[SPx_IMINS_Lot]
 [dbo].[SPx_IMUpdate_CheckForLots]
 [dbo].[SPx_MFDEL_DeleteCompany]
 [dbo].[SPx_MFINS_AttributeClass]

 [dbo].[ERPx_IMLotCostHistory]

Columns

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity	Default
	LotCostHistorySK	bigint	8	NOT NULL	1 - 1	
	LotSK	bigint	8	NOT NULL		
	LotCostTypeEN	bigint	8	NOT NULL		
	ReasonCodeSK	bigint	8	NULL allowed		
	Description	varchar(500)	500	NULL allowed		
	SourceModuleSK	bigint	8	NOT NULL		
	SourceTransaction	varchar(50)	50	NULL allowed		
	Cost	numeric(18,5)	9	NOT NULL		
	EffectiveDate	datetime	8	NULL allowed		
	LastUpdated	datetime	8	NOT NULL		
	LastUser	varchar(150)	150	NOT NULL		
	DataEntityCompanySK	bigint	8	NOT NULL		
	StandardCost	numeric(18,5)	9	NOT NULL		((0))
	MarketCost	numeric(18,5)	9	NOT NULL		((0))
	IsVoided	bit	1	NOT NULL		((0))
	IsPosted	bit	1	NULL allowed		
	CostLayerComment	varchar(500)	500	NULL allowed		

Indexes

Key	Name	Key Columns	Unique
	PK_ERPx_IMLotCostHistory	LotCostHistorySK	True

Foreign Keys

Name	Columns
FK_ERPx_IMLotCostHistory_ERPx_IMLotCostHistory	LotCostHistorySK->[dbo].[ERPx_IMLotCostHistory].[LotCostHistorySK]
FK_ERPx_IMLotCostHistory_ERPx_IMLots	LotSK->[dbo].[ERPx_IMLotBalance].[LotSK]
FK_ERPx_IMLotCostHistory_ERPx_MFModule	SourceModuleSK->[dbo].[ERPx_MFModule].[ModuleSK]
FK_ERPx_IMLotCostHistory_ERPx_MFNoteType-ReasonCode	ReasonCodeSK->[dbo].[ERPx_MFNoteTypeReasonCode].[Reason-CodeSK]

Uses










[dbo].[ERPx_IMLotBalance]
[dbo].[ERPx_MFModule]
[dbo].[ERPx_MFNoteTypeReasonCode]





Used By

[dbo].[IQx_IMSEL_InventoryAsOf]
[dbo].[SPx_IMProcess_TransferTransaction]
[dbo].[SPx_IMSEL_CostHistoryInquiry]
[dbo].[SPx_IMSEL_GetLotCost]
[dbo].[SPx_IMSEL_UpdateCostList]
[dbo].[SPx_IMUpdate_CleanUpLots]
[dbo].[SPx_IMUpdate_CostBaseUpdate]
[dbo].[SPx_IMUpdate_CostLayerAdd]
[dbo].[SPx_IMUpdate_CostToCostLayerAdd]
[dbo].[SPx_IMUpdate_InventoryLot]
[dbo].[SPx_IMUpdate_PostInventory]
[dbo].[SPx_IMUpdate_UpdateCostsFromBOM]
[dbo].[SPx_MFDEL_DeleteCompany]

 [dbo].[ERPx_IMLotCostPostingLog]

Columns

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity
	LotCostPostingLogSK	bigint	8	NOT NULL	1 - 1
	LotCostPostingTypeEN	int	4	NOT NULL	
	PostedThroughDate	date	3	NULL allowed	
	BeginningBalanceDate	date	3	NULL allowed	
	TransactionHeaderSK	bigint	8	NULL allowed	
	POHeaderSK	bigint	8	NULL allowed	
	TransactionGLDate	date	3	NULL allowed	
	TransactionDetailSK	bigint	8	NULL allowed	
	IMLineTransactionTypeSK	bigint	8	NULL allowed	
	ItemSK	bigint	8	NULL allowed	
	LotSK	bigint	8	NULL allowed	
	CostUOMSK	bigint	8	NULL allowed	
	PostedDateTime	datetime	8	NULL allowed	
	PostingBatch	uniqueidentifier	16	NULL allowed	
	MaxLotCostHistorySK	bigint	8	NULL allowed	
	CostEffectiveDateStart	datetime	8	NULL allowed	
	CostEffectiveDateEnd	datetime	8	NULL allowed	
	BaseActualCost	numeric(18,5)	9	NULL allowed	
	BaseActualCostDifference	numeric(18,5)	9	NULL allowed	
	BaseStandardCost	numeric(18,5)	9	NULL allowed	
	BaseStandardCostDifference	numeric(18,5)	9	NULL allowed	
	BaseMarketCost	numeric(18,5)	9	NULL allowed	
	BaseMarketCostDifference	numeric(18,5)	9	NULL allowed	
	LayerActualCost	numeric(18,5)	9	NULL allowed	
	LayerActualCostDifference	numeric(18,5)	9	NULL allowed	
	LayerStandardCost	numeric(18,5)	9	NULL allowed	
	LayerStandardCostDifference	numeric(18,5)	9	NULL allowed	
	LayerMarketCost	numeric(18,5)	9	NULL allowed	
	LayerMarketCostDifference	numeric(18,5)	9	NULL allowed	
	GLAccountSKDebit	bigint	8	NULL allowed	
	GLAccountDebitType	varchar(25)	25	NULL allowed	
	GLAccountSKCredit	bigint	8	NULL allowed	

	GLAccountCreditType	varchar(25)	25	NULL allowed	
	JournalHeaderSK	bigint	8	NULL allowed	
	JournalDate	date	3	NULL allowed	
	EffectOnInventoryUnits	numeric(18,5)	9	NULL allowed	
	EffectOnInventoryUnitsUOMSK	bigint	8	NULL allowed	
	EffectOnInventoryWeight	numeric(18,5)	9	NULL allowed	
	EffectOnInventoryWeightUOMSK	bigint	8	NULL allowed	
	EffectOnInventoryInCostUOM	numeric(18,5)	9	NULL allowed	
	ExtendedActualCost	numeric(18,5)	9	NULL allowed	
	ExtendedStandardCost	numeric(18,5)	9	NULL allowed	
	ExtendedmarketCost	numeric(18,5)	9	NULL allowed	
	LastUser	varchar(150)	150	NULL allowed	
	LastUpdated	datetime	8	NULL allowed	
	DataEntityCompanySK	bigint	8	NULL allowed	

Indexes

Key	Name	Key Columns	Unique
	PK_ERPx_IMLotCostPostingLog	LotCostPostingLogSK	True

Foreign Keys

Name	Columns
FK_ERPx_IMLotCostPostingLog_ERPx_-APPOHeader	POHeaderSK->[dbo].[ERPx_APPoHeader].[POHeaderSK]
FK_ERPx_IMLotCostPostingLog_ERPx_GLAccount_-Credit	GLAccountSKCredit->[dbo].[ERPx_GLAccount].[AccountSK]
FK_ERPx_IMLotCostPostingLog_ERPx_GLAccount_-Debit	GLAccountSKDebit->[dbo].[ERPx_GLAccount].[AccountSK]
FK_ERPx_IMLotCostPostingLog_ERPx_GLJournal-Header	JournalHeaderSK->[dbo].[ERPx_GLJournalHeader].[JournalHeaderSK]
FK_ERPx_IMLotCostPostingLog_ERPx_IMItem	ItemSK->[dbo].[ERPx_IMItem].[ItemSK]
FK_ERPx_IMLotCostPostingLog_ERPx_IMLot-Balance	LotSK->[dbo].[ERPx_IMLotBalance].[LotSK]
FK_ERPx_IMLotCostPostingLog_ERPx_-IMTransactionDetail	TransactionDetailSK->[dbo].[ERPx_IMTransactionDetail].[Transaction-DetailSK]
FK_ERPx_IMLotCostPostingLog_ERPx_-IMTransactionHeader	TransactionHeaderSK->[dbo].[ERPx_IMTransactionHeader].[Transaction-HeaderSK]
FK_ERPx_IMLotCostPostingLog_ERPx_IMUOM	CostUOMSK->[dbo].[ERPx_IMUOM].[UOMSK]
FK_ERPx_IMLotCostPostingLog_ERPx_IMUOM_-UnitEffect	EffectOnInventoryUnitsUOMSK->[dbo].[ERPx_IMUOM].[UOMSK]
FK_ERPx_IMLotCostPostingLog_ERPx_IMUOM_-WeightEffect	EffectOnInventoryWeightUOMSK->[dbo].[ERPx_IMUOM].[UOMSK]
FK_ERPx_IMLotCostPostingLog_ERPx_MFData-	DataEntityCompanySK->[dbo].[ERPx_MFDataEntityCompany].[Data-

EntityCompany	EntityCompanySK
---------------	-----------------

Uses





[dbo].[ERPx_APPoHeader]
[dbo].[ERPx_GLAccount]
[dbo].[ERPx_GLJournalHeader]
[dbo].[ERPx_IMItem]
[dbo].[ERPx_IMLotBalance]
[dbo].[ERPx_IMTransactionDetail]
[dbo].[ERPx_IMTransactionHeader]
[dbo].[ERPx_IMUOM]
[dbo].[ERPx_MFDataEntityCompany]

Used By


[dbo].[SPx_IMProcess_PostLotCosts]

 [dbo].[ERPx_IMLotNote]

Columns

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity	Default
	LotNoteSK	bigint	8	NOT NULL	1 - 1	
	LotSK	bigint	8	NOT NULL		
	NoteTypeSK	bigint	8	NOT NULL		
	Note	varchar(2000)	2000	NULL allowed		
	LastUpdated	datetime	8	NULL allowed		(getdate())
	LastUser	varchar(110)	110	NULL allowed		
	DataEntityCompanySK	bigint	8	NOT NULL		

Indexes

Key	Name	Key Columns	Unique
	PK_ERPx_IMLotNote	LotNoteSK	True
	UK_ERPx_IMLotNote_1	LotSK, NoteTypeSK, DataEntityCompanySK	True

Foreign Keys

Name	Columns
FK_ERPx_IMLotNote_ERPx_IMLots	LotSK->[dbo].[ERPx_IMLotBalance].[LotSK]
FK_ERPx_IMLotNote_ERPx_MFNoteType	NoteTypeSK->[dbo].[ERPx_MFNoteType].[NoteTypeSK]




Uses

[dbo].[ERPx_IMLotBalance]
[dbo].[ERPx_MFNoteType]


Used By

[dbo].[SPx_MFManage_NoteAssignment]
[dbo].[SPx_MFSEL_NoteList]

[dbo].[ERPx_IMLotOwner]**Columns**

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity	Default
	LotOwnerSK	bigint	8	NOT NULL	1 - 1	
	OwnerName	varchar(25)	25	NOT NULL		
	DataEntityCompanySK	bigint	8	NOT NULL		
	LastUpdated	datetime	8	NULL allowed		
	LastUser	varchar(110)	110	NULL allowed		
	IsThirdParty	bit	1	NOT NULL		((0))
	CreatedBy	varchar(150)	150	NULL allowed		
	CreatedDateTime	datetime	8	NOT NULL		(getdate())

Indexes




Key	Name	Key Columns	Unique
	PK_ERPx_IMLotOwner	LotOwnerSK	True
	IX_ERPx_IMLotOwner	OwnerName, DataEntityCompanySK	True

Used By


[dbo].[ERPx_CPTtransactionClass]
 [dbo].[ERPx_IMLotBalance]
 [dbo].[ERPx_IMLotBalance_SearchMetadata]
 [dbo].[ERPx_IMProductionOrderDetail]
 [dbo].[FNx_IMInventoryTransactionDetail]
 [dbo].[IQx_APSEL_POLinkedItems]
 [dbo].[IQx_IMSEL_InventoryAsOf]
 [dbo].[IQx_IMSEL_ItemHistory]
 [dbo].[IQx_IMSEL_LotHistory]
 [dbo].[IQx_LotInquiryOwner]
 [dbo].[IQx_SOSEL_ItemHistory_LotOwnerLookup]
 [dbo].[SPx_CPSEL_IMLotOwnerLookup]
 [dbo].[SPx_CPSEL_TransactionClassList]
 [dbo].[SPx_CPSEL_TransactionClassProperties]
 [dbo].[SPx_HistoricalInventoryBalance]
 [dbo].[SPx_HistoricalInventoryBalance_OwnerLookup]
 [dbo].[SPx_IMProcess_CorrectTransaction]
 [dbo].[SPx_IMProcess_ProductionTransaction]
 [dbo].[SPx_IMProcess_RefreshLotBalanceSearchMetadata]
 [dbo].[SPx_IMProcess_TransferTransaction]
 [dbo].[SPx_IMSEL_Adjustment_TransactionItemDataLookup]

[dbo].[SPx_IMSEL_CostHistoryInquiry]
[dbo].[SPx_IMSEL_FindLotDetails]
[dbo].[SPx_IMSEL_GetLotCost]
[dbo].[SPx_IMSEL_InquiryCriteriaLotOwnerLookup]
[dbo].[SPx_IMSEL_ItemBalance]
[dbo].[SPx_IMSEL_ItemBalance_OwnerLookup]
[dbo].[SPx_IMSEL_LotBalance]
[dbo].[SPx_IMSEL_LotBalance_OwnerLookup]
[dbo].[SPx_IMSEL_LotOwnerList]
[dbo].[SPx_IMSEL_LotOwnerLookup]
[dbo].[SPx_IMSEL_Production_TransactionDetailNew]
[dbo].[SPx_IMSEL_Production_TransactionItemDataLookup]
[dbo].[SPx_IMSEL_ProductionInput_TransactionDetailNew]
[dbo].[SPx_IMSEL_ProductionOrderDetail]
[dbo].[SPx_IMSEL_ProductionOrderItemLookup]
[dbo].[SPx_IMSEL_Receipt_TransactionItemDataLookup]
[dbo].[SPx_IMSEL_ToLotOwnerLookup]
[dbo].[SPx_IMSEL_TransactionDetailAdjustment]
[dbo].[SPx_IMSEL_TransactionDetailNew]
[dbo].[SPx_IMSEL_TransactionDetailProduction]
[dbo].[SPx_IMSEL_TransactionDetailReceipt]
[dbo].[SPx_IMSEL_TransactionDetailTransfer]
[dbo].[SPx_IMSEL_TransactionItemDataLookup]
[dbo].[SPx_IMSEL_Transfer_TransactionItemDataLookup]
[dbo].[SPx_IMSEL_UpdateCostList]
[dbo].[SPx_IMUpdate_CheckForLots]
[dbo].[SPx_IMUpdate_LotOwnerList]
[dbo].[SPx_IMUpdate_TransactionMoreActions]
[dbo].[SPx_INTEG_NSIMInventoryTrans]
[dbo].[SPx_MFDEL_DeleteCompany]
[dbo].[SPx_MFSEL_AllocateDetails]
[dbo].[SPx_MFSEL_IMPreferences]
[dbo].[SPx_MFUpdate_Allocate]
[dbo].[SPx_MFUpdate_MassUpdate]
[dbo].[SPx_SOSEL_FindLotDetails]
[dbo].[VWx_LotBalances]
[hist].[SPx_IMRollup]

[dbo].[ERPx_IMPalletConfiguration]**Columns**

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity
	PalletConfigurationSK	bigint	8	NOT NULL	1 - 1
	PalletConfigurationDescription	varchar(150)	150	NOT NULL	
	Height	numeric(18,5)	9	NOT NULL	
	Depth	numeric(18,5)	9	NOT NULL	
	Width	numeric(18,5)	9	NOT NULL	
	CubesPerBox	numeric(18,5)	9	NULL allowed	
	BoxesPerLayer	numeric(18,5)	9	NULL allowed	
	LayersPerPallet	numeric(18,5)	9	NULL allowed	
	AdditionalBoxes	numeric(18,5)	9	NULL allowed	
	TotalBoxesPerPallet	numeric(18,5)	9	NULL allowed	
	TotalCubesPerPallet	numeric(18,5)	9	NULL allowed	
	PalletTare	numeric(18,5)	9	NULL allowed	
	Inactive	bit	1	NULL allowed	
	LastUpdated	datetime	8	NOT NULL	
	LastUser	varchar(150)	150	NOT NULL	
	DataEntityCompanySK	bigint	8	NOT NULL	

Indexes

Key	Name	Key Columns	Unique
	PK_ERPx_IMPalletConfiguration	PalletConfigurationSK	True
	IX_ERPx_IMPalletConfiguration	PalletConfigurationDescription, DataEntityCompanySK	True

Foreign Keys

Name	Columns
FK_ERPx_IMPalletConfiguration_ERPx_MFData-EntityCompany	DataEntityCompanySK->[dbo].[ERPx_MFDataEntityCompany].[Data-EntityCompanySK]

Uses







[dbo].[ERPx_MFDataEntityCompany]

Used By

[dbo].[ERPx_IMItem]
[dbo].[SPx_IMProcess_Item]
[dbo].[SPx_IMSEL_Item]
[dbo].[SPx_IMSEL_ItemPropertiesAdvanced]
[dbo].[SPx_IMSEL_PalletConfigurationList]
[dbo].[SPx_IMUpdate_PalletConfiguration]
[dbo].[SPx_MFDEL_DeleteCompany]
[dbo].[SPx_MFExport_IMItems]
[dbo].[VWx_IMItemProperties]


 [dbo].[ERPx_IMProductionLot]

Columns

Key	Name	Data Type	Max Length (Bytes)	Nullability	Full Text Indexed	Language	Identity	Default
	ProductionLotSK	bigint	8	NOT NULL			1 - 1	
	ProductionLotID	varchar(50)	50	NOT NULL				
	LotClassSK <i>This column is redundant with AttributeClassSK. The column is being retained for data migration purposes only.</i>	bigint	8	NULL allowed				
	ManufactureSiteSK	bigint	8	NULL allowed				
	PurchasedFrom	varchar(200)	200	NULL allowed				
	DateProduced	date	3	NULL allowed				
	ExpirationDate	datetime	8	NULL allowed				
	CreatedDate	datetime	8	NOT NULL				(getdate())
	CreatedBy	varchar(150)	150	NOT NULL				
	LastUpdated	datetime	8	NOT NULL				(getdate())
	LastUser	varchar(150)	150	NOT NULL				
	DataEntityCompanySK	bigint	8	NOT NULL				
	LotCode	varchar(50)	50	NULL allowed				
	LotComment	varchar(100)	100	NULL allowed				
	CreatedByModuleSK	bigint	8	NOT NULL				
	CreatedByTransaction-TypeSK	bigint	8	NULL allowed				
	CreatedByTransactionSK	bigint	8	NULL allowed				
	AttributeClassSK	bigint	8	NULL allowed				
	ItemSK	bigint	8	NULL allowed				

	ProductionBatchStatusEN	bigint	8	NULL allowed				((1))
	SearchText	varchar(max)	max	NULL allowed	True	2057		(")
	BaseCost	numeric(18,5)	9	NULL allowed				
	BaseCostUOMSK	bigint	8	NULL allowed				
	BaseCostBOMSK	bigint	8	NULL allowed				
	CountryOfOrigin	varchar(100)	100	NULL allowed				
	ReceivedFrom	varchar(100)	100	NULL allowed				

Indexes

Key	Name	Key Columns	Unique
	PK_ERPx_IMProductionLot	ProductionLotSK	True
	IX_ERPx_IMProductionLot	DataEntityCompanySK, ProductionLotID, ItemSK	True

Foreign Keys

Name	Columns
FK_ERPx_IMProductionLot_ERPx_IMItem	ItemSK->[dbo].[ERPx_IMItem].[ItemSK]
FK_ERPx_IMProductionLot_ERPx_MFAttribute-Class	AttributeClassSK->[dbo].[ERPx_MFAttributeClass].[AttributeClassSK]
FK_ERPx_IMProductionLot_ERPx_MFAttribute-Class1	AttributeClassSK->[dbo].[ERPx_MFAttributeClass].[AttributeClassSK]
FK_ERPx_IMProductionLot_ERPx_MFDataEntity-Company	DataEntityCompanySK->[dbo].[ERPx_MFDataEntityCompany].[DataEntity-CompanySK]
FK_ERPx_IMProductionLot_ERPx_MFSite	ManufactureSiteSK->[dbo].[ERPx_MFSite].[SiteSK]

Uses

[dbo].[ERPx_IMItem]
[dbo].[ERPx_MFAttributeClass]
[dbo].[ERPx_MFDataEntityCompany]
[dbo].[ERPx_MFSite]





Used By

[dbo].[ERPx_IMLotBalance]
[dbo].[ERPx_IMLotBalance_SearchMetadata]
[dbo].[ERPx_IMProductionLotAttributeAssignment]
[dbo].[ERPx_IMProductionLotCountryOfOrigin]
[dbo].[ERPx_IMProductionLotNote]
[dbo].[ERPx_IMReceivedFrom]


[dbo].[ERPx_MFAttribute_IMProductionLot]
[dbo].[ERPx_MFCertification_IMProductionLot]
[dbo].[FNx_IMInventoryBalances]
[dbo].[FNx_IMInventoryTransactionDetail]
[dbo].[IQx_APSEL_POLinkedItems]
[dbo].[IQx_IMSEL_InventoryAsOf]
[dbo].[IQx_IMSEL_LotHistory]
[dbo].[SPx_COUpdate_AttributeClassList]
[dbo].[SPx_HistoricalInventoryBalance]
[dbo].[SPx_IMProcess_AdjustmentTransaction]
[dbo].[SPx_IMProcess_CorrectTransaction]
[dbo].[SPx_IMProcess_ProductionLot]
[dbo].[SPx_IMProcess_ProductionTransaction]
[dbo].[SPx_IMProcess_ReceiptTransaction]
[dbo].[SPx_IMProcess_RefreshLotBalanceSearchMetadata]
[dbo].[SPx_IMProcess_TransferTransaction]
[dbo].[SPx_IMProcess_UpdateLotCostsFromPO]
[dbo].[SPx_IMSEL_AllocationAndCommitment]
[dbo].[SPx_IMSEL_AllocationAndCommitmentList]
[dbo].[SPx_IMSEL_CostHistoryInquiry]
[dbo].[SPx_IMSEL_CycleCountList]
[dbo].[SPx_IMSEL_FindLotDetails]
[dbo].[SPx_IMSEL_GetLotCost]
[dbo].[SPx_IMSEL_LotBalance]
[dbo].[SPx_IMSEL_ProductionLotAttributes]
[dbo].[SPx_IMSEL_ProductionLotIQ]
[dbo].[SPx_IMSEL_ProductionLotLookup]
[dbo].[SPx_IMSEL_ProductionLotRecord]
[dbo].[SPx_IMSEL_ProductionLots]
[dbo].[SPx_IMSEL_ProductionOrderDetail]
[dbo].[SPx_IMSEL_TransactionDetailAdjustment]
[dbo].[SPx_IMSEL_TransactionDetailProduction]
[dbo].[SPx_IMSEL_TransactionDetailReceipt]
[dbo].[SPx_IMSEL_TransactionDetailTransfer]
[dbo].[SPx_IMSEL_UpdateCostList]
[dbo].[SPx_IMUpdate_CheckForLots]
[dbo].[SPx_IMUpdate_CleanUpLots]
[dbo].[SPx_IMUpdate_FindLots]
[dbo].[SPx_IMUpdate_ProductionLot_Rollup]
[dbo].[SPx_IMUpdate_ProductionLotList]
[dbo].[SPx_IMUpdate_RecalculateLotBalance]
[dbo].[SPx_IMUpdate_TransactionMoreActions]
[dbo].[SPx_IMUpdate_UpdateCostsFromBOM]
[dbo].[SPx_INTEG_NSIMInventoryTrans]
[dbo].[SPx_MFDEL_DeleteCompany]
[dbo].[SPx_MFINS_AttributeDataSynch]
[dbo].[SPx_MFINSUPDDEL_Site_XML]
[dbo].[SPx_MFSEL_AllocateDetails]
[dbo].[SPx_MFSYS_InstallSystemSearchText]
[dbo].[SPx_MFUpdate_Allocate]
[dbo].[SPx_MFUpdate_MassUpdate]
[dbo].[SPx_MFUpdate_Site]
[dbo].[SPx_MPDEL_BOM]

[dbo].[SPx_MPUpdate_BOMList]
[dbo].[SPx_SOSEL_FindLotDetails]
[dbo].[SPx_SOSEL_ItemLotsAndBins]
[dbo].[SPx_SOSEL_PriceAdjustmentItems]
[dbo].[SPx_SOSEL_ReturnItems]
[dbo].[SPx_SOUUpdate_Return]
[dbo].[SPx_SOUUpdate_TransactionDetailAutoAllocate]
[dbo].[VWx_IMInventoryBalances]
[dbo].[VWx_LotBalances]
[hist].[SPx_IMRollup]
[NS_20221128]

[dbo].[ERPx_IMProductionLotAttributeAssignment]**Columns**

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity	Default
	ProductionLotAttributeAssignmentSK	bigint	8	NOT NULL	1 - 1	
	ProductionLotSK	bigint	8	NOT NULL		
	LotAttributeSK	bigint	8	NOT NULL		
	LotAttributeValue	varchar(200)	200	NOT NULL		
	LastUpdated	datetime	8	NOT NULL		(getdate())
	LastUpdatedBy	varchar(150)	150	NOT NULL		
	DataEntityCompanySK	bigint	8	NOT NULL		

Indexes

Key	Name	Key Columns	Unique
	PK_ERPx_IMProductionLotAttributeAssignment	ProductionLotAttributeAssignmentSK	True
	UK_ERPx_IMProductionLotAttributeAssignment_ProductionLotSK_LotAttributeSK	ProductionLotSK, LotAttributeSK	True
	IX_ERPx_IMProductionLotAttributeAssignment	DataEntityCompanySK, LotAttributeSK, ProductionLotSK	

Foreign Keys

Name	Delete	Columns
FK_ERPx_IMProductionLotAttributeAssignment_ERPx_IMProductionLot	Cascade	ProductionLotSK->[dbo].[ERPx_IMProductionLot].[ProductionLotSK]
FK_ERPx_IMProductionLotAttributeAssignment_ERPx_MFAttribute		LotAttributeSK->[dbo].[ERPx_MFAttribute].[AttributeSK]
FK_ERPx_IMProductionLotAttributeAssignment_ERPx_MFDataEntityCompany		DataEntityCompanySK->[dbo].[ERPx_MFDataEntityCompany].[DataEntityCompanySK]


Uses

[dbo].[ERPx_IMProductionLot]
 [dbo].[ERPx_MFAttribute]
 [dbo].[ERPx_MFDataEntityCompany]

Used By

[dbo].[SPx_IMProcess_ProductionLot]
 [dbo].[SPx_IMProcess_ProductionTransaction]

[dbo].[SPx_IMProcess_ReceiptTransaction]
[dbo].[SPx_IMProcess_RefreshLotBalanceSearchMetadata]
[dbo].[SPx_IMSEL_ProductionLotAttributes]
[dbo].[SPx_IMUpdate_CleanUpLots]
[dbo].[SPx_INTEG_NSIMInventoryTrans]
[dbo].[SPx_MFDEL_Attribute]
[dbo].[SPx_MFDEL_DeleteCompany]
[dbo].[SPx_MFSYS_InstallSystemSearchText]
[dbo].[SPx_MFUpdate_MassUpdate]




 [dbo].[ERPx_IMProductionLotAttributeValues]

Columns

Name	Data Type	Max Length (Bytes)	Nullability
DataEntityCompanySK	bigint	8	NOT NULL
ProductionLotSK	bigint	8	NULL allowed
ProductionLotID	varchar(50)	50	NOT NULL
Supplier	varchar(50)	50	NULL allowed
Supplier Mfg Date	varchar(50)	50	NULL allowed
Country of Origin Attr	varchar(50)	50	NULL allowed
WillieAttribute	varchar(50)	50	NULL allowed

 [dbo].[ERPx_IMProductionLotCountryOfOrigin]

Columns

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity
	LotCountryOfOriginSK	bigint	8	NOT NULL	1 - 1
	ProductionLotSK	bigint	8	NOT NULL	
	CountryOfOriginSK	bigint	8	NOT NULL	
	LastUpdated	datetime	8	NULL allowed	
	LastUser	varchar(150)	150	NULL allowed	

Indexes

Key	Name	Key Columns	Unique
	PK_ERPx_IMProductionLotCountryOfOrigin	LotCountryOfOriginSK	True

Foreign Keys

Name	Delete	Columns
FK_ERPx_IMProductionLotCountryOfOrigin_ERPx_IMCountryOfOrigin		CountryOfOriginSK->[dbo].[ERPx_IMCountryOfOrigin].[CountryOfOriginSK]
FK_ERPx_IMProductionLotCountryOfOrigin_ERPx_IMProductionLot	Cascade	ProductionLotSK->[dbo].[ERPx_IMProductionLot].[ProductionLotSK]





Uses

[dbo].[ERPx_IMCountryOfOrigin]
 [dbo].[ERPx_IMProductionLot]


Used By

[dbo].[SPx_IMProcess_ProductionLot]
 [dbo].[SPx_IMSEL_ProductionLot_CountryOfOrigin]
 [dbo].[SPx_IMSEL_ProductionLot_CountryOfOriginLookup]
 [dbo].[SPx_IMUpdate_ProductionLot_Rollup]

[dbo].[ERPx_IMProductionLotNote]**Columns**

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity	Default
	ProductionLotNoteSK	bigint	8	NOT NULL	1 - 1	
	ProductionLotSK	bigint	8	NOT NULL		
	NoteTypeSK	bigint	8	NOT NULL		
	Note	varchar(2000)	2000	NULL allowed		
	NoteHTML	varchar(max)	max	NULL allowed		
	LastUpdated	datetime	8	NULL allowed		(getdate())
	LastUser	varchar(110)	110	NULL allowed		
	DataEntityCompanySK	bigint	8	NOT NULL		

Indexes

Key	Name	Key Columns	Unique
	PK_ERPx_IMProductionLotNote	ProductionLotNoteSK	True
	UK_ERPx_IMProductionLotNote_1	ProductionLotSK, NoteTypeSK, DataEntityCompanySK	True

Foreign Keys

Name	Delete	Columns
FK_ERPx_IMProductionLotNote_ERPx_IMProductionLot	Cascade	ProductionLotSK->[dbo].[ERPx_IMProductionLot].[ProductionLotSK]
FK_ERPx_IMProductionLotNote_ERPx_MFNoteType		NoteTypeSK->[dbo].[ERPx_MFNoteType].[NoteTypeSK]




Uses

[dbo].[ERPx_IMProductionLot]
[dbo].[ERPx_MFNoteType]

Used By

[dbo].[SPx_IMProcess_ProductionLot]
[dbo].[SPx_IMUpdate_CleanUpLots]
[dbo].[SPx_MFManage_NoteAssignment]
[dbo].[SPx_MFSEL_NoteList]

[dbo].[ERPx_IMProductionLotProperty]**Columns**

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity	Default
	ProductionLotPropertySK	bigint	8	NOT NULL	1 - 1	
	PropertyGroupDescription	varchar(200)	200	NULL allowed		
	PropertyName	varchar(50)	50	NOT NULL		
	PropertyDescription	varchar(200)	200	NOT NULL		
	PropertyDefinitionSK	bigint	8	NULL allowed		
	Sort	bigint	8	NOT NULL		
	LastUpdated	datetime	8	NOT NULL		(getdate())
	LastUser	varchar(150)	150	NOT NULL		
	DataEntityCompanySK	bigint	8	NOT NULL		
	IsReadOnly	bit	1	NOT NULL		((0))
	TabLocation	varchar(50)	50	NOT NULL		('Properties')
	MaxLengthOrDecimals	bigint	8	NULL allowed		

Indexes

Key	Name	Key Columns	Unique
	PK_ERPx_IMProductionLotProperty	ProductionLotPropertySK	True

Foreign Keys

Name	Columns
FK_ERPx_IMProductionLotProperty_ERPx_MFData-EntityCompany	DataEntityCompanySK->[dbo].[ERPx_MFDataEntityCompany].[Data-EntityCompanySK]
FK_ERPx_IMProductionLotProperty_ERPx_-MFPropertyDefinition	PropertyDefinitionSK->[dbo].[ERPx_MFPropertyDefinition].[Property-DefinitionSK]

Uses










[dbo].[ERPx_MFDataEntityCompany]
[dbo].[ERPx_MFPropertyDefinition]

Used By

[dbo].[SPx_IMSEL_ProductionLot_Properties]

 [dbo].[ERPx_IMProductionOrderDetail]


Columns

Key	Name	Data Type	Computed	Max Length (Bytes)	Nullability	Identity
	ProductionOrderDetailSK	bigint		8	NOT NULL	1 - 1
	ProductionOrderSK	bigint		8	NOT NULL	
	ItemSK	bigint		8	NOT NULL	
	OrderedUnits	numeric(18,5)		9	NULL allowed	
	OrderedWeight	numeric(18,5)		9	NULL allowed	
	OrderedUnitsUOMSK	bigint		8	NULL allowed	
	OrderedWeightUOMSK	bigint		8	NULL allowed	
	ProductionBatchID	varchar(50)		50	NULL allowed	
	WarehouseLotID	varchar(50)		50	NULL allowed	
	OwnerSK	bigint		8	NOT NULL	
	LineItemTypeEN	bigint		8	NOT NULL	
	TransactionTypeSK	bigint		8	NOT NULL	
	ItemSortOverride	bigint		8	NULL allowed	
	ItemSort	bigint	True	8	NOT NULL	
	CreatedBy	varchar(110)		110	NOT NULL	
	CreatedDate	datetime		8	NOT NULL	
	LastUser	varchar(110)		110	NOT NULL	
	LastUpdated	datetime		8	NOT NULL	
	DataEntityCompanySK	bigint		8	NOT NULL	

Computed columns

Name	Column definition
ItemSort	(isnull([ItemSortOverride],[ProductionOrderDetailSK]))

Indexes

Key	Name	Key Columns	Unique
	PK_ERPx_IMProductionOrderDetail	ProductionOrderDetailSK	True
	IX_ERPx_IMProductionOrderDetail	ProductionOrderSK, ItemSK, ItemSort	True

Foreign Keys

Name	Columns
FK_ERPx_IMProductionOrderDetail_ERPx_IMItem	ItemSK->[dbo].[ERPx_IMItem].[ItemSK]
FK_ERPx_IMProductionOrderDetail_ERPx_IMLotOwner	OwnerSK->[dbo].[ERPx_IMLotOwner].[LotOwnerSK]
FK_ERPx_IMProductionOrderDetail_ERPx_- IMProductionOrderHeader	ProductionOrderSK->[dbo].[ERPx_IMProductionOrder- Header].[ProductionOrderSK]
FK_ERPx_IMProductionOrderDetail_ERPx_- IMTransactionType	TransactionTypeSK->[dbo].[ERPx_IMTransactionType].[Transaction- TypeSK]
FK_ERPx_IMProductionOrderDetail_ERPx_IMUOM_- Units	OrderedUnitsUOMSK->[dbo].[ERPx_IMUOM].[UOMSK]
FK_ERPx_IMProductionOrderDetail_ERPx_IMUOM_- Weight	OrderedWeightUOMSK->[dbo].[ERPx_IMUOM].[UOMSK]
FK_ERPx_IMProductionOrderDetail_ERPx_MFData- EntityCompany	DataEntityCompanySK->[dbo].[ERPx_MFDataEntityCompany].[Data- EntityCompanySK]






Uses

[dbo].[ERPx_IMItem]
[dbo].[ERPx_IMLotOwner]
[dbo].[ERPx_IMProductionOrderHeader]
[dbo].[ERPx_IMTransactionType]
[dbo].[ERPx_IMUOM]
[dbo].[ERPx_MFDataEntityCompany]


Used By

[dbo].[FNx_GetProductionOrderPlannedAndActuals]
[dbo].[IQx_IMSEL_ProductionOrderItemHistory]
[dbo].[SPx_IMProcess_ProductionOrder]
[dbo].[SPx_IMProcess_ProductionTransaction]
[dbo].[SPx_IMSEL_GetProductionOrderPlannedAndActuals]
[dbo].[SPx_IMSEL_ProductionOrderDetail]
[dbo].[SPx_IMSEL_ProductionOrderDetailList]
[dbo].[SPx_IMSEL_ProductionOrderItemLookup]
[dbo].[SPx_IMUpdate_ProductionOrderList]
[dbo].[SPx_IMUpdate_RecordProduction]

[dbo].[ERPx_IMProductionOrderHeader]**Columns**

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity
	ProductionOrderSK	bigint	8	NOT NULL	1 - 1
	ProductionOrderID	varchar(50)	50	NOT NULL	
	ScheduledDateStart	date	3	NOT NULL	
	ScheduledDateEnd	date	3	NULL allowed	
	Reference	varchar(100)	100	NULL allowed	
	SiteSK	bigint	8	NOT NULL	
	StatusEN	bigint	8	NOT NULL	
	TransactionClassSK	bigint	8	NOT NULL	
	ProductionOrderUOM	bigint	8	NOT NULL	
	AllowSubstitutesEN	bigint	8	NOT NULL	
	CreatedBy	varchar(110)	110	NOT NULL	
	CreatedDate	datetime	8	NOT NULL	
	LastUser	varchar(110)	110	NOT NULL	
	LastUpdated	datetime	8	NOT NULL	
	DataEntityCompanySK	bigint	8	NOT NULL	

Indexes

Key	Name	Key Columns	Unique
	PK_ERPx_IMProductionOrderHeader	ProductionOrderSK	True
	IX_ERPx_IMProductionOrderHeader	ProductionOrderID, DataEntityCompanySK	True

Foreign Keys

Name	Columns
FK_ERPx_IMProductionOrderHeader_ERPx_IMTransactionClass	TransactionClassSK->[dbo].[ERPx_IMTransactionClass].[TransactionClassSK]
FK_ERPx_IMProductionOrderHeader_ERPx_MFDataEntityCompany	DataEntityCompanySK->[dbo].[ERPx_MFDataEntityCompany].[DataEntityCompanySK]
FK_ERPx_IMProductionOrderHeader_ERPx_MFSite	SiteSK->[dbo].[ERPx_MFSite].[SiteSK]

Uses

[dbo].[ERPx_IMTransactionClass]

[dbo].[ERPx_MFDataEntityCompany]

[dbo].[ERPx_MFSite]

Used By

[dbo].[ERPx_IMProductionOrderDetail]

[dbo].[ERPx_IMProductionOrderHeaderNote]

[dbo].[ERPx_IMTransactionHeader]

[dbo].[FNx_GetProductionOrderPlannedAndActuals]

[dbo].[IQx_IMSEL_ProductionOrderHistory]

[dbo].[IQx_IMSEL_ProductionOrderItemHistory]

[dbo].[SPx_IMProcess_ProductionOrder]

[dbo].[SPx_IMProcess_ProductionTransaction]

[dbo].[SPx_IMSEL_GetProductionOrderPlannedAndActuals]

[dbo].[SPx_IMSEL_ProductionOrderDetail]

[dbo].[SPx_IMSEL_ProductionOrderDetailList]

[dbo].[SPx_IMSEL_ProductionOrderDetailNew]

[dbo].[SPx_IMSEL_ProductionOrderHeader]

[dbo].[SPx_IMSEL_ProductionOrderList]

[dbo].[SPx_IMSEL_ProductionOrderLookup]

[dbo].[SPx_IMSEL_ProductionOrderPropertiesList]

[dbo].[SPx_IMSEL_RecordProduction]





[dbo].[SPx_IMSEL_TransactionHeaderProduction]

[dbo].[SPx_IMUpdate_ProductionOrder]

[dbo].[SPx_IMUpdate_ProductionOrderList]

[dbo].[SPx_IMUpdate_RecordProduction]

[dbo].[ERPx_IMProductionOrderHeaderNote]**Columns**

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity
	HeaderNoteSK	bigint	8	NOT NULL	1 - 1
	ProductionOrderSK	bigint	8	NOT NULL	
	NoteTypeSK	bigint	8	NOT NULL	
	Note	varchar(max)	max	NULL allowed	
	NoteHTML	varchar(max)	max	NULL allowed	
	LastUser	varchar(110)	110	NOT NULL	
	LastUpdated	datetime	8	NOT NULL	
	DataEntityCompanySK	bigint	8	NOT NULL	

Indexes

Key	Name	Key Columns	Unique
	PK_ERPx_IMProductionOrderHeaderNote	HeaderNoteSK	True

Foreign Keys

Name	Columns
FK_ERPx_IMProductionOrderHeaderNote_ERPx_IMProductionOrderHeader	ProductionOrderSK->[dbo].[ERPx_IMProductionOrderHeader].[ProductionOrderSK]
FK_ERPx_IMProductionOrderHeaderNote_ERPx_MFDataEntityCompany	DataEntityCompanySK->[dbo].[ERPx_MFDataEntityCompany].[DataEntityCompanySK]
FK_ERPx_IMProductionOrderHeaderNote_ERPx_MFNoteType	NoteTypeSK->[dbo].[ERPx_MFNoteType].[NoteTypeSK]






Uses

[dbo].[ERPx_IMProductionOrderHeader]
 [dbo].[ERPx_MFDataEntityCompany]
 [dbo].[ERPx_MFNoteType]


Used By

[dbo].[SPx_IMProcess_ProductionOrder]
 [dbo].[SPx_IMUpdate_ProductionOrderList]
 [dbo].[SPx_IMUpdate_RecordProduction]
 [dbo].[SPx_MFManage_NoteAssignment]
 [dbo].[SPx_MFSEL_NoteList]

[dbo].[ERPx_IMQualityTest]**Columns**

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity
	QualityTestSK	bigint	8	NOT NULL	1 - 1
	DataEntityCompanySK	bigint	8	NOT NULL	
	QualityTestClassSK	bigint	8	NOT NULL	
	QualityTestID	varchar(50)	50	NOT NULL	
	StatusSK	bigint	8	NOT NULL	
	TestBegan	datetime	8	NULL allowed	
	TestComplete	datetime	8	NULL allowed	
	LastUpdated	datetime	8	NULL allowed	
	LastUser	varchar(110)	110	NULL allowed	

Indexes

Key	Name	Key Columns	Unique
	PK_ERPx_IMQualityTest	QualityTestSK	True
	IX_ERPx_IMQualityTest_QualityTestID	QualityTestID, QualityTestClassSK, DataEntityCompanySK	True

Foreign Keys

Name	Columns
FK_ERPx_IMQualityTest_DataEntity-CompanySK	DataEntityCompanySK->[dbo].[ERPx_MFDataEntityCompany].[DataEntity-CompanySK]
FK_ERPx_IMQualityTest_QualityTestClassSK	QualityTestClassSK->[dbo].[ERPx_MFAttributeClass].[AttributeClassSK]
FK_ERPx_IMQualityTest_Status	StatusSK->[dbo].[ERPx_IMQualityTestStatus].[StatusSK]

Uses



[dbo].[ERPx_IMQualityTestStatus]
 [dbo].[ERPx_MFAttributeClass]
 [dbo].[ERPx_MFDataEntityCompany]

Used By

[dbo].[ERPx_IMQualityTestAttributeValues]
 [dbo].[ERPx_MFAttribute_IMQualityTest]
 [dbo].[IQx_IMSEL_QualityTestResults]
 [dbo].[SPx_IMSEL_ProductionLotIQ]

[dbo].[SPx_IMSEL_QualityTestResult]
[dbo].[SPx_IMSEL_QualityTestResultHeader]
[dbo].[SPx_IMSEL_QualityTestResultLookup]
[dbo].[SPx_IMSEL_QualityTestResultsList]
[dbo].[SPx_IMUpdate_QualityTestResult]
[dbo].[SPx_IMUpdate_QualityTestResultsList]
[dbo].[SPx_MFDEL_DeleteCompany]

[dbo].[ERPx_IMQualityTestAttributeValues]**Columns**

Key	Name	Data Type	Persisted	Computed	Max Length (Bytes)	Nullability
 PK	QualityTestSK	bigint			8	NOT NULL
 PK	AttributeSK	bigint			8	NOT NULL
	AttributeValueSK	bigint			8	NULL allowed
	TextValue	varchar(200)			200	NULL allowed
	DateValue	datetime			8	NULL allowed
	AttributeValue	varchar(200)	True	True	200	NULL allowed

Computed columns

Name	Column definition
Attribute-Value	(CONVERT([varchar](200),coalesce([TextValue],CONVERT([varchar](200),[AttributeValueSK],(0)),CONVERT([varchar](200),[DateValue],(120))),(0)))

Indexes

Key	Name	Key Columns	Unique
 PK	PK_ERPx_IMQualityTestAttributeValues	QualityTestSK, AttributeSK	True

Foreign Keys

Name	Columns
FK_ERPx_IMQualityTestAttributeValues_QualityTestSK	QualityTestSK->[dbo].[ERPx_IMQualityTest].[QualityTestSK]

Uses



[dbo].[ERPx_IMQualityTest]

Used By

[dbo].[FNx_IMQualityTestResultAttributes]
 [dbo].[SPx_IMSEL_QualityTestResult]
 [dbo].[SPx_IMUpdate_QualityTestResult]
 [dbo].[SPx_IMUpdate_QualityTestResultsList]
 [dbo].[SPx_MFDEL_DeleteCompany]

 [dbo].[ERPx_IMQualityTestStatus]

Columns

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity
	StatusSK	bigint	8	NOT NULL	1 - 1
	StatusName	varchar(50)	50	NOT NULL	

Indexes



Key	Name	Key Columns	Unique
	PK_ERPx_IMQualityTestStatus	StatusSK	True
	IX_ERPx_IMQualityTestStatus_StatusName	StatusName	True

Used By


[dbo].[ERPx_IMQualityTest]
 [dbo].[IQx_IMSEL_QualityTestResults]
 [dbo].[SPx_IMSEL_QualityTestResult]
 [dbo].[SPx_IMSEL_QualityTestResultsList]
 [dbo].[SPx_IMUpdate_QualityTestResult]

 [dbo].[ERPx_IMReceivedFrom]

Columns

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity
	ReceivedFromSK	bigint	8	NOT NULL	1 - 1
	ProductionLotSK	bigint	8	NOT NULL	
	ReceivedFrom	varchar(250)	250	NOT NULL	
	TransactionType	varchar(200)	200	NULL allowed	
	LastUpdated	datetime	8	NULL allowed	
	LastUser	varchar(150)	150	NULL allowed	

Indexes

Key	Name	Key Columns	Unique
	PK_ERPx_IMReceivedFrom	ReceivedFromSK	True

Foreign Keys

Name	Delete	Columns
FK_ERPx_IMReceivedFrom_ERPx_IMProductionLot	Cascade	ProductionLotSK->[dbo].[ERPx_IMProductionLot].[ProductionLotSK]






Uses

[dbo].[ERPx_IMProductionLot]


Used By

- [dbo].[SPx_IMProcess_ProductionLot]
- [dbo].[SPx_IMProcess_ReceiptTransaction]
- [dbo].[SPx_IMSEL_CostHistoryInquiry]
- [dbo].[SPx_IMSEL_ProductionLot_ReceivedFrom]
- [dbo].[SPx_IMSEL_UpdateCostList]
- [dbo].[SPx_IMUpdate_ProductionLot_Rollup]

[dbo].[ERPx_IMTemplateDetail]**Columns**

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity	Default
	TemplateDetailSK	bigint	8	NOT NULL	1 - 1	
	TemplateHeaderSK	bigint	8	NOT NULL		
	SiteSK	bigint	8	NULL allowed		
	ItemSort	bigint	8	NOT NULL		
	ItemSK	bigint	8	NOT NULL		
	TransactionUnitsUOMSK	bigint	8	NULL allowed		
	TransactionWeightUOMSK	bigint	8	NULL allowed		
	CreatedBy	varchar(110)	110	NULL allowed		(getdate())
	CreatedDate	datetime	8	NOT NULL		(getdate())
	LastUpdated	datetime	8	NOT NULL		(getdate())
	LastUser	varchar(110)	110	NOT NULL		
	DataEntityCompanySK	bigint	8	NOT NULL		

Indexes

Key	Name	Key Columns	Unique
	PK_ERPx_IMTemplateDetail	TemplateDetailSK	True

Foreign Keys

Name	Columns
FK_ERPx_IMTemplateDetail_ERPx_IMItem	ItemSK->[dbo].[ERPx_IMItem].[ItemSK]
FK_ERPx_IMTemplateDetail_ERPx_IMTemplate-Header	TemplateHeaderSK->[dbo].[ERPx_IMTemplateHeader].[TemplateHeaderSK]
FK_ERPx_IMTemplateDetail_ERPx_MFDataEntity-Company	DataEntityCompanySK->[dbo].[ERPx_MFDataEntityCompany].[DataEntity-CompanySK]
FK_ERPx_IMTemplateDetail_ERPx_MFSite	SiteSK->[dbo].[ERPx_MFSite].[SiteSK]





Uses

[dbo].[ERPx_IMItem]
 [dbo].[ERPx_IMTemplateHeader]
 [dbo].[ERPx_MFDataEntityCompany]
 [dbo].[ERPx_MFSite]

Used By

[dbo].[SPx_MFDEL_DeleteCompany]
[dbo].[SPx_MFINSUPDDEL_Site_XML]
[dbo].[SPx_MFUpdate_Site]

[dbo].[ERPx_IMTemplateHeader]**Columns**

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity	Default
	TemplateHeaderSK	bigint	8	NOT NULL	1 - 1	
	TransactionTypeSK	bigint	8	NOT NULL		
	SiteSK	bigint	8	NULL allowed		
	ToSiteSK	bigint	8	NULL allowed		
	CreatedBy	varchar(110)	110	NULL allowed		(getdate())
	CreatedDate	datetime	8	NOT NULL		(getdate())
	LastUpdated	datetime	8	NOT NULL		(getdate())
	LastUser	varchar(110)	110	NOT NULL		
	DataEntityCompanySK	bigint	8	NOT NULL		

Indexes

Key	Name	Key Columns	Unique
	PK_ERPx_IMTemplateHeader	TemplateHeaderSK	True

Foreign Keys

Name	Columns
FK_ERPx_IMTemplateHeader_ERPx_IMTransactionType	TransactionTypeSK->[dbo].[ERPx_IMTransactionType].[TransactionTypeSK]
FK_ERPx_IMTemplateHeader_ERPx_MFDataEntityCompany	DataEntityCompanySK->[dbo].[ERPx_MFDataEntityCompany].[DataEntityCompanySK]
FK_ERPx_IMTemplateHeader_ERPx_MFSite	SiteSK->[dbo].[ERPx_MFSite].[SiteSK]





Uses

[dbo].[ERPx_IMTransactionType]
[dbo].[ERPx_MFDataEntityCompany]
[dbo].[ERPx_MFSite]


Used By

[dbo].[ERPx_IMTemplateDetail]
[dbo].[SPx_MFDEL_DeleteCompany]
[dbo].[SPx_MFINSUPDDEL_Site_XML]
[dbo].[SPx_MFUpdate_Site]

[dbo].[ERPx_IMTransactionAttributes]**Columns**

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity
	TransactionAttributeSK	bigint	8	NOT NULL	1 - 1
	TransactionHeaderSK	bigint	8	NOT NULL	
	AttributeSK	bigint	8	NOT NULL	
	AttributeValue	varchar(200)	200	NOT NULL	
	LastUpdated	datetime	8	NOT NULL	
	LastUser	varchar(150)	150	NOT NULL	
	DataEntityCompanySK	bigint	8	NOT NULL	

Indexes

Key	Name	Key Columns	Unique
	PK_ERPx_IMTransactionAttributes	TransactionAttributeSK	True
	UK_ERPx_IMTransactionAttributes_TransactionHeaderSK_AttributeSK	TransactionHeaderSK, AttributeSK	True

Foreign Keys

Name	Columns
FK_ERPx_IMTransactionAttributes_ERPx_IMTransactionHeader	TransactionHeaderSK->[dbo].[ERPx_IMTransactionHeader].[TransactionHeaderSK]
FK_ERPx_IMTransactionAttributes_ERPx_MFAttribute	AttributeSK->[dbo].[ERPx_MFAttribute].[AttributeSK]
FK_ERPx_IMTransactionAttributes_ERPx_MFData-EntityCompany	DataEntityCompanySK->[dbo].[ERPx_MFDataEntityCompany].[DataEntityCompanySK]

Uses

[dbo].[ERPx_IMTransactionHeader]
 [dbo].[ERPx_MFAttribute]
 [dbo].[ERPx_MFDataEntityCompany]

Used By

[dbo].[SPx_IMProcess_AdjustmentTransaction]
 [dbo].[SPx_IMProcess_ProductionTransaction]
 [dbo].[SPx_IMProcess_ReceiptTransaction]
 [dbo].[SPx_IMProcess_TransferTransaction]
 [dbo].[SPx_IMSEL_TransactionHeaderAttributeList]
 [dbo].[SPx_IMUpdate_TransactionMoreActions]








[dbo].[SPx_MFDEL_Attribute]






[dbo].[SPx_MFDEL_DeleteCompany]

[dbo].[SPx_MFUpdate_MassUpdate]


 [dbo].[ERPx_IMTransactionClass]

Columns

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity	Default
 C	TransactionClassSk	bigint	8	NOT NULL	1 - 1	
	TransactionTypeSK	bigint	8	NOT NULL		
	TransactionClassID	varchar(50)	50	NOT NULL		
	DocPrefix	varchar(10)	10	NOT NULL		
	NextDocNumber	bigint	8	NOT NULL		
	LastUpdated	datetime	8	NULL allowed		
	LastUser	varchar(150)	150	NULL allowed		
	DocumentLogoLocation	varchar(500)	500	NULL allowed		
 (2)	DataEntityCompanySK	bigint	8	NOT NULL		
	AutoCreateLotsEN	bigint	8	NULL allowed		
	NegativeBalancesEN	bigint	8	NULL allowed		
	InputAutoCreateLotsEN	bigint	8	NULL allowed		
	InputNegativeBalancesEN	bigint	8	NULL allowed		
	TransactionDefault	bit	1	NOT NULL		((0))
	IsInactive	bit	1	NOT NULL		((0))
	IntegrationMethodEN	bigint	8	NOT NULL		
	SingleDateManagement	bit	1	NOT NULL		((0))
	ProductionOrderUOMSK	bigint	8	NULL allowed		
	ProductionOrderAllowSubstitutes	bigint	8	NULL allowed		
	DefaultRelatedTransactionClassSK	bigint	8	NULL allowed		
	DefaultFreightFreightRateTypeEN	bigint	8	NULL allowed		
	DefaultHandlingFreightRateTypeEN	bigint	8	NULL allowed		
	DefaultFreightTermsSK	bigint	8	NULL allowed		
	AutoCreatePurchaseOrdersForDelivered-Freight	bit	1	NOT NULL		((0))

	FreightVarianceGLAccountSKForDelivered-Freight	bigint	8	NULL allowed		
	PurchaseOrderClassSKForDeliveredFreight	bigint	8	NULL allowed		
	FreightAndSurchargerItemSKForDelivered-FreightPurchaseOrder	bigint	8	NULL allowed		
	HandlingItemSKForDeliveredFreight-PurchaseOrder	bigint	8	NULL allowed		
	OtherChargerItemSKForDeliveredFreight-PurchaseOrder	bigint	8	NULL allowed		
	TransferFreightAccrualGLAccountSK	bigint	8	NULL allowed		

Indexes

Key	Name	Key Columns	Unique
	PK_ERPx_IMTransactionClass	TransactionClassSk	True
	IX_ERPx_IMTransactionClass1	DocPrefix, DataEntityCompanySK	True
	IX_ERPx_IMTransactionClass2	TransactionTypeSK, TransactionClassID, DataEntityCompanySK	True

Foreign Keys

Name	Columns
FK_ERPx_IMTransactionClass_ERPx_-APTtransactionClass	PurchaseOrderClassSKForDeliveredFreight->[dbo].[ERPx_APTtransactionClass].[TransactionClassSK]
FK_ERPx_IMTransactionClass_ERPx_-GLAccount	FreightVarianceGLAccountSKForDeliveredFreight->[dbo].[ERPx_-GLAccount].[AccountSK]
FK_ERPx_IMTransactionClass_ERPx_IMItem	FreightAndSurchargerItemSKForDeliveredFreightPurchaseOrder->[dbo].[ERPx_IMItem].[ItemSK]
FK_ERPx_IMTransactionClass_ERPx_IMItem_2	HandlingItemSKForDeliveredFreightPurchaseOrder->[dbo].[ERPx_-IMItem].[ItemSK]
FK_ERPx_IMTransactionClass_ERPx_IMItem_3	OtherChargerItemSKForDeliveredFreightPurchaseOrder->[dbo].[ERPx_-IMItem].[ItemSK]
FK_ERPx_IMTransactionClass_ERPx_-IMTransactionClass	DefaultRelatedTransactionClassSK->[dbo].[ERPx_IMTransactionClass].[TransactionClassSK]
FK_ERPx_IMTransactionClass_ERPx_IMUOM	ProductionOrderUOMSK->[dbo].[ERPx_IMUOM].[UOMSK]
FK_ERPx_IMTransactionClass_ERPx_MFData-EntityCompany	DataEntityCompanySK->[dbo].[ERPx_MFDataEntityCompany].[DataEntity-CompanySK]

Uses







[dbo].[ERPx_APTtransactionClass]
 [dbo].[ERPx_GLAccount]
 [dbo].[ERPx_IMItem]
 [dbo].[ERPx_IMUOM]
 [dbo].[ERPx_MFDataEntityCompany]

Used By


[dbo].[ERPx_CPTransactionClass]
[dbo].[ERPx_IMProductionOrderHeader]
[dbo].[ERPx_IMTransactionClassPriceList]
[dbo].[ERPx_IMTransactionHeader]
[dbo].[FNx_GetDefaultIMTransactionClassSK]
[dbo].[IQx_APSEL_POLinkedItems]
[dbo].[IQx_APSEL_POLinkedTransactions]
[dbo].[IQx_ContainerDetails]
[dbo].[IQx_IMSEL_ItemHistory]
[dbo].[IQx_IMSEL_LotHistory]
[dbo].[IQx_IMSEL_ProductionOrderHistory]
[dbo].[IQx_IMSEL_ProductionOrderItemHistory]
[dbo].[SPx_APPProcess_PurchaseOrder]
[dbo].[SPx_APUUpdate_TransactionClass]
[dbo].[SPx_CPSEL_IMReceiptTransactionClassLookup]
[dbo].[SPx_CPSEL_TransactionClassList]
[dbo].[SPx_CPSEL_TransactionClassProperties]
[dbo].[SPx_IMProcess_AdjustmentTransaction]
[dbo].[SPx_IMProcess_ProductionOrder]
[dbo].[SPx_IMProcess_ProductionTransaction]
[dbo].[SPx_IMProcess_ReceiptTransaction]
[dbo].[SPx_IMProcess_TransactionClass]
[dbo].[SPx_IMProcess_Transfer_PurchaseOrder]
[dbo].[SPx_IMProcess_TransferTransaction]
[dbo].[SPx_IMSEL_ContainerDetails_TransactionClassLookup]
[dbo].[SPx_IMSEL_FreightTermsLookup]
[dbo].[SPx_IMSEL_LotHistory_TransactionClassLookup]
[dbo].[SPx_IMSEL_ProductionOrderDetail]
[dbo].[SPx_IMSEL_ProductionOrderDetailList]
[dbo].[SPx_IMSEL_ProductionOrderHeader]
[dbo].[SPx_IMSEL_ProductionOrderList]
[dbo].[SPx_IMSEL_ProductionOrderListViewNewButtonLookup]
[dbo].[SPx_IMSEL_ProductionOrderPropertiesList]
[dbo].[SPx_IMSEL_RecordProduction]
[dbo].[SPx_IMSEL_TransactionClass_AccountLookup]
[dbo].[SPx_IMSEL_TransactionClass_ChargePOItemLookup]
[dbo].[SPx_IMSEL_TransactionClass_FreightSurchargePOItemLookup]
[dbo].[SPx_IMSEL_TransactionClass_HandlingPOItemLookup]
[dbo].[SPx_IMSEL_TransactionClass_Property]
[dbo].[SPx_IMSEL_TransactionClass_PurchaseOrderClassLookup]
[dbo].[SPx_IMSEL_TransactionClass_RelatedProductionClassLookup]
[dbo].[SPx_IMSEL_TransactionClass_TransferFreightAccountLookup]
[dbo].[SPx_IMSEL_TransactionClassHeader]
[dbo].[SPx_IMSEL_TransactionClassList]
[dbo].[SPx_IMSEL_TransactionClassLookup]
[dbo].[SPx_IMSEL_TransactionHeaderAdjustment]
[dbo].[SPx_IMSEL_TransactionHeaderProduction]
[dbo].[SPx_IMSEL_TransactionHeaderProperties]
[dbo].[SPx_IMSEL_TransactionHeaderReceipt]
[dbo].[SPx_IMSEL_TransactionHeaderTransfer]
[dbo].[SPx_IMSEL_TransactionList]

[dbo].[SPx_IMUpdate_CycleCount]
[dbo].[SPx_IMUpdate_ProductionOrder]
[dbo].[SPx_IMUpdate_RecordProduction]
[dbo].[SPx_IMUpdate_TransactionMoreActions]
[dbo].[SPx_INTEG_NSIMInventoryTrans]
[dbo].[SPx_LMINS_LoadBuilder]
[dbo].[SPx_LMProcess_MFShipment]
[dbo].[SPx_LMSEL_CalculateLoadTransactionLegDetails]
[dbo].[SPx_LMSEL_MFShipmentLegList_NewRow]
[dbo].[SPx_MFSEL_ClassLookupByForm]
[dbo].[SPx_MFSEL_ListViewNewButtonLookup]
[dbo].[SPx_MFSEL_PriceListIMTransactionClassList]
[dbo].[SPx_MFSEL_PriceListIMTransactionClassLookup]
[dbo].[SPx_MFSEL_RecordViewNewButtonLookup]
[dbo].[VWx_IMTransactionHistory]
[hist].[SPx_IMRollup]

[dbo].[ERPx_IMTransactionClassPriceList]**Columns**

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity
 	TransactionClassPriceListSK	bigint	8	NOT NULL	1 - 1
	TransactionClassSK	bigint	8	NOT NULL	
	PriceListEntityTypeSK	bigint	8	NOT NULL	
	PriceListHeaderSK	bigint	8	NOT NULL	
	Sort	bigint	8	NOT NULL	
	LastUpdated	datetime	8	NULL allowed	
	LastUser	varchar(110)	110	NULL allowed	
	DataEntityCompanySK	bigint	8	NOT NULL	

Indexes

Key	Name	Key Columns	Unique
 	PK_ERPx_IMTransactionClass-PriceList	TransactionClassPriceListSK	True
	IX_ERPx_IMTransactionClass-PriceList	TransactionClassSK, PriceListEntityTypeSK, PriceListHeaderSK, Data-EntityCompanySK	True

Foreign Keys

Name	Columns
FK_ERPx_IMTransactionClassPriceList_ERPx_-IMTransactionClass	TransactionClassSK->[dbo].[ERPx_IMTransactionClass].[TransactionClassSK]
FK_ERPx_IMTransactionClassPriceList_ERPx_MFData-EntityCompany	DataEntityCompanySK->[dbo].[ERPx_MFDataEntityCompany].[Data-EntityCompanySK]
FK_ERPx_IMTransactionClassPriceList_ERPx_MFPrice-ListHeader	PriceListHeaderSK->[dbo].[ERPx_MFPriceListHeader].[PriceList-HeaderSK]

Uses

[dbo].[ERPx_IMTransactionClass]
 [dbo].[ERPx_MFDataEntityCompany]
 [dbo].[ERPx_MFPriceListHeader]

Used By





[dbo].[SPx_IMProcess_TransferTransaction]
 [dbo].[SPx_MFSEL_PriceListIMTransactionClassList]

[dbo].[SPx_MFSEL_PriceListIMTransactionClassLookup]

[dbo].[SPx_MFUpdate_PriceList]

[dbo].[SPx_MFUpdate_PriceListList]

[dbo].[ERPx_IMTransactionClassProperty]**Columns**

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity	Default
	IMTransactionClassPropertySK	bigint	8	NOT NULL	1 - 1	
	PropertyGroupDescription	varchar(250)	250	NULL allowed		
	PropertyName	varchar(250)	250	NOT NULL		
	PropertyDescription	varchar(250)	250	NOT NULL		
	PropertyDefinitionSK	bigint	8	NULL allowed		
	Sort	bigint	8	NOT NULL		
	DataEntityCompanySK	bigint	8	NOT NULL		
	IsReadOnly	bit	1	NOT NULL		((0))
	TabLocation	varchar(50)	50	NOT NULL		('Properties')
	MaxLengthOrDecimals	bigint	8	NULL allowed		
	EnumerationClass	varchar(100)	100	NULL allowed		
	LastUpdated	datetime	8	NOT NULL		(getdate())
	LastUser	varchar(150)	150	NOT NULL		
	TransactionTypeSK	bigint	8	NULL allowed		

Indexes

Key	Name	Key Columns	Unique
	PK_ERPx_IMTransactionClassProperty	IMTransactionClassPropertySK	True

Foreign Keys

Name	Columns
FK_ERPx_IMTransactionClassProperty_ERPx_IMTransactionType	TransactionTypeSK->[dbo].[ERPx_IMTransactionType].[TransactionTypeSK]
FK_ERPx_IMTransactionClassProperty_ERPx_MFDataEntityCompany	DataEntityCompanySK->[dbo].[ERPx_MFDataEntityCompany].[DataEntityCompanySK]
FK_ERPx_IMTransactionClassProperty_ERPx_MFPropertyDefinition	PropertyDefinitionSK->[dbo].[ERPx_MFPropertyDefinition].[PropertyDefinitionSK]

Uses









[dbo].[ERPx_IMTransactionType]
 [dbo].[ERPx_MFDataEntityCompany]
 [dbo].[ERPx_MFPropertyDefinition]








Used By

[dbo].[SPx_IMSEL_TransactionClass_Property]

 [dbo].[ERPx_IMTransactionDetail]

Columns

Key	Name	Data Type	Computed	Max Length (Bytes)	Nullability	Identity	Default
	TransactionDetailSK	bigint		8	NOT NULL	1 - 1	
	TransactionHeaderSK	bigint		8	NOT NULL		
	SiteSK	bigint		8	NULL allowed		
	ItemSortOverride	bigint		8	NULL allowed		
	ItemSort	bigint	True	8	NOT NULL		
	ItemSK	bigint		8	NOT NULL		
	LotSK	bigint		8	NOT NULL		
	ToLotSK	bigint		8	NULL allowed		
	TransactionUnits	numeric(18,5)		9	NULL allowed		
	TransactionWeight	numeric(18,5)		9	NULL allowed		
	EffectOnInventoryUnits	numeric(18,5)		9	NULL allowed		
	EffectOnInventoryWeight	numeric(18,5)		9	NULL allowed		
	AllocatedUnits	numeric(18,5)		9	NULL allowed		
	AllocatedWeight	numeric(18,5)		9	NULL allowed		
	TransactionUnitsUOMSK	bigint		8	NULL allowed		
	TransactionWeightUOMSK	bigint		8	NULL allowed		
	EffectOnInventoryUnitsUOMSK	bigint		8	NULL allowed		
	EffectOnInventoryWeight-UOMSK	bigint		8	NULL allowed		
	TransactionToInventoryUnits-ConversionValue	numeric(32,19)		17	NULL allowed		
	TransactionToInventoryWeight-ConversionValue	numeric(32,19)		17	NULL allowed		
	IsAddedFromTemplate	bit		1	NOT NULL		
	CreatedBy	varchar(110)		110	NULL allowed		(getdate())
	CreatedDate	datetime		8	NOT NULL		(getdate())


	LastUpdated	datetime		8	NULL allowed		(getdate())
	LastUser	varchar(110)		110	NULL allowed		
	DataEntityCompanySK	bigint		8	NOT NULL		
	TransactionTypeSK	bigint		8	NULL allowed		
	LineItemtypeEN	bigint		8	NULL allowed		
	SiteLineSK	bigint		8	NULL allowed		
	SiteShiftSK	bigint		8	NULL allowed		
	WorkOrder	varchar(100)		100	NULL allowed		
	ReasonCodeSK	bigint		8	NULL allowed		
	ToWarehouseLotID	varchar(100)		100	NULL allowed		
	GrossWeight	numeric(18,5)		9	NULL allowed		
	ItemPrice	numeric(18,5)		9	NULL allowed		
	PriceOptionEN	bigint		8	NULL allowed		
	LineAmount	numeric(18,5)		9	NULL allowed		
	PriceListItemSK	bigint		8	NULL allowed		
	PriceListPrice	numeric(18,5)		9	NULL allowed		
	PriceListOverrideBy	varchar(110)		110	NULL allowed		
	PriceListOverrideDate	datetime		8	NULL allowed		
	CorrectedFromTransaction-DetailSK	bigint		8	NULL allowed		
	LoadHeaderSK	bigint		8	NULL allowed		
	DeliveryCharge	numeric(18,5)		9	NULL allowed		
	Surcharge	numeric(18,5)		9	NULL allowed		
	OtherCharge	numeric(18,5)		9	NULL allowed		
	AdditionalWeight	numeric(18,5)		9	NULL allowed		
	TotalFreight	numeric(18,5)		9	NULL allowed		
	LineDescription	varchar(200)		200	NULL allowed		

	POLineSK	bigint		8	NULL allowed		
	LineComment	varchar(200)		200	NULL allowed		

Computed columns

Name	Column definition
ItemSort	(isnull([ItemSortOverride],[TransactionDetailSK]))

Indexes

Key	Name	Key Columns	Included Columns	Unique
	PK_ERPx_IMTransactionDetail	Transaction-DetailSK		True
	ERPx_IMTransactionDetail - TransactionHeaderSK_SILEETT	Transaction-HeaderSK	SiteSK, ItemSK, LotSK, EffectOnInventoryUnits, EffectOnInventoryWeight, TransactionUnitsUOMSK, TransactionWeightUOMSK	

Foreign Keys

Name	Columns
FK_ERPx_IMTransactionDetail_ERPx_APPoLine	POLineSK->[dbo].[ERPx_APPoLine].[POLineSK]
FK_ERPx_IMTransactionDetail_ERPx_IMItem	ItemSK->[dbo].[ERPx_IMItem].[ItemSK]
FK_ERPx_IMTransactionDetail_ERPx_IMLotBalance	LotSK->[dbo].[ERPx_IMLotBalance].[LotSK]
FK_ERPx_IMTransactionDetail_ERPx_IMTransactionDetail	CorrectedFromTransactionDetailSK->[dbo].[ERPx_IMTransactionDetail].[TransactionDetailSK]
FK_ERPx_IMTransactionDetail_ERPx_IMTransactionDetail1	TransactionDetailSK->[dbo].[ERPx_IMTransactionDetail].[TransactionDetailSK]
FK_ERPx_IMTransactionDetail_ERPx_IMTransactionHeader	TransactionHeaderSK->[dbo].[ERPx_IMTransactionHeader].[TransactionHeaderSK]
FK_ERPx_IMTransactionDetail_ERPx_IMTransactionType	TransactionTypeSK->[dbo].[ERPx_IMTransactionType].[TransactionTypeSK]
FK_ERPx_IMTransactionDetail_ERPx_IMUOMUnits	TransactionUnitsUOMSK->[dbo].[ERPx_IMUOM].[UOMSK]
FK_ERPx_IMTransactionDetail_ERPx_IMUOMWeight	TransactionWeightUOMSK->[dbo].[ERPx_IMUOM].[UOMSK]
FK_ERPx_IMTransactionDetail_ERPx_MFDataEntityCompany	DataEntityCompanySK->[dbo].[ERPx_MFDataEntityCompany].[DataEntityCompanySK]
FK_ERPx_IMTransactionDetail_ERPx_MFNoteTypeReasonCode	ReasonCodeSK->[dbo].[ERPx_MFNoteTypeReasonCode].[ReasonCodeSK]
FK_ERPx_IMTransactionDetail_ERPx_MFPriceListItem	PriceListItemSK->[dbo].[ERPx_MFPriceListItem].[PriceListItemSK]
FK_ERPx_IMTransactionDetail_ERPx_MFSite	SiteSK->[dbo].[ERPx_MFSite].[SiteSK]
FK_ERPx_IMTransactionDetail_ERPx_MFSiteLine	SiteLineSK->[dbo].[ERPx_MFSiteLine].[SiteLineSK]
FK_ERPx_IMTransactionDetail_ERPx_MFSiteShift	SiteShiftSK->[dbo].[ERPx_MFSiteShift].[SiteShiftSK]

Uses





[dbo].[ERPx_APPoLine]
[dbo].[ERPx_IMItem]
[dbo].[ERPx_IMLotBalance]
[dbo].[ERPx_IMTransactionHeader]
[dbo].[ERPx_IMTransactionType]
[dbo].[ERPx_IMUOM]
[dbo].[ERPx_MFDataEntityCompany]
[dbo].[ERPx_MFNoteTypeReasonCode]
[dbo].[ERPx_MFPriceListItem]
[dbo].[ERPx_MFSite]
[dbo].[ERPx_MFSiteLine]
[dbo].[ERPx_MFSiteShift]

Used By


[dbo].[ERPx_IMLotCostPostingLog]
[dbo].[ERPx_IMTransactionDetailNote]
[dbo].[ERPx_IMTransactionDetailPallet]
[dbo].[FNx_GetProductionOrderPlannedAndActuals]
[dbo].[FNx_GetTransactionAccounts]
[dbo].[FNx_GetTransactionAmounts]
[dbo].[FNx_GetUnpostedBalances]
[dbo].[FNx_IMInventoryBalances]
[dbo].[FNx_IMInventoryTransactionDetail]
[dbo].[FNx_LMLoadLegFreightWeightDetails]
[dbo].[FNx_LMLoadWeightDetails]
[dbo].[IQx_APSEL_POLinkedItems]
[dbo].[IQx_IMSEL_ProductionOrderItemHistory]
[dbo].[SPx_APSEL_POVendorTransactionSummary]
[dbo].[SPx_APSEL_PurchaseOrder_Summary]
[dbo].[SPx_HistoricalInventoryBalance]
[dbo].[SPx_IMProcess_AdjustmentTransaction]
[dbo].[SPx_IMProcess_CorrectTransaction]
[dbo].[SPx_IMProcess_PostLotCosts]
[dbo].[SPx_IMProcess_ProductionTransaction]
[dbo].[SPx_IMProcess_Receipt_PurchaseOrder]
[dbo].[SPx_IMProcess_ReceiptTransaction]
[dbo].[SPx_IMProcess_TransferTransaction]
[dbo].[SPx_IMProcess_UpdateLotCostsFromPO]
[dbo].[SPx_IMSEL_CostHistoryInquiry]
[dbo].[SPx_IMSEL_CycleCountList]
[dbo].[SPx_IMSEL_FindLots]
[dbo].[SPx_IMSEL_GetLotBalance]
[dbo].[SPx_IMSEL_GetProductionOrderPlannedAndActuals]
[dbo].[SPx_IMSEL_ItemProperties]
[dbo].[SPx_IMSEL_ItemPropertiesAdvanced]
[dbo].[SPx_IMSEL_ProductionOrderDetailList]
[dbo].[SPx_IMSEL_Receipt_POLineNumberLookup]
[dbo].[SPx_IMSEL_Receipt_PORRecordLookupDetail]

[dbo].[SPx_IMSEL_TransactionDetailAdjustment]
[dbo].[SPx_IMSEL_TransactionDetailProduction]
[dbo].[SPx_IMSEL_TransactionDetailReceipt]
[dbo].[SPx_IMSEL_TransactionDetailSiteLineLookup]
[dbo].[SPx_IMSEL_TransactionDetailSiteShiftLookup]
[dbo].[SPx_IMSEL_TransactionDetailTransfer]
[dbo].[SPx_IMSEL_TransactionHeaderProduction]
[dbo].[SPx_IMSEL_TransactionHeaderReceipt]
[dbo].[SPx_IMSEL_TransactionHeaderTransfer]
[dbo].[SPx_IMSEL_TransactionItemLookup]
[dbo].[SPx_IMUPD_TransactionDetailRollup]
[dbo].[SPx_IMUpdate_CleanUpLots]
[dbo].[SPx_IMUpdate_ProductionOrder]
[dbo].[SPx_IMUpdate_RecalculateLotBalance]
[dbo].[SPx_IMUpdate_TransactionMoreActions]
[dbo].[SPx_IMUpdate_TransactionSOShipmentReturn]
[dbo].[SPx_INTEG_GPIMTransaction]
[dbo].[SPx_INTEG_NSIMInventoryTrans]
[dbo].[SPx_LMINS_LoadBuilder]
[dbo].[SPx_LMProcess_MFShipment]
[dbo].[SPx_LMUpdate_DeleteOrphanedLoads]
[dbo].[SPx_LMUpdate_LoadTransactionFreight]
[dbo].[SPx_LMUpdate_LoadTransactionFreightRollup]
[dbo].[SPx_MFDEL_DeleteCompany]
[dbo].[SPx_MFINSUPDDEL_Site_XML]
[dbo].[SPx_MFManage_NoteAssignment]
[dbo].[SPx_MFSEL_NoteList]
[dbo].[SPx_MFUpdate_JournalDetails]
[dbo].[SPx_MFUpdate_MassUpdate]
[dbo].[SPx_MFUpdate_PriceList]
[dbo].[SPx_MFUpdate_Site]
[dbo].[SPx_MFUpdate_Site_AddDefaultWarehouseLot]
[dbo].[VWx_IMTransactionHistory]
[dbo].[VWx_LotBalances]
[dbo].[VWx_MFAllocateLotBalance]
[hist].[SPx_IMRollup]

[dbo].[ERPx_IMTransactionDetailNote]**Columns**

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity	Default
	ItemNoteSK	bigint	8	NOT NULL	1 - 1	
	TransactionDetailSK	bigint	8	NOT NULL		
	NoteTypeSK	bigint	8	NOT NULL		
	Note	varchar(2000)	2000	NULL allowed		
	LastUpdated	datetime	8	NULL allowed		(getdate())
	LastUser	varchar(110)	110	NULL allowed		
	DataEntityCompanySK	bigint	8	NOT NULL		

Indexes

Key	Name	Key Columns	Unique
	PK_ERPx_IMTransactionDetailNote	ItemNoteSK	True
	UK_ERPx_IMTransactionDetailNote_1	TransactionDetailSK, NoteTypeSK, DataEntityCompanySK	True

Foreign Keys

Name	Columns
FK_ERPx_IMTransactionDetailNote_ERPx_IMTransactionDetail	TransactionDetailSK->[dbo].[ERPx_IMTransactionDetail].[TransactionDetailSK]
FK_ERPx_IMTransactionDetailNote_ERPx_MFNoteType	NoteTypeSK->[dbo].[ERPx_MFNoteType].[NoteTypeSK]







Uses

[dbo].[ERPx_IMTransactionDetail]
 [dbo].[ERPx_MFNoteType]


Used By

[dbo].[SPx_IMProcess_TransferTransaction]
 [dbo].[SPx_IMUpdate_TransactionMoreActions]
 [dbo].[SPx_IMUPDINS_TransactionDetailNotes]
 [dbo].[SPx_MFDEL_DeleteCompany]
 [dbo].[SPx_MFManage_NoteAssignment]
 [dbo].[SPx_MFSEL_NoteList]

[dbo].[ERPx_IMTransactionDetailPallet]**Columns**

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity	Default
	TransactionDetailPalletSK	bigint	8	NOT NULL	1 - 1	
	TransactionDetailSK	bigint	8	NOT NULL		
	PalletNumber	varchar(50)	50	NOT NULL		
	Units	numeric(18,5)	9	NULL allowed		
	UnitsUOMSK	bigint	8	NULL allowed		
	Weight	numeric(18,5)	9	NULL allowed		
	WeightUOMSK	bigint	8	NULL allowed		
	CreatedBy	varchar(150)	150	NOT NULL		
	CreatedDate	datetime	8	NOT NULL		(getdate())
	LastUser	varchar(150)	150	NOT NULL		
	LastUpdated	datetime	8	NOT NULL		(getdate())
	DataEntityCompanySK	bigint	8	NOT NULL		

Indexes

Key	Name	Key Columns	Unique
	PK_ERPx_IMTransactionDetailPallet	TransactionDetailPalletSK	True
	IX_ERPx_IMTransactionDetailPallet	TransactionDetailSK, PalletNumber	True

Foreign Keys

Name	Columns
FK_ERPx_IMTransactionDetailPallet_ERPx_IMTransactionDetail	TransactionDetailSK->[dbo].[ERPx_IMTransactionDetail].[TransactionDetailSK]
FK_ERPx_IMTransactionDetailPallet_ERPx_IMUOM	UnitsUOMSK->[dbo].[ERPx_IMUOM].[UOMSK]
FK_ERPx_IMTransactionDetailPallet_ERPx_IMUOM1	WeightUOMSK->[dbo].[ERPx_IMUOM].[UOMSK]
FK_ERPx_IMTransactionDetailPallet_ERPx_MFDataEntityCompany	DataEntityCompanySK->[dbo].[ERPx_MFDataEntityCompany].[DataEntityCompanySK]

Uses

[dbo].[ERPx_IMTransactionDetail]

[dbo].[ERPx_IMUOM]








[dbo].[ERPx_MFDataEntityCompany]







Used By




[dbo].[SPx_IMProcess_AdjustmentTransaction]
[dbo].[SPx_IMProcess_ProductionTransaction]
[dbo].[SPx_IMProcess_ReceiptTransaction]
[dbo].[SPx_IMProcess_TransferTransaction]

 [dbo].[ERPx_IMTransactionHeader]


Columns

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity	Default
	TransactionHeaderSK	bigint	8	NOT NULL	1 - 1	
 (2)	TransactionTypeSK	bigint	8	NOT NULL		
	TransactionClassSK	bigint	8	NULL allowed		
 (2)	TransactionID	varchar(50)	50	NOT NULL		
	TransactionStatusSK	bigint	8	NOT NULL		
	SiteSK	bigint	8	NULL allowed		
	ViaSiteSK	bigint	8	NULL allowed		
	ToSiteSK	bigint	8	NULL allowed		
	TransactionDate	date	3	NOT NULL		
	ShipByDate	datetime	8	NULL allowed		
	DeliverOnDate	date	3	NULL allowed		
	ActualShipDate	datetime	8	NULL allowed		
	CarrierSK	bigint	8	NULL allowed		
	WorkOrderID	varchar(50)	50	NULL allowed		
	VirtualLineID	varchar(50)	50	NULL allowed		
	ProductionLineID	varchar(50)	50	NULL allowed		
	ShiftID	varchar(50)	50	NULL allowed		
	ReasonCodeSK	bigint	8	NULL allowed		
	TransactionUnits	numeric(18,5)	9	NULL allowed		
	TransactionWeight	numeric(18,5)	9	NULL allowed		
	SourceModuleSK	bigint	8	NULL allowed		
	SourceTransactionSK	bigint	8	NULL allowed		
	SourceTransactionID	varchar(50)	50	NULL		

				allowed		
	Truck	varchar(50)	50	NULL allowed		
	Trailer	varchar(50)	50	NULL allowed		
	SealNumber	varchar(100)	100	NULL allowed		
	CrossDockDate	datetime	8	NULL allowed		
	BOL	varchar(100)	100	NULL allowed		
	Waybill	varchar(50)	50	NULL allowed		
	TrackingNumber	varchar(50)	50	NULL allowed		
	CreatedBy	varchar(110)	110	NULL allowed		(getdate())
	CreatedDate	datetime	8	NOT NULL		(getdate())
	LastUpdated	datetime	8	NULL allowed		(getdate())
	LastUser	varchar(110)	110	NULL allowed		
	DataEntityCompanySK	bigint	8	NOT NULL		
	Reference	varchar(100)	100	NULL allowed		
	PONumber	varchar(100)	100	NULL allowed		
	SiteLineSK	bigint	8	NULL allowed		
	SiteShiftSK	bigint	8	NULL allowed		
	AttributeClassSK	bigint	8	NULL allowed		
	SourceSystem	varchar(50)	50	NULL allowed		
	TransferPartEN	bigint	8	NULL allowed		
	AutoCreateLotsEN	bigint	8	NULL allowed		
	NegativeBalancesEN	bigint	8	NULL allowed		
	InputAutoCreateLotsEN	bigint	8	NULL allowed		
	InputNegativeBalancesEN	bigint	8	NULL allowed		
	GLDate	date	3	NULL allowed		
	PriceListHeaderSK	bigint	8	NULL allowed		
	OriginalTransferTransactionHeader-SK	bigint	8	NULL allowed		

	VoidDate	date	3	NULL allowed	
	VoidedBy	varchar(150)	150	NULL allowed	
	CorrectedFromTransactionHeaderSK	bigint	8	NULL allowed	
	IsCorrectionComplete	bit	1	NOT NULL	((0))
	ProductionOrderSK	bigint	8	NULL allowed	
	POHeaderSK	bigint	8	NULL allowed	
	ReceivedFromVendorSK	bigint	8	NULL allowed	
	Description	varchar(150)	150	NULL allowed	
	ReceivedFrom	varchar(250)	250	NULL allowed	
	FreightPOEN	bigint	8	NULL allowed	

Indexes

Key	Name	Key Columns	Unique
	PK_ERPx_INTransactionHeader	TransactionHeaderSK	True
	IX_ERPx_IMTransactionHeader	TransactionTypeSK, TransactionID, TransferPartEN, DataEntityCompanySK	True
	IX_ERPx_IMTransactionHeader_DataEntity-CompanySKTransactionID	DataEntityCompanySK, TransactionID	
	IX_ERPx_IMTransactionHeader_TransactionTypeSK	TransactionTypeSK	

Foreign Keys

Name	Columns
FK_ERPx_IMTransactionHeader_ERPx_APPoHeader	POHeaderSK->[dbo].[ERPx_APPoHeader].[POHeaderSK]
FK_ERPx_IMTransactionHeader_ERPx_IMProductionOrderHeader	ProductionOrderSK->[dbo].[ERPx_IMProductionOrder-Header].[ProductionOrderSK]
FK_ERPx_IMTransactionHeader_ERPx_IMTransactionClass	TransactionClassSK->[dbo].[ERPx_IMTransactionClass].[Transaction-ClassSK]
FK_ERPx_IMTransactionHeader_ERPx_IMTransactionHeader_Correction	CorrectedFromTransactionHeaderSK->[dbo].[ERPx_IMTransaction-Header].[TransactionHeaderSK]
FK_ERPx_IMTransactionHeader_ERPx_IMTransactionStatus	TransactionStatusSK->[dbo].[ERPx_IMTransactionStatus].[Transaction-StatusSK]
FK_ERPx_IMTransactionHeader_ERPx_IMTransactionType	TransactionTypeSK->[dbo].[ERPx_IMTransactionType].[Transaction-TypeSK]
FK_ERPx_IMTransactionHeader_ERPx_MFAttribute-Class	AttributeClassSK->[dbo].[ERPx_MFAttributeClass].[AttributeClassSK]
FK_ERPx_IMTransactionHeader_ERPx_MFData-EntityCompany	DataEntityCompanySK->[dbo].[ERPx_MFDataEntityCompany].[Data-EntityCompanySK]

FK_ERPx_IMTransactionHeader_ERPx_MFNoteTypeReasonCode	ReasonCodeSK->[dbo].[ERPx_MFNoteTypeReasonCode].[ReasonCodeSK]
FK_ERPx_IMTransactionHeader_ERPx_MFPriceListHeader	PriceListHeaderSK->[dbo].[ERPx_MFPriceListHeader].[PriceListHeaderSK]
FK_ERPx_IMTransactionHeader_ERPx_MFSite	SiteSK->[dbo].[ERPx_MFSite].[SiteSK]
FK_ERPx_IMTransactionHeader_ERPx_MFSiteLine	SiteLineSK->[dbo].[ERPx_MFSiteLine].[SiteLineSK]
FK_ERPx_IMTransactionHeader_ERPx_MFSiteShift	SiteShiftSK->[dbo].[ERPx_MFSiteShift].[SiteShiftSK]

Uses

[dbo].[ERPx_APPoHeader]
[dbo].[ERPx_IMProductionOrderHeader]
[dbo].[ERPx_IMTransactionClass]
[dbo].[ERPx_IMTransactionStatus]
[dbo].[ERPx_IMTransactionType]
[dbo].[ERPx_MFAttributeClass]
[dbo].[ERPx_MFDataEntityCompany]
[dbo].[ERPx_MFNoteTypeReasonCode]
[dbo].[ERPx_MFPriceListHeader]
[dbo].[ERPx_MFSite]
[dbo].[ERPx_MFSiteLine]
[dbo].[ERPx_MFSiteShift]





Used By

[dbo].[ERPx_APTransactionHeader]
[dbo].[ERPx_IMCycleCountTransactionLog]
[dbo].[ERPx_IMLotCostPostingLog]
[dbo].[ERPx_IMTransactionAttributes]
[dbo].[ERPx_IMTransactionDetail]
[dbo].[ERPx_IMTransactionHeaderNote]
[dbo].[ERPx_MFAttribute_IMTransactionHeader]
[dbo].[FNx_GetDynamicRecordViewURL]
[dbo].[FNx_GetProductionOrderPlannedAndActuals]
[dbo].[FNx_GetTransactionAccounts]
[dbo].[FNx_GetTransactionAmounts]
[dbo].[FNx_GetTransactionRecordViewURL]
[dbo].[FNx_GetUnpostedBalances]
[dbo].[FNx_IMInventoryBalances]
[dbo].[FNx_IMInventoryTransactionDetail]
[dbo].[FNx_LMLoadLegFreightWeightDetails]
[dbo].[FNx_LMLoadWeightDetails]
[dbo].[IQx_APSEL_POLinkedItems]
[dbo].[IQx_APSEL_POLinkedTransactions]
[dbo].[IQx_ContainerDetails]
[dbo].[IQx_IMSEL_ItemHistory]
[dbo].[IQx_IMSEL_LotHistory]
[dbo].[IQx_IMSEL_ProductionOrderItemHistory]
[dbo].[SPx_APPProcess_PurchaseOrder]
[dbo].[SPx_APSEL_POHeader]
[dbo].[SPx_APSEL_POVendorTransactionSummary]


[dbo].[SPx_APSEL_PurchaseOrder_Summary]
[dbo].[SPx_APSEL_TransactionHeaderProperties]
[dbo].[SPx_APUUpdate_MassUpdatePO]
[dbo].[SPx_APUUpdate_PurchaseOrderList]
[dbo].[SPx_GLSEL_JournalDetailDetailLine]
[dbo].[SPx_GLSEL_JournalDetailEntryLine]
[dbo].[SPx_GLSEL_JournalDetailHeader]
[dbo].[SPx_GLUUpdate_FiscalYear]
[dbo].[SPx_GLUUpdate_FiscalYearList]
[dbo].[SPx_HistoricalInventoryBalance]
[dbo].[SPx_IMINS_TransactionHeader]
[dbo].[SPx_IMProcess_AdjustmentTransaction]
[dbo].[SPx_IMProcess_CorrectTransaction]
[dbo].[SPx_IMProcess_PostLotCosts]
[dbo].[SPx_IMProcess_ProductionLot]
[dbo].[SPx_IMProcess_ProductionOrder]
[dbo].[SPx_IMProcess_ProductionTransaction]
[dbo].[SPx_IMProcess_Receipt_PurchaseOrder]
[dbo].[SPx_IMProcess_ReceiptTransaction]
[dbo].[SPx_IMProcess_TransactionClass]
[dbo].[SPx_IMProcess_Transfer_PurchaseOrder]
[dbo].[SPx_IMProcess_TransferTransaction]
[dbo].[SPx_IMProcess_UpdateLotCostsFromPO]
[dbo].[SPx_IMSEL_Adjustment_HeaderProperties]
[dbo].[SPx_IMSEL_Adjustment_TransactionItemDataLookup]
[dbo].[SPx_IMSEL_AllocationAndCommitment]
[dbo].[SPx_IMSEL_CarrierLookup]
[dbo].[SPx_IMSEL_CostHistoryInquiry]
[dbo].[SPx_IMSEL_CycleCountList]
[dbo].[SPx_IMSEL_FindLotDetails]
[dbo].[SPx_IMSEL_FindLots]
[dbo].[SPx_IMSEL_GetLotBalance]
[dbo].[SPx_IMSEL_GetProductionOrderPlannedAndActuals]
[dbo].[SPx_IMSEL_InTransitSiteLookup]
[dbo].[SPx_IMSEL_OrderNotesList]
[dbo].[SPx_IMSEL_Production_HeaderProperties]
[dbo].[SPx_IMSEL_Production_TransactionDetailNew]
[dbo].[SPx_IMSEL_Production_TransactionItemDataLookup]
[dbo].[SPx_IMSEL_ProductionInput_TransactionDetailNew]
[dbo].[SPx_IMSEL_ProductionOrderDetailList]
[dbo].[SPx_IMSEL_ProductionOrderHeader]
[dbo].[SPx_IMSEL_ProductionOrderLookup]
[dbo].[SPx_IMSEL_Receipt_POLineNumberLookup]
[dbo].[SPx_IMSEL_Receipt_PORecordLookupDetail]
[dbo].[SPx_IMSEL_Receipt_TransactionItemDataLookup]
[dbo].[SPx_IMSEL_SiteLookup]
[dbo].[SPx_IMSEL_TransactionDetailAdjustment]
[dbo].[SPx_IMSEL_TransactionDetailNew]
[dbo].[SPx_IMSEL_TransactionDetailProduction]
[dbo].[SPx_IMSEL_TransactionDetailReceipt]
[dbo].[SPx_IMSEL_TransactionDetailSiteLineLookup]
[dbo].[SPx_IMSEL_TransactionDetailSiteShiftLookup]
[dbo].[SPx_IMSEL_TransactionDetailTransfer]

[dbo].[SPx_IMSEL_TransactionHeaderAdjustment]
[dbo].[SPx_IMSEL_TransactionHeaderAttributeList]
[dbo].[SPx_IMSEL_TransactionHeaderProduction]
[dbo].[SPx_IMSEL_TransactionHeaderProperties]
[dbo].[SPx_IMSEL_TransactionHeaderReceipt]
[dbo].[SPx_IMSEL_TransactionHeaderTransfer]
[dbo].[SPx_IMSEL_TransactionItemDataLookup]
[dbo].[SPx_IMSEL_TransactionList]
[dbo].[SPx_IMSEL_TransactionMoreActionsTransfers]
[dbo].[SPx_IMSEL_TransactionSiteLineLookup]
[dbo].[SPx_IMSEL_TransactionSiteShiftLookup]
[dbo].[SPx_IMSEL_TransactionStatusLookup]
[dbo].[SPx_IMSEL_Transfer_HeaderProperties]
[dbo].[SPx_IMSEL_Transfer_TransactionItemDataLookup]
[dbo].[SPx_IMSEL_TransferPriceListLookup]
[dbo].[SPx_IMUpdate_CheckForLots]
[dbo].[SPx_IMUpdate_CleanUpLots]
[dbo].[SPx_IMUpdate_FindLots]
[dbo].[SPx_IMUpdate_RecalculateLotBalance]
[dbo].[SPx_IMUpdate_TransactionList]
[dbo].[SPx_IMUpdate_TransactionMoreActions]
[dbo].[SPx_IMUpdate_TransactionSOShipmentReturn]
[dbo].[SPx_INTEG_BWIMInventoryTrans]
[dbo].[SPx_INTEG_GPIMTransaction]
[dbo].[SPx_INTEG_NSIMInventoryTrans]
[dbo].[SPx_LMINS_LoadBuilder]
[dbo].[SPx_LMPProcess_MFShipment]
[dbo].[SPx_LMSEL_CalculateLoadTransactionLegDetails]
[dbo].[SPx_LMSEL_MFShipmentLegList_NewRow]
[dbo].[SPx_LMUpdate_LoadTransactionFreight]
[dbo].[SPx_MFDEL_DeleteCompany]
[dbo].[SPx_MFINSUPDDEL_Site_XML]
[dbo].[SPx_MFManage_NoteAssignment]
[dbo].[SPx_MFProcess_Carrier]
[dbo].[SPx_MFSEL_NoteList]
[dbo].[SPx_MFUpdate_JournalDetails]
[dbo].[SPx_MFUpdate_MassUpdate]
[dbo].[SPx_MFUpdate_PriceList]
[dbo].[SPx_MFUpdate_PriceListList]
[dbo].[SPx_MFUpdate_RecordLookup]
[dbo].[SPx_MFUpdate_Site]
[dbo].[SPx_MFUpdate_Site_AddDefaultWarehouseLot]
[dbo].[VWx_IMTransactionHistory]
[dbo].[VWx_LotBalances]
[dbo].[VWx_MFAllocateLotBalance]
[hist].[SPx_IMRollup]

[dbo].[ERPx_IMTransactionHeaderNote]**Columns**

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity	Default
	HeaderNoteSK	bigint	8	NOT NULL	1 - 1	
	TransactionHeaderSK	bigint	8	NOT NULL		
	NoteTypeSK	bigint	8	NOT NULL		
	Note	varchar(2000)	2000	NULL allowed		
	NoteHTML	varchar(max)	max	NULL allowed		
	LastUpdated	datetime	8	NULL allowed		(getdate())
	LastUser	varchar(110)	110	NULL allowed		
	DataEntityCompanySK	bigint	8	NOT NULL		

Indexes

Key	Name	Key Columns	Unique
	PK_ERPx_IMTransactionHeaderNote	HeaderNoteSK	True
	UK_ERPx_IMTransactionHeaderNote_1	TransactionHeaderSK, NoteTypeSK, DataEntityCompanySK	True

Foreign Keys

Name	Columns
FK_ERPx_IMTransactionHeaderNote_ERPx_IMTransactionHeader	TransactionHeaderSK->[dbo].[ERPx_IMTransactionHeader].[TransactionHeaderSK]
FK_ERPx_IMTransactionHeaderNote_ERPx_MFNoteType	NoteTypeSK->[dbo].[ERPx_MFNoteType].[NoteTypeSK]

Uses

[dbo].[ERPx_IMTransactionHeader]
 [dbo].[ERPx_MFNoteType]





Used By

[dbo].[SPx_IMProcess_AdjustmentTransaction]
 [dbo].[SPx_IMProcess_ProductionTransaction]
 [dbo].[SPx_IMProcess_ReceiptTransaction]
 [dbo].[SPx_IMProcess_TransferTransaction]
 [dbo].[SPx_IMSEL_OrderNotesList]
 [dbo].[SPx_IMUpdate_TransactionMoreActions]
 [dbo].[SPx_IMUPDINS_TransactionNotes]

[dbo].[SPx_MFDEL_DeleteCompany]
[dbo].[SPx_MFManage_NoteAssignment]
[dbo].[SPx_MFSEL_NoteList]

[dbo].[ERPx_IMTransactionHeaderProperty]

Columns

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity	Default
	TransactionHeaderPropertySK	bigint	8	NOT NULL	1 - 1	
	PropertyGroupDescription	varchar(200)	200	NULL allowed		
	PropertyName	varchar(50)	50	NOT NULL		
	PropertyDescription	varchar(200)	200	NOT NULL		
	PropertyDefinitionSK	bigint	8	NULL allowed		
	Sort	bigint	8	NOT NULL		
	LastUpdated	datetime	8	NOT NULL		(getdate())
	LastUser	varchar(150)	150	NOT NULL		
	DataEntityCompanySK	bigint	8	NOT NULL		
	IsReadOnly	bit	1	NOT NULL		((0))
	TabLocation	varchar(50)	50	NOT NULL		('Properties')
	MaxLengthOrDecimals	bigint	8	NULL allowed		
	TransactionTypeSK	bigint	8	NOT NULL		

Indexes

Key	Name	Key Columns	Unique
	PK_ERPx_IMTransactionHeaderProperty	TransactionHeaderPropertySK	True

Foreign Keys

Name	Columns
FK_ERPx_IMTransactionHeaderProperty_ERPx_IMTransactionType	TransactionTypeSK->[dbo].[ERPx_IMTransactionType].[TransactionTypeSK]
FK_ERPx_IMTransactionHeaderProperty_ERPx_MFDataEntityCompany	DataEntityCompanySK->[dbo].[ERPx_MFDataEntityCompany].[DataEntityCompanySK]
FK_ERPx_IMTransactionHeaderProperty_ERPx_MFPropertyDefinition	PropertyDefinitionSK->[dbo].[ERPx_MFPropertyDefinition].[PropertyDefinitionSK]






Uses

[dbo].[ERPx_IMTransactionType]
 [dbo].[ERPx_MFDataEntityCompany]
 [dbo].[ERPx_MFPropertyDefinition]

Used By

[dbo].[SPx_IMSEL_Adjustment_HeaderProperties]
[dbo].[SPx_IMSEL_Production_HeaderProperties]
[dbo].[SPx_IMSEL_TransactionHeaderProperties]
[dbo].[SPx_IMSEL_Transfer_HeaderProperties]

[dbo].[ERPx_IMTransactionMoreActionsCriteria]**Columns**

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity
	MoreActionsSK	bigint	8	NOT NULL	1 - 1
	TransactionTypeSK	bigint	8	NOT NULL	
	MFTtransactionMoreActionsEN	bigint	8	NOT NULL	
	DateFrom	datetime	8	NULL allowed	
	DateTo	datetime	8	NULL allowed	
	GLAccrualDate	datetime	8	NULL allowed	
	SiteSK	bigint	8	NOT NULL	
	TransactionID	varchar(50)	50	NULL allowed	
	UserSK	bigint	8	NOT NULL	
	DataEntityCompanySK	bigint	8	NOT NULL	
	TransactionsToVoidCorrect	bigint	8	NULL allowed	
	TransactionsProcessed	bigint	8	NULL allowed	
	ValidatedTransactionHeaders	xml	max	NULL allowed	
	OverrideNegativeBalancesEN	int	4	NULL allowed	

Indexes

Key	Name	Key Columns	Unique
	PK_ERPx_IMTransactionMoreActionsCriteria	MoreActionsSK	True

Foreign Keys

Name	Columns
FK_ERPx_IMTransactionMoreActionsCriteria_ERPx_IMTransactionType_TransactionTypeSK	TransactionTypeSK->[dbo].[ERPx_IMTransactionType].[TransactionTypeSK]
FK_ERPx_IMTransactionMoreActionsCriteria_ERPx_MFDataEntityCompanySK_DataEntityCompanySK	DataEntityCompanySK->[dbo].[ERPx_MFDataEntityCompany].[DataEntityCompanySK]
FK_ERPx_IMTransactionMoreActionsCriteria_ERPx_MFSite_SiteSK	SiteSK->[dbo].[ERPx_MFSite].[SiteSK]
FK_ERPx_IMTransactionMoreActionsCriteria_ERPx_MFUser_UserSK	UserSK->[dbo].[ERPx_MFUser].[UserSk]

Uses

[dbo].[ERPx_IMTransactionType]

[dbo].[ERPx_MFDataEntityCompany]

[dbo].[ERPx_MFSite]

[dbo].[ERPx_MFUser]

Used By

[dbo].[SPx_IMSEL_TransactionList]

[dbo].[SPx_IMSEL_TransactionMoreActionsCriteria]


[dbo].[SPx_IMSEL_TransactionMoreActionsTransfers]

[dbo].[SPx_IMUpdate_TransactionMoreActions]

[dbo].[SPx_MFINSUPDEL_Site_XML]

[dbo].[SPx_MFUpdate_Site]

[dbo].[ERPx_IMTransactionStatus]**Columns**

Key	Name	Data Type	Max Length (Bytes)	Nullability
	TransactionStatusSK	bigint	8	NOT NULL
	TransactionStatusName	varchar(25)	25	NOT NULL
	Sort	bigint	8	NOT NULL


Indexes

Key	Name	Key Columns	Unique
	PK_ERPx_IMTransactionStatus	TransactionStatusSK	True

Used By

[dbo].[ERPx_CPTTransactionClass]
 [dbo].[ERPx_IMCycleCountFilter]
 [dbo].[ERPx_IMTransactionHeader]
 [dbo].[FNx_IMInventoryTransactionDetail]
 [dbo].[IQx_APSEL_POLinkedItems]
 [dbo].[IQx_APSEL_POLinkedTransactions]
 [dbo].[IQx_IMSEL_ItemHistory]
 [dbo].[SPx_CPSEL_TransactionClassList]
 [dbo].[SPx_CPSEL_TransactionClassProperties]
 [dbo].[SPx_IMSEL_AllocationAndCommitment]
 [dbo].[SPx_IMSEL_ProcessAdjustmentAsLookup]
 [dbo].[SPx_IMSEL_TransactionHeaderAdjustment]
 [dbo].[SPx_IMSEL_TransactionHeaderReceipt]
 [dbo].[SPx_IMSEL_TransactionHeaderTransfer]
 [dbo].[SPx_IMSEL_TransactionList]
 [dbo].[SPx_IMSEL_TransactionStatusLookup]
 [dbo].[SPx_IMUpdate_TransactionList]
 [dbo].[SPx_INTEG_BWIMInventoryTrans]
 [dbo].[SPx_INTEG_NSIMInventoryTrans]
 [dbo].[SPx_INTEG_UpdatePostedInventoryTransactionsFromGP]
 [dbo].[SPx_MFDEL_DeleteCompany]
 [dbo].[VWx_IMTransactionHistory]
 [hist].[SPx_IMRollup]

[dbo].[ERPx_IMTransactionType]**Columns**

Key	Name	Data Type	Computed	Max Length (Bytes)	Nullability	Default
	TransactionTypeSK	bigint		8	NOT NULL	
	TransactionTypeID	varchar(50)		50	NOT NULL	
	TransactionTypeDescription	varchar(200)		200	NOT NULL	
	IntegratesToHostAs	varchar(25)		25	NULL allowed	
	VisibleInInterface	bit		1	NOT NULL	((1))
	EffectOnInventory	numeric(18,5)		9	NULL allowed	
	DetailDescription	varchar(200)		200	NULL allowed	
	TransactionTypeSort	varchar(215)	True	215	NULL allowed	

Computed columns

Name	Column definition
TransactionTypeSort	(case [TransactionTypeSK] when (9) then '01: '+[TransactionTypeDescription] when (8) then '02: Production '+[TransactionTypeDescription] when (1) then ('03: '+[TransactionTypeDescription]++) ' Output' when (3) then '04: Transfer Outbound (1 Part)' when (4) then '05: Transfer Receipt (1 Part)' when (11) then '08: '+[TransactionTypeDescription] when (12) then '09: '+[TransactionTypeDescription] when (2) then '10: '+[TransactionTypeDescription] end)


Indexes

Key	Name	Key Columns	Unique
	PK_ERPx_IMTransactionType	TransactionTypeSK	True




Used By

[dbo].[ERPx_IMProductionOrderDetail]
 [dbo].[ERPx_IMTemplateHeader]
 [dbo].[ERPx_IMTransactionClassProperty]
 [dbo].[ERPx_IMTransactionDetail]
 [dbo].[ERPx_IMTransactionHeader]
 [dbo].[ERPx_IMTransactionHeaderProperty]
 [dbo].[ERPx_IMTransactionMoreActionsCriteria]
 [dbo].[ERPx_IMTransactionTypeDocument]
 [dbo].[FNx_GetDynamicRecordViewURL]
 [dbo].[FNx_GetTransactionRecordViewURL]
 [dbo].[FNx_IMInventoryTransactionDetail]
 [dbo].[IQx_APSEL_POLinkedItems]
 [dbo].[IQx_APSEL_POLinkedTransactions]

[dbo].[IQx_ContainerDetails]
[dbo].[IQx_IMSEL_ItemHistory]
[dbo].[IQx_IMSEL_LotHistory]
[dbo].[SPx_APSEL_POHeader]
[dbo].[SPx_HistoricalInventoryBalance]
[dbo].[SPx_IMINS_TransactionHeader]
[dbo].[SPx_IMProcess_AdjustmentTransaction]
[dbo].[SPx_IMProcess_PostLotCosts]
[dbo].[SPx_IMProcess_ProductionOrder]
[dbo].[SPx_IMProcess_ProductionTransaction]
[dbo].[SPx_IMProcess_ReceiptTransaction]
[dbo].[SPx_IMProcess_TransactionClass]
[dbo].[SPx_IMProcess_TransferTransaction]
[dbo].[SPx_IMSEL_AllocationAndCommitment]
[dbo].[SPx_IMSEL_ContainerDetails_TransactionClassLookup]
[dbo].[SPx_IMSEL_FindLotDetails]
[dbo].[SPx_IMSEL_GetLotBalance]
[dbo].[SPx_IMSEL_InquiryCriteriaTransactionTypeLookup]
[dbo].[SPx_IMSEL_LotHistory_TransactionClassLookup]
[dbo].[SPx_IMSEL_ProductionOrderDetail]
[dbo].[SPx_IMSEL_ProductionOrderListViewNewButtonLookup]
[dbo].[SPx_IMSEL_TransactionClass_Property]
[dbo].[SPx_IMSEL_TransactionClassHeader]
[dbo].[SPx_IMSEL_TransactionClassList]
[dbo].[SPx_IMSEL_TransactionHeaderAdjustment]
[dbo].[SPx_IMSEL_TransactionHeaderProduction]
[dbo].[SPx_IMSEL_TransactionHeaderReceipt]
[dbo].[SPx_IMSEL_TransactionHeaderTransfer]
[dbo].[SPx_IMSEL_TransactionList]
[dbo].[SPx_IMSEL_TransactionMoreActionsCriteria]
[dbo].[SPx_IMSEL_TransactionMoreActionsCriteriaTypeLookup]
[dbo].[SPx_IMSEL_TransactionTypeLookup]
[dbo].[SPx_IMUpdate_RecalculateLotBalance]
[dbo].[SPx_IMUpdate_TransactionSOShipmentReturn]
[dbo].[SPx_INTEG_BWIMInventoryTrans]
[dbo].[SPx_INTEG_GPIMTransaction]
[dbo].[SPx_INTEG_NSIMInventoryTrans]
[dbo].[SPx_MFDEL_DeleteCompany]
[dbo].[SPx_MFINS_AttributeClass]
[dbo].[SPx_MFINSUPDDEL_Site_XML]
[dbo].[SPx_MFSEL_ClassLookupByForm]
[dbo].[SPx_MFSEL_ListViewNewButtonLookup]
[dbo].[SPx_MFSEL_RecordViewNewButtonLookup]
[dbo].[SPx_MFUpdate_JournalDetails]
[dbo].[SPx_MFUpdate_Site]
[dbo].[SPx_WKSEL_ModuleTransactionList]
[dbo].[SPx_WKSEL_WorkflowGroup]
[dbo].[SPx_WKSEL_WorkFlows]
[dbo].[VWx_IMTransactionHistory]
[dbo].[VWx_MFSysAccountingRule]
[hist].[SPx_IMRollup]

 [dbo].[ERPx_IMTransactionTypeDocument]

Columns

Key	Name	Data Type	Max Length (Bytes)	Nullability
 PK	TransactionTypeSK	bigint	8	NOT NULL
 PK	DocumentID	varchar(5)	5	NOT NULL
	DocumentPrefix	varchar(5)	5	NULL allowed
	NextDocNumber	bigint	8	NOT NULL
	DocumentLogoLocation	varchar(500)	500	NULL allowed
 PK	DataEntityCompanySK	bigint	8	NOT NULL

Indexes

Key	Name	Key Columns	Unique
 PK	PK_ERPx_IMTransactionTypeDocument	TransactionTypeSK, DocumentID, DataEntityCompanySK	True

Foreign Keys

Name	Columns
FK_ERPx_IMTransactionTypeDocument_ERPx_IMTransactionType	TransactionTypeSK->[dbo].[ERPx_IMTransactionType].[TransactionTypeSK]




Uses

[dbo].[ERPx_IMTransactionType]


Used By

[dbo].[SPx_IMINS_TransactionHeader]
 [dbo].[SPx_IMUPD_IncrementTransactionID]
 [dbo].[SPx_MFDEL_DeleteCompany]

[dbo].[ERPx_IMUOM]**Columns**

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity	Default
	UOMSK	bigint	8	NOT NULL	1 - 1	
	HostSystemLink	varchar(100)	100	NULL allowed		
	UOMID	varchar(10)	10	NOT NULL		
	UOMName	varchar(25)	25	NOT NULL		
	UOMTypeSK	bigint	8	NOT NULL		
	DataEntityCompanySK	bigint	8	NOT NULL		
	IsInactive	bit	1	NOT NULL		((0))
	IsSystemUOM	bit	1	NOT NULL		((0))
	LastUpdated	datetime	8	NULL allowed		
	LastUser	varchar(150)	150	NULL allowed		

Indexes

Key	Name	Key Columns	Unique
	PK_ERPx_UOM	UOMSK	True
	IX_ERPx_IMUOM	UOMID, DataEntityCompanySK	True

Used By

[dbo].[ERPx_APDeliveryTicketLine]
 [dbo].[ERPx_APDeliveryTicketLineProgram]
 [dbo].[ERPx_APProgram]
 [dbo].[ERPx_APTransactionLine]
 [dbo].[ERPx_ARTransactionLine]
 [dbo].[ERPx_CPAccrualCrop]
 [dbo].[ERPx_CPAccrualItem]
 [dbo].[ERPx_CPChargeCrop]
 [dbo].[ERPx_CPChargeItem]
 [dbo].[ERPx_CPTicketHeader]
 [dbo].[ERPx_IMItem]
 [dbo].[ERPx_IMLotBalance]
 [dbo].[ERPx_IMLotCostPostingLog]
 [dbo].[ERPx_IMProductionOrderDetail]
 [dbo].[ERPx_IMTransactionClass]
 [dbo].[ERPx_IMTransactionDetail]
 [dbo].[ERPx_IMTransactionDetailPallet]
 [dbo].[ERPx_IMUOMConversion]
 [dbo].[ERPx_IMUOMScheduleConversionValue]

[dbo].[ERPx_LMLoadHeader]
[dbo].[ERPx_LMLoadTransactionLeg]
[dbo].[ERPx_SOOrderItem]
[dbo].[ERPx_SOOrderItemLot]
[dbo].[FNx_CalcSOItemPrice]
[dbo].[FNx_GetItemConversionData]
[dbo].[FNx_GetProductionOrderPlannedAndActuals]
[dbo].[FNx_LMLoadLegFreightWeightDetails]
[dbo].[FNx_LMLoadWeightDetails]
[dbo].[IQx_APSEL_AdjustmentLineList]
[dbo].[IQx_APSEL_APTransactionDetail]
[dbo].[IQx_APSEL_BalanceTransferLineList]
[dbo].[IQx_APSEL_InvoiceLineList]
[dbo].[IQx_APSEL_POLineList]
[dbo].[IQx_APSEL_POLinkedItems]
[dbo].[IQx_APSEL_SaleLineList]
[dbo].[IQx_APSEL_TicketLineList]
[dbo].[IQx_APSEL_TicketStatAreaLineList]
[dbo].[IQx_ARSEL_SaleInvoiceLineList]
[dbo].[IQx_ARSEL_TransactionDetail]
[dbo].[IQx_IMSEL_InventoryAsOf]
[dbo].[IQx_IMSEL_ItemHistory]
[dbo].[IQx_IMSEL_LotHistory]
[dbo].[IQx_IMSEL_ProductionOrderHistory]
[dbo].[IQx_IMSEL_ProductionOrderItemHistory]
[dbo].[IQx_MFSEL_PriceListHistory]
[dbo].[IQx_SOSEL_ItemHistory]
[dbo].[SPx_APPProcess_PurchaseOrder]
[dbo].[SPx_APPProcess_Transaction]
[dbo].[SPx_APSEL_APTransaction_ItemDefaultLookup]
[dbo].[SPx_APSEL_APTransaction_Line]
[dbo].[SPx_APSEL_APTransaction_POLineDefaultLookup]
[dbo].[SPx_APSEL_APTransaction_UOMLookupByItem]
[dbo].[SPx_APSEL_DefaultFishingUOMIDLookup]
[dbo].[SPx_APSEL_DefaultInvoiceCreditMemoPurchaseOrderUOMIDLookup]
[dbo].[SPx_APSEL_DeliveryTicketLine]
[dbo].[SPx_APSEL_DeliveryTicketLinePriceUOMLookup]
[dbo].[SPx_APSEL_DeliveryTicketLineUnitsUOMLookup]
[dbo].[SPx_APSEL_DeliveryTicketLineWeightUOMLookup]
[dbo].[SPx_APSEL_DeliveryTicketPremium]
[dbo].[SPx_APSEL_DeliveryTicketRepricePremiumList]
[dbo].[SPx_APSEL_DeliveryTicketSplitLine]
[dbo].[SPx_APSEL_DeliveryTicketTax]
[dbo].[SPx_APSEL_FishermanSaleLineList]
[dbo].[SPx_APSEL_InvoiceLineList]
[dbo].[SPx_APSEL_POLine]
[dbo].[SPx_APSEL_POLineList]
[dbo].[SPx_APSEL_ProgramPremiumProperties]
[dbo].[SPx_APSEL_ProgramTaxProperties]
[dbo].[SPx_APSEL_PurchaseOrder_ItemDefaultLookup]
[dbo].[SPx_APSEL_PurchaseOrder_Summary]
[dbo].[SPx_APSEL_PurchaseOrder_UOMLookup]
[dbo].[SPx_APSEL_PurchaseOrder_UOMLookupByItem]

[dbo].[SPx_APSEL_PurchaseOrder_UOMQuantityDecimalLookup]
[dbo].[SPx_APSEL_TicketLinelist]
[dbo].[SPx_APSEL_TransactionLine]
[dbo].[SPx_APSEL_TransactionUOMLookup]
[dbo].[SPx_APUpdate_TransactionPayment]
[dbo].[SPx_ARSEL_CustomerFavoriteList]
[dbo].[SPx_ARSEL_FavoriteItemLookup]
[dbo].[SPx_ARSEL_SaleInvoiceLineList]
[dbo].[SPx_ARSEL_TransactionLine]
[dbo].[SPx_ARSEL_TransactionUOMLookup]
[dbo].[SPx_CPPProcess_CreateAPTtransaction]
[dbo].[SPx_CPSEL_AccrualCrop]
[dbo].[SPx_CPSEL_AccrualItem]
[dbo].[SPx_CPSEL_AccrualList]
[dbo].[SPx_CPSEL_AccrualProperties]
[dbo].[SPx_CPSEL_ChargeCrop]
[dbo].[SPx_CPSEL_ChargeItem]
[dbo].[SPx_CPSEL_ChargeList]
[dbo].[SPx_CPSEL_ChargeProperties]
[dbo].[SPx_CPSEL_GetTicketHeaders]
[dbo].[SPx_CPSEL_GetTicketLines]
[dbo].[SPx_CPSEL_PriceListAccrualList]
[dbo].[SPx_CPSEL_PriceListChargeList]
[dbo].[SPx_CPSEL_PriceListItemList]
[dbo].[SPx_CPSEL_PriceListMassUpdateItemPrices]
[dbo].[SPx_CPSEL_TicketAccrualsList]
[dbo].[SPx_CPSEL_TicketChargesAndAccrualsList]
[dbo].[SPx_CPSEL_TicketChargesList]
[dbo].[SPx_CPSEL_TicketItemList]
[dbo].[SPx_CPSEL_TicketItemNew]
[dbo].[SPx_CPSEL_TicketRepriceAccrualLookup]
[dbo].[SPx_CPSEL_TicketRepriceChargeLookup]
[dbo].[SPx_CPSEL_TicketRepriceItemLookup]
[dbo].[SPx_CPSEL_UOMLookup]
[dbo].[SPx_CPUPD_PriceListMassUpdateItemPrices]
[dbo].[SPx_FASEL_PremiumList]
[dbo].[SPx_FASEL_TaxList]
[dbo].[SPx_HistoricalInventoryBalance]
[dbo].[SPx_IMDEL_UOM]
[dbo].[SPx_IMINSUPD_UOM]
[dbo].[SPx_IMINSUPD_UOMSchedule]
[dbo].[SPx_IMINSUPD_UOMScheduleConversionValueSync]
[dbo].[SPx_IMPProcess_AdjustmentTransaction]
[dbo].[SPx_IMPProcess_Item]
[dbo].[SPx_IMPProcess_PostLotCosts]
[dbo].[SPx_IMPProcess_ProductionTransaction]
[dbo].[SPx_IMPProcess_Receipt_PurchaseOrder]
[dbo].[SPx_IMPProcess_ReceiptTransaction]
[dbo].[SPx_IMPProcess_Transfer_PurchaseOrder]
[dbo].[SPx_IMPProcess_TransferTransaction]
[dbo].[SPx_IMSEL_Adjustment_TransactionItemDataLookup]
[dbo].[SPx_IMSEL_AllocationAndCommitment]
[dbo].[SPx_IMSEL_CostHistoryInquiry]





[dbo].[SPx_IMSEL_CycleCountList]
[dbo].[SPx_IMSEL_FindLotDetails]
[dbo].[SPx_IMSEL_GetLotBalance]
[dbo].[SPx_IMSEL_GetProductionOrderPlannedAndActuals]
[dbo].[SPx_IMSEL_Item]
[dbo].[SPx_IMSEL_ItemBalance]
[dbo].[SPx_IMSEL_ItemData]
[dbo].[SPx_IMSEL_ItemLookup]
[dbo].[SPx_IMSEL_ItemProperties]
[dbo].[SPx_IMSEL_ItemPropertiesAdvanced]
[dbo].[SPx_IMSEL_ItemUOMData]
[dbo].[SPx_IMSEL_LotBalance]
[dbo].[SPx_IMSEL_PriceUOMOption]
[dbo].[SPx_IMSEL_Production_TransactionItemDataLookup]
[dbo].[SPx_IMSEL_ProductionOrderDetail]
[dbo].[SPx_IMSEL_ProductionOrderDetailList]
[dbo].[SPx_IMSEL_ProductionOrderHeader]
[dbo].[SPx_IMSEL_ProductionOrderItemLookup]
[dbo].[SPx_IMSEL_ProductionOrderList]
[dbo].[SPx_IMSEL_ProductionOrderPropertiesList]
[dbo].[SPx_IMSEL_PropertyUOMLookup]
[dbo].[SPx_IMSEL_Receipt_POLineDefaultLookup]
[dbo].[SPx_IMSEL_Receipt_TransactionItemDataLookup]
[dbo].[SPx_IMSEL_TransactionClass_Property]
[dbo].[SPx_IMSEL_TransactionDetailAdjustment]
[dbo].[SPx_IMSEL_TransactionDetailProduction]
[dbo].[SPx_IMSEL_TransactionDetailReceipt]
[dbo].[SPx_IMSEL_TransactionDetailTransfer]
[dbo].[SPx_IMSEL_TransactionItemDataLookup]
[dbo].[SPx_IMSEL_TransactionItemDefaults]
[dbo].[SPx_IMSEL_TransactionUOMLookupByItem]
[dbo].[SPx_IMSEL_Transfer_TransactionItemDataLookup]
[dbo].[SPx_IMSEL_UOMConversionList]
[dbo].[SPx_IMSEL_UOMConversionLookupByItem]
[dbo].[SPx_IMSEL_UOMList]
[dbo].[SPx_IMSEL_UOMLookup]
[dbo].[SPx_IMSEL_UOMLookupByItem]
[dbo].[SPx_IMSEL_UOMScheduleConversionList]
[dbo].[SPx_IMSEL_UOMScheduleUOMList]
[dbo].[SPx_IMSEL_UpdateCostList]
[dbo].[SPx_IMUPD_IMUOM]
[dbo].[SPx_IMUPD_UOMScheduleConversion]
[dbo].[SPx_IMUPD_UOMScheduleUOMList]
[dbo].[SPx_IMUpdate_CheckForLots]
[dbo].[SPx_IMUpdate_RecalculateLotBalance]
[dbo].[SPx_INTEG_GPIMTransaction]
[dbo].[SPx_INTEG_GPIMUOMSchedule]
[dbo].[SPx_INTEG_GPIMUOMScheduleConversionOutbound]
[dbo].[SPx_INTEG_GPItem]
[dbo].[SPx_INTEG_GPSOInvoice]
[dbo].[SPx_INTEG_GPSOItem]
[dbo].[SPx_INTEG_NSAPInvoiceAndCreditMemo]
[dbo].[SPx_INTEG_NSIMInventoryTrans]

[dbo].[SPx_LMINS_LoadBuilder]
[dbo].[SPx_LMINS_NewLoad]
[dbo].[SPx_LMSEL_CalculateLoadTransactionLegDetails]
[dbo].[SPx_LMSEL_LoadList]
[dbo].[SPx_LMSEL_LoadRecordLoadPlanFreightCost]
[dbo].[SPx_LMSEL_LoadRecordOrderFreightCostList]
[dbo].[SPx_LMSEL_LoadRecordOrderItems]
[dbo].[SPx_LMSEL_LoadRecordOrders]
[dbo].[SPx_LMSEL_LoadRecordUOMLookup]
[dbo].[SPx_LMSEL_MFShipmentHeader_OrderWeightUOMLookup]
[dbo].[SPx_LMSEL_MFShipmentLegList_FreightRateUOMLookup]
[dbo].[SPx_LMSEL_MFShipmentLegList_NewRow]
[dbo].[SPx_LMSEL_UOMLookup]
[dbo].[SPx_LMUpdate_Load]
[dbo].[SPx_LMUpdate_LoadTransactionFreight]
[dbo].[SPx_MFDEL_DeleteCompany]
[dbo].[SPx_MFExport_IMItems]
[dbo].[SPx_MFSEL_AllocateDetails]
[dbo].[SPx_MFSEL_APPreferences]
[dbo].[SPx_MFSEL_COPreferences]
[dbo].[SPx_MFSEL_CPPreferences]
[dbo].[SPx_MFSEL_FAPreferences]
[dbo].[SPx_MFSEL_IMpreferences]
[dbo].[SPx_MFSEL_PriceListFormulaStepHeader]
[dbo].[SPx_MFSEL_PriceListFormulaStepLine]
[dbo].[SPx_MFSEL_PriceListItemList]
[dbo].[SPx_MFSEL_PriceListItemListNew]
[dbo].[SPx_MFSEL_PriceListMassUpdateItemList]
[dbo].[SPx_MFSEL_PriceListTicketItemUOMLookup]
[dbo].[SPx_MFSEL_PriceListUOMLookup]
[dbo].[SPx_MFUpdate_CashReceipt]
[dbo].[SPx_MPSEL_BOMCostInput]
[dbo].[SPx_MPSEL_BOMItemList]
[dbo].[SPx_MPSEL_BOMList]
[dbo].[SPx_MPSEL_BOMProperty]
[dbo].[SPx_SCSEL_ContractHeader]
[dbo].[SPx_SCSEL_ContractHeaderList]
[dbo].[SPx_SCSEL_ContractHeaderSummary]
[dbo].[SPx_SCSEL_ContractItems]
[dbo].[SPx_SCSEL_ContractItemUOMLookup]
[dbo].[SPx_SCSEL_ContractUOMLookup]
[dbo].[SPx_SCUPD_ContractHeaderRollup]
[dbo].[SPx_SOINS_BWInboundInvoice_XML]
[dbo].[SPx_SOINS_BWInboundInvoicee_XML]
[dbo].[SPx_SOINS_SalesInvoiceExecutionHistory]
[dbo].[SPx_SOPProcess_PurchaseOrder]
[dbo].[SPx_SOPProcess_Transaction_InsertItem]
[dbo].[SPx_SOPProcess_Transaction_InsertShipments]
[dbo].[SPx_SOSEL_Allocate_HeaderOrderSummary]
[dbo].[SPx_SOSEL_FindItems_Detail]
[dbo].[SPx_SOSEL_FindItems_OrderSummary]
[dbo].[SPx_SOSEL_FindItems_PriceUOMLookup]
[dbo].[SPx_SOSEL_FindItems_UOMLookup]


[dbo].[SPx_SOSEL_FindItemsWithBalances_Detail]
[dbo].[SPx_SOSEL_FindItemsWithBalances_OrderSummary]
[dbo].[SPx_SOSEL_FindItemsWithBalances_PriceUOMLookup]
[dbo].[SPx_SOSEL_FindItemsWithBalances_UOMLookup]
[dbo].[SPx_SOSEL_FindLotDetails]
[dbo].[SPx_SOSEL_FindLots_HeaderOrderSummary]
[dbo].[SPx_SOSEL_ItemDefaultLookup]
[dbo].[SPx_SOSEL_ItemLookup]
[dbo].[SPx_SOSEL_PriceAdjustmentItems]
[dbo].[SPx_SOSEL_ReturnItems]
[dbo].[SPx_SOSEL_SalesProgramDetail_Accrual]
[dbo].[SPx_SOSEL_SalesProgramDetail_OnInvoice]
[dbo].[SPx_SOSEL_SOAdjustmentItemList]
[dbo].[SPx_SOSEL_TransactionDetailItem]
[dbo].[SPx_SOSEL_TransactionItemList]
[dbo].[SPx_SOSEL_TransactionPriceUOMLookupByItem]
[dbo].[SPx_SOSEL_TransactionUOMLookupByItem]
[dbo].[SPx_SOUupdate_Transaction]
[dbo].[SPx_SP_CalculateOrderPrograms]
[dbo].[SPx_SPPProcess_SettlementBatch]
[dbo].[SPx_SPSEL_BrokerActivity]
[dbo].[SPx_SPSEL_ProcessSettlementItems]
[dbo].[SPx_SPSEL_ProgramItemSetList]
[dbo].[SPx_SPSEL_ProgramUOMLookup]
[dbo].[VWx_IMItemProperties]
[dbo].[VWx_IMTransactionHistory]
[dbo].[VWx_LotBalances]
[dbo].[VWx_SOSEL_SalesTransactionDetail]
[hist].[SPx_IMRollup]

 [dbo].[ERPx_IMUOMConversion]

Columns

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity	Default
	ConversionSK	bigint	8	NOT NULL	1 - 1	
	FromUOMSK	bigint	8	NOT NULL		
	ToUOMSK	bigint	8	NOT NULL		
	ConversionValue	numeric(18,5)	9	NOT NULL		
	IsSystemConversion	bit	1	NOT NULL		((0))
	IsCustomized	bit	1	NOT NULL		((0))
	LastUpdated	datetime	8	NOT NULL		(getdate())
	LastUser	varchar(110)	110	NULL allowed		
	DataEntityCompanySK	bigint	8	NOT NULL		

Indexes

Key	Name	Key Columns	Unique
	PK_ERPx_IMUOMConversions	ConversionSK	True
	IX_ERPx_IMUOMConversion	FromUOMSK, ToUOMSK, DataEntityCompanySK	True

Foreign Keys

Name	Columns
FK_ERPx_IMUOMConversions_ERPx_IMUOM	FromUOMSK->[dbo].[ERPx_IMUOM].[UOMSK]
FK_ERPx_IMUOMConversions_ERPx_IMUOM1	ToUOMSK->[dbo].[ERPx_IMUOM].[UOMSK]

Uses




[dbo].[ERPx_IMUOM]

Used By


[dbo].[FNx_LMLoadLegFreightWeightDetails]
 [dbo].[FNx_LMLoadWeightDetails]
 [dbo].[SPx_IMDEL_UOM]
 [dbo].[SPx_IMDEL_UOMConversion]
 [dbo].[SPx_IMINSUPD_UOMConversion]
 [dbo].[SPx_IMSEL_UOMConversionList]
 [dbo].[SPx_IMSEL_UOMScheduleConversionList]
 [dbo].[SPx_IMUPD_UOMScheduleUOMList]

[dbo].[SPx_MFDEL_DeleteCompany]

[dbo].[ERPx_IMUOMSchedule]**Columns**

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity	Default
	UOMScheduleSK	bigint	8	NOT NULL	1 - 1	
	HostSystemLink	varchar(100)	100	NULL allowed		
	ScheduleID	varchar(25)	25	NOT NULL		
	Description	varchar(50)	50	NOT NULL		
	BaseUOMID	varchar(10)	10	NULL allowed		
	DataEntityCompanySK	bigint	8	NOT NULL		
	DecimalPlaces	int	4	NOT NULL		((0))
	LastUpdated	datetime	8	NULL allowed		
	LastUser	varchar(150)	150	NULL allowed		

Indexes





Key	Name	Key Columns	Unique
	PK_ERPx_IMUOMSchedule	UOMScheduleSK	True
	IX_ERPx_IMUOMSchedule	ScheduleID, DataEntityCompanySK	True

Used By


[dbo].[ERPx_IMUOMScheduleConversion]
 [dbo].[ERPx_IMUOMScheduleConversionValue]
 [dbo].[FNx_GetItemConversionData]
 [dbo].[FNx_GetItemsFromAllItemSets]
 [dbo].[IQx_IMSEL_ItemHistory]
 [dbo].[IQx_IMSEL_LotHistory]
 [dbo].[SPx_APPProcess_PurchaseOrder]
 [dbo].[SPx_APPProcess_Transaction]
 [dbo].[SPx_IMDEL_UOMSchedule]
 [dbo].[SPx_IMINSUPD_UOMSchedule]
 [dbo].[SPx_IMINSUPD_UOMScheduleConversionValueSync]
 [dbo].[SPx_IMPProcess_Item]
 [dbo].[SPx_IMSEL_CostHistoryInquiry]
 [dbo].[SPx_IMSEL_CycleCountList]
 [dbo].[SPx_IMSEL_FindLotDetails]
 [dbo].[SPx_IMSEL_Item]
 [dbo].[SPx_IMSEL_ItemBalance]
 [dbo].[SPx_IMSEL_ItemProperties]
 [dbo].[SPx_IMSEL_ItemSetItemList]
 [dbo].[SPx_IMSEL_LotBalance]

[dbo].[SPx_IMSEL_UOMConversionLookupByItem]
[dbo].[SPx_IMSEL_UOMSchedule]
[dbo].[SPx_IMSEL_UOMScheduleList]
[dbo].[SPx_IMSEL_UOMScheduleUOMList]
[dbo].[SPx_IMSEL_UpdateCostList]
[dbo].[SPx_IMUPD_UOMScheduleConversion]
[dbo].[SPx_IMUPD_UOMScheduleUOMList]
[dbo].[SPx_INTEG_GPIMUOMSchedule]
[dbo].[SPx_INTEG_GPIMUOMScheduleConversionOutbound]
[dbo].[SPx_INTEG_GPIItem]
[dbo].[SPx_INTEG_GPSOInvoice]
[dbo].[SPx_INTEG_GPSOItem]
[dbo].[SPx_MFDEL_DeleteCompany]
[dbo].[SPx_MFExport_IMItems]
[dbo].[SPx_MFSEL_PriceListItemList]
[dbo].[SPx_MFSEL_PriceListMassUpdateItemList]
[dbo].[SPx_SOSEL_FindItems_PriceUOMLookup]
[dbo].[SPx_SOSEL_FindItemsWithBalances_PriceUOMLookup]
[dbo].[SPx_SOSEL_FindLotDetails]
[dbo].[SPx_SOSEL_ItemAllocationDetails]
[dbo].[SPx_SOSEL_TransactionPriceUOMLookupByItem]
[dbo].[VWx_IMItemProperties]

[dbo].[ERPx_IMUOMScheduleConversion]**Columns**

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity	Default
	UOMScheduleConversionSK	bigint	8	NOT NULL	1 - 1	
	HostSystemLink	varchar(100)	100	NULL allowed		
	UOMScheduleSK	bigint	8	NOT NULL		
	FromUOMSK	varchar(8)	8	NOT NULL		
	ToUOMSK	varchar(50)	50	NOT NULL		
	ConversionValue	decimal(18,5)	9	NOT NULL		
	IsInactive	bit	1	NOT NULL		((0))
	LastUpdated	datetime	8	NULL allowed		
	LastUser	varchar(150)	150	NULL allowed		

Indexes

Key	Name	Key Columns	Unique
	PK_ERPx_IMUOMScheduleConversion	UOMScheduleConversionSK	True
	IX_ERPx_IMUOMScheduleConversion	UOMScheduleSK, FromUOMSK, ToUOMSK	True

Foreign Keys

Name	No Check	Columns
FK_ERPx_IMUOMScheduleConversion_ERPx_IMUOMSchedule	True	UOMScheduleSK->[dbo].[ERPx_IMUOMSchedule].[UOMScheduleSK]

Uses











[dbo].[ERPx_IMUOMSchedule]

Used By



[dbo].[SPx_APSEL_APTtransaction_UOMLookupByItem]
 [dbo].[SPx_APSEL_PurchaseOrder_UOMLookupByItem]
 [dbo].[SPx_IMDEL_UOM]
 [dbo].[SPx_IMDEL_UOMSchedule]
 [dbo].[SPx_IMINSUPD_UOMSchedule]
 [dbo].[SPx_IMINSUPD_UOMScheduleConversionValueSync]
 [dbo].[SPx_IMSEL_ItemLookup]
 [dbo].[SPx_IMSEL_ItemProperties]

[dbo].[SPx_IMSEL_PropertyUOMLookup]
[dbo].[SPx_IMSEL_TransactionUOMLookupByItem]
[dbo].[SPx_IMSEL_UOMConversionLookupByItem]
[dbo].[SPx_IMSEL_UOMLookup]
[dbo].[SPx_IMSEL_UOMScheduleConversionList]
[dbo].[SPx_IMSEL_UOMScheduleUOMList]
[dbo].[SPx_IMUPD_UOMScheduleConversion]
[dbo].[SPx_IMUPD_UOMScheduleUOMList]
[dbo].[SPx_INTEG_GPIMUOMSchedule]
[dbo].[SPx_INTEG_GPIMUOMScheduleConversionOutbound]
[dbo].[SPx_MFDEL_DeleteCompany]
[dbo].[SPx_SOSEL_FindItems_PriceUOMLookup]
[dbo].[SPx_SOSEL_FindItems_UOMLookup]
[dbo].[SPx_SOSEL_FindItemsWithBalances_PriceUOMLookup]
[dbo].[SPx_SOSEL_FindItemsWithBalances_UOMLookup]
[dbo].[SPx_SOSEL_TransactionPriceUOMLookupByItem]
[dbo].[SPx_SOSEL_TransactionUOMLookupByItem]

[dbo].[ERPx_IMUOMScheduleConversionValue]**Columns**

Key	Name	Data Type	Max Length (Bytes)	Nullability
  	UOMScheduleSK	bigint	8	NOT NULL
	ScheduleID	varchar(25)	25	NOT NULL
  	FromUOMSK	bigint	8	NOT NULL
	FromUOMID	varchar(10)	10	NOT NULL
  	ToUOMSK	bigint	8	NOT NULL
	ToUomID	varchar(10)	10	NOT NULL
	ConversionValue	decimal(32,19)	17	NOT NULL
	DataEntityCompanySK	bigint	8	NOT NULL
	FromUOMTypeSK	bigint	8	NOT NULL
	ToUOMTypeSK	bigint	8	NOT NULL
	IsInactive	bit	1	NULL allowed

Indexes

Key	Name	Key Columns	Unique
 	PK_ERPx_IMUOMScheduleConversion-Value	UOMScheduleSK, FromUOMSK, ToUOMSK	True
	IX_ERPx_IMUOMScheduleConversion-Value	UOMScheduleSK, FromUOMSK, ToUOMSK, DataEntity-CompanySK	True

Foreign Keys

Name	Columns
FK_ERPx_IMUOMScheduleConversionValue_ERPx_IMUOM	ToUOMSK->[dbo].[ERPx_IMUOM].[UOMSK]
FK_ERPx_IMUOMScheduleConversionValue_ERPx_IMUOMSchedule	UOMScheduleSK->[dbo].[ERPx_IMUOMSchedule].[UOMScheduleSK]
FK_ERPx_IMUOMScheduleConversionValue_ERPx_IMUOMScheduleConversionValue	FromUOMSK->[dbo].[ERPx_IMUOM].[UOMSK]
FK_ERPx_IMUOMScheduleConversionValue_ERPx_MFDataEntityCompany	DataEntityCompanySK->[dbo].[ERPx_MFDataEntityCompany].[DataEntityCompanySK]

Uses






[dbo].[ERPx_IMUOM]
[dbo].[ERPx_IMUOMSchedule]
[dbo].[ERPx_MFDataEntityCompany]

Used By


[dbo].[FNx_GetItemConversionData]
[dbo].[FNx_GetPriceListFormula]
[dbo].[FNx_GetProductionOrderPlannedAndActuals]
[dbo].[FNx_IMInventoryTransactionDetail]
[dbo].[FNx_LMLoadLegFreightWeightDetails]
[dbo].[FNx_LMLoadWeightDetails]
[dbo].[IQx_IMSEL_ItemHistory]
[dbo].[IQx_IMSEL_LotHistory]
[dbo].[SPx_APPProcess_PurchaseOrder]
[dbo].[SPx_APPProcess_Transaction]
[dbo].[SPx_ARUpdate_FixCustomerFavorites]
[dbo].[SPx_CPPProcess_CreateIMReceiptTransaction]
[dbo].[SPx_CPPProcess_Ticket]
[dbo].[SPx_HistoricalInventoryBalance]
[dbo].[SPx_IMDEL_UOMSchedule]
[dbo].[SPx_IMINSUPD_UOMScheduleConversionValueSync]
[dbo].[SPx_IMPProcess_AdjustmentTransaction]
[dbo].[SPx_IMPProcess_Item]
[dbo].[SPx_IMPProcess_PostLotCosts]
[dbo].[SPx_IMPProcess_ProductionOrder]
[dbo].[SPx_IMPProcess_ProductionTransaction]
[dbo].[SPx_IMPProcess_Receipt_PurchaseOrder]
[dbo].[SPx_IMPProcess_ReceiptTransaction]
[dbo].[SPx_IMPProcess_TransferTransaction]
[dbo].[SPx_IMPProcess_UpdateLotCostsFromPO]
[dbo].[SPx_IMSEL_Adjustment_TransactionItemDataLookup]
[dbo].[SPx_IMSEL_AllocationAndCommitment]
[dbo].[SPx_IMSEL_CycleCountList]
[dbo].[SPx_IMSEL_FindLotDetails]
[dbo].[SPx_IMSEL_GetLotBalance]
[dbo].[SPx_IMSEL_GetProductionOrderPlannedAndActuals]
[dbo].[SPx_IMSEL_ItemBalance]
[dbo].[SPx_IMSEL_ItemData]
[dbo].[SPx_IMSEL_ItemUOMData]
[dbo].[SPx_IMSEL_LotBalance]
[dbo].[SPx_IMSEL_Production_TransactionItemDataLookup]
[dbo].[SPx_IMSEL_ProductionOrderDetail]
[dbo].[SPx_IMSEL_ProductionOrderItemLookup]
[dbo].[SPx_IMSEL_Receipt_TransactionItemDataLookup]
[dbo].[SPx_IMSEL_TransactionDetailAdjustment]
[dbo].[SPx_IMSEL_TransactionDetailProduction]
[dbo].[SPx_IMSEL_TransactionDetailReceipt]
[dbo].[SPx_IMSEL_TransactionDetailTransfer]
[dbo].[SPx_IMSEL_TransactionItemDataLookup]
[dbo].[SPx_IMSEL_TransactionItemDefaults]
[dbo].[SPx_IMSEL_TransactionUOMLookupByItem]
[dbo].[SPx_IMSEL_Transfer_TransactionItemDataLookup]
[dbo].[SPx_IMSEL_UOMConversionLookupByItem]
[dbo].[SPx_IMSEL_UOMLookupByItem]
[dbo].[SPx_IMUpdate_RecalculateLotBalance]
[dbo].[SPx_INTEG_BWIMInventoryTrans]

[dbo].[SPx_INTEG_BWInvoiceHeaderItem_XML]
[dbo].[SPx_INTEG_BWOrderHeaderItem_XML]
[dbo].[SPx_INTEG_GPIMTransaction]
[dbo].[SPx_INTEG_GPIMUOMSchedule]
[dbo].[SPx_INTEG_GPIMUOMScheduleConversionOutbound]
[dbo].[SPx_INTEG_GPSPPProgramAccrual]
[dbo].[SPx_INTEG_NSIMInventoryTrans]
[dbo].[SPx_MFSEL_AllocateDetails]
[dbo].[SPx_MFSEL_PriceListUOMLookup]
[dbo].[SPx_MFUpdate_Allocate]
[dbo].[SPx_MFUpdate_PriceList]
[dbo].[SPx_MPSEL_ItemLookup]
[dbo].[SPx_SCSEL_ContractItemUOMLookup]
[dbo].[SPx_SCSEL_ItemLookup]
[dbo].[SPx_SCUPD_ContractHeaderRollup]
[dbo].[SPx_SOINs_BWInboundInvoice_XML]
[dbo].[SPx_SOPProcess_Transaction_InsertOrderItemLot]
[dbo].[SPx_SOPProcess_Transaction_UpdateOrderItemLot]
[dbo].[SPx_SOSEL_FindItems_Detail]
[dbo].[SPx_SOSEL_FindItems_PriceUOMLookup]
[dbo].[SPx_SOSEL_FindItems_UOMLookup]
[dbo].[SPx_SOSEL_FindItemsWithBalances_Detail]
[dbo].[SPx_SOSEL_FindItemsWithBalances_PriceUOMLookup]
[dbo].[SPx_SOSEL_FindItemsWithBalances_UOMLookup]
[dbo].[SPx_SOSEL_FindLotDetails]
[dbo].[SPx_SOSEL_ItemDefaultLookup]
[dbo].[SPx_SOSEL_PriceAdjustmentItems]
[dbo].[SPx_SOSEL_ReturnItems]
[dbo].[SPx_SOSEL_TransactionDetailItem]
[dbo].[SPx_SOSEL_TransactionItemList]
[dbo].[SPx_SOSEL_TransactionPriceUOMLookupByItem]
[dbo].[SPx_SOSEL_TransactionUOMLookupByItem]
[dbo].[SPx_SOUUpdate_RepriceOrders]
[dbo].[SPx_SOUUpdate_Return]
[dbo].[SPx_SOUUpdate_Transaction]
[dbo].[SPx_SOUUpdate_TransactionDetailAutoAllocate]
[dbo].[SPx_SOUUpdate_TransactionSubstituteltem]
[dbo].[SPx_SP_CalculateOrderPrograms]
[dbo].[VWx_IMInventoryBalances]
[dbo].[VWx_LotBalances]
[dbo].[VWx_SOSEL_SalesTransactionDetail]

[dbo].[ERPx_IMWarehouseLot]**Columns**

Key	Name	Data Type	Max Length (Bytes)	Nullability	Full Text Indexed	Language	Identity	Default
	WarehouseLotSK	bigint	8	NOT NULL			1 - 1	
	WarehouseLotID	varchar(50)	50	NOT NULL				
	SiteSK	bigint	8	NOT NULL				
	CreatedDate	datetime	8	NOT NULL				(getdate())
	CreatedBy	varchar(150)	150	NOT NULL				
	LastUpdated	datetime	8	NOT NULL				(getdate())
	LastUpdatedBy	varchar(150)	150	NOT NULL				
	DataEntity-CompanySK	bigint	8	NOT NULL				
	SearchText	varchar(max)	max	NULL allowed	True	2057		('')
	StorageBegin-Date	date	3	NULL allowed				
	StorageRenewal-Day	int	4	NULL allowed				

Indexes

Key	Name	Key Columns	Unique
	PK_ERPx_IMWarehouseLot	WarehouseLotSK	True
	IX_ERPx_IMWarehouseLot	SiteSK, WarehouseLotID, DataEntityCompanySK	True

Check Constraints

Name	On Column	Constraint
CHK_ERPx_IMWarehouseLot_StorageRenewalDay	Storage-RenewalDay	([StorageRenewalDay] IS NULL OR [StorageRenewalDay]>=(1) AND [StorageRenewalDay]<=(31))

Foreign Keys

Name	Columns
FK_ERPx_IMWarehouseLot_ERPx_MFDataEntity-Company	DataEntityCompanySK->[dbo].[ERPx_MFDataEntityCompany].[DataEntity-CompanySK]
FK_ERPx_IMWarehouseLot_ERPx_MFSite	SiteSK->[dbo].[ERPx_MFSite].[SiteSK]


Uses

[dbo].[ERPx_MFDataEntityCompany]
[dbo].[ERPx_MFSite]




Used By

[dbo].[ERPx_IMLotBalance]
[dbo].[ERPx_IMLotBalance_SearchMetadata]
[dbo].[ERPx_IMWarehouseLotAllowedItems]
[dbo].[ERPx_IMWarehouseLotAttributes]
[dbo].[ERPx_IMWarehouseLotNote]
[dbo].[ERPx_MFAttribute_IMWarehouseLot]
[dbo].[FNx_IMInventoryBalances]
[dbo].[FNx_IMInventoryTransactionDetail]
[dbo].[IQx_APSEL_POLinkedItems]
[dbo].[IQx_IMSEL_InventoryAsOf]
[dbo].[IQx_IMSEL_ItemHistory]
[dbo].[IQx_IMSEL_LotHistory]
[dbo].[SPx_HistoricalInventoryBalance]
[dbo].[SPx_IMProcess_AdjustmentTransaction]
[dbo].[SPx_IMProcess_CorrectTransaction]
[dbo].[SPx_IMProcess_ProductionTransaction]
[dbo].[SPx_IMProcess_ReceiptTransaction]
[dbo].[SPx_IMProcess_RefreshLotBalanceSearchMetadata]
[dbo].[SPx_IMProcess_TransferTransaction]
[dbo].[SPx_IMSEL_AllocationAndCommitment]
[dbo].[SPx_IMSEL_AllocationAndCommitmentList]
[dbo].[SPx_IMSEL_CostHistoryInquiry]
[dbo].[SPx_IMSEL_CycleCountList]
[dbo].[SPx_IMSEL_FindLotDetails]
[dbo].[SPx_IMSEL_GetLotCost]
[dbo].[SPx_IMSEL_LotBalance]
[dbo].[SPx_IMSEL_ProductionOrderDetail]
[dbo].[SPx_IMSEL_TransactionDetailAdjustment]
[dbo].[SPx_IMSEL_TransactionDetailProduction]
[dbo].[SPx_IMSEL_TransactionDetailReceipt]
[dbo].[SPx_IMSEL_TransactionDetailTransfer]
[dbo].[SPx_IMSEL_UpdateCostList]
[dbo].[SPx_IMSEL_WarehouseLotList]
[dbo].[SPx_IMUpdate_CheckForLots]
[dbo].[SPx_IMUpdate_CleanUpLots]
[dbo].[SPx_IMUpdate_FindLots]
[dbo].[SPx_IMUpdate_RecalculateLotBalance]
[dbo].[SPx_IMUpdate_TransactionMoreActions]
[dbo].[SPx_IMUpdate_WarehouseLot]
[dbo].[SPx_INTEG_NSIMInventoryTrans]
[dbo].[SPx_MFDEL_DeleteCompany]
[dbo].[SPx_MFINSUPDDEL_Site_XML]
[dbo].[SPx_MFSEL_AllocateDetails]
[dbo].[SPx_MFSYS_InstallSystemSearchText]
[dbo].[SPx_MFUpdate_MassUpdate]
[dbo].[SPx_MFUpdate_Site]

[dbo].[SPx_MFUpdate_Site_AddDefaultWarehouseLot]
[dbo].[SPx_SOSEL_FindLotDetails]
[dbo].[SPx_SOSEL_ItemLotsAndBins]
[dbo].[SPx_SOSEL_PriceAdjustmentItems]
[dbo].[SPx_SOSEL_ReturnItems]
[dbo].[SPx_SOUUpdate_Return]
[dbo].[VWx_IMInventoryBalances]
[dbo].[VWx_LotBalances]
[hist].[SPx_IMRollup]
[NS_20221128]

 [dbo].[ERPx_IMWarehouseLotAllowedItems]

Columns

Key	Name	Data Type	Max Length (Bytes)	Nullability
 	WarehouseLotSK	bigint	8	NOT NULL
	ItemSK	bigint	8	NOT NULL

Indexes

Key	Name	Key Columns	Unique
	PK_ERPx_IMWarehouseLotAllowedItems	WarehouseLotSK, ItemSK	True

Foreign Keys

Name	Columns
FK_ERPx_IMWarehouseLotAllowedItems_WarehouseLot-SK	WarehouseLotSK->[dbo].[ERPx_IMWarehouseLot].[WarehouseLot-SK]





Uses

[dbo].[ERPx_IMWarehouseLot]

Used By

[dbo].[SPx_IMSEL_WarehouseLotList]
 [dbo].[SPx_IMUpdate_CheckForLots]
 [dbo].[SPx_IMUpdate_CleanUpLots]
 [dbo].[SPx_IMUpdate_WarehouseLot]
 [dbo].[SPx_MFUpdate_Site_AddDefaultWarehouseLot]

[dbo].[ERPx_IMWarehouseLotAttributes]**Columns**

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity
	WarehouseLotAttributeSK	bigint	8	NOT NULL	1 - 1
	WarehouseLotSK	bigint	8	NOT NULL	
	AttributeSK	bigint	8	NOT NULL	
	AttributeValue	varchar(200)	200	NULL allowed	
	DataEntityCompanySK	bigint	8	NOT NULL	
	LastUpdated	datetime	8	NOT NULL	
	LastUser	varchar(110)	110	NOT NULL	

Indexes

Key	Name	Key Columns	Unique
	PK_ERPx_IMWarehouseLotAttributes	WarehouseLotAttributeSK	True

Foreign Keys

Name	Columns
FK_ERPx_IMWarehouseLotAttributes_ERPx_IMWarehouseLot	WarehouseLotSK->[dbo].[ERPx_IMWarehouseLot].[WarehouseLotSK]
FK_ERPx_IMWarehouseLotAttributes_ERPx_MFAttribute	AttributeSK->[dbo].[ERPx_MFAttribute].[AttributeSK]
FK_ERPx_IMWarehouseLotAttributes_ERPx_MFData-EntityCompany	DataEntityCompanySK->[dbo].[ERPx_MFDataEntityCompany].[Data-EntityCompanySK]

Uses





[dbo].[ERPx_IMWarehouseLot]
 [dbo].[ERPx_MFAttribute]
 [dbo].[ERPx_MFDataEntityCompany]

Used By


[dbo].[SPx_IMUpdate_WarehouseLot]
 [dbo].[SPx_MFDEL_Attribute]
 [dbo].[SPx_MFUpdate_MassUpdate]

 [dbo].[ERPx_IMWarehouseLotNote]

Columns

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity	Default
	WarehouseLotNoteSK	bigint	8	NOT NULL	1 - 1	
	WarehouseLotSK	bigint	8	NOT NULL		
	NoteTypeSK	bigint	8	NOT NULL		
	Note	varchar(2000)	2000	NULL allowed		
	NoteHTML	varchar(max)	max	NULL allowed		
	LastUpdated	datetime	8	NULL allowed		(getdate())
	LastUser	varchar(110)	110	NULL allowed		
	DataEntityCompanySK	bigint	8	NOT NULL		

Indexes

Key	Name	Key Columns	Unique
	PK_ERPx_IMWarehouseLotNote	WarehouseLotNoteSK	True
	UK_ERPx_IMWarehouseLotNote_1	WarehouseLotSK, NoteTypeSK, DataEntityCompanySK	True

Foreign Keys

Name	Columns
FK_ERPx_IMWarehouseLotNote_ERPx_IMWarehouseLot	WarehouseLotSK->[dbo].[ERPx_IMWarehouseLot].[WarehouseLotSK]
FK_ERPx_IMWarehouseLotNote_ERPx_MFNoteType	NoteTypeSK->[dbo].[ERPx_MFNoteType].[NoteTypeSK]

Uses






[dbo].[ERPx_IMWarehouseLot]
 [dbo].[ERPx_MFNoteType]

Used By


[dbo].[SPx_IMUpdate_CleanUpLots]
 [dbo].[SPx_IMUpdate_WarehouseLot]
 [dbo].[SPx_MFManage_NoteAssignment]
 [dbo].[SPx_MFSEL_NoteList]

 [dbo].[ERPx_INTEG_Inbound]

Columns

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity	Default
	InboundSK	bigint	8	NOT NULL	1 - 1	
	Created	datetime	8	NOT NULL		(getdate())
	LastProcessed	datetime	8	NULL allowed		
	SourceSystem	varchar(25)	25	NOT NULL		
	SourceTransID	varchar(255)	255	NULL allowed		
	InboundStatusEN	int	4	NOT NULL		((1))
	TransactionType	varchar(25)	25	NOT NULL		
	Format	varchar(10)	10	NOT NULL		
	Data	varchar(max)	max	NOT NULL		
	ErrorText	varchar(max)	max	NULL allowed		
	OutputText	varchar(max)	max	NULL allowed		
	CompanyID	varchar(20)	20	NULL allowed		
	LastUser	varchar(110)	110	NULL allowed		
	ProcessBatchID	uniqueidentifier	16	NULL allowed		

Indexes

Key	Name	Key Columns	Included Columns	Unique
	PK_ERPx_INTEG_InboundTransaction	InboundSK		True
	IX_ERPx_Integ_Inbound_InboundStatus	InboundStatusEN	Created, InboundSK, TransactionType	

Foreign Keys

Name	Columns
FK_ERPx_INTEG_Inbound_ERPx_INTEG_InboundProcessBatch	ProcessBatchID->[dbo].[ERPx_INTEG_InboundProcessBatch].[BatchID]

Uses

[dbo].[ERPx_INTEG_InboundProcessBatch]


Used By

[dbo].[IQx_MFIntegInboundQueue]
 [dbo].[SPx_APSEL_DeliveryTicketADFGLandingImportHeaderList]


[dbo].[SPx_APUpdate_DeliveryTicketADFG_LandingImportComplete]
[dbo].[SPx_APUpdate_DeliveryTicketADFG_LandingImportHeader]
[dbo].[SPx_APUpdate_DeliveryTicketADFG_Numbers]
[dbo].[SPx_INTEG_ArchiveIntegrationRecords]
[dbo].[SPx_INTEG_BWIMInventoryTrans]
[dbo].[SPx_INTEG_BWInvoiceHeaderItem_XML]
[dbo].[SPx_INTEG_BWLMHeader]
[dbo].[SPx_INTEG_BWOrderHeaderItem_XML]
[dbo].[SPx_INTEG_FileUploadImport]
[dbo].[SPx_INTEG_NSAPDeliveryTicket_XML]
[dbo].[SPx_INTEG_NSAPDeliveryTicketADFGDeliveryTicketNumber_XML]
[dbo].[SPx_INTEG_NSAPDeliveryTicketADFG_LandingHeader_XML]
[dbo].[SPx_INTEG_NSAPDeliveryTicketADFG_LandingNumber_XML]
[dbo].[SPx_INTEG_NSAPInvoiceAndCreditMemo]
[dbo].[SPx_INTEG_NSIMInventoryTrans]
[dbo].[SPx_INTEG_ProcessInboundQueue]
[dbo].[SPx_IOINS_IntegInbound]
[dbo].[SPx_MFAPI_InsertInboundIntegration]
[dbo].[SPx_MFDEL_DeleteCompany]
[dbo].[SPx_MFINS_FileImport]
[dbo].[SPx_MFSEL_IntegInbound]
[dbo].[SPx_MFSEL_IntegInboundHeader]
[dbo].[SPx_MFUpdate_IntegInbound]
[dbo].[SPx_MFUpdate_MassUpdate]
[dbo].[SPx_SOINs_BWInboundInvoice_XML]
[dbo].[SPx_SOINs_BWInboundInvoicee_XML]
[dbo].[VWX_AuditIntegrationTable]
[dbo].[VWX_INTEG_Inbound]

 [dbo].[ERPx_INTEG_InboundArchive]

Columns

Key	Name	Data Type	Max Length (Bytes)	Nullability
	InboundSK	bigint	8	NOT NULL
	Created	datetime	8	NOT NULL
	LastProcessed	datetime	8	NULL allowed
	SourceSystem	varchar(25)	25	NOT NULL
	SourceTransID	varchar(255)	255	NULL allowed
	InboundStatusEN	int	4	NOT NULL
	TransactionType	varchar(25)	25	NOT NULL
	Format	varchar(10)	10	NOT NULL
	Data	varchar(max)	max	NOT NULL
	ErrorText	varchar(max)	max	NULL allowed
	OutputText	varchar(max)	max	NULL allowed
	CompanyID	varchar(20)	20	NULL allowed
	LastUser	varchar(110)	110	NULL allowed
	ProcessBatchID	uniqueidentifier	16	NULL allowed

Indexes



Key	Name	Key Columns	Unique
	PK_ERPx_INTEG_InboundArchive	InboundSK	True

Used By

[dbo].[IQx_MFIntegInboundQueue]
 [dbo].[SPx_INTEG_ArchiveIntegrationRecords]
 [dbo].[SPx_MFSEL_IntegInboundHeader]
 [dbo].[VWX_AuditIntegrationTable]
 [dbo].[VWx_INTEG_Inbound]

 [dbo].[ERPx_INTEG_InboundProcessBatch]

Columns

Key	Name	Data Type	Max Length (Bytes)	Nullability
 	BatchID	uniqueidentifier	16	NOT NULL
	BatchCount	bigint	8	NOT NULL
	Remaining	bigint	8	NOT NULL
	StartDateTime	datetime	8	NOT NULL
	EndDateTime	datetime	8	NULL allowed
	LastRecordProcessedTime	datetime	8	NULL allowed

Indexes




Key	Name	Key Columns	Unique
 	PK_ERPx_INTEG_InboundProcessBatch	BatchID	True

Used By


[dbo].[ERPx_INTEG_Inbound]
 [dbo].[SPx_INTEG_ArchiveIntegrationRecords]
 [dbo].[SPx_INTEG_ProcessInboundQueue]

[dbo].[ERPx_INTEG_InboundSupportedTransactions]

Columns

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity	Default
	TransactionType	varchar(25)	25	NOT NULL		
	TransactionSP	varchar(200)	200	NOT NULL		
	InboundSupportedTransactionSK	bigint	8	NOT NULL	1 - 1	
	TransactionTypeDisplay	varchar(150)	150	NULL allowed		
	IntegrationModeEN	bigint	8	NULL allowed		
	IntegrationTriggerEN	bigint	8	NULL allowed		
	DataEntityCompanySK	bigint	8	NULL allowed		
	IsMultiCompany	bit	1	NOT NULL		((0))

Indexes








Key	Name	Key Columns	Unique
	PK_ERPx_INTEG_InboundSupportedTransactions_1	InboundSupportedTransactionSK	True
	IX_ERPx_INTEG_InboundSupportedTransactions	TransactionType, DataEntityCompanySK	True

Used By



[dbo].[IQx_MFIntegInboundQueue]
 [dbo].[SPx_APPProcess_Vendor]
 [dbo].[SPx_APPProcess_VendorClass]
 [dbo].[SPx_APSEL_APVendor_Address]
 [dbo].[SPx_APSEL_APVendor_Properties]
 [dbo].[SPx_APSEL_ProcessChecks]
 [dbo].[SPx_APSEL_TransactionClass_Property]
 [dbo].[SPx_APSEL_VendorAddress]
 [dbo].[SPx_APSEL_VendorProperties]
 [dbo].[SPx_APUUpdate_CustomerClassDelete]
 [dbo].[SPx_APUUpdate_VendorAddressList]
 [dbo].[SPx_APUUpdate_VendorClassDelete]
 [dbo].[SPx_APUUpdate_VendorList]
 [dbo].[SPx_ARProcess_Customer]
 [dbo].[SPx_ARProcess_CustomerAddress]
 [dbo].[SPx_ARSEL_CustomerAddressProperties]
 [dbo].[SPx_ARSEL_CustomerProperties]
 [dbo].[SPx_ARUpdate_ARCustomerAddressList]
 [dbo].[SPx_ARUpdate_CustomerList]
 [dbo].[SPx_FAUpdate_FishermanTenderList]
 [dbo].[SPx_FAUpdate_FishermenAddressList]

[dbo].[SPx_FAUpdate_LoanAddressList]
[dbo].[SPx_FAUpdate_LoanList]
[dbo].[SPx_GLSEL_AccountList]
[dbo].[SPx_IMSEL_ItemClassProperties]
[dbo].[SPx_IMSEL_ItemProperties]
[dbo].[SPx_INTEG_ProcessInboundQueue]
[dbo].[SPx_LoadCompanyData_GP]
[dbo].[SPx_MFDEL_DeleteCompany]
[dbo].[SPx_MFINSUPDDEL_Site_XML]
[dbo].[SPx_MFSEL_IntegrationSetupList]
[dbo].[SPx_MFSEL_SiteProperties]
[dbo].[SPx_MFUpdate_IntegrationSetupList]
[dbo].[SPx_MFUpdate_Site]
[dbo].[VWx_INTEG_Inbound]

[dbo].[ERPx_INTEG_Outbound]**Columns**

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity	Default
 	OutboundSK	bigint	8	NOT NULL	1 - 1	
	Created	datetime	8	NOT NULL		(getdate())
	LastProcessed	datetime	8	NULL allowed		
	LastUser	varchar(110)	110	NULL allowed		
 (2)	TransactionType	varchar(25)	25	NOT NULL		
	TransactionID	varchar(150)	150	NULL allowed		
	TransactionSK	bigint	8	NULL allowed		
 (2)	OutboundStatusEN	bigint	8	NOT NULL		
	OutboundFormat	varchar(10)	10	NOT NULL		
	Data	varchar(max)	max	NULL allowed		
	ReprocessedByUser	bit	1	NOT NULL		((0))
	IsProcessedByTrigger	bit	1	NULL allowed		
	StatusText	varchar(max)	max	NULL allowed		
	Bypassed	bit	1	NOT NULL		((0))
	Notified	varchar(150)	150	NULL allowed		
	DataEntityCompanySK	bigint	8	NULL allowed		
	AdditionalData	varchar(100)	100	NULL allowed		

Indexes


Key	Name	Key Columns	Included Columns	Unique
 	PK_ERPx_INTEG_Outbound	OutboundSK		True
	IX_ERPx_INTEG_Outbound_Transaction-TypeTransactionSKOutboundEN	TransactionType, Transaction-SK, OutboundStatusEN	OutboundSK	
	IX_Integ_Outbound_OutboundStatusEN	OutboundStatusEN	Created, TransactionType, DataEntityCompanySK	

Used By

[dbo].[IQx_MFIntegOutboundQueue]
 [dbo].[SPx_APProcess_Transaction]
 [dbo].[SPx_APProcess_Vendor]
 [dbo].[SPx_APProcess_VendorClass]
 [dbo].[SPx_APUupdate_VendorClass]
 [dbo].[SPx_ARProcess_Customer]

[dbo].[SPx_ARProcess_CustomerAddress]
[dbo].[SPx_ARProcess_Transaction]
[dbo].[SPx_ARUpdate_CustomerClass]
[dbo].[SPx_CPPProcess_Ticket]
[dbo].[SPx_GLProcess_CheckbookTransaction]
[dbo].[SPx_GLProcess_Journal]
[dbo].[SPx_GLUpdate_AccountFormatRecord]
[dbo].[SPx_GLUpdate_AccountList]
[dbo].[SPx_GLUpdate_AccountSegmentNumberRollup]
[dbo].[SPx_GLUpdate_CheckbookList]
[dbo].[SPx_GLUpdate_DuplicateJournal]
[dbo].[SPx_GLUpdate_FiscalYear]
[dbo].[SPx_GLUpdate_FiscalYearList]
[dbo].[SPx_GLUpdate_StatAccount_AccountList]
[dbo].[SPx_IMPProcess_AdjustmentTransaction]
[dbo].[SPx_IMPProcess_Item]
[dbo].[SPx_IMPProcess_ItemClass]
[dbo].[SPx_IMPProcess_ProductionTransaction]
[dbo].[SPx_IMPProcess_ReceiptTransaction]
[dbo].[SPx_IMPProcess_TransferTransaction]
[dbo].[SPx_IMUPD_UOMScheduleConversion]
[dbo].[SPx_IMUPD_UOMScheduleUOMList]
[dbo].[SPx_INTEG_ArchiveIntegrationRecords]
[dbo].[SPx_INTEG_AREmployeeDeduction]
[dbo].[SPx_INTEG_GPGLFiscalPeriod]
[dbo].[SPx_INTEG_GPSOInvoiceAndLines]
[dbo].[SPx_INTEG_GPVendorAddressOutbound]
[dbo].[SPx_INTEG_GPVendorOutbound]
[dbo].[SPx_INTEG_ProcessOutboundQueue]
[dbo].[SPx_INTEG_PRQuickCheckBatchVoid]
[dbo].[SPx_INTEGSEL_Outbound_OrderRecord]
[dbo].[SPx_INTEGSEL_OutboundNewTransactionsList_OrderRecord]
[dbo].[SPx_MFDEL_DeleteCompany]
[dbo].[SPx_MFProcess_BankTransaction]
[dbo].[SPx_MFProcess_CurrencyGainLossJournal]
[dbo].[SPx_MFSEL_IntegOutboundADFG]
[dbo].[SPx_MFSEL_IntegOutboundHeader]
[dbo].[SPx_MFSEL_OutboundStatusLookup]
[dbo].[SPx_MFUPD_IntegOutbound]
[dbo].[SPx_MFUpdate_IntegOutbound]
[dbo].[SPx_MFUpdate_JournalDetails]
[dbo].[SPx_MFUpdate_MassUpdate]
[dbo].[SPx_MFUpdate_Site]
[dbo].[SPx_MFUpdate_VoidTransaction]
[dbo].[SPx_PRUpdate_Batch]
[dbo].[SPx_PRUpdate_Check]
[dbo].[SPx_SOUupdate_TransactionClass]
[dbo].[SPx_SPPProcess_SettlementBatch]
[dbo].[VWx_INTEG_Outbound]

[dbo].[ERPx_INTEG_OutboundArchive]**Columns**

Key	Name	Data Type	Max Length (Bytes)	Nullability
	OutboundSK	bigint	8	NOT NULL
	Created	datetime	8	NOT NULL
	LastProcessed	datetime	8	NULL allowed
	LastUser	varchar(110)	110	NULL allowed
	TransactionType	varchar(25)	25	NOT NULL
	TransactionID	varchar(150)	150	NULL allowed
	TransactionSK	bigint	8	NULL allowed
	OutboundStatusEN	bigint	8	NOT NULL
	OutboundFormat	varchar(10)	10	NOT NULL
	Data	varchar(max)	max	NULL allowed
	IsProcessedByTrigger	bit	1	NULL allowed
	StatusText	varchar(max)	max	NULL allowed
	Bypassed	bit	1	NOT NULL
	DataEntityCompanySK	bigint	8	NULL allowed
	ReprocessedByUser	bit	1	NOT NULL
	Notified	varchar(150)	150	NULL allowed
	AdditionalData	varchar(100)	100	NULL allowed

Indexes




Key	Name	Key Columns	Unique
	PK_ERPx_INTEG_OutboundArchive	OutboundSK	True

Used By


[dbo].[IQx_MFIntegOutboundQueue]
 [dbo].[SPx_INTEG_ArchiveIntegrationRecords]
 [dbo].[SPx_MFSEL_IntegOutboundHeader]
 [dbo].[VWx_INTEG_Outbound]

[dbo].[ERPx_INTEG_OutboundSupportedTransactions]

Columns

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity	Default
	OutboundSupportedTransactionSK	bigint	8	NOT NULL	1 - 1	
	TransactionType	varchar(50)	50	NOT NULL		
	TransactionTypeDisplay	varchar(100)	100	NULL allowed		
	OutboundFormat	varchar(10)	10	NULL allowed		
	TransactionSP	varchar(200)	200	NULL allowed		
	DestinationFileLocation	varchar(1000)	1000	NULL allowed		
	DataEntityCompanySK	bigint	8	NOT NULL		
	IsProcessedByTrigger	bit	1	NOT NULL		((1))
	IsProcessedByExternalApplication	bit	1	NOT NULL		((0))
	IntegrationModeEN	bigint	8	NULL allowed		
	IntegrationTriggerEN	bigint	8	NULL allowed		

Indexes

Key	Name	Key Columns	Unique
	PK_ERPx_INTEG_OutboundSupportedTransactions	OutboundSupportedTransactionSK	True
	IX_ERPx_INTEG_OutboundSupportedTransactions	TransactionType, DataEntityCompanySK	True

Foreign Keys

Name	Columns
FK_ERPx_INTEG_OutboundSupportedTransactions_ERPx_MFDataEntityCompany	DataEntityCompanySK->[dbo].[ERPx_MFDataEntityCompany].[DataEntityCompanySK]

Uses

[dbo].[ERPx_MFDataEntityCompany]

Used By

[dbo].[IQx_MFIntegOutboundQueue]
 [dbo].[SPx_APPProcess_Transaction]
 [dbo].[SPx_APPProcess_Vendor]
 [dbo].[SPx_APPProcess_VendorClass]
 [dbo].[SPx_APSEL_APVendor_Address]
 [dbo].[SPx_APSEL_APVendor_Properties]



[dbo].[SPx_APSEL_TransactionClass_Property]
[dbo].[SPx_APSEL_VendorAddress]
[dbo].[SPx_APSEL_VendorProperties]
[dbo].[SPx_APUpdate_CustomerClassDelete]
[dbo].[SPx_APUpdate_VendorAddressList]
[dbo].[SPx_APUpdate_VendorClass]
[dbo].[SPx_APUpdate_VendorClassDelete]
[dbo].[SPx_APUpdate_VendorList]
[dbo].[SPx_ARProcess_Customer]
[dbo].[SPx_ARProcess_CustomerAddress]
[dbo].[SPx_ARProcess_Transaction]
[dbo].[SPx_ARSEL_CustomerAddressProperties]
[dbo].[SPx_ARSEL_CustomerProperties]
[dbo].[SPx_ARUpdate_ARCustomerAddressList]
[dbo].[SPx_ARUpdate_CustomerClass]
[dbo].[SPx_ARUpdate_CustomerList]
[dbo].[SPx_CPProcess_Ticket]
[dbo].[SPx_FAUpdate_FishermanTenderList]
[dbo].[SPx_FAUpdate_FishermenAddressList]
[dbo].[SPx_FAUpdate_LoanAddressList]
[dbo].[SPx_FAUpdate_LoanList]
[dbo].[SPx_GLProcess_CheckbookTransaction]
[dbo].[SPx_GLProcess_Journal]
[dbo].[SPx_GLSEL_AccountList]
[dbo].[SPx_GLUpdate_AccountFormatList]
[dbo].[SPx_GLUpdate_AccountFormatRecord]
[dbo].[SPx_GLUpdate_AccountList]
[dbo].[SPx_GLUpdate_AccountSegmentNumberRollup]
[dbo].[SPx_GLUpdate_CheckbookList]
[dbo].[SPx_GLUpdate_DuplicateJournal]
[dbo].[SPx_GLUpdate_FiscalYear]
[dbo].[SPx_GLUpdate_FiscalYearList]
[dbo].[SPx_GLUpdate_StatAccount_AccountList]
[dbo].[SPx_IMPProcess_AdjustmentTransaction]
[dbo].[SPx_IMPProcess_Item]
[dbo].[SPx_IMPProcess_ItemClass]
[dbo].[SPx_IMPProcess_ProductionTransaction]
[dbo].[SPx_IMPProcess_ReceiptTransaction]
[dbo].[SPx_IMPProcess_TransferTransaction]
[dbo].[SPx_IMSEL_ItemClassProperties]
[dbo].[SPx_IMSEL_ItemProperties]
[dbo].[SPx_IMUPD_UOMScheduleConversion]
[dbo].[SPx_IMUPD_UOMScheduleUOMList]
[dbo].[SPx_INTEG_GPSOInvoice]
[dbo].[SPx_INTEG_GPSOInvoiceAndLines]
[dbo].[SPx_INTEG_ProcessOutboundQueue]
[dbo].[SPx_MFDEL_DeleteCompany]
[dbo].[SPx_MFINSUPDDEL_Site_XML]
[dbo].[SPx_MFProcess_BankTransaction]
[dbo].[SPx_MFProcess_CurrencyGainLossJournal]
[dbo].[SPx_MFSEL_IntegOutboundHeader]
[dbo].[SPx_MFSEL_IntegrationSetupList]
[dbo].[SPx_MFSEL_SiteProperties]

Project > NLPDev.TheNLP.com > User databases > NS_20221128 > Tables > dbo.ERPx_INTEG_OutboundSupported-Transactions

[dbo].[SPx_MFUpdate_Company]
[dbo].[SPx_MFUpdate_IntegrationSetupList]
[dbo].[SPx_MFUpdate_JournalDetails]
[dbo].[SPx_MFUpdate_Site]
[dbo].[SPx_SOUpdate_TransactionClass]
[dbo].[SPx_SPPProcess_SettlementBatch]

 [dbo].[ERPx_IODatabase]

Columns

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity
	DatabaseSK	bigint	8	NOT NULL	1 - 1
	DatabaseID	varchar(50)	50	NOT NULL	
	DatabaseName	nvarchar(max)	max	NOT NULL	




Indexes

Key	Name	Key Columns	Unique
	PK_ERPx_IODatabase	DatabaseSK	True
	IX_ERPx_IODatabase	DatabaseID	True


Used By

[dbo].[ERPx_IODatabaseQuery]
 [dbo].[SPx_IOSEL_DatabaseLookup]
 [dbo].[SPx_IOSEL_DatabaseQuery]
 [dbo].[SPx_IOSEL_DatabaseQueryList]
 [dbo].[SPx_IOSEL_DestinationDatabaseDetail]

[dbo].[ERPx_IODatabaseQuery]**Columns**

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity
	DatabaseQuerySK	bigint	8	NOT NULL	1 - 1
	DatabaseSK	bigint	8	NOT NULL	
	DatabaseQueryID	varchar(50)	50	NOT NULL	
	DatabaseQueryName	nvarchar(max)	max	NOT NULL	
	TransferDataField	varchar(100)	100	NULL allowed	
	TransferEntityField	varchar(100)	100	NULL allowed	

Indexes

Key	Name	Key Columns	Unique
	PK_ERPx_IODatabaseQuery	DatabaseQuerySK	True
	IX_ERPx_IODatabaseQuery	DatabaseSK, DatabaseQueryID	True

Foreign Keys

Name	Columns
FK_ERPx_ERPx_IODatabaseQuery_ERPx_IODatabase	DatabaseSK->[dbo].[ERPx_IODatabase].[DatabaseSK]

Uses

[dbo].[ERPx_IODatabase]

Used By

[dbo].[ERPx_IODatabaseQueryPropertyHeader]
 [dbo].[ERPx_IODestination]
 [dbo].[ERPx_IOServiceRequest]
 [dbo].[ERPx_IOSource]
 [dbo].[SPx_IOSEL_DatabaseQuery]
 [dbo].[SPx_IOSEL_DatabaseQueryDetail]
 [dbo].[SPx_IOSEL_DatabaseQueryList]
 [dbo].[SPx_IOSEL_DatabaseQueryLookup]
 [dbo].[SPx_IOSEL_DatabaseQueryPropertyDetail]
 [dbo].[SPx_IOSEL_DestinationDatabaseDetail]
 [dbo].[SPx_IOSEL_DestinationList]
 [dbo].[SPx_IOSEL_ServiceRequestDetail]
 [dbo].[SPx_IOSEL_SourceList]




[dbo].[SPx_IOSEL_TransferDatabaseDetail]

[dbo].[SPx_IOSEL_TransferServiceDetail]


[dbo].[SPx_IOUpdate_DatabaseQuery]

 [dbo].[ERPx_IODatabaseQueryPropertyHeader]

Columns

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity
	PropertiesHeaderSK	bigint	8	NOT NULL	1 - 1
	DatabaseQuerySK	bigint	8	NOT NULL	
	Key	varchar(1000)	1000	NOT NULL	
	ValueSource	varchar(10)	10	NOT NULL	
	Value	nvarchar(max)	max	NULL allowed	

Indexes

Key	Name	Key Columns	Unique
	PK_ERPx_IODatabaseQueryPropertyHeader	PropertiesHeaderSK	True
	IX_ERPx_IODatabaseQueryPropertyHeader	DatabaseQuerySK, Key	True

Foreign Keys

Name	Columns
FK_ERPx_IODatabaseQueryPropertyHeader_ERPx_IODatabaseQuery	DatabaseQuerySK->[dbo].[ERPx_IODatabaseQuery].[Database-QuerySK]







Uses

[dbo].[ERPx_IODatabaseQuery]

Used By

[dbo].[SPx_IOSEL_DatabaseQueryPropertiesList]
 [dbo].[SPx_IOSEL_DatabaseQueryPropertyDetail]
 [dbo].[SPx_IOSEL_DestinationDatabaseDetail]
 [dbo].[SPx_IOSEL_TransferDatabaseDetail]
 [dbo].[SPx_IOUpdate_DatabaseQuery]

[dbo].[ERPx_IODestination]**Columns**

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity
	DestinationSK	bigint	8	NOT NULL	1 - 1
	DestinationID	varchar(50)	50	NOT NULL	
	Description	varchar(max)	max	NOT NULL	
	DestinationServiceSK	bigint	8	NULL allowed	
	DestinationFileSK	bigint	8	NULL allowed	
	DestinationDatabaseQuerySK	bigint	8	NULL allowed	
	DestinationFTPSK	bigint	8	NULL allowed	

Indexes

Key	Name	Key Columns	Unique
	PK_ERPx_IODestination	DestinationSK	True
	IX_ERPx_IODestination	DestinationID	True

Foreign Keys

Name	Columns
FK_ERPx_ERPx_IODestination_ERPx_IODatabaseQuery	DestinationDatabaseQuerySK->[dbo].[ERPx_IODatabaseQuery].[DatabaseQuerySK]
FK_ERPx_ERPx_IODestination_ERPx_IOFile	DestinationFileSK->[dbo].[ERPx_IOFile].[FileSK]
FK_ERPx_ERPx_IODestination_ERPx_IOFTP	DestinationFTPSK->[dbo].[ERPx_IOFTP].[FTPSK]
FK_ERPx_ERPx_IODestination_ERPx_IOService	DestinationServiceSK->[dbo].[ERPx_IOService].[ServiceSK]

Uses

[dbo].[ERPx_IODatabaseQuery]
 [dbo].[ERPx_IOFile]
 [dbo].[ERPx_IOFTP]
 [dbo].[ERPx_IOService]



Used By

[dbo].[ERPx_IOTransfer]
 [dbo].[SPx_IOSEL_DestinationDatabaseDetail]
 [dbo].[SPx_IOSEL_DestinationFileDetail]
 [dbo].[SPx_IOSEL_DestinationFTPDetail]

[dbo].[SPx_IOSEL_DestinationList]
[dbo].[SPx_IOSEL_DestinationLookup]
[dbo].[SPx_IOSEL_DestinationServiceDetail]
[dbo].[SPx_IOSEL_TransferDatabaseDetail]
[dbo].[SPx_IOSEL_TransferDetail]
[dbo].[SPx_IOSEL_TransferFileDetail]
[dbo].[SPx_IOSEL_TransferFTPDetail]
[dbo].[SPx_IOSEL_TransferList]
[dbo].[SPx_IOSEL_TransferServiceDetail]
[dbo].[SPx_IOUpdate_Destination]

 [dbo].[ERPx_IOEnvelopeTemplate]

Columns

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity
	EnvelopeTemplateSK	bigint	8	NOT NULL	1 - 1
	EnvelopeTemplateID	varchar(50)	50	NOT NULL	
	Description	varchar(200)	200	NULL allowed	
	EnvelopeTemplate	nvarchar(max)	max	NOT NULL	

Indexes




Key	Name	Key Columns	Unique
	PK_ERPx_IOEnvelopeTemplate	EnvelopeTemplateSK	True
	IX_ERPx_IOEnvelopeTemplate	EnvelopeTemplateID	True

Used By


[dbo].[ERPx_IOService]
 [dbo].[SPx_IOSEL_EnvelopeTemplateLookup]
 [dbo].[SPx_IOSEL_Service]
 [dbo].[SPx_IOSEL_ServiceDetail]
 [dbo].[SPx_IOSEL_ServiceList]
 [dbo].[SPx_IOSEL_TransferServiceDetail]

 [dbo].[ERPx_IOFile]

Columns

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity
	FileSK	bigint	8	NOT NULL	1 - 1
	FilePath	varchar(1000)	1000	NOT NULL	
	ArchiveFilePath	varchar(1000)	1000	NOT NULL	

Indexes




Key	Name	Key Columns	Unique
	PK_ERPx_IOFile	FileSK	True
	IX_ERPx_IOFile	FilePath, ArchiveFilePath	True

Used By


[dbo].[ERPx_IODestination]
 [dbo].[ERPx_IOFilePropertyHeader]
 [dbo].[ERPx_IOSource]
 [dbo].[SPx_IOSEL_DestinationFileDetail]
 [dbo].[SPx_IOSEL_DestinationList]
 [dbo].[SPx_IOSEL_File]
 [dbo].[SPx_IOSEL_FileDetail]
 [dbo].[SPx_IOSEL_FileList]
 [dbo].[SPx_IOSEL_FileLookup]
 [dbo].[SPx_IOSEL_FilePropertyDetail]
 [dbo].[SPx_IOSEL_SourceList]
 [dbo].[SPx_IOSEL_TransferFileDetail]
 [dbo].[SPx_IOUpdate_File]

 [dbo].[ERPx_IOFilePropertyHeader]

Columns

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity
	PropertiesHeaderSK	bigint	8	NOT NULL	1 - 1
	FileSK	bigint	8	NOT NULL	
	Key	varchar(1000)	1000	NOT NULL	
	ValueSource	varchar(10)	10	NOT NULL	
	Value	nvarchar(max)	max	NULL allowed	

Indexes

Key	Name	Key Columns	Unique
	PK_ERPx_IOFilePropertyHeader	PropertiesHeaderSK	True
	IX_ERPx_IOFilePropertyHeader	FileSK, Key	True

Foreign Keys

Name	Columns
FK_ERPx_IOFilePropertyHeader_ERPx_IOFile	FileSK->[dbo].[ERPx_IOFile].[FileSK]







Uses

[dbo].[ERPx_IOFile]


Used By

[dbo].[SPx_IOSEL_DestinationFileDetail]
 [dbo].[SPx_IOSEL_FilePropertiesList]
 [dbo].[SPx_IOSEL_FilePropertyDetail]
 [dbo].[SPx_IOSEL_TransferFileDetail]
 [dbo].[SPx_IOUpdate_File]

 **[dbo].[ERPx_IOFTP]****Columns**

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity	Default
	FTPSK	bigint	8	NOT NULL	1 - 1	
	FTPDescription	nvarchar(1000)	2000	NOT NULL		
	FTPServer	varchar(1000)	1000	NOT NULL		
	FTPPort	int	4	NOT NULL		((21))
	FTPUsername	varchar(100)	100	NOT NULL		
	FTPPassword	nvarchar(100)	200	NOT NULL		
	Path	varchar(1000)	1000	NOT NULL		
	ArchiveFilePath	varchar(1000)	1000	NOT NULL		

Indexes




Key	Name	Key Columns	Unique
	PK_ERPx_IOFTP	FTPSK	True
	IX_ERPx_IOFTP	FTPServer, FTPPort, FTPUsername, Path, ArchiveFilePath	True

Used By


[dbo].[ERPx_IODestination]
 [dbo].[ERPx_IOFTPPropertyHeader]
 [dbo].[ERPx_IOSource]
 [dbo].[SPx_IOSEL_DestinationFTPDetail]
 [dbo].[SPx_IOSEL_DestinationList]
 [dbo].[SPx_IOSEL_FTP]
 [dbo].[SPx_IOSEL_FTPDetail]
 [dbo].[SPx_IOSEL_FTPList]
 [dbo].[SPx_IOSEL_FTPLookup]
 [dbo].[SPx_IOSEL_FTPPropertyDetail]
 [dbo].[SPx_IOSEL_SourceList]
 [dbo].[SPx_IOSEL_TransferFTPDetail]
 [dbo].[SPx_IOUpdate_FTP]

 [dbo].[ERPx_IOFTPPropertyHeader]

Columns

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity
	PropertiesHeaderSK	bigint	8	NOT NULL	1 - 1
	FTPSK	bigint	8	NOT NULL	
	Key	varchar(1000)	1000	NOT NULL	
	ValueSource	varchar(10)	10	NOT NULL	
	Value	nvarchar(max)	max	NULL allowed	

Indexes

Key	Name	Key Columns	Unique
	PK_ERPx_IOFTPPropertyHeader	PropertiesHeaderSK	True
	IX_ERPx_IOFTPPropertyHeader	FTPSK, Key	True

Foreign Keys

Name	Columns
FK_ERPx_IOFTPPropertyHeader_ERPx_IOFTP	FTPSK->[dbo].[ERPx_IOFTP].[FTPSK]

Uses







[dbo].[ERPx_IOFTP]

Used By


[dbo].[SPx_IOSEL_DestinationFTPDetail]
 [dbo].[SPx_IOSEL_FTPPropertiesList]
 [dbo].[SPx_IOSEL_FTPPropertyDetail]
 [dbo].[SPx_IOSEL_TransferFTPDetail]
 [dbo].[SPx_IOUpdate_FTP]

 [dbo].[ERPx_IOService]

Columns

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity
	ServiceSK	bigint	8	NOT NULL	1 - 1
	ServiceURL	varchar(2000)	2000	NOT NULL	
	Description	varchar(max)	max	NOT NULL	
	ServiceAuthenticationStyleSK	bigint	8	NOT NULL	
	ServiceAuthenticationServiceSK	bigint	8	NULL allowed	
	ServiceAuthenticationUsername	varchar(max)	max	NULL allowed	
	ServiceAuthenticationPassword	varchar(max)	max	NULL allowed	
	ServiceAuthenticationToken	varchar(max)	max	NULL allowed	
	ServiceAuthenticationTokenRetrieved	datetime	8	NULL allowed	
	ExpectHTTP100Continue	bit	1	NULL allowed	
	RequestEnvelopeTemplateSK	bigint	8	NULL allowed	
	ResponseEnvelopeTemplateSK	bigint	8	NULL allowed	
	ServiceRequestMethod	varchar(100)	100	NOT NULL	
	ServiceProtocol	varchar(100)	100	NOT NULL	
	ServiceContentType	varchar(100)	100	NOT NULL	

Indexes

Key	Name	Key Columns	Unique
	PK_ERPx_IOService	ServiceSK	True
	IX_ERPx_IOService	ServiceURL, RequestEnvelopeTemplateSK, ResponseEnvelopeTemplateSK	True

Foreign Keys

Name	Columns
FK_ERPx_IOService_ERPx_IOEnvelope-Template_Request	RequestEnvelopeTemplateSK->[dbo].[ERPx_IOEnvelopeTemplate].[EnvelopeTemplateSK]
FK_ERPx_IOService_ERPx_IOEnvelope-Template_Response	ResponseEnvelopeTemplateSK->[dbo].[ERPx_IOEnvelopeTemplate].[EnvelopeTemplateSK]
FK_ERPx_IOService_ERPx_IOService-AuthenticationServiceSK	ServiceAuthenticationServiceSK->[dbo].[ERPx_IOService].[ServiceSK]
FK_ERPx_IOService_ERPx_IOService-AuthenticationStyle	ServiceAuthenticationStyleSK->[dbo].[ERPx_IOServiceAuthenticationStyle].[ServiceAuthenticationStyleSK]

Uses



[dbo].[ERPx_IOEnvelopeTemplate]
[dbo].[ERPx_IOServiceAuthenticationStyle]

Used By


[dbo].[ERPx_IODestination]
[dbo].[ERPx_IOServicePropertyHeader]
[dbo].[ERPx_IOServiceRequest]
[dbo].[ERPx_IOServiceResponse]
[dbo].[ERPx_IOSource]
[dbo].[SPx_IOSEL_DestinationList]
[dbo].[SPx_IOSEL_DestinationServiceDetail]
[dbo].[SPx_IOSEL_Service]
[dbo].[SPx_IOSEL_ServiceDetail]
[dbo].[SPx_IOSEL_ServiceList]
[dbo].[SPx_IOSEL_ServiceLookup]
[dbo].[SPx_IOSEL_ServicePropertyDetail]
[dbo].[SPx_IOSEL_SourceList]
[dbo].[SPx_IOSEL_TransferServiceDetail]
[dbo].[SPx_IOUpdate_Service]

 **[dbo].[ERPx_IOServiceAuthenticationStyle]**

Columns

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity
	ServiceAuthenticationStyleSK	bigint	8	NOT NULL	1 - 1
	AuthenticationStyleID	varchar(50)	50	NOT NULL	
	Description	varchar(max)	max	NULL allowed	

Indexes




Key	Name	Key Columns	Unique
	PK_ERPx_IOServiceAuthenticationStyle	ServiceAuthenticationStyleSK	True
	IX_ERPx_IOServiceAuthenticationStyle	AuthenticationStyleID	True

Used By

[dbo].[ERPx_IOService]
 [dbo].[SPx_IOSEL_AuthenticationStyleLookup]
 [dbo].[SPx_IOSEL_Service]
 [dbo].[SPx_IOSEL_ServiceDetail]
 [dbo].[SPx_IOSEL_ServiceList]
 [dbo].[SPx_IOSEL_TransferServiceDetail]

 [dbo].[ERPx_IOServicePropertyHeader]

Columns

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity
	PropertiesHeaderSK	bigint	8	NOT NULL	1 - 1
	ServiceSK	bigint	8	NOT NULL	
	Key	varchar(1000)	1000	NOT NULL	
	ValueSource	varchar(10)	10	NOT NULL	
	Value	nvarchar(max)	max	NULL allowed	

Indexes

Key	Name	Key Columns	Unique
	PK_ERPx_IOServicePropertyHeader	PropertiesHeaderSK	True
	IX_ERPx_IOServicePropertyHeader	ServiceSK, Key	True

Foreign Keys

Name	Columns
FK_ERPx_IOServicePropertyHeader_ERPx_IOService	ServiceSK->[dbo].[ERPx_IOService].[ServiceSK]

Uses




[dbo].[ERPx_IOService]

Used By

[dbo].[SPx_IOSEL_DestinationServiceDetail]
 [dbo].[SPx_IOSEL_ServicePropertiesList]
 [dbo].[SPx_IOSEL_ServicePropertyDetail]
 [dbo].[SPx_IOSEL_TransferServiceDetail]
 [dbo].[SPx_IOUpdate_Service]

 [dbo].[ERPx_IOServiceRequest]

Columns

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity
	ServiceRequestSK	bigint	8	NOT NULL	1 - 1
	ServiceSK	bigint	8	NULL allowed	
	RequestString	nvarchar(max)	max	NULL allowed	
	RequestDatabaseQuerySK	bigint	8	NULL allowed	

Indexes

Key	Name	Key Columns	Unique
	PK_ERPx_IOServiceRequest	ServiceRequestSK	True

Foreign Keys

Name	Columns
FK_ERPx_IOServiceRequest_ERPx_IODatabase-Query	RequestDatabaseQuerySK->[dbo].[ERPx_IODatabaseQuery].[Database-QuerySK]
FK_ERPx_IOServiceRequest_ERPx_IOService	ServiceSK->[dbo].[ERPx_IOService].[ServiceSK]

Uses



[dbo].[ERPx_IODatabaseQuery]
 [dbo].[ERPx_IOService]

Used By


[dbo].[SPx_IOSEL_ServiceRequestDetail]
 [dbo].[SPx_IOSEL_TransferServiceDetail]

 [dbo].[ERPx_IOServiceResponse]

Columns

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity
	ServiceResponseSK	bigint	8	NOT NULL	1 - 1
	ServiceSK	bigint	8	NULL allowed	
	ResponsePattern	nvarchar(max)	max	NOT NULL	
	IsRequestReceived	bit	1	NULL allowed	
	IsAuthenticationNeeded	bit	1	NULL allowed	
	IsError	bit	1	NULL allowed	

Indexes

Key	Name	Key Columns	Unique
	PK_ERPx_IOServiceResponse	ServiceResponseSK	True

Foreign Keys

Name	Columns
FK_ERPx_IOServiceResponse_ERPx_IOService	ServiceSK->[dbo].[ERPx_IOService].[ServiceSK]

Uses

[dbo].[ERPx_IOService]



Used By

[dbo].[SPx_IOSEL_ServiceResponseDetail]


[dbo].[SPx_IOSEL_TransferServiceDetail]

 [dbo].[ERPx_IOServiceResultCode]







Columns

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity
	ServiceResultCodeSK	bigint	8	NOT NULL	1 - 1
	ResultCodeID	bigint	8	NOT NULL	
	Description	varchar(max)	max	NULL allowed	
	IsRequestReceived	bit	1	NULL allowed	
	IsAuthenticationNeeded	bit	1	NULL allowed	
	IsError	bit	1	NULL allowed	


Indexes

Key	Name	Key Columns	Unique
	PK_ERPx_IOServiceResultCode	ServiceResultCodeSK	True
	IX_ERPx_IOServiceResultCode	ResultCodeID	True

 **[dbo].[ERPx_IOSource]****Columns**

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity
	SourceSK	bigint	8	NOT NULL	1 - 1
	SourceID	varchar(50)	50	NOT NULL	
	Description	varchar(max)	max	NOT NULL	
	SourceServiceSK	bigint	8	NULL allowed	
	SourceFileSK	bigint	8	NULL allowed	
	SourceDatabaseQuerySK	bigint	8	NULL allowed	
	SourceFTPSK	bigint	8	NULL allowed	

Indexes

Key	Name	Key Columns	Unique
	PK_ERPx_IOSource	SourceSK	True
	IX_ERPx_IOSource	SourceID	True

Foreign Keys

Name	Columns
FK_ERPx_ERPx_IOSource_ERPx_IODatabase-Query	SourceDatabaseQuerySK->[dbo].[ERPx_IODatabaseQuery].[Database-QuerySK]
FK_ERPx_ERPx_IOSource_ERPx_IOFile	SourceFileSK->[dbo].[ERPx_IOFile].[FileSK]
FK_ERPx_ERPx_IOSource_ERPx_IOFTP	SourceFTPSK->[dbo].[ERPx_IOFTP].[FTPSK]
FK_ERPx_ERPx_IOSource_ERPx_IOService	SourceServiceSK->[dbo].[ERPx_IOService].[ServiceSK]

Uses







[dbo].[ERPx_IODatabaseQuery]
 [dbo].[ERPx_IOFile]
 [dbo].[ERPx_IOFTP]
 [dbo].[ERPx_IOService]

Used By


[dbo].[ERPx_IOTransfer]
 [dbo].[SPx_IOSEL_SourceList]
 [dbo].[SPx_IOSEL_SourceLookup]
 [dbo].[SPx_IOSEL_TransferDatabaseDetail]

[dbo].[SPx_IOSEL_TransferFileDetail]
[dbo].[SPx_IOSEL_TransferFTPDetail]
[dbo].[SPx_IOSEL_TransferList]
[dbo].[SPx_IOSEL_TransferServiceDetail]
[dbo].[SPx_IOUpdate_Source]

[dbo].[ERPx_IOTransfer]**Columns**

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity
	TransferSK	bigint	8	NOT NULL	1 - 1
	TransferTypeSK	bigint	8	NOT NULL	
	TransferID	varchar(50)	50	NOT NULL	
	Description	varchar(max)	max	NULL allowed	
	TransformationSK	bigint	8	NULL allowed	
	SourceSK	bigint	8	NOT NULL	
	DestinationSK	bigint	8	NOT NULL	
	DeduplicationOptionEN	bigint	8	NOT NULL	
	LoggingLevelEN	bigint	8	NOT NULL	

Indexes

Key	Name	Key Columns	Unique
	PK_ERPx_IOTransfer	TransferSK	True
	IX_ERPx_IOTransfer	TransferID	True

Foreign Keys

Name	Columns
FK_ERPx_IOTransfer_ERPx_IODestination	DestinationSK->[dbo].[ERPx_IODestination].[DestinationSK]
FK_ERPx_IOTransfer_ERPx_IOSource	SourceSK->[dbo].[ERPx_IOSource].[SourceSK]
FK_ERPx_IOTransfer_ERPx_IOTransferType	TransferTypeSK->[dbo].[ERPx_IOTransferType].[TransferTypeSK]
FK_ERPx_IOTransfer_ERPx_IOTransformation	TransformationSK->[dbo].[ERPx_IOTransformation].[TransformationSK]

Uses

[dbo].[ERPx_IODestination]
 [dbo].[ERPx_IOSource]
 [dbo].[ERPx_IOTransferType]
 [dbo].[ERPx_IOTransformation]





Used By

[dbo].[ERPx_IOTransferHistory]
 [dbo].[SPx_IOSEL_TransferDatabaseDetail]


[dbo].[SPx_IOSEL_TransferDetail]
[dbo].[SPx_IOSEL_TransferFileDetail]
[dbo].[SPx_IOSEL_TransferFTPDetail]
[dbo].[SPx_IOSEL_TransferList]
[dbo].[SPx_IOSEL_TransferServiceDetail]
[dbo].[SPx_IOUpdate_Transfer]
[dbo].[SPx_IOUpdate_TransferHistory]

 [dbo].[ERPx_IOTransferHistory]

Columns

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity
	TransferHistorySK	bigint	8	NOT NULL	1 - 1
	TransferSK	bigint	8	NOT NULL	
	TransferEntity	varchar(100)	100	NOT NULL	
	TransferDateTime	datetime	8	NOT NULL	
	TransferFingerprint	varchar(60)	60	NOT NULL	
	TransferDocument	varchar(max)	max	NULL allowed	
	TransferStatusText	varchar(max)	max	NULL allowed	

Indexes

Key	Name	Key Columns	Unique
	PK_ERPx_IOTransferHistory	TransferHistorySK	True
	IX_ERPx_IOTransferHistory	TransferSK, TransferEntity, TransferDateTime	True

Foreign Keys

Name	Columns
FK_ERPx_IOTransferHistory_ERPx_IOTransfer	TransferSK->[dbo].[ERPx_IOTransfer].[TransferSK]

Uses

[dbo].[ERPx_IOTransfer]



Used By

[dbo].[SPx_IOSEL_TransferHistoryLookup]

[dbo].[SPx_IOUpdate_TransferHistory]

 [dbo].[ERPx_IOTransferType]

Columns

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity
	TransferTypeSK	bigint	8	NOT NULL	1 - 1
	TransferTypeID	varchar(50)	50	NOT NULL	
	Description	varchar(max)	max	NULL allowed	

Indexes




Key	Name	Key Columns	Unique
	PK_ERPx_IOTransferType	TransferTypeSK	True
	IX_ERPx_IOTransferType	TransferTypeID	True

Used By

[dbo].[ERPx_IOTransfer]
 [dbo].[SPx_IOSEL_TransferDetail]
 [dbo].[SPx_IOSEL_TransferList]
 [dbo].[SPx_IOSEL_TransferTypeLookup]

 [dbo].[ERPx_IOTransformation]

Columns

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity
	TransformationSK	bigint	8	NOT NULL	1 - 1
	TransformationID	varchar(50)	50	NOT NULL	
	Description	varchar(max)	max	NULL allowed	
	TransformationTypeSK	bigint	8	NOT NULL	
	Stylesheet	nvarchar(max)	max	NULL allowed	

Indexes

Key	Name	Key Columns	Unique
	PK_ERPx_IOTransformation	TransformationSK	True
	IX_ERPx_IOTransformation	TransformationID	True

Foreign Keys


Name	Columns
FK_ERPx_ERPx_IOTransformation_ERPx_IOTransformationType	TransformationTypeSK->[dbo].[ERPx_IOTransformationType].[TransformationTypeSK]

Uses



[dbo].[ERPx_IOTransformationType]

Used By


- [dbo].[ERPx_IOTransfer]
- [dbo].[SPx_IOSEL_TransferDetail]
- [dbo].[SPx_IOSEL_TransferList]
- [dbo].[SPx_IOSEL_TransformationList]
- [dbo].[SPx_IOSEL_TransformationLookup]
- [dbo].[SPx_IOUpdate_Transformation]

 [dbo].[ERPx_IOTransformationType]

Columns

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity
	TransformationTypeSK	bigint	8	NOT NULL	1 - 1
	TransformationTypeID	varchar(50)	50	NOT NULL	
	Description	varchar(max)	max	NULL allowed	





Indexes

Key	Name	Key Columns	Unique
	PK_ERPx_IOTransformationType	TransformationTypeSK	True
	IX_ERPx_IOTransformationType	TransformationTypeID	True


Used By

[dbo].[ERPx_IOTransformation]
 [dbo].[SPx_IOSEL_TransferDetail]
 [dbo].[SPx_IOSEL_TransferList]
 [dbo].[SPx_IOSEL_TransformationList]
 [dbo].[SPx_IOSEL_TransformationTypeLookup]

[dbo].[ERPx_LMLoadAttributes]**Columns**

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity
	LoadAttributeSK	bigint	8	NOT NULL	1 - 1
	LoadHeaderSK	bigint	8	NOT NULL	
	AttributeSK	bigint	8	NOT NULL	
	AttributeValue	varchar(200)	200	NOT NULL	
	LastUpdated	datetime	8	NOT NULL	
	LastUser	varchar(150)	150	NOT NULL	
	DataEntityCompanySK	bigint	8	NOT NULL	

Indexes

Key	Name	Key Columns	Unique
	PK_ERPx_LMLoadAttributes	LoadAttributeSK	True
	UK_ERPx_LMLoadAttributes_LoadHeaderSK_AttributeSK	LoadHeaderSK, AttributeSK	True

Foreign Keys

Name	Columns
FK_ERPx_LMLoadAttributes_ERPx_LMLoadHeader	LoadHeaderSK->[dbo].[ERPx_LMLoadHeader].[LoadHeaderSK]
FK_ERPx_LMLoadAttributes_ERPx_MFDataEntity-Company	DataEntityCompanySK->[dbo].[ERPx_MFDataEntityCompany].[DataEntity-CompanySK]


Uses

[dbo].[ERPx_LMLoadHeader]
[dbo].[ERPx_MFDataEntityCompany]


Used By

[dbo].[SPx_IMProcess_TransferTransaction]
[dbo].[SPx_LMProcess_MFShipment]
[dbo].[SPx_LMSEL_LoadAttributeList]
[dbo].[SPx_LMSEL_Shipment_AttributeList]
[dbo].[SPx_LMUpdate_DeleteOrphanedLoads]
[dbo].[SPx_LMUpdate_Load]
[dbo].[SPx_LMUpdate_LoadList]
[dbo].[SPx_MFDEL_Attribute]
[dbo].[SPx_MFDEL_DeleteCompany]

[dbo].[SPx_MFUpdate_MassUpdate]

 [dbo].[ERPx_LMLoadGroupsToProcess]

Columns

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity
	LoadGroupsToProcessSK	bigint	8	NOT NULL	1 - 1
	LoadBuildSession	uniqueidentifier	16	NOT NULL	
	GroupByValue	varchar(1000)	1000	NOT NULL	
	GroupByFields	varchar(1000)	1000	NOT NULL	
	CarrierSK	bigint	8	NULL allowed	
	SiteSK	bigint	8	NULL allowed	
	ScheduledShipDate	datetime	8	NULL allowed	
	OrderHeaderSK	bigint	8	NULL allowed	
	ShipCity	varchar(50)	50	NULL allowed	
	ShipState	varchar(50)	50	NULL allowed	
	ShipZip	varchar(25)	25	NULL allowed	
	LastUpdated	datetime	8	NOT NULL	
	LastUser	varchar(110)	110	NOT NULL	
	DataEntityCompanySK	bigint	8	NOT NULL	






Indexes


Key	Name	Key Columns	Unique
	PK_ERPx_LMLoadGroupsToProcess	LoadGroupsToProcessSK	True


Used By

[dbo].[SPx_MFDEL_DeleteCompany]

 **[dbo].[ERPx_LMLoadHeader]**
Columns

Key	Name	Data Type	Persisted	Computed	Max Length (Bytes)	Nullability	Identity	Default
 C	LoadHeaderSK	bigint			8	NOT NULL	1 - 1	
 (2)	BuildLoadModule-SK	bigint			8	NULL allowed		
	LoadID	varchar(50)	True	True	50	NULL allowed		
	LoadStatusSK	bigint			8	NOT NULL		
	CarrierSK	bigint			8	NULL allowed		
	SiteSk	bigint			8	NULL allowed		
	ScheduledShip-Date	datetime			8	NULL allowed		
	ScheduledArrival-Date	datetime			8	NULL allowed		
	ActualArrivalDate	datetime			8	NULL allowed		
	Scheduled-DepartureDate	datetime			8	NULL allowed		
	ActualShipDate	datetime			8	NULL allowed		
	SOOrderCount	bigint			8	NULL allowed		((0))
	LoadAddOrders-OptionSK	bigint			8	NOT NULL		((1))
	TruckSK	bigint			8	NULL allowed		
	DriverName	varchar(50)			50	NULL allowed		
	Trailer	varchar(50)			50	NULL allowed		
	OrdersAddedFlag	varchar(1000)			1000	NULL allowed		
	SOFreightTerms-EN	bigint			8	NULL allowed		
	FreightRateType-EN	bigint			8	NULL allowed		
	LastUpdated	datetime			8	NULL allowed		(getdate())
	LastUser	varchar(110)			110	NULL allowed		
 (2)	DataEntity-	bigint			8	NOT NULL		


	CompanySK							
	LoadingPort	varchar(200)			200	NULL allowed		
	LoadingDate	datetime			8	NULL allowed		
	EntryPort	varchar(200)			200	NULL allowed		
	EntryDate	datetime			8	NULL allowed		
	DischargePort	varchar(200)			200	NULL allowed		
	DischargeDate	datetime			8	NULL allowed		
	DeliveryPort	varchar(200)			200	NULL allowed		
	DeliveryDate	datetime			8	NULL allowed		
	ShippingLine	varchar(100)			100	NULL allowed		
	Vessel	varchar(100)			100	NULL allowed		
	VesselNumber	varchar(100)			100	NULL allowed		
	Forwarder	varchar(100)			100	NULL allowed		
	BookingNumber	varchar(100)			100	NULL allowed		
	FreightRate	numeric(18,5)			9	NULL allowed		
	AdditionalFreight	numeric(18,5)			9	NULL allowed		
	TotalFreight	numeric(18,5)			9	NULL allowed		
	AttributeClassSK	bigint			8	NULL allowed		
	ScheduledArrival-Time	varchar(50)			50	NULL allowed		
	Scheduled-DepartureTime	varchar(50)			50	NULL allowed		
	ActualArrivalTime	varchar(50)			50	NULL allowed		
	ActualDeparture-Time	varchar(50)			50	NULL allowed		
	WeightAllowed	numeric(18,5)			9	NULL allowed		
	AdditionalWeight	numeric(18,5)			9	NULL allowed		
	PalletsAllowed	numeric(18,5)			9	NULL allowed		
	OrderedPallets	numeric(18,5)			9	NULL allowed		

	EmptyAdditional-Pallets	numeric(18,5)			9	NULL allowed		
	Surcharge	numeric(18,5)			9	NULL allowed		
	ScheduledBy	varchar(150)			150	NULL allowed		
	UOMSK	bigint			8	NULL allowed		
	LoadIDOverride	varchar(50)			50	NULL allowed		
	LoadGUID	uniqueidentifier			16	NULL allowed		

Computed columns

Name	Column definition
LoadID	(isnull([LoadIDOverride],CONVERT([varchar](50),[LoadHeaderSK],(0))))

Indexes

Key	Name	Key Columns	Included Columns	Unique
	PK_ERPx_LMLoadHeader	LoadHeaderSK		True
	UK_ERPx_LMLoadHeader_1	LoadID, DataEntityCompanySK, BuildLoadModuleSK		True
	IX_LMLoadHeader_BuildLoadModuleSKDataEntity-CompanySKLoadHeaderSK	BuildLoadModuleSK, DataEntity-CompanySK	LoadHeaderSK	

Foreign Keys

Name	Columns
FK_ERPx_LMLoadHeader_ERPx_IMUOM	UOMSK->[dbo].[ERPx_IMUOM].[UOMSK]
FK_ERPx_LMLoadHeader_ERPx_LMTruck	TruckSK->[dbo].[ERPx_LMTruck].[TruckSK]
FK_ERPx_LMLoadHeader_ERPx_MFAttributeClass	AttributeClassSK->[dbo].[ERPx_MFAttributeClass].[AttributeClassSK]
FK_ERPx_LMLoadHeader_ERPx_MFSite	SiteSk->[dbo].[ERPx_MFSite].[SiteSK]
FK_ERPx_LMLoadHeader_ERPx_SOCarrier	CarrierSK->[dbo].[ERPx_SOCarrier].[CarrierSK]

Uses

[dbo].[ERPx_IMUOM]
[dbo].[ERPx_LMTruck]
[dbo].[ERPx_MFAttributeClass]
[dbo].[ERPx_MFSite]
[dbo].[ERPx_SOCarrier]





Used By

[dbo].[ERPx_LMLoadAttributes]
[dbo].[ERPx_LMLoadSOOrder]
[dbo].[ERPx_LMLoadTransaction]
[dbo].[ERPx_LMLoadTransactionContainer]
[dbo].[ERPx_LMLoadTransactionLegBalanceDetail]
[dbo].[ERPx_MFAttribute_LMLoadHeader]
[dbo].[FNx_IMInventoryBalances]
[dbo].[FNx_LMLoadLegFreightWeightDetails]
[dbo].[FNx_LMLoadWeightDetails]
[dbo].[IQx_ContainerDetails]
[dbo].[IQx_LMSEL_LoadList]
[dbo].[IQx_LMSEL_LoadOrderList]
[dbo].[IQx_SOSEL_ShipmentHistory]
[dbo].[SPx_IMProcess_Transfer_PurchaseOrder]
[dbo].[SPx_IMProcess_TransferTransaction]
[dbo].[SPx_IMSEL_GetLotBalance]
[dbo].[SPx_IMUpdate_CleanUpLots]
[dbo].[SPx_IMUpdate_FindLots]
[dbo].[SPx_IMUpdate_TransactionList]
[dbo].[SPx_IMUpdate_TransactionMoreActions]
[dbo].[SPx_IMUpdate_TransactionSOShipmentReturn]
[dbo].[SPx_INTEG_BWLMHeader]
[dbo].[SPx_INTEG_GPSOInvoice]
[dbo].[SPx_LMDEL_Truck]
[dbo].[SPx_LMINS_LoadBuilder]
[dbo].[SPx_LMINS_NewLoad]
[dbo].[SPx_LMINS_NewOrderForLoad]
[dbo].[SPx_LMProcess_MFShipment]
[dbo].[SPx_LMSEL_CalculateLoadTransactionLegDetails]
[dbo].[SPx_LMSEL_CarrierLookup]
[dbo].[SPx_LMSEL_Load]
[dbo].[SPx_LMSEL_LoadAttributeList]
[dbo].[SPx_LMSEL_LoadList]
[dbo].[SPx_LMSEL_LoadOrderList]
[dbo].[SPx_LMSEL_LoadRecordFreightCost]
[dbo].[SPx_LMSEL_LoadRecordHeader]
[dbo].[SPx_LMSEL_LoadRecordLoadPlan]
[dbo].[SPx_LMSEL_LoadRecordLoadPlanFreightCost]
[dbo].[SPx_LMSEL_LoadRecordOrderFreightCostList]
[dbo].[SPx_LMSEL_LoadRecordOrderItems]
[dbo].[SPx_LMSEL_LoadRecordOrders]
[dbo].[SPx_LMSEL_LoadRecordProperties]
[dbo].[SPx_LMSEL_LoadRecordUOMLookup]
[dbo].[SPx_LMSEL_LoadStatusLookup]
[dbo].[SPx_LMSEL_MFShipmentHeader_OrderWeightUOMLookup]
[dbo].[SPx_LMSEL_MFShipmentLegList_NewRow]
[dbo].[SPx_LMSEL_MoveToNewLoadList]
[dbo].[SPx_LMSEL_Shipment_AttributeList]
[dbo].[SPx_LMSEL_SiteLookup]
[dbo].[SPx_LMSEL_TruckLookup]
[dbo].[SPx_LMUPD_LoadHeaderSOOrderCount]


[dbo].[SPx_LMUPD_MoveSOOrder]
[dbo].[SPx_LMUpdate_AssignFreightTerms]
[dbo].[SPx_LMUpdate_DeleteOrphanedLoads]
[dbo].[SPx_LMUpdate_Load]
[dbo].[SPx_LMUpdate_LoadHeaderRollup]
[dbo].[SPx_LMUpdate_LoadList]
[dbo].[SPx_LMUpdate_LoadOrderList]
[dbo].[SPx_LMUpdate_LoadTransactionFreight]
[dbo].[SPx_LMUpdate_LoadTransactionRollup]
[dbo].[SPx_MFDEL_DeleteCompany]
[dbo].[SPx_MFINSUPDDEL_Site_XML]
[dbo].[SPx_MFProcess_Carrier]
[dbo].[SPx_MFUpdate_JournalDetails]
[dbo].[SPx_MFUpdate_MassUpdate]
[dbo].[SPx_MFUpdate_Site]
[dbo].[SPx_SOPProcess_AssignInvoiceNumber]
[dbo].[SPx_SOPProcess_PurchaseOrder]
[dbo].[SPx_SOPProcess_Transaction]
[dbo].[SPx_SOPProcess_Transaction_AssignInvoiceNumber]
[dbo].[SPx_SOPProcess_Transaction_InsertShipments]
[dbo].[SPx_SOPProcess_Transaction_Post]
[dbo].[SPx_SOPProcess_Transaction_UpdateShipments]
[dbo].[SPx_SOPProcess_Transaction_Validations]
[dbo].[SPx_SOPProcess_Transaction_VoidOrder]
[dbo].[SPx_SOSEL_Allocate_HeaderOrderSummary]
[dbo].[SPx_SOSEL_FindItems_OrderSummary]
[dbo].[SPx_SOSEL_FindItemsWithBalances_OrderSummary]
[dbo].[SPx_SOSEL_FindLots_HeaderOrderSummary]
[dbo].[SPx_SOSEL_LoadStatusLookup]
[dbo].[SPx_SOSEL_OrderHeader]
[dbo].[SPx_SOSEL_OrderHeaderList]
[dbo].[SPx_SOSEL_PriceAdjustmentItems]
[dbo].[SPx_SOSEL_ReturnItems]
[dbo].[SPx_SOSEL_ShipmentContainersList]
[dbo].[SPx_SOSEL_ShipmentContainersListNew]
[dbo].[SPx_SOSEL_ShipmentDetailList]
[dbo].[SPx_SOSEL_ShipmentDetailLookup]
[dbo].[SPx_SOSEL_ShipmentList]
[dbo].[SPx_SOSEL_TransactionDetailItem]
[dbo].[SPx_SOSEL_TransactionDetailShipmentLookup]
[dbo].[SPx_SOSEL_TransactionHeaderHome]
[dbo].[SPx_SOSEL_TransactionHeaderShipment]
[dbo].[SPx_SOSEL_TransactionItemList]
[dbo].[SPx_SOUupd_ApplyProgramToOrder]
[dbo].[SPx_SOUupdate_Carrier]
[dbo].[SPx_SOUupdate_InvoiceHeaderRollup]
[dbo].[SPx_SOUupdate_PriceAdjustment]
[dbo].[SPx_SOUupdate_ShipmentDetail]
[dbo].[SPx_SOUupdate_Transaction]
[dbo].[SPx_SPSEL_BrokerActivity]
[dbo].[VWx_IMTransactionHistory]
[dbo].[VWx_LotBalances]
[hist].[SPx_SOHistory_SyncHistory]

 [dbo].[ERPx_LMLoadHeaderNote]

Columns

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity
	HeaderNoteSK	bigint	8	NOT NULL	1 - 1
	LoadHeaderSK	bigint	8	NOT NULL	
	NoteTypeSK	bigint	8	NOT NULL	
	Note	varchar(2000)	2000	NULL allowed	
	NoteHTML	varchar(max)	max	NULL allowed	
	LastUpdated	datetime	8	NULL allowed	
	LastUser	varchar(110)	110	NULL allowed	
	DataEntityCompanySK	bigint	8	NOT NULL	

Indexes

Key	Name	Key Columns	Unique
	PK_ERPx_LMLoadHeaderNote	HeaderNoteSK	True
	UK_ERPx_LMLoadHeaderNote_1	LoadHeaderSK, NoteTypeSK, DataEntityCompanySK	True

Foreign Keys

Name	Columns
FK_ERPx_LMLoadHeaderNote_ERPx_MFNoteType	NoteTypeSK->[dbo].[ERPx_MFNoteType].[NoteTypeSK]




Uses

[dbo].[ERPx_MFNoteType]

Used By

[dbo].[SPx_IMProcess_TransferTransaction]
 [dbo].[SPx_LMUpdate_DeleteOrphanedLoads]
 [dbo].[SPx_LMUpdate_Load]
 [dbo].[SPx_LMUpdate_LoadList]
 [dbo].[SPx_MFDEL_DeleteCompany]
 [dbo].[SPx_MFManage_NoteAssignment]
 [dbo].[SPx_MFSEL_NoteList]

[dbo].[ERPx_LMLoadHeaderProperty]**Columns**

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity	Default
	LoadHeaderPropertySK	bigint	8	NOT NULL	1 - 1	
	PropertyGroupDescription	varchar(200)	200	NULL allowed		
	PropertyName	varchar(50)	50	NOT NULL		
	PropertyDescription	varchar(200)	200	NOT NULL		
	PropertyDefinitionSK	bigint	8	NULL allowed		
	Sort	bigint	8	NOT NULL		
	LastUpdated	datetime	8	NOT NULL		(getdate())
	LastUser	varchar(150)	150	NOT NULL		
	DataEntityCompanySK	bigint	8	NOT NULL		
	IsReadOnly	bit	1	NOT NULL		((0))
	TabLocation	varchar(50)	50	NOT NULL		('Properties')
	MaxLengthOrDecimals	bigint	8	NULL allowed		

Indexes

Key	Name	Key Columns	Unique
	PK_ERPx_LMLoadHeaderProperty	LoadHeaderPropertySK	True

Foreign Keys

Name	Columns
FK_ERPx_LMLoadHeaderProperty_ERPx_MFData-EntityCompany	DataEntityCompanySK->[dbo].[ERPx_MFDataEntityCompany].[Data-EntityCompanySK]
FK_ERPx_LMLoadHeaderProperty_ERPx_-MFPropertyDefinition	PropertyDefinitionSK->[dbo].[ERPx_MFPropertyDefinition].[Property-DefinitionSK]

Uses






[dbo].[ERPx_MFDataEntityCompany]
 [dbo].[ERPx_MFPropertyDefinition]

Used By

[dbo].[SPx_LMSEL_Shipment_Properties]

 [dbo].[ERPx_LMLoadOrderNote]

Columns

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity
	HeaderNoteSK	bigint	8	NOT NULL	1 - 1
	LoadHeaderSK	bigint	8	NOT NULL	
	OrderHeaderSK	bigint	8	NOT NULL	
	NoteTypeSK	bigint	8	NOT NULL	
	Note	varchar(2000)	2000	NULL allowed	
	NoteHTML	varchar(max)	max	NULL allowed	
	LastUpdated	datetime	8	NULL allowed	
	LastUser	varchar(110)	110	NULL allowed	
	DataEntityCompanySK	bigint	8	NOT NULL	

Indexes

Key	Name	Key Columns	Unique
	PK_ERPx_LMLoadOrderNote	HeaderNoteSK	True
	UK_ERPx_LMLoadOrderNote_1	LoadHeaderSK, OrderHeaderSK, NoteTypeSK, DataEntityCompanySK	True

Foreign Keys

Name	Columns
FK_ERPx_LMLoadOrderNote_ERPx_MFNoteType	NoteTypeSK->[dbo].[ERPx_MFNoteType].[NoteTypeSK]

Uses





[dbo].[ERPx_MFNoteType]

Used By


[dbo].[SPx_LMUPD_MoveSOOrder]
 [dbo].[SPx_LMUpdate_Load]
 [dbo].[SPx_LMUpdate_LoadList]
 [dbo].[SPx_LMUpdate_LoadOrderList]
 [dbo].[SPx_MFDEL_DeleteCompany]
 [dbo].[SPx_MFManage_NoteAssignment]
 [dbo].[SPx_MFSEL_NoteList]

 [dbo].[ERPx_LMLoadSOOrder]

Columns

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity	Default
	LoadSOOrderSK	bigint	8	NOT NULL	1 - 1	
	LoadHeaderSK	bigint	8	NOT NULL		
	OrderHeaderSK	bigint	8	NOT NULL		
	OrderSequence	bigint	8	NOT NULL		
	Waybill	varchar(25)	25	NULL allowed		
	DeliveryNote	varchar(200)	200	NULL allowed		
	LogisticsDocsReady	bit	1	NOT NULL		((0))
	LastUpdated	datetime	8	NULL allowed		(getdate())
	LastUser	varchar(110)	110	NULL allowed		
	DataEntityCompanySK	bigint	8	NOT NULL		

Indexes

Key	Name	Key Columns	Unique
	PK_ERPx_LMLoadSOOrder	LoadSOOrderSK	True
	UK_ERPx_LMLoadSOOrder_1	OrderHeaderSK, DataEntityCompanySK	True

Foreign Keys

Name	Columns
FK_ERPx_LMLoadSOOrder_ERPx_LMLoadHeader	LoadHeaderSK->[dbo].[ERPx_LMLoadHeader].[LoadHeaderSK]
FK_ERPx_LMLoadSOOrder_ERPx_SOOrderHeader	OrderHeaderSK->[dbo].[ERPx_SOOrderHeader].[OrderHeaderSK]

Uses












[dbo].[ERPx_LMLoadHeader]
 [dbo].[ERPx_SOOrderHeader]

Used By


[dbo].[SPx_INTEG_BWLMHeader]
 [dbo].[SPx_MFDEL_DeleteCompany]

 [dbo].[ERPx_LMLoadTransaction]

Columns

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity	Default
 	LoadTransactionSK	bigint	8	NOT NULL	1 - 1	
 (2)	TransactionModuleSK	bigint	8	NOT NULL		
 (3) 	LoadHeaderSK	bigint	8	NOT NULL		
 (3)	OrderHeaderSK	bigint	8	NOT NULL		
	OrderSequence	bigint	8	NOT NULL		
	BOL	varchar(100)	100	NULL allowed		
	TrackingNumber	varchar(100)	100	NULL allowed		
	Waybill	varchar(25)	25	NULL allowed		
	LogisticsDocsReady	bit	1	NOT NULL		((0))
	SOFreightTermsEN	bigint	8	NULL allowed		
	DeliverOnDate	datetime	8	NULL allowed		
	FreightRateTypeEN	bigint	8	NULL allowed		
	FreightRate	numeric(18,5)	9	NULL allowed		
	FreightAmount	numeric(18,5)	9	NULL allowed		
	Destination	varchar(50)	50	NULL allowed		
	LastUpdated	datetime	8	NULL allowed		(getdate())
	LastUser	varchar(110)	110	NULL allowed		
 (2)	DataEntityCompanySK	bigint	8	NOT NULL		
	PalletCount	numeric(18,5)	9	NULL allowed		
	BOLDocumentFirstPrintDate	datetime	8	NULL allowed		
	Allocated	bit	1	NULL allowed		
	AdditionalWeight	numeric(18,5)	9	NULL allowed		
	DeliveryCharge	numeric(18,5)	9	NULL allowed		
	Surcharge	numeric(18,5)	9	NULL allowed		
	OtherCharges	numeric(18,5)	9	NULL allowed		
	TotalFreight	numeric(18,5)	9	NULL allowed		
	CountOfLegs	int	4	NOT NULL		
 	InvoiceHeaderSK	bigint	8	NULL allowed		
	ShowWeightForEN	bigint	8	NULL allowed		
	FreightAccrualGLAccountSK	bigint	8	NULL allowed		

Indexes

Key	Name	Key Columns	Included Columns	Unique
	PK_ERPx_LMLoadTransaction	LoadTransactionSK		True
	UK_ERPx_LMLoadTransaction	TransactionModuleSK, LoadHeaderSK, OrderHeaderSK, DataEntity-CompanySK		True
	IX_ERPx_LMLoadTransaction_LoadHeaderSK	LoadHeaderSK		
	IX_ERPx_LMLoadTransaction_LoadHeaderSKDataEntity-Company	LoadHeaderSK, DataEntity-CompanySK	LoadTransactionSK, LogisticsDocs-Ready, OrderHeaderSK, Transaction-ModuleSK	
	IX_LMLoadTransaction_InvoiceHeaderSK	InvoiceHeaderSK		
	IX_LMLoadTransaction_OrderHeaderSK	OrderHeaderSK		

Foreign Keys

Name	Columns
FK_ERPx_LMLoadTransaction_ERPx_GLAaccount_FreightAccrualGLAccountSK	FreightAccrualGLAccountSK->[dbo].[ERPx_GLAaccount].[AccountSK]
FK_ERPx_LMLoadTransaction_ERPx_LMLoadHeader	LoadHeaderSK->[dbo].[ERPx_LMLoadHeader].[LoadHeaderSK]
FK_ERPx_LMLoadTransaction_ERPx_SOInvoiceHeader	InvoiceHeaderSK->[dbo].[ERPx_SOInvoiceHeader].[InvoiceHeaderSK]

Uses


[dbo].[ERPx_GLAaccount]
 [dbo].[ERPx_LMLoadHeader]
 [dbo].[ERPx_SOInvoiceHeader]

Used By

[dbo].[ERPx_LMLoadTransactionBOLHistory]
 [dbo].[ERPx_LMLoadTransactionLeg]
 [dbo].[ERPx_LMLoadTransactionLegBalanceDetail]
 [dbo].[FNx_GetDynamicRecordViewURL]
 [dbo].[FNx_GetTransactionAccounts]
 [dbo].[FNx_GetTransactionAmounts]
 [dbo].[FNx_GetTransactionRecordViewURL]
 [dbo].[FNx_LMLoadLegFreightWeightDetails]
 [dbo].[FNx_LMLoadWeight]
 [dbo].[FNx_LMLoadWeightDetails]
 [dbo].[IQx_ContainerDetails]
 [dbo].[IQx_IMSEL_ItemHistory]
 [dbo].[IQx_IMSEL_LotHistory]
 [dbo].[IQx_LMSEL_LoadList]
 [dbo].[IQx_LMSEL_LoadOrderList]

[dbo].[IQx_SOSEL_ShipmentHistory]
[dbo].[SPx_IMProcess_Transfer_PurchaseOrder]
[dbo].[SPx_IMProcess_TransferTransaction]
[dbo].[SPx_IMSEL_TransactionHeaderTransfer]
[dbo].[SPx_IMSEL_TransactionList]
[dbo].[SPx_IMUpdate_FindLots]
[dbo].[SPx_IMUpdate_TransactionList]
[dbo].[SPx_IMUpdate_TransactionMoreActions]
[dbo].[SPx_IMUpdate_TransactionSOShipmentReturn]
[dbo].[SPx_INTEG_BWLMHeader]
[dbo].[SPx_INTEG_GPSInvoice]
[dbo].[SPx_INTEG_GPSProgramAccrual]
[dbo].[SPx_LMINS_LoadBuilder]
[dbo].[SPx_LMINS_NewLoad]
[dbo].[SPx_LMINS_NewOrderForLoad]
[dbo].[SPx_LMProcess_MFShipment]
[dbo].[SPx_LMSEL_CalculateLoadTransactionLegDetails]
[dbo].[SPx_LMSEL_LoadAttributeList]
[dbo].[SPx_LMSEL_LoadList]
[dbo].[SPx_LMSEL_LoadOrderList]
[dbo].[SPx_LMSEL_LoadRecordHeader]
[dbo].[SPx_LMSEL_LoadRecordLoadPlanFreightCost]
[dbo].[SPx_LMSEL_LoadRecordOrderFreightCostList]
[dbo].[SPx_LMSEL_LoadRecordOrderItems]
[dbo].[SPx_LMSEL_LoadRecordOrders]
[dbo].[SPx_LMSEL_LoadSOOrderList]
[dbo].[SPx_LMSEL_MFShipmentHeader_FreightTermsLookup]
[dbo].[SPx_LMSEL_MFShipmentHeader_OrderWeightUOMLookup]
[dbo].[SPx_LMSEL_MFShipmentLegList_NewRow]
[dbo].[SPx_LMSEL_Shipment_AttributeList]
[dbo].[SPx_LMSEL_Shipment_Properties]
[dbo].[SPx_LMUPD_LoadHeaderSOOrderCount]
[dbo].[SPx_LMUPD_MoveSOOrder]
[dbo].[SPx_LMUpdate_AssignFreightTerms]
[dbo].[SPx_LMUpdate_DeleteOrphanedLoads]
[dbo].[SPx_LMUpdate_Load]
[dbo].[SPx_LMUpdate_LoadHeaderRollup]
[dbo].[SPx_LMUpdate_LoadList]
[dbo].[SPx_LMUpdate_LoadOrderList]
[dbo].[SPx_LMUpdate_LoadTransactionFreight]
[dbo].[SPx_LMUpdate_LoadTransactionFreightRollup]
[dbo].[SPx_LMUpdate_LoadTransactionRollup]
[dbo].[SPx_MFDEL_DeleteCompany]
[dbo].[SPx_MFManage_NoteAssignment]
[dbo].[SPx_MFUpdate_Allocate]
[dbo].[SPx_MFUpdate_JournalDetails]
[dbo].[SPx_MFUpdate_MassUpdate]
[dbo].[SPx_SOAssignBOLNumber]
[dbo].[SPx_SOPProcess_AssignInvoiceNumber]
[dbo].[SPx_SOPProcess_PurchaseOrder]
[dbo].[SPx_SOPProcess_Transaction]
[dbo].[SPx_SOPProcess_Transaction_AssignInvoiceNumber]
[dbo].[SPx_SOPProcess_Transaction_InsertItem]

[dbo].[SPx_SOPProcess_Transaction_InsertShipments]
[dbo].[SPx_SOPProcess_Transaction_Post]
[dbo].[SPx_SOPProcess_Transaction_UpdateItem]
[dbo].[SPx_SOPProcess_Transaction_UpdateOrderHeader]
[dbo].[SPx_SOPProcess_Transaction_UpdateShipments]
[dbo].[SPx_SOPProcess_Transaction_Validations]
[dbo].[SPx_SOPProcess_Transaction_VoidOrder]
[dbo].[SPx_SOPProcess_ValidateTransaction]
[dbo].[SPx_SOSEL_ItemLookup]
[dbo].[SPx_SOSEL_OrderHeader]
[dbo].[SPx_SOSEL_OrderHeaderList]
[dbo].[SPx_SOSEL_PriceAdjustmentItems]
[dbo].[SPx_SOSEL_ReturnHeaderHome]
[dbo].[SPx_SOSEL_ReturnItems]
[dbo].[SPx_SOSEL_SalesProgramDetail_Accrual]
[dbo].[SPx_SOSEL_SalesProgramDetail_OnInvoice]
[dbo].[SPx_SOSEL_ShipmentContainersList]
[dbo].[SPx_SOSEL_ShipmentContainersListNew]
[dbo].[SPx_SOSEL_ShipmentDetailList]
[dbo].[SPx_SOSEL_ShipmentDetailLookup]
[dbo].[SPx_SOSEL_ShipmentList]
[dbo].[SPx_SOSEL_TransactionDetailItem]
[dbo].[SPx_SOSEL_TransactionDetailShipmentLookup]
[dbo].[SPx_SOSEL_TransactionHeaderHome]
[dbo].[SPx_SOSEL_TransactionHeaderShipment]
[dbo].[SPx_SOSEL_TransactionItemList]
[dbo].[SPx_SOUPD_ApplyProgramToOrder]
[dbo].[SPx_SOUPD_SalesProgramItem]
[dbo].[SPx_SOUpdate_InvoiceHeaderRollup]
[dbo].[SPx_SOUpdate_PriceAdjustment]
[dbo].[SPx_SOUpdate_Return]
[dbo].[SPx_SOUpdate_Transaction]
[dbo].[SPx_SP_CalculateOrderPrograms]
[dbo].[SPx_SPSEL_ProcessSettlementsList]
[dbo].[VWx_IMTransactionHistory]
[hist].[SPx_SOHistory_SynchHistory]

 [dbo].[ERPx_LMLoadTransactionBOLHistory]

Columns

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity	Default
	LoadTransactionBOLSK	bigint	8	NOT NULL	1 - 1	
	LoadTransactionSK	bigint	8	NOT NULL		
	BOLData	xml	max	NULL allowed		
	CreatedOn	datetime	8	NOT NULL		(getdate())
	CreatedBy	varchar(110)	110	NOT NULL		
	DataEntityCompanySK	bigint	8	NOT NULL		

Indexes

Key	Name	Key Columns	Unique
	PK_ERPx_LMLoadTransactionBOLHistory	LoadTransactionBOLSK	True

Foreign Keys

Name	Columns
FK_ERPx_LMLoadTransactionBOLHistory_ERPx_LMLoadTransaction	LoadTransactionSK->[dbo].[ERPx_LMLoadTransaction].[LoadTransactionSK]
FK_ERPx_LMLoadTransactionBOLHistory_ERPx_MFDataEntityCompany	DataEntityCompanySK->[dbo].[ERPx_MFDataEntityCompany].[DataEntityCompanySK]





Uses

[dbo].[ERPx_LMLoadTransaction]
 [dbo].[ERPx_MFDataEntityCompany]

Used By

[dbo].[SPx_IMProcess_TransferTransaction]
 [dbo].[SPx_LMUpdate_DeleteOrphanedLoads]

[dbo].[ERPx_LMLoadTransactionContainer]**Columns**

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity	Default
	LoadTransactionContainerSK	bigint	8	NOT NULL	1 - 1	
	Container	varchar(30)	30	NOT NULL		
	ContainerType	varchar(100)	100	NULL allowed		
	Units	numeric(18,2)	9	NOT NULL		
	Weight	numeric(18,2)	9	NOT NULL		
	Rate	numeric(18,2)	9	NOT NULL		
	Amount	numeric(18,2)	9	NOT NULL		
	Comment	varchar(100)	100	NULL allowed		
	LastUpdated	datetime	8	NOT NULL		
	LastUser	varchar(100)	100	NOT NULL		
	DataEntityCompanySK	bigint	8	NOT NULL		
	Seal	varchar(30)	30	NULL allowed		
	ContainerTare	numeric(18,2)	9	NOT NULL		((0))
	TotalWeight	numeric(18,2)	9	NULL allowed		
	Dunnage	numeric(18,2)	9	NULL allowed		
	LoadHeaderSK	bigint	8	NOT NULL		
	Pallets	numeric(18,2)	9	NOT NULL		((0))

Indexes

Key	Name	Key Columns	Unique
	PK_ERPx_LMLoadTransactionContainer	LoadTransactionContainerSK	True
	IX_ERPx_LMLoadTransactionContainer	Container	

Foreign Keys

Name	Columns
FK_ERPx_LMLo_LoadH__0B633C6C	LoadHeaderSK->[dbo].[ERPx_LMLoadHeader].[LoadHeaderSK]
FK_ERPx_LMLoadTransactionContainer_ERPx_MFData-EntityCompany	DataEntityCompanySK->[dbo].[ERPx_MFDataEntityCompany].[Data-EntityCompanySK]

Uses

[dbo].[ERPx_LMLoadHeader]









[dbo].[ERPx_MFDataEntityCompany]

Used By


[dbo].[IQx_ContainerDetails]
[dbo].[SPx_IMProcess_TransferTransaction]
[dbo].[SPx_LMUpdate_DeleteOrphanedLoads]
[dbo].[SPx_LMUpdate_Load]
[dbo].[SPx_LMUpdate_LoadList]
[dbo].[SPx_MFDEL_DeleteCompany]
[dbo].[SPx_SOSEL_ShipmentContainersList]
[dbo].[SPx_SOUUpdate_ShipmentDetail]

 [dbo].[ERPx_LMLoadTransactionLeg]

Columns

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity	Default
	LoadTransactionLegSK	bigint	8	NOT NULL	1 - 1	
	LoadTransactionSK	bigint	8	NOT NULL		
	LegSequence	int	4	NOT NULL		
	CarrierSK	bigint	8	NULL allowed		
	FreightRateTypeEN	bigint	8	NULL allowed		
	FreightRate	numeric(18,5)	9	NOT NULL		
	FreightRateUOMSK	bigint	8	NULL allowed		
	FreightWeight	numeric(18,5)	9	NULL allowed		
	CurrencySK	bigint	8	NOT NULL		
	Surcharge	numeric(18,5)	9	NOT NULL		
	OtherCharges	numeric(18,5)	9	NOT NULL		
	TotalFreight	numeric(18,5)	9	NOT NULL		
	ExchangeRate	numeric(19,7)	9	NULL allowed		
	ExchangeSK	bigint	8	NULL allowed		
	ExchangeRateCalculationMethodEN	bigint	8	NULL allowed		
	IsInverseExchange	bit	1	NULL allowed		
	LoadTransactionLegSourceEN	bigint	8	NULL allowed		((1))
	ExternalLoadID	varchar(50)	50	NULL allowed		
	ExternalLegID	varchar(50)	50	NULL allowed		
	AddressName	varchar(150)	150	NULL allowed		
	AddressLine1	varchar(75)	75	NULL allowed		
	AddressLine2	varchar(75)	75	NULL allowed		
	City	varchar(35)	35	NULL allowed		
	State	varchar(30)	30	NULL allowed		
	Zip	varchar(15)	15	NULL allowed		
	Country	varchar(50)	50	NULL allowed		
	LastUpdated	datetime	8	NOT NULL		(getdate())
	LastUser	varchar(150)	150	NOT NULL		
	DataEntityCompanySK	bigint	8	NOT NULL		
	FreightTax	numeric(18,5)	9	NULL allowed		
	IsClosed	bit	1	NOT NULL		((0))
	HandlingRateTypeEN	bigint	8	NULL allowed		
	HandlingFee	numeric(18,5)	9	NOT NULL		((0))

Indexes

Key	Name	Key Columns	Unique
	PK_ERPx_LMLoadTransactionLeg	LoadTransactionLegSK	True
	IX_ERPx_LMLoadTransactionLeg	LoadTransactionSK, LegSequence	True

Foreign Keys

Name	Columns
FK_ERPx_LMLoadTransactionLeg_ERPx_IMUOM	FreightRateUOMSK->[dbo].[ERPx_IMUOM].[UOMSK]
FK_ERPx_LMLoadTransactionLeg_ERPx_LMLoadTransaction	LoadTransactionSK->[dbo].[ERPx_LMLoadTransaction].[LoadTransactionSK]
FK_ERPx_LMLoadTransactionLeg_ERPx_MFCurrency	CurrencySK->[dbo].[ERPx_MFCurrency].[CurrencySK]
FK_ERPx_LMLoadTransactionLeg_ERPx_MFCurrencyExchange	ExchangeSK->[dbo].[ERPx_MFCurrencyExchange].[ExchangeSK]
FK_ERPx_LMLoadTransactionLeg_ERPx_MFDataEntityCompany	DataEntityCompanySK->[dbo].[ERPx_MFDataEntityCompany].[DataEntityCompanySK]
FK_ERPx_LMLoadTransactionLeg_ERPx_SOCarrier	CarrierSK->[dbo].[ERPx_SOCarrier].[CarrierSK]

Uses





[dbo].[ERPx_IMUOM]
 [dbo].[ERPx_LMLoadTransaction]
 [dbo].[ERPx_MFCurrency]
 [dbo].[ERPx_MFCurrencyExchange]
 [dbo].[ERPx_MFDataEntityCompany]
 [dbo].[ERPx_SOCarrier]








Used By


[dbo].[ERPx_LMLoadTransactionLegBalanceDetail]
 [dbo].[ERPx_LMLoadTransactionLegNote]
 [dbo].[ERPx_LMLoadTransactionLegPayment]
 [dbo].[FNx_LMLoadLegFreightWeight]
 [dbo].[FNx_LMLoadLegFreightWeightDetails]
 [dbo].[IQx_SOSEL_ShipmentHistory]
 [dbo].[SPx_IMProcess_TransferTransaction]
 [dbo].[SPx_LMINS_LoadBuilder]
 [dbo].[SPx_LMINS_NewLoad]
 [dbo].[SPx_LMINS_NewOrderForLoad]
 [dbo].[SPx_LMProcess_MFShipment]
 [dbo].[SPx_LMSEL_CalculateLoadTransactionLegDetails]
 [dbo].[SPx_LMSEL_MFShipmentLegList_CarrierLookup]
 [dbo].[SPx_LMSEL_MFShipmentLegList_FreightRateUOMLookup]
 [dbo].[SPx_LMSEL_MFShipmentLegList_NewRow]
 [dbo].[SPx_LMUPD_MoveSOOrder]

[dbo].[SPx_LMUpdate_DeleteOrphanedLoads]
[dbo].[SPx_LMUpdate_Load]
[dbo].[SPx_LMUpdate_LoadList]
[dbo].[SPx_LMUpdate_LoadTransactionFreight]
[dbo].[SPx_MFProcess_Carrier]
[dbo].[SPx_SOPProcess_Transaction_InsertShipments]
[dbo].[SPx_SOPProcess_Transaction_UpdateShipments]
[dbo].[SPx_SOSEL_SalesProgramDetail_Accrual]
[dbo].[SPx_SOSEL_SalesProgramDetail_OnInvoice]
[dbo].[SPx_SOSEL_ShipmentList]
[hist].[SPx_SOHistory_SyncHistory]

[dbo].[ERPx_LMLoadTransactionLegBalanceDetail]**Columns**

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity	Default
	LoadTransactionLegBalanceDetailSK	bigint	8	NOT NULL	1 - 1	
	LoadTransactionLegSK	bigint	8	NOT NULL		
	BalanceDetailTypeEN	bigint	8	NOT NULL		
	BalanceDetailSourceEN	bigint	8	NOT NULL		
	SourceModuleSK	bigint	8	NOT NULL		
	SourceTransactionTypeSK	bigint	8	NOT NULL		
	SourceTransactionSK	bigint	8	NOT NULL		
	SourceTransactionID	varchar(50)	50	NULL allowed		
	CustomerSK	bigint	8	NULL allowed		
	CustomerID	varchar(50)	50	NULL allowed		
	CustomerName	varchar(100)	100	NULL allowed		
	ActualShipDate	datetime	8	NULL allowed		
	InvoiceDate	datetime	8	NULL allowed		
	OriginalGLDate	datetime	8	NULL allowed		
	OriginalGLPeriod	varchar(50)	50	NULL allowed		
	OriginalGLYear	varchar(10)	10	NULL allowed		
	GLDate	datetime	8	NULL allowed		
	GLPeriod	varchar(50)	50	NULL allowed		
	GLYear	varchar(10)	10	NULL allowed		
	LoadHeaderSK	bigint	8	NOT NULL		
	LoadID	varchar(50)	50	NULL allowed		
	BOL	varchar(100)	100	NULL allowed		
	CarrierSK	bigint	8	NULL allowed		
	CarrierCode	varchar(50)	50	NULL allowed		

	CarrierName	varchar(50)	50	NULL allowed		
	VendorSK	bigint	8	NULL allowed		
	VendorID	varchar(50)	50	NULL allowed		
	VendorName	varchar(100)	100	NULL allowed		
	LegCurrencyAmount	numeric(18,5)	9	NOT NULL		
	LegCurrencySK	bigint	8	NOT NULL		
	LegCurrencyID	varchar(15)	15	NULL allowed		
	TransactionCurrencySK	bigint	8	NULL allowed		
	TransactionCurrencyID	varchar(15)	15	NULL allowed		
	TransactionCurrencyExchangeSK	bigint	8	NULL allowed		
	TransactionCurrencyExchangeRate	numeric(18,5)	9	NULL allowed		
	TransactionCurrencyExchangeRateCalculation- MethodEN	bigint	8	NULL allowed		
	TransactionCurrencyAmount	numeric(18,5)	9	NOT NULL		
	VendorCurrencySK	bigint	8	NULL allowed		
	VendorCurrencyID	varchar(15)	15	NULL allowed		
	VendorCurrencyExchangeSK	bigint	8	NULL allowed		
	VendorCurrencyExchangeRate	numeric(18,5)	9	NULL allowed		
	VendorCurrencyExchangeRateCalculation- MethodEN	bigint	8	NULL allowed		
	VendorCurrencyAmount	numeric(18,5)	9	NULL allowed		
	CompanyCurrencySK	bigint	8	NULL allowed		
	CompanyCurrencyID	varchar(15)	15	NULL allowed		
	CompanyCurrencyExchangeSK	bigint	8	NULL allowed		
	CompanyCurrencyExchangeRate	numeric(18,5)	9	NULL allowed		
	CompanyCurrencyExchangeRateCalculation- MethodEN	bigint	8	NULL allowed		
	CompanyCurrencyAmount	numeric(18,5)	9	NOT NULL		
	JournalHeaderSK	bigint	8	NOT NULL		
	JournalID	varchar(20)	20	NULL allowed		

	APIInvoiceHeaderSK	bigint	8	NULL allowed		
	APIInvoiceID	varchar(25)	25	NULL allowed		
	CreatedBy	varchar(110)	110	NOT NULL		
	CreatedDate	datetime	8	NOT NULL		
	LastUser	varchar(110)	110	NOT NULL		
	LastUpdated	datetime	8	NOT NULL		
	DataEntityCompanySK	bigint	8	NOT NULL		
	LegSequence	int	4	NOT NULL		
	LoadTransactionSK	bigint	8	NOT NULL		
	ExternalLoadID	varchar(50)	50	NULL allowed		
	ExternalLegID	varchar(50)	50	NULL allowed		
	IsClosed	bit	1	NOT NULL		((0))

Foreign Keys

Name	Columns
FK_ERPx_LMLoadTransactionLegBalanceDetail_ERPx_-APVendor	VendorSK->[dbo].[ERPx_APVendor].[VendorSK]
FK_ERPx_LMLoadTransactionLegBalanceDetail_ERPx_-ARCustomer	CustomerSK->[dbo].[ERPx_ARCustomer].[CustomerSK]
FK_ERPx_LMLoadTransactionLegBalanceDetail_ERPx_-GLJournalHeader	JournalHeaderSK->[dbo].[ERPx_GLJournalHeader].[Journal-HeaderSK]
FK_ERPx_LMLoadTransactionLegBalanceDetail_ERPx_-LMLoadHeader	LoadHeaderSK->[dbo].[ERPx_LMLoadHeader].[LoadHeaderSK]
FK_ERPx_LMLoadTransactionLegBalanceDetail_ERPx_-LMLoadTransaction	LoadTransactionSK->[dbo].[ERPx_LMLoadTransaction].[Load-TransactionSK]
FK_ERPx_LMLoadTransactionLegBalanceDetail_ERPx_-LMLoadTransactionLeg	LoadTransactionLegSK->[dbo].[ERPx_LMLoadTransaction-Leg].[LoadTransactionLegSK]
FK_ERPx_LMLoadTransactionLegBalanceDetail_ERPx_-MFCurrency	VendorCurrencySK->[dbo].[ERPx_MFCurrency].[CurrencySK]
FK_ERPx_LMLoadTransactionLegBalanceDetail_ERPx_-MFCurrency_LegCurrency	LegCurrencySK->[dbo].[ERPx_MFCurrency].[CurrencySK]
FK_ERPx_LMLoadTransactionLegBalanceDetail_ERPx_-MFCurrency_TransactionCurrency	TransactionCurrencySK->[dbo].[ERPx_MFCurrency].[Currency-SK]
FK_ERPx_LMLoadTransactionLegBalanceDetail_ERPx_-MFCurrencyExchange_Transaction	TransactionCurrencyExchangeSK->[dbo].[ERPx_MFCurrency-Exchange].[ExchangeSK]
FK_ERPx_LMLoadTransactionLegBalanceDetail_ERPx_-MFCurrencyExchange_Vendor	VendorCurrencyExchangeSK->[dbo].[ERPx_MFCurrency-Exchange].[ExchangeSK]
FK_ERPx_LMLoadTransactionLegBalanceDetail_ERPx_-SOCarrier	CarrierSK->[dbo].[ERPx_SOCarrier].[CarrierSK]






Uses

[dbo].[ERPx_APVendor]
[dbo].[ERPx_ARCustomer]
[dbo].[ERPx_GLJournalHeader]
[dbo].[ERPx_LMLoadHeader]
[dbo].[ERPx_LMLoadTransaction]
[dbo].[ERPx_LMLoadTransactionLeg]
[dbo].[ERPx_MFCurrency]
[dbo].[ERPx_MFCurrencyExchange]
[dbo].[ERPx_SOCarrier]



Used By

[dbo].[SPx_LMUpdate_DeleteOrphanedLoads]

[dbo].[ERPx_LMLoadTransactionLegNote]**Columns**

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity
 	LoadTransactionLegNoteSK	bigint	8	NOT NULL	1 - 1
	LoadTransactionLegSK	bigint	8	NOT NULL	
	NoteTypeSK	bigint	8	NOT NULL	
	Note	varchar(max)	max	NULL allowed	
	LastUpdated	datetime	8	NOT NULL	
	LastUser	varchar(150)	150	NOT NULL	
	DataEntityCompanySK	bigint	8	NOT NULL	
	NoteHTML	varchar(max)	max	NULL allowed	

Indexes

Key	Name	Key Columns	Unique
 	PK_ERPx_LMLoadTransactionNote	LoadTransactionLegNoteSK	True
	IX_ERPx_LMLoadTransactionNote	LoadTransactionLegSK, NoteTypeSK, DataEntityCompanySK	True

Foreign Keys

Name	Columns
FK_ERPx_LMLoadTransactionNote_ERPx_LMLoadTransactionLeg	LoadTransactionLegSK->[dbo].[ERPx_LMLoadTransactionLeg].[LoadTransactionLegSK]
FK_ERPx_LMLoadTransactionNote_ERPx_MFDataEntityCompany	DataEntityCompanySK->[dbo].[ERPx_MFDataEntityCompany].[DataEntityCompanySK]






Uses

[dbo].[ERPx_LMLoadTransactionLeg]
 [dbo].[ERPx_MFDataEntityCompany]



Used By

[dbo].[SPx_IMPProcess_TransferTransaction]
 [dbo].[SPx_LMUpdate_DeleteOrphanedLoads]
 [dbo].[SPx_MFManage_NoteAssignment]
 [dbo].[SPx_MFSEL_NoteList]

[dbo].[ERPx_LMLoadTransactionLegPayment]**Columns**

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity
 	LoadTransactionLegPaymentSK	bigint	8	NOT NULL	1 - 1
	LoadTransactionLegSK	bigint	8	NOT NULL	
	VendorSK	bigint	8	NULL allowed	
	ExchangeRate	numeric(19,7)	9	NULL allowed	
	ExchangeRateCalculationMethodEN	bigint	8	NULL allowed	
	PayableAmount	numeric(18,5)	9	NULL allowed	
	TransactionID	varchar(25)	25	NULL allowed	
	DocNumber	varchar(50)	50	NULL allowed	
	TransactionDate	date	3	NULL allowed	
	DataEntityCompanySK	bigint	8	NOT NULL	

Indexes

Key	Name	Key Columns	Unique
 	PK_ERPx_LMLoadTransactionLegPayment	LoadTransactionLegPaymentSK	True
	IX_ERPx_LMLoadTransactionLegPayment	LoadTransactionLegSK, VendorSK, DataEntityCompanySK	True

Foreign Keys

Name	Columns
FK_ERPx_LMLoadTransactionLegPayment_ERPx_-APVendor	VendorSK->[dbo].[ERPx_APVendor].[VendorSK]
FK_ERPx_LMLoadTransactionLegPayment_ERPx_-LMLoadTransactionLeg	LoadTransactionLegSK->[dbo].[ERPx_LMLoadTransaction-Leg].[LoadTransactionLegSK]
FK_ERPx_LMLoadTransactionLegPayment_ERPx_-MFDataEntityCompany	DataEntityCompanySK->[dbo].[ERPx_MFDataEntityCompany].[Data-EntityCompanySK]

Uses

[dbo].[ERPx_APVendor]
 [dbo].[ERPx_LMLoadTransactionLeg]
 [dbo].[ERPx_MFDataEntityCompany]





Used By

[dbo].[SPx_APPProcess_Vendor]

[dbo].[SPx_APUdate_VendorList]
[dbo].[SPx_FAUpdate_FishermanTenderList]
[dbo].[SPx_FAUpdate_LoanList]
[dbo].[SPx_IMProcess_TransferTransaction]
[dbo].[SPx_LMUpdate_DeleteOrphanedLoads]

 [dbo].[ERPx_LMTruck]

Columns

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity	Default
	TruckSK	bigint	8	NOT NULL	1 - 1	
	TruckID	varchar(50)	50	NOT NULL		
	CarrierSK	bigint	8	NOT NULL		
	IsInactive	bit	1	NOT NULL		((0))
	LastUpdated	datetime	8	NOT NULL		(getdate())
	LastUser	varchar(110)	110	NOT NULL		
	DataEntityCompanySK	bigint	8	NOT NULL		
	Driver	varchar(75)	75	NULL allowed		

Indexes

Key	Name	Key Columns	Unique
	PK_ERPx_LMTruck	TruckSK	True
	UK_ERPx_LMTruck_1	TruckID, CarrierSK, DataEntityCompanySK	True

Foreign Keys

Name	Columns
FK_ERPx_LMTruck_ERPx_SOCarrier	CarrierSK->[dbo].[ERPx_SOCarrier].[CarrierSK]

Uses

[dbo].[ERPx_SOCarrier]

Used By

[dbo].[ERPx_LMLoadHeader]
 [dbo].[IQx_LMSEL_LoadList]
 [dbo].[SPx_LMDEL_Truck]
 [dbo].[SPx_LMINS_Truck]
 [dbo].[SPx_LMSEL_Load]
 [dbo].[SPx_LMSEL_LoadList]
 [dbo].[SPx_LMSEL_LoadRecordLoadPlanFreightCost]
 [dbo].[SPx_LMSEL_MoveToNewLoadList]
 [dbo].[SPx_LMSEL_Shipment_Properties]
 [dbo].[SPx_LMSEL_TruckList]
 [dbo].[SPx_LMSEL_TruckLookup]

[dbo].[SPx_LMUPD_Truck]



[dbo].[SPx_MFDEL_DeleteCompany]

[dbo].[SPx_MFProcess_Carrier]

[dbo].[SPx_SOUUpdate_Carrier]

 [dbo].[ERPx_MFActions]

Columns

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity	Default
	ActionsSK	bigint	8	NOT NULL	1 - 1	
	ActionTypeSK	bigint	8	NOT NULL		
	MenuText	varchar(50)	50	NOT NULL		
	MenuIcon	varchar(max)	max	NULL allowed		
	MenuAction	varchar(max)	max	NOT NULL		
	IsSystemAction	bit	1	NOT NULL		((0))
	Sort	int	4	NULL allowed		
	IsEnabled	bit	1	NOT NULL		((1))
	ForceSave	bit	1	NOT NULL		((0))
	ControlParameterField	varchar(max)	max	NULL allowed		
	WindowSizeWidth	int	4	NULL allowed		
	WindowSizeHeight	int	4	NULL allowed		

Indexes


Key	Name	Key Columns	Unique
	PK_ERPx_MFMoreActions	ActionsSK	True
	IX_ERPx_MFActions	MenuText	True

Used By

[dbo].[ERPx_MFActionsForm]
 [dbo].[SPx_MFActionsLookup]
 [dbo].[SPx_MFDEL_DeleteCompany]
 [dbo].[SPx_MFSEL_ActionsLookup]

 [dbo].[ERPx_MFActionsDataField]

Columns

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity
	ActionDataFieldSK	bigint	8	NOT NULL	1 - 1
	ActionSK	bigint	8	NOT NULL	
	DataFieldSequence	int	4	NOT NULL	
	DataFieldName	varchar(50)	50	NOT NULL	
	DataFieldLookupQuery	nvarchar(max)	max	NULL allowed	

Indexes





Key	Name	Key Columns	Unique
	PK_ERPx_MFActionsDataField	ActionDataFieldSK	True

Used By

[dbo].[SPx_MFActionsLookup]
 [dbo].[SPx_MFDEL_DeleteCompany]
 [dbo].[SPx_MFSEL_ActionsLookup]

 [dbo].[ERPx_MFActionsForm]

Columns

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity
 C	ActionsFormSK	bigint	8	NOT NULL	1 - 1
	ActionsSK	bigint	8	NOT NULL	
	FormSK	bigint	8	NOT NULL	
	ControlSK	bigint	8	NULL allowed	
	InquirySK	bigint	8	NULL allowed	

Indexes

Key	Name	Key Columns	Unique
 C	PK_ERPx_MFMoreActionForm	ActionsFormSK	True

Foreign Keys

Name	Columns
FK_ERPx_MFMoreActionsForm_ERPx_MFModuleForm	FormSK->[dbo].[ERPx_MFModuleForm].[FormSK]
FK_ERPx_MFMoreActionsForm_ERPx_MFMoreActions	ActionsSK->[dbo].[ERPx_MFActions].[ActionsSK]
FK_ERPx_MFMoreActionsForm_ERPx_MFMoreActionsForm	ControlSK->[dbo].[ERPx_MFModuleFormControl].[ControlSK]

Uses



[dbo].[ERPx_MFActions]
 [dbo].[ERPx_MFModuleForm]
 [dbo].[ERPx_MFModuleFormControl]

Used By

[dbo].[SPx_MFActionsLookup]
 [dbo].[SPx_MFDEL_DeleteCompany]
 [dbo].[SPx_MFSEL_ActionsLookup]

 [dbo].[ERPx_MFActionsType]

Columns

Key	Name	Data Type	Max Length (Bytes)	Nullability
	ActionTypeSK	bigint	8	NOT NULL
	ActionType	varchar(50)	50	NOT NULL

Indexes






Key	Name	Key Columns	Unique
	PK_ERPx_MFActionsType	ActionTypeSK	True
	IX_ERPx_MFActionsType	ActionType	True

Used By



[dbo].[SPx_MFActionsLookup]
 [dbo].[SPx_MFDEL_DeleteCompany]
 [dbo].[SPx_MFSEL_ActionsLookup]

 [dbo].[ERPx_MFAddress]

Columns

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity
 	AddressSK	bigint	8	NOT NULL	1 - 1
	DataEntityCompanySK	bigint	8	NOT NULL	
	MFAAddressGroupEN	bigint	8	NOT NULL	
	AddressID	varchar(25)	25	NOT NULL	
	AddressName	varchar(150)	150	NOT NULL	
	AddressLine1	varchar(75)	75	NULL allowed	
	AddressLine2	varchar(75)	75	NULL allowed	
	AddressLine3	varchar(75)	75	NULL allowed	
	AddressLine4	varchar(75)	75	NULL allowed	
	City	varchar(35)	35	NULL allowed	
	State	varchar(30)	30	NULL allowed	
	Zip	varchar(15)	15	NULL allowed	
	Country	varchar(100)	100	NULL allowed	
	Phone1	varchar(25)	25	NULL allowed	
	Email	varchar(150)	150	NULL allowed	
	IsInactive	bit	1	NOT NULL	
	CreatedBy	varchar(150)	150	NOT NULL	
	CreatedDate	datetime	8	NOT NULL	
	LastUser	varchar(150)	150	NOT NULL	
	LastUpdated	datetime	8	NOT NULL	

Indexes

Key	Name	Key Columns	Unique
 	PK_ERPx_MFAddress	AddressSK	True
	IX_ERPx_MFAddress	DataEntityCompanySK, MFAAddressGroupEN, AddressID	True

Foreign Keys

Name	Columns
FK_ERPx_MFAddress_DataEntityCompany-SK	DataEntityCompanySK->[dbo].[ERPx_MFDataEntityCompany].[DataEntity-CompanySK]





Uses

[dbo].[ERPx_MFDataEntityCompany]


Used By

[dbo].[ERPx_APTTransactionClass]
[dbo].[ERPx_ARCustomer]
[dbo].[ERPx_MFAddressNote]
[dbo].[ERPx_SOOrderTypeDocument]
[dbo].[SPx_APSEL_POHeaderProperties]
[dbo].[SPx_APSEL_PurchaseOrder_ShipAddressLookup]
[dbo].[SPx_APSEL_TransactionClass_BillingAddressLookup]
[dbo].[SPx_APSEL_TransactionClass_Property]
[dbo].[SPx_ARSEL_CustomerProperties]
[dbo].[SPx_ARSEL_CustomerRemitToAddress]
[dbo].[SPx_MFSEL_Address]
[dbo].[SPx_MFSEL_AddressLookup]
[dbo].[SPx_MFSEL_ChangeAddressList]
[dbo].[SPx_MFSEL_ChangeAddressLookup]
[dbo].[SPx_MFSEL_Company]
[dbo].[SPx_MFUpdate_AddressList]
[dbo].[SPx_SOSEL_TransactionClass_RemitToAddress]
[dbo].[SPx_SOSEL_TransactionClassProperty]

[dbo].[ERPx_MFAddressNote]**Columns**

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity
 PK	AddressNoteSK	bigint	8	NOT NULL	1 - 1
 FK	AddressSK	bigint	8	NOT NULL	
 FK	DataEntityCompanySK	bigint	8	NOT NULL	
 FK	NoteTypeSK	bigint	8	NOT NULL	
	Note	varchar(2000)	2000	NOT NULL	
	NoteHTML	varchar(max)	max	NOT NULL	
	LastUser	varchar(150)	150	NOT NULL	
	LastUpdated	datetime	8	NOT NULL	

Indexes

Key	Name	Key Columns	Unique
 PK	PK_ERPx_MFAddressNote	AddressNoteSK	True
	IX_ERPx_MFAddressNote	AddressSK, DataEntityCompanySK, NoteTypeSK	True

Foreign Keys

Name	Columns
FK_ERPx_MFAddressNote_AddressSK	AddressSK->[dbo].[ERPx_MFAddress].[AddressSK]
FK_ERPx_MFAddressNote_DataEntity-CompanySK	DataEntityCompanySK->[dbo].[ERPx_MFDataEntityCompany].[DataEntity-CompanySK]
FK_ERPx_MFAddressNote_NoteTypeSK	NoteTypeSK->[dbo].[ERPx_MFNoteType].[NoteTypeSK]

Uses





[dbo].[ERPx_MFAddress]
 [dbo].[ERPx_MFDataEntityCompany]
 [dbo].[ERPx_MFNoteType]

Used By


[dbo].[SPx_MFManage_NoteAssignment]
 [dbo].[SPx_MFSEL_NoteList]
 [dbo].[SPx_MFUpdate_AddressList]

 [dbo].[ERPx_MFAgingPeriods]

Columns

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity
	AgingPeriodSK	bigint	8	NOT NULL	1 - 1
	ModuleSK	bigint	8	NOT NULL	
	Period	bigint	8	NOT NULL	
	PeriodName	varchar(25)	25	NOT NULL	
	DaysFrom	bigint	8	NOT NULL	
	DaysTo	bigint	8	NOT NULL	
	CreatedBy	varchar(150)	150	NOT NULL	
	Created	datetime	8	NOT NULL	
	LastUser	varchar(150)	150	NOT NULL	
	LastUpdated	datetime	8	NOT NULL	
	DataEntityCompanySK	bigint	8	NOT NULL	

Indexes

Key	Name	Key Columns	Unique
	PK_ERPx_MFAgingPeriods	AgingPeriodSK	True
	IX_ERPx_MFAgingPeriods	ModuleSK, DaysTo, DataEntityCompanySK	True

Foreign Keys

Name	Columns
FK_ERPx_MFAgingPeriods_ERPx_MFDataEntity-Company	DataEntityCompanySK->[dbo].[ERPx_MFDataEntityCompany].[DataEntity-CompanySK]

Uses

[dbo].[ERPx_MFDataEntityCompany]

Used By

[dbo].[SPx_MFSEL_AgingPeriodsLine]

[dbo].[SPx_MFUpdate_AgingPeriods]

 [dbo].[ERPx_MFAPILog]

Columns


Name	Data Type	Max Length (Bytes)	Nullability	Identity	Default
LogSK	bigint	8	NOT NULL	1 - 1	
DataEntityCompanySK	bigint	8	NULL allowed		
Data	varchar(max)	max	NULL allowed		
NoteText	varchar(1000)	1000	NULL allowed		
ErrorText	varchar(1000)	1000	NULL allowed		
CreatedBy	varchar(100)	100	NULL allowed		
CreatedDate	datetime	8	NULL allowed		(getutcdate())

Used By

[dbo].[SPx_SOPProcess_Transaction]

 [dbo].[ERPx_MFAPIRequests]





Columns

Key	Name	Data Type	Max Length (Bytes)	Nullability	Default
	RequestName	varchar(200)	200	NOT NULL	
	RequestAction	varchar(200)	200	NOT NULL	
	AvailableToIntegrationUsers	bit	1	NOT NULL	((0))
	AvailableToSystemUsers	bit	1	NOT NULL	((0))


Indexes

Key	Name	Key Columns	Unique
	PK_ERPx_MFAPIRequests	RequestName	True

[dbo].[ERPx_MFAttribute]**Columns**

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity	Default
	AttributeSK	bigint	8	NOT NULL	1 - 1	
	Attribute	varchar(25)	25	NOT NULL		
	AttributeTypeSK	bigint	8	NOT NULL		
	AttributeDataTypeEN	int	4	NOT NULL		
	Sort	int	4	NOT NULL		
	LastUpdated	datetime	8	NOT NULL		(getdate())
	LastUser	varchar(110)	110	NULL allowed		
	DataEntityCompanySK	bigint	8	NOT NULL		
	EscapedName	varchar(200)	200	NOT NULL		
	CreatedBy	varchar(150)	150	NULL allowed		
	CreatedDateTime	datetime	8	NOT NULL		(getdate())

Indexes

Key	Name	Key Columns	Unique
	PK_ERPx_MFAttribute	AttributeSK	True
	IX_ERPx_MFAttribute	Attribute, AttributeTypeSK, DataEntityCompanySK	True

Foreign Keys

Name	Columns
FK_ERPx_MFAttribute_ERPx_MFAttributeType	AttributeTypeSK->[dbo].[ERPx_MFAttributeType].[AttributeTypeSK]

Uses

[dbo].[ERPx_MFAttributeType]

Used By

[dbo].[ERPx_APDeliveryTicketAttributes]
 [dbo].[ERPx_APGradeAttributes]
 [dbo].[ERPx_APPoAttributes]
 [dbo].[ERPx_APTransactionAttributes]
 [dbo].[ERPx_ARCustomerAddressAttribute]
 [dbo].[ERPx_ARCustomerAttribute]
 [dbo].[ERPx_ARCustomerFavoriteAttributes]

[dbo].[ERPx_ARTransactionAttributes]
[dbo].[ERPx_CPFieldAttributes]
[dbo].[ERPx_CPIItemAttributes]
[dbo].[ERPx_CPTicketAttributes]
[dbo].[ERPx_IMItemAttributes]
[dbo].[ERPx_IMProductionLotAttributeAssignment]
[dbo].[ERPx_IMTransactionAttributes]
[dbo].[ERPx_IMWarehouseLotAttributes]
[dbo].[ERPx_MFAttributeClassAttribute]
[dbo].[ERPx_MFAttributeValue]
[dbo].[ERPx_SCCContractAttribute]
[dbo].[ERPx_SOOrderHeaderAttributes]
[dbo].[ERPx_SOOrderItemAttributes]
[dbo].[FNx_APTTransactionAttributeValues]
[dbo].[FNx_ARFavoritesUDFValues]
[dbo].[FNx_ARSaleInvoiceAttributeValues]
[dbo].[FNx_GetCustomerAddressesFromSet]
[dbo].[FNx_GetItemsFromAllItemSets]
[dbo].[FNx_GetUDFCustomerFavoriteValues]
[dbo].[FNx_GetUDFItemValues]
[dbo].[FNx_IMQualityTestResultAttributes]
[dbo].[FNx_SOCatalogUDFFavoriteValues]
[dbo].[IQx_APSEL_POLinkedTransactions_AttributeList]
[dbo].[IQx_APSEL_PurchaseOrders_AttributeList]
[dbo].[IQx_IMSEL_AllocationAndCommitments_ItemAttributes]
[dbo].[IQx_IMSEL_QualityTestResultsAttributes]
[dbo].[IQx_MFSEL_PriceListHistoryMassUpdate_AttributeList]
[dbo].[IQx_SOSEL_ItemHistory_Attributes]
[dbo].[IQx_SOSEL_SalesHistory_Attributes]
[dbo].[IQx_SOSEL_ShipmentHistory_OrderLoadAttributeList]
[dbo].[SPx_APPProcess_AdjustmentTransaction]
[dbo].[SPx_APPProcess_DeliveryTicket]
[dbo].[SPx_APPProcess_Grades]
[dbo].[SPx_APPProcess_PurchaseOrder]
[dbo].[SPx_APPProcess_Transaction]
[dbo].[SPx_APPProcess_Vendor]
[dbo].[SPx_APSEL_AdjustmentLineAttributeList]
[dbo].[SPx_APSEL_APVendor_Attributes]
[dbo].[SPx_APSEL_BalanceTransferLineAttributeList]
[dbo].[SPx_APSEL_BuildChecks_AttributeList]
[dbo].[SPx_APSEL_DeliveryTicketAttributeList]
[dbo].[SPx_APSEL_DeliveryTicketReprice_GradeAttributeList]
[dbo].[SPx_APSEL_FishermanSaleAttributeList]
[dbo].[SPx_APSEL_GradeAttributeList]
[dbo].[SPx_APSEL_POAttributeList]
[dbo].[SPx_APSEL_POHeaderAttributeList]
[dbo].[SPx_APSEL_PurchaseOrders_AttributeList]
[dbo].[SPx_APSEL_SaleLineInquiryAttributeList]
[dbo].[SPx_APSEL_TicketAdditionalColumnList]
[dbo].[SPx_APSEL_TransactionAttributeList]
[dbo].[SPx_APSEL_TransactionAttributeValues]
[dbo].[SPx_APSEL_TransactionHeaderAttributeList]
[dbo].[SPx_APSEL_TransactionLineAttributeList]



[dbo].[SPx_APSEL_VendorAttributeList]
[dbo].[SPx_APSEL_VendorAttributes]
[dbo].[SPx_APSEL_VendorHeader]
[dbo].[SPx_APSEL_VendorList]
[dbo].[SPx_APUUpdate_AdjustmentTransaction]
[dbo].[SPx_APUUpdate_DeliveryTicket]
[dbo].[SPx_APUUpdate_FishermanSale]
[dbo].[SPx_APUUpdate_MassUpdateFishermanSales]
[dbo].[SPx_APUUpdate_MassUpdatePO]
[dbo].[SPx_APUUpdate_MassUpdateTransactions]
[dbo].[SPx_APUUpdate_Transaction]
[dbo].[SPx_APUUpdate_TransactionTenderSale]
[dbo].[SPx_APUUpdate_TransactionTransfer]
[dbo].[SPx_ARProcess_Transaction]
[dbo].[SPx_ARSEL_CustomerAddrAttributeAssignment]
[dbo].[SPx_ARSEL_CustomerAddressAttributeList]
[dbo].[SPx_ARSEL_CustomerAddressAttributes]
[dbo].[SPx_ARSEL_CustomerAttributeList]
[dbo].[SPx_ARSEL_CustomerAttributes]
[dbo].[SPx_ARSEL_CustomerFavoriteAttributeList]
[dbo].[SPx_ARSEL_CustomerFavoriteListNewRow]
[dbo].[SPx_ARSEL_CustomerList]
[dbo].[SPx_ARSEL_SaleInvoiceAttributeList]
[dbo].[SPx_ARSEL_SOCustomerAddressList]
[dbo].[SPx_ARSEL_TransactionAttributeValues]
[dbo].[SPx_ARSEL_TransactionHeaderAttributeList]
[dbo].[SPx_ARUpdate_Customer]
[dbo].[SPx_ARUpdate_CustomerAddress]
[dbo].[SPx_ARUpdate_Transaction]
[dbo].[SPx_COUpdate_AttributeClassList]
[dbo].[SPx_CPPProcess_Item]
[dbo].[SPx_CPPProcess_SearchMetadata_RefreshCPTicketHeader]
[dbo].[SPx_CPPProcess_SearchMetadata_RefreshCPTicketItem]
[dbo].[SPx_CPPProcess_Ticket]
[dbo].[SPx_CPSEL_AttributeValues]
[dbo].[SPx_CPSEL_FieldAttributeList]
[dbo].[SPx_CPSEL_FieldAttributeList_FieldList]
[dbo].[SPx_CPSEL_ItemAttributeList_ItemList]
[dbo].[SPx_CPSEL_ItemAttributes]
[dbo].[SPx_CPSEL_TicketAttributeValues]
[dbo].[SPx_CPSEL_TicketHeaderAdditionalColumnList]
[dbo].[SPx_CPSEL_TicketHeaderAndLineAdditionalColumnList]
[dbo].[SPx_CPSEL_TransactionAttributeList]
[dbo].[SPx_CPUUpdate_FieldList]
[dbo].[SPx_FASEL_FishermanTenderList]
[dbo].[SPx_FASEL_FishermenAttributeList]
[dbo].[SPx_FASEL_LoanAttributeList]
[dbo].[SPx_FASEL_LoanList]
[dbo].[SPx_IMPProcess_AdjustmentTransaction]
[dbo].[SPx_IMPProcess_ProductionTransaction]
[dbo].[SPx_IMPProcess_ReceiptTransaction]
[dbo].[SPx_IMPProcess_RefreshLotBalanceSearchMetadata]
[dbo].[SPx_IMPProcess_TransferTransaction]

[dbo].[SPx_IMSEL_AttributeList]
[dbo].[SPx_IMSEL_AttributeValues]
[dbo].[SPx_IMSEL_CycleCountAttributeList]
[dbo].[SPx_IMSEL_CycleCountAttributes]
[dbo].[SPx_IMSEL_InventoryAsOfItemAttributeList]
[dbo].[SPx_IMSEL_ItemAndLotAttributeList]
[dbo].[SPx_IMSEL_ItemAttributeCertificationList_ItemList]
[dbo].[SPx_IMSEL_ItemAttributeCertificationList_LotList]
[dbo].[SPx_IMSEL_ItemAttributeList]
[dbo].[SPx_IMSEL_ItemAttributeList_ItemList]
[dbo].[SPx_IMSEL_ItemAttributes]
[dbo].[SPx_IMSEL_ItemSetAttributeList]
[dbo].[SPx_IMSEL_ItemSetAttributes]
[dbo].[SPx_IMSEL_LotAttributeList]
[dbo].[SPx_IMSEL_ProductionLotAttributeList]
[dbo].[SPx_IMSEL_ProductionLotAttributes]
[dbo].[SPx_IMSEL_QualityTestResult]
[dbo].[SPx_IMSEL_QualityTestResultsAttributes]
[dbo].[SPx_IMSEL_TransactionAttributeList]
[dbo].[SPx_IMSEL_TransactionAttributeValues]
[dbo].[SPx_IMSEL_TransactionDetailAttributeList]
[dbo].[SPx_IMSEL_TransactionHeaderAttributeList]
[dbo].[SPx_IMSEL_WarehouseLotAttributeList]
[dbo].[SPx_IMSEL_WarehouseLotListNew]
[dbo].[SPx_IMUpdate_AttributeRollup]
[dbo].[SPx_IMUpdate_CertificationList]
[dbo].[SPx_IMUpdate_ItemSet]
[dbo].[SPx_IMUpdate_QualityTestResult]
[dbo].[SPx_IMUpdate_QualityTestResultsList]
[dbo].[SPx_IMUpdate_WarehouseLot]
[dbo].[SPx_INTEG_BWInvoiceHeaderItem_XML]
[dbo].[SPx_INTEG_NSAPInvoiceAndCreditMemo]
[dbo].[SPx_INTEG_NSIMInventoryTrans]
[dbo].[SPx_LMPProcess_MFShipment]
[dbo].[SPx_LMSEL_LoadAttributeList]
[dbo].[SPx_LMSEL_LoadAttributes]
[dbo].[SPx_LMSEL_LoadAttributeValues]
[dbo].[SPx_LMSEL_Shipment_AttributeList]
[dbo].[SPx_LMUpdate_Load]
[dbo].[SPx_MFDEL_Attribute]
[dbo].[SPx_MFDEL_AttributeValue]
[dbo].[SPx_MFDEL_DeleteCompany]
[dbo].[SPx_MFINS_AttributeClassAttribute]
[dbo].[SPx_MFINSUPD_Attribute]
[dbo].[SPx_MFSEL_AttributeClassAttributeList]
[dbo].[SPx_MFSEL_AttributeList]
[dbo].[SPx_MFSEL_ImportAttributeLookup]
[dbo].[SPx_MFSEL_MassUpdate]
[dbo].[SPx_MFSEL_MassUpdateAttributeValues]
[dbo].[SPx_MFSEL_PriceListMassUpdate_AttributeList]
[dbo].[SPx_MFSEL_TemplateColumns]
[dbo].[SPx_MFSYS_InstallSystemPurchasingTransactionsUDFFunction]
[dbo].[SPx_MFSYS_InstallSystemQualityTestResultsUDF]


[dbo].[SPx_MFSYS_InstallSystemSalesOrderItemUDFFunction]
[dbo].[SPx_MFSYS_InstallSystemSearchText]
[dbo].[SPx_MFUPD_AttributePivotTableColumnsAndView]
[dbo].[SPx_MFUPD_AttributePivotTableSync]
[dbo].[SPx_MFUPD_AttributeView]
[dbo].[SPx_MFUpdate_MassUpdate]
[dbo].[SPx_MFUtil_ConvertAttribute]
[dbo].[SPx_SCSEL_ContractAttributes]
[dbo].[SPx_SCSEL_ContractHeader]
[dbo].[SPx_SOPProcess_FindItems]
[dbo].[SPx_SOPProcess_FindItemsWithBalances]
[dbo].[SPx_SOPProcess_Transaction]
[dbo].[SPx_SOPProcess_Transaction_Validations]
[dbo].[SPx_SOSEL_CustomerAddressAttributeList]
[dbo].[SPx_SOSEL_FindItems_AttributeList]
[dbo].[SPx_SOSEL_FindItemsWithBalances_AttributeList]
[dbo].[SPx_SOSEL_LoadAndSOItemAndItemAttributes]
[dbo].[SPx_SOSEL_OrderHeaderAttributeList]
[dbo].[SPx_SOSEL_OrderHeaderLoadsAttributeList]
[dbo].[SPx_SOSEL_TransactionAttributeList]
[dbo].[SPx_SOSEL_TransactionAttributeValues]
[dbo].[SPx_SOSEL_TransactionDetailItem]
[dbo].[SPx_SOSEL_TransactionDetailItemAttributeList]
[dbo].[SPx_SOSEL_TransactionDetailItemNewRow]
[dbo].[SPx_SOUpdate_Transaction]
[dbo].[VWx_MFSEL_AttributeSetup]
[hist].[SPx_SOPProcess_SearchMetadata_RefreshOrder]

 [dbo].[ERPx_MFAttribute_APDeliveryTicketHeader]

Columns

Key	Name	Data Type	Max Length (Bytes)	Nullability
	DeliveryTicketHeaderSK	bigint	8	NOT NULL
	DataEntityCompanySK	bigint	8	NOT NULL

Indexes

Key	Name	Key Columns	Unique
	PK_ERPx_MFAttribute_APDeliveryTicketHeader	DeliveryTicketHeaderSK	True
	IX_ERPx_MFAttribute_APDeliveryTicketHeader	DataEntityCompanySK	

Foreign Keys

Name	No Check	Columns
FK_ERPx_MFAttribute_APDeliveryTicketHeader_-_ERPx_APDeliveryTicketHeader		DeliveryTicketHeaderSK->[dbo].[ERPx_APDeliveryTicketHeader].[DeliveryTicketHeaderSK]
FK_ERPx_MFAttribute_APDeliveryTicketHeader_-_ERPx_MFDataEntityCompanySK	True	DataEntityCompanySK->[dbo].[ERPx_MFDataEntityCompany].[DataEntityCompanySK]

Uses



[dbo].[ERPx_APDeliveryTicketHeader]
 [dbo].[ERPx_MFDataEntityCompany]

Used By


[dbo].[IQx_APSEL_TicketLinelist]
 [dbo].[IQx_APSEL_TicketList]
 [dbo].[IQx_APSEL_TicketStatAreaLinelist]
 [dbo].[SPx_APPProcess_DeliveryTicket]
 [dbo].[SPx_APSEL_TicketLinelist]
 [dbo].[SPx_APSEL_TicketList]
 [dbo].[SPx_MFDEL_DeleteCompany]

 [dbo].[ERPx_MFAttribute_APGrade]

Columns

Key	Name	Data Type	Max Length (Bytes)	Nullability
	GradeSK	bigint	8	NOT NULL
	DataEntityCompanySK	bigint	8	NOT NULL

Indexes

Key	Name	Key Columns	Unique
	PK_ERPx_MFAttribute_APGrade	GradeSK	True
	IX_ERPx_MFAttribute_APGrade	DataEntityCompanySK	

Foreign Keys

Name	No Check	Columns
FK_ERPx_MFAttribute_APGrade_ERPx_-APGrades		GradeSK->[dbo].[ERPx_APGrades].[GradeSK]
FK_ERPx_MFAttribute_APGrade_ERPx_MFData-EntityCompanySK	True	DataEntityCompanySK->[dbo].[ERPx_MFDataEntity-Company].[DataEntityCompanySK]

Uses



[dbo].[ERPx_APGrades]
 [dbo].[ERPx_MFDataEntityCompany]

Used By

[dbo].[SPx_APPProcess_Grades]
 [dbo].[SPx_APSEL_DeliveryTicketRepriceItemlist]
 [dbo].[SPx_APSEL_GradeList]
 [dbo].[SPx_MFDEL_DeleteCompany]

 [dbo].[ERPx_MFAttribute_APPoHeader]

Columns

Key	Name	Data Type	Max Length (Bytes)	Nullability
	POHeaderSK	bigint	8	NOT NULL
	DataEntityCompanySK	bigint	8	NOT NULL

Indexes

Key	Name	Key Columns	Unique
	PK_ERPx_MFAttribute_APPoHeader	POHeaderSK	True
	IX_ERPx_MFAttribute_APPoHeader	DataEntityCompanySK	

Foreign Keys

Name	No Check	Columns
FK_ERPx_MFAttribute_APPoHeader_ERPx_APPoHeader		POHeaderSK->[dbo].[ERPx_APPoHeader].[POHeaderSK]
FK_ERPx_MFAttribute_APPoHeader_ERPx_MFDataEntityCompanySK	True	DataEntityCompanySK->[dbo].[ERPx_MFDataEntityCompany].[DataEntityCompanySK]

Uses



[dbo].[ERPx_APPoHeader]
 [dbo].[ERPx_MFDataEntityCompany]

Used By


[dbo].[IQx_APSEL_POLineList]
 [dbo].[IQx_APSEL_POLinkedItems]
 [dbo].[IQx_APSEL_POLinkedTransactions]
 [dbo].[IQx_APSEL_POList]
 [dbo].[SPx_APPProcess_PurchaseOrder]
 [dbo].[SPx_APSEL_POLineList]
 [dbo].[SPx_APSEL_POList]
 [dbo].[SPx_APUUpdate_PurchaseOrderList]
 [dbo].[SPx_MFDEL_DeleteCompany]

 [dbo].[ERPx_MFAttribute_APTransactionHeader]

Columns

Key	Name	Data Type	Max Length (Bytes)	Nullability
	TransactionHeaderSK	bigint	8	NOT NULL
	DataEntityCompanySK	bigint	8	NOT NULL

Indexes

Key	Name	Key Columns	Unique
	PK_ERPx_MFAttribute_APTransactionHeader	TransactionHeaderSK	True
	IX_ERPx_MFAttribute_APTransactionHeader	DataEntityCompanySK	

Foreign Keys

Name	No Check	Columns
FK_ERPx_MFAttribute_APTransactionHeader_-ERPx_APTransactionHeader		TransactionHeaderSK->[dbo].[ERPx_APTransactionHeader].[TransactionHeaderSK]
FK_ERPx_MFAttribute_APTransactionHeader_-ERPx_MFDataEntityCompanySK	True	DataEntityCompanySK->[dbo].[ERPx_MFDataEntityCompany].[DataEntityCompanySK]

Uses



[dbo].[ERPx_APTransactionHeader]
 [dbo].[ERPx_MFDataEntityCompany]

Used By


[dbo].[IQx_APSEL_InvoiceLineList]
 [dbo].[IQx_APSEL_InvoiceList]
 [dbo].[SPx_APPProcess_Transaction]
 [dbo].[SPx_APSEL_InvoiceLineList]
 [dbo].[SPx_APSEL_InvoiceList]
 [dbo].[SPx_APUUpdate_InvoiceList]

[dbo].[ERPx_MFAttribute_APTransactionHeader_FA]

Columns

Key	Name	Data Type	Max Length (Bytes)	Nullability
	TransactionHeaderSK	bigint	8	NOT NULL
	DataEntityCompanySK	bigint	8	NOT NULL

Indexes

Key	Name	Key Columns	Unique
	PK_ERPx_MFAttribute_APTransactionHeader_FA	TransactionHeaderSK	True
	IX_ERPx_MFAttribute_APTransactionHeader_FA	DataEntityCompanySK	

Foreign Keys

Name	No Check	Columns
FK_ERPx_MFAttribute_APTransactionHeader_FA - ERPx_APTransactionHeader		TransactionHeaderSK->[dbo].[ERPx_APTransactionHeader].[TransactionHeaderSK]
FK_ERPx_MFAttribute_APTransactionHeader_FA - ERPx_MFDataEntityCompanySK	True	DataEntityCompanySK->[dbo].[ERPx_MFDataEntityCompany].[DataEntityCompanySK]



Uses

[dbo].[ERPx_APTransactionHeader]
 [dbo].[ERPx_MFDataEntityCompany]

Used By

[dbo].[IQx_APSEL_AdjustmentLineList]
 [dbo].[IQx_APSEL_BalanceTransferLineList]
 [dbo].[IQx_APSEL_FishermanSaleList]
 [dbo].[IQx_APSEL_SaleLineList]
 [dbo].[SPx_APSEL_FishermanSaleLineList]
 [dbo].[SPx_APSEL_FishermanSaleList]
 [dbo].[SPx_APUUpdate_TransactionList]

[dbo].[ERPx_MFAttribute_APVendor]**Columns**

Key	Name	Data Type	Max Length (Bytes)	Nullability
 VendorSK	VendorSK	bigint	8	NOT NULL
 DataEntityCompanySK	DataEntityCompanySK	bigint	8	NOT NULL

Indexes

Key	Name	Key Columns	Unique
 PK_ERPx_MFAttribute_APVendor	PK_ERPx_MFAttribute_APVendor	VendorSK	True
	IX_ERPx_MFAttribute_APVendor	DataEntityCompanySK	

Foreign Keys

Name	No Check	Columns
FK_ERPx_MFAttribute_APVendor_ERPx_-APVendor		VendorSK->[dbo].[ERPx_APVendor].[VendorSK]
FK_ERPx_MFAttribute_APVendor_ERPx_-MFDataEntityCompanySK	True	DataEntityCompanySK->[dbo].[ERPx_MFDataEntity-Company].[DataEntityCompanySK]

Uses



[dbo].[ERPx_APVendor]
 [dbo].[ERPx_MFDataEntityCompany]

Used By


[dbo].[SPx_APPProcess_Vendor]
 [dbo].[SPx_APSEL_BuildCheckList]
 [dbo].[SPx_APSEL_FishermanBalancesList]
 [dbo].[SPx_APSEL_VendorBalanceList]
 [dbo].[SPx_APSEL_VendorList]
 [dbo].[SPx_APUUpdate_VendorList]
 [dbo].[SPx_FASEL_FishermanTenderList]
 [dbo].[SPx_FASEL_LoanList]
 [dbo].[SPx_MFDEL_DeleteCompany]
 [dbo].[SPx_MFExport_APVendorsAndAddresses]

 [dbo].[ERPx_MFAttribute_ARCustomer]

Columns

Key	Name	Data Type	Max Length (Bytes)	Nullability
	CustomerSK	bigint	8	NOT NULL
	DataEntityCompanySK	bigint	8	NOT NULL

Indexes

Key	Name	Key Columns	Unique
	PK_ERPx_MFAttribute_ARCustomer	CustomerSK	True
	IX_ERPx_MFAttribute_ARCustomer	DataEntityCompanySK	

Foreign Keys

Name	No Check	Columns
FK_ERPx_MFAttribute_ARCustomer_ERPx_ARCustomer		CustomerSK->[dbo].[ERPx_ARCustomer].[CustomerSK]
FK_ERPx_MFAttribute_ARCustomer_ERPx_MFDataEntityCompanySK	True	DataEntityCompanySK->[dbo].[ERPx_MFDataEntityCompany].[DataEntityCompanySK]

Uses



[dbo].[ERPx_ARCustomer]
 [dbo].[ERPx_MFDataEntityCompany]

Used By


[dbo].[SPx_ARProcess_Customer]
 [dbo].[SPx_ARSEL_CustomerBalanceList]
 [dbo].[SPx_ARSEL_CustomerList]
 [dbo].[SPx_ARUpdate_CustomerList]
 [dbo].[SPx_MFDEL_DeleteCompany]
 [dbo].[SPx_MFExport_ARCustomersAndAddresses]

 **[dbo].[ERPx_MFAttribute_ARCustomerAddress]**

Columns

Key	Name	Data Type	Max Length (Bytes)	Nullability
	CustomerAddressSK	bigint	8	NOT NULL
	DataEntityCompanySK	bigint	8	NOT NULL

Indexes

Key	Name	Key Columns	Unique
	PK_ERPx_MFAttribute_ARCustomerAddress	CustomerAddressSK	True
	IX_ERPx_MFAttribute_ARCustomerAddress	DataEntityCompanySK	

Foreign Keys

Name	No Check	Columns
FK_ERPx_MFAttribute_ARCustomerAddress_ERPx_ARCustomerAddress		CustomerAddressSK->[dbo].[ERPx_ARCustomerAddress].[CustomerAddressSK]
FK_ERPx_MFAttribute_ARCustomerAddress_ERPx_MFDataEntityCompanySK	True	DataEntityCompanySK->[dbo].[ERPx_MFDataEntityCompany].[DataEntityCompanySK]

Uses



[dbo].[ERPx_ARCustomerAddress]
 [dbo].[ERPx_MFDataEntityCompany]

Used By


[dbo].[SPx_ARProcess_Customer]
 [dbo].[SPx_ARProcess_CustomerAddress]
 [dbo].[SPx_ARSEL_SOCustomerAddressList]
 [dbo].[SPx_ARUpdate_ARCustomerAddressList]
 [dbo].[SPx_ARUpdate_CustomerList]
 [dbo].[SPx_MFDEL_DeleteCompany]
 [dbo].[SPx_MFExport_ARCustomersAndAddresses]
 [dbo].[SPx_SOSEL_TransactionShipToDetail]

 [dbo].[ERPx_MFAttribute_ARCustomerFavorite]

Columns

Key	Name	Data Type	Max Length (Bytes)	Nullability
	CustomerFavoriteSK	bigint	8	NOT NULL
	DataEntityCompanySK	bigint	8	NOT NULL

Indexes

Key	Name	Key Columns	Unique
	PK_ERPx_MFAttribute_ARCustomerFavorite	CustomerFavoriteSK	True
	IX_ERPx_MFAttribute_ARCustomerFavorite	DataEntityCompanySK	

Foreign Keys

Name	No Check	Columns
FK_ERPx_MFAttribute_ARCustomerFavorite_ERPx_ARCustomerFavorite		CustomerFavoriteSK->[dbo].[ERPx_ARCustomerFavorite].[CustomerFavoriteSK]
FK_ERPx_MFAttribute_ARCustomerFavorite_ERPx_MFDataEntityCompany	True	DataEntityCompanySK->[dbo].[ERPx_MFDataEntityCompany].[DataEntityCompanySK]



Uses

[dbo].[ERPx_ARCustomerFavorite]
 [dbo].[ERPx_MFDataEntityCompany]

Used By

[dbo].[SPx_ARProcess_Customer]
 [dbo].[SPx_ARProcess_CustomerAddress]
 [dbo].[SPx_ARSEL_CustomerFavoriteList]
 [dbo].[SPx_SOSEL_FindItems_Detail]
 [dbo].[SPx_SOSEL_FindItemsWithBalances_Detail]

[dbo].[ERPx_MFAttribute_ARTransactionHeader]**Columns**

Key	Name	Data Type	Max Length (Bytes)	Nullability
 PK	TransactionHeaderSK	bigint	8	NOT NULL
 FK	DataEntityCompanySK	bigint	8	NOT NULL

Indexes

Key	Name	Key Columns	Unique
 PK	PK_ERPx_MFAttribute_ARTransactionHeader	TransactionHeaderSK	True
	IX_ERPx_MFAttribute_ARTransactionHeader	DataEntityCompanySK	

Foreign Keys

Name	No Check	Columns
FK_ERPx_MFAttribute_ARTransactionHeader_-ERPx_ARTransactionHeader		TransactionHeaderSK->[dbo].[ERPx_ARTransactionHeader].[TransactionHeaderSK]
FK_ERPx_MFAttribute_ARTransactionHeader_-ERPx_MFDataEntityCompanySK	True	DataEntityCompanySK->[dbo].[ERPx_MFDataEntityCompany].[DataEntityCompanySK]

Uses



[dbo].[ERPx_ARTransactionHeader]
 [dbo].[ERPx_MFDataEntityCompany]

Used By


[dbo].[IQx_APSEL_SaleLineList]
 [dbo].[IQx_ARSEL_SaleInvoiceList]
 [dbo].[SPx_ARSEL_SaleInvoiceLineList]
 [dbo].[SPx_ARSEL_SaleInvoiceList]

 [dbo].[ERPx_MFAttribute_CPField]

Columns

Key	Name	Data Type	Max Length (Bytes)	Nullability
	FieldSK	bigint	8	NOT NULL
	DataEntityCompanySK	bigint	8	NOT NULL

Indexes

Key	Name	Key Columns	Unique
	PK_ERPx_MFAttribute_CPField	FieldSK	True
	IX_ERPx_MFAttribute_CPField	DataEntityCompanySK	

Foreign Keys

Name	No Check	Columns
FK_ERPx_MFAttribute_CPField_ERPx_CPField		FieldSK->[dbo].[ERPx_CPField].[FieldSK]
FK_ERPx_MFAttribute_CPField_ERPx_MFData-EntityCompanySK	True	DataEntityCompanySK->[dbo].[ERPx_MFDataEntity-Company].[DataEntityCompanySK]

Uses



[dbo].[ERPx_CPField]
 [dbo].[ERPx_MFDataEntityCompany]

Used By


[dbo].[SPx_CPSEL_FieldList]
 [dbo].[SPx_CPSEL_NewTicketLines]

 [dbo].[ERPx_MFAttribute_CPIItem]

Columns

Key	Name	Data Type	Max Length (Bytes)	Nullability
	ItemSK	bigint	8	NOT NULL
	DataEntityCompanySK	bigint	8	NOT NULL

Indexes

Key	Name	Key Columns	Unique
	PK_ERPx_MFAttribute_CPIItem	ItemSK	True
	IX_ERPx_MFAttribute_CPIItem	DataEntityCompanySK	

Foreign Keys

Name	No Check	Columns
FK_ERPx_MFAttribute_CPIItem_ERPx_CPIItem		ItemSK->[dbo].[ERPx_CPIItem].[ItemSK]
FK_ERPx_MFAttribute_CPIItem_ERPx_MFData-EntityCompanySK	True	DataEntityCompanySK->[dbo].[ERPx_MFDataEntity-Company].[DataEntityCompanySK]



Uses

[dbo].[ERPx_CPIItem]
 [dbo].[ERPx_MFDataEntityCompany]


Used By

[dbo].[IQx_CPSEL_TicketLineList]
 [dbo].[SPx_CPPProcess_Item]
 [dbo].[SPx_CPSEL_ItemList]
 [dbo].[SPx_CPSEL_TicketLineList]
 [dbo].[SPx_MFDEL_DeleteCompany]

[dbo].[ERPx_MFAttribute_CPTicketHeader]**Columns**

Key	Name	Data Type	Max Length (Bytes)	Nullability
 PK	TicketHeaderSK	bigint	8	NOT NULL
 FK	DataEntityCompanySK	bigint	8	NOT NULL

Indexes

Key	Name	Key Columns	Unique
 PK	PK_ERPx_MFAttribute_CPTicketHeader	TicketHeaderSK	True
	IX_ERPx_MFAttribute_CPTicketHeader	DataEntityCompanySK	

Foreign Keys

Name	No Check	Columns
FK_ERPx_MFAttribute_CPTicketHeader_ERPx_CPTicketHeader		TicketHeaderSK->[dbo].[ERPx_CPTicketHeader].[TicketHeaderSK]
FK_ERPx_MFAttribute_CPTicketHeader_ERPx_MFDataEntityCompanySK	True	DataEntityCompanySK->[dbo].[ERPx_MFDataEntityCompany].[DataEntityCompanySK]

Uses



[dbo].[ERPx_CPTicketHeader]
 [dbo].[ERPx_MFDataEntityCompany]

Used By

[dbo].[IQx_CPSEL_TicketHistory]
 [dbo].[IQx_CPSEL_TicketLineList]
 [dbo].[SPx_CPPProcess_Ticket]
 [dbo].[SPx_CPSEL_TicketHeaderList]
 [dbo].[SPx_CPSEL_TicketLineList]
 [dbo].[SPx_MFDEL_DeleteCompany]

 [dbo].[ERPx_MFAttribute_IMItem]

Columns

Key	Name	Data Type	Max Length (Bytes)	Nullability
	ItemSK	bigint	8	NOT NULL
	DataEntityCompanySK	bigint	8	NOT NULL

Indexes

Key	Name	Key Columns	Unique
	PK_ERPx_MFAttribute_IMItem	ItemSK	True
	IX_ERPx_MFAttribute_IMItem	DataEntityCompanySK	

Foreign Keys

Name	No Check	Columns
FK_ERPx_MFAttribute_IMItem_ERPx_IMItem	True	ItemSK->[dbo].[ERPx_IMItem].[ItemSK]
FK_ERPx_MFAttribute_IMItem_ERPx_MFData-EntityCompanySK	True	DataEntityCompanySK->[dbo].[ERPx_MFDataEntity-Company].[DataEntityCompanySK]

Uses



[dbo].[ERPx_IMItem]
 [dbo].[ERPx_MFDataEntityCompany]

Used By

[dbo].[IQx_APSEL_InvoiceLineList]
 [dbo].[IQx_APSEL_POLineList]
 [dbo].[IQx_APSEL_POLinkedItems]
 [dbo].[IQx_IMSEL_InventoryAsOf]
 [dbo].[IQx_IMSEL_ItemHistory]
 [dbo].[IQx_IMSEL_LotHistory]
 [dbo].[IQx_MFSEL_PriceListHistory]
 [dbo].[IQx_SOSEL_ItemHistory]
 [dbo].[SPx_APSEL_InvoiceLineList]
 [dbo].[SPx_APSEL_POLineList]
 [dbo].[SPx_IMSEL_AllocationAndCommitment]
 [dbo].[SPx_IMSEL_CostHistoryInquiry]
 [dbo].[SPx_IMSEL_CycleCountList]
 [dbo].[SPx_IMSEL_FindLotDetails]
 [dbo].[SPx_IMSEL_Item]

[dbo].[SPx_IMSEL_ItemBalance]
[dbo].[SPx_IMSEL_ItemSetItemList]
[dbo].[SPx_IMSEL_LotBalance]
[dbo].[SPx_IMSEL_ProductionLots]
[dbo].[SPx_IMSEL_UpdateCostList]
[dbo].[SPx_IMUpdate_AttributeRollup]
[dbo].[SPx_MFDEL_DeleteCompany]
[dbo].[SPx_MFExport_IMItems]
[dbo].[SPx_MFSEL_AllocateDetails]
[dbo].[SPx_MFSEL_PriceListMassUpdateItemList]
[dbo].[SPx_MFUtil_ConvertAttribute]
[dbo].[SPx_SOSEL_FindItems_Detail]
[dbo].[SPx_SOSEL_FindItemsWithBalances_Detail]
[dbo].[SPx_SOSEL_FindLotDetails]
[dbo].[SPx_SOSEL_TransactionItemList]

[dbo].[ERPx_MFAttribute_IMProductionLot]**Columns**

Key	Name	Data Type	Max Length (Bytes)	Nullability
 PK	ProductionLotSK	bigint	8	NOT NULL
 FK	DataEntityCompanySK	bigint	8	NOT NULL

Indexes

Key	Name	Key Columns	Unique
 PK	PK_ERPx_MFAttribute_IMProductionLot	ProductionLotSK	True
	IX_ERPx_MFAttribute_IMProductionLot	DataEntityCompanySK	

Foreign Keys

Name	No Check	Delete	Columns
FK_ERPx_MFAttribute_IMProductionLot - ERPx_IMProductionLot		Cascade	ProductionLotSK->[dbo].[ERPx_IMProductionLot].[ProductionLotSK]
FK_ERPx_MFAttribute_IMProductionLot - ERPx_MFDataEntityCompanySK	True		DataEntityCompanySK->[dbo].[ERPx_MFDataEntityCompany].[DataEntityCompanySK]

Uses



[dbo].[ERPx_IMProductionLot]
 [dbo].[ERPx_MFDataEntityCompany]

Used By


[dbo].[IQx_IMSEL_LotHistory]
 [dbo].[SPx_HistoricalInventoryBalance]
 [dbo].[SPx_IMSEL_CostHistoryInquiry]
 [dbo].[SPx_IMSEL_CycleCountList]
 [dbo].[SPx_IMSEL_FindLotDetails]
 [dbo].[SPx_IMSEL_LotBalance]
 [dbo].[SPx_IMSEL_ProductionLotIQ]
 [dbo].[SPx_IMSEL_ProductionLots]
 [dbo].[SPx_IMSEL_UpdateCostList]
 [dbo].[SPx_IMUpdate_AttributeRollup]
 [dbo].[SPx_IMUpdate_CleanUpLots]
 [dbo].[SPx_MFDEL_DeleteCompany]
 [dbo].[SPx_MFSEL_AllocateDetails]
 [dbo].[SPx_SOSEL_FindLotDetails]

 [dbo].[ERPx_MFAttribute_IMQualityTest]

Columns

Key	Name	Data Type	Max Length (Bytes)	Nullability
	QualityTestSK	bigint	8	NOT NULL
	DataEntityCompanySK	bigint	8	NOT NULL

Indexes

Key	Name	Key Columns	Unique
	PK_ERPx_MFAttribute_IMQualityTest	QualityTestSK	True
	IX_ERPx_MFAttribute_IMQualityTest	DataEntityCompanySK	

Foreign Keys

Name	No Check	Columns
FK_ERPx_MFAttribute_IMQualityTest_ERPx_IMQualityTest		QualityTestSK->[dbo].[ERPx_IMQualityTest].[QualityTestSK]
FK_ERPx_MFAttribute_IMQualityTest_ERPx_MFDataEntityCompanySK	True	DataEntityCompanySK->[dbo].[ERPx_MFDataEntityCompany].[DataEntityCompanySK]

Uses



[dbo].[ERPx_IMQualityTest]
 [dbo].[ERPx_MFDataEntityCompany]

Used By


[dbo].[SPx_IMSEL_QualityTestResultsList]
 [dbo].[SPx_IMUpdate_QualityTestResultsList]

 [dbo].[ERPx_MFAttribute_IMTransactionHeader]

Columns

Key	Name	Data Type	Max Length (Bytes)	Nullability
	TransactionHeaderSK	bigint	8	NOT NULL
	DataEntityCompanySK	bigint	8	NOT NULL

Indexes

Key	Name	Key Columns	Unique
	PK_ERPx_MFAttribute_IMTransactionHeader	TransactionHeaderSK	True
	IX_ERPx_MFAttribute_IMTransactionHeader	DataEntityCompanySK	

Foreign Keys

Name	No Check	Columns
FK_ERPx_MFAttribute_IMTransactionHeader_ERPx_IMTransactionHeader		TransactionHeaderSK->[dbo].[ERPx_IMTransactionHeader].[TransactionHeaderSK]
FK_ERPx_MFAttribute_IMTransactionHeader_ERPx_MFDataEntityCompany	True	DataEntityCompanySK->[dbo].[ERPx_MFDataEntityCompany].[DataEntityCompanySK]

Uses



[dbo].[ERPx_IMTransactionHeader]
 [dbo].[ERPx_MFDataEntityCompany]

Used By


[dbo].[SPx_IMProcess_AdjustmentTransaction]
 [dbo].[SPx_IMProcess_ReceiptTransaction]
 [dbo].[SPx_IMSEL_TransactionList]
 [dbo].[SPx_IMUpdate_AttributeRollup]
 [dbo].[SPx_MFDEL_DeleteCompany]

 [dbo].[ERPx_MFAttribute_IMWarehouseLot]

Columns

Key	Name	Data Type	Max Length (Bytes)	Nullability
	WarehouseLotSK	bigint	8	NOT NULL
	DataEntityCompanySK	bigint	8	NOT NULL

Indexes

Key	Name	Key Columns	Unique
	PK_ERPx_MFAttribute_IMWarehouseLot	WarehouseLotSK	True
	IX_ERPx_MFAttribute_IMWarehouseLot	DataEntityCompanySK	

Foreign Keys

Name	No Check	Columns
FK_ERPx_MFAttribute_IMWarehouseLot_ERPx_IMWarehouseLot		WarehouseLotSK->[dbo].[ERPx_IMWarehouseLot].[WarehouseLotSK]
FK_ERPx_MFAttribute_IMWarehouseLot_ERPx_MFDataEntityCompanySK	True	DataEntityCompanySK->[dbo].[ERPx_MFDataEntityCompany].[DataEntityCompanySK]



Uses

[dbo].[ERPx_IMWarehouseLot]
 [dbo].[ERPx_MFDataEntityCompany]

Used By

[dbo].[SPx_IMSEL_WarehouseLotList]
 [dbo].[SPx_IMUpdate_WarehouseLot]

[dbo].[ERPx_MFAttribute_LMLoadHeader]**Columns**

Key	Name	Data Type	Max Length (Bytes)	Nullability
 PK	LoadHeaderSK	bigint	8	NOT NULL
 FK	DataEntityCompanySK	bigint	8	NOT NULL

Indexes

Key	Name	Key Columns	Unique
 PK	PK_ERPx_MFAttribute_LMLoadHeader	LoadHeaderSK	True
	IX_ERPx_MFAttribute_LMLoadHeader	DataEntityCompanySK	

Foreign Keys

Name	No Check	Columns
FK_ERPx_MFAttribute_LMLoadHeader_ERPx_LMLoadHeader		LoadHeaderSK->[dbo].[ERPx_LMLoadHeader].[LoadHeaderSK]
FK_ERPx_MFAttribute_LMLoadHeader_ERPx_MFDataEntityCompanySK	True	DataEntityCompanySK->[dbo].[ERPx_MFDataEntityCompany].[DataEntityCompanySK]

Uses



[dbo].[ERPx_LMLoadHeader]
 [dbo].[ERPx_MFDataEntityCompany]

Used By


[dbo].[IQx_LMSEL_LoadList]
 [dbo].[IQx_LMSEL_LoadOrderList]
 [dbo].[IQx_SOSEL_ShipmentHistory]
 [dbo].[SPx_LMSEL_LoadList]
 [dbo].[SPx_LMSEL_LoadOrderList]
 [dbo].[SPx_LMUpdate_Load]
 [dbo].[SPx_LMUpdate_LoadList]
 [dbo].[SPx_MFDEL_DeleteCompany]
 [dbo].[SPx_SOSEL_ShipmentList]
 [dbo].[SPx_SOSEL_TransactionItemList]

 [dbo].[ERPx_MFAttribute_SCContractHeader]

Columns

Key	Name	Data Type	Max Length (Bytes)	Nullability
	ContractHeaderSK	bigint	8	NOT NULL
	DataEntityCompanySK	bigint	8	NOT NULL

Indexes

Key	Name	Key Columns	Unique
	PK_ERPx_MFAttribute_SCContractHeader	ContractHeaderSK	True
	IX_ERPx_MFAttribute_SCContractHeader	DataEntityCompanySK	

Foreign Keys

Name	No Check	Columns
FK_ERPx_MFAttribute_SCContractHeader_ERPx_MFDataEntityCompanySK	True	DataEntityCompanySK->[dbo].[ERPx_MFDataEntityCompany].[DataEntityCompanySK]
FK_ERPx_MFAttribute_SCContractHeader_ERPx_SCContractHeader		ContractHeaderSK->[dbo].[ERPx_SCContractHeader].[ContractHeaderSK]

Uses



[dbo].[ERPx_MFDataEntityCompany]
 [dbo].[ERPx_SCContractHeader]

Used By


[dbo].[SPx_MFDEL_DeleteCompany]

 [dbo].[ERPx_MFAttribute_SOOrderHeader]

Columns

Key	Name	Data Type	Max Length (Bytes)	Nullability
	OrderHeaderSK	bigint	8	NOT NULL
	DataEntityCompanySK	bigint	8	NOT NULL

Indexes

Key	Name	Key Columns	Unique
	PK_ERPx_MFAttribute_SOOrderHeader	OrderHeaderSK	True
	IX_ERPx_MFAttribute_SOOrderHeader	DataEntityCompanySK	

Foreign Keys

Name	No Check	Columns
FK_ERPx_MFAttribute_SOOrderHeader_ERPx_MFDataEntityCompanySK	True	DataEntityCompanySK->[dbo].[ERPx_MFDataEntityCompany].[DataEntityCompanySK]
FK_ERPx_MFAttribute_SOOrderHeader_ERPx_SOOrderHeader		OrderHeaderSK->[dbo].[ERPx_SOOrderHeader].[OrderHeaderSK]

Uses



[dbo].[ERPx_MFDataEntityCompany]
 [dbo].[ERPx_SOOrderHeader]

Used By


[dbo].[IQx_SOSEL_ItemHistory]
 [dbo].[IQx_SOSEL_SalesHistory]
 [dbo].[IQx_SOSEL_ShipmentHistory]
 [dbo].[SPx_MFDEL_DeleteCompany]
 [dbo].[SPx_SOSEL_OrderHeaderList]
 [dbo].[SPx_SOSEL_ShipmentList]
 [dbo].[SPx_SOSEL_TransactionItemList]

 [dbo].[ERPx_MFAttribute_SOOrderItem]

Columns

Key	Name	Data Type	Max Length (Bytes)	Nullability
	OrderItemSK	bigint	8	NOT NULL
	DataEntityCompanySK	bigint	8	NOT NULL

Indexes

Key	Name	Key Columns	Unique
	PK_ERPx_MFAttribute_SOOrderItem	OrderItemSK	True
	IX_ERPx_MFAttribute_SOOrderItem	DataEntityCompanySK	

Foreign Keys

Name	No Check	Columns
FK_ERPx_MFAttribute_SOOrderItem_ERPx_MFDataEntityCompanySK	True	DataEntityCompanySK->[dbo].[ERPx_MFDataEntityCompany].[DataEntityCompanySK]
FK_ERPx_MFAttribute_SOOrderItem_ERPx_SOOrderItem		OrderItemSK->[dbo].[ERPx_SOOrderItem].[OrderItemSK]





Uses

[dbo].[ERPx_MFDataEntityCompany]
 [dbo].[ERPx_SOOrderItem]


Used By

[dbo].[IQx_SOSEL_ItemHistory]
 [dbo].[SPx_MFDEL_DeleteCompany]
 [dbo].[SPx_SOPProcess_Transaction_Deleteltem]
 [dbo].[SPx_SOSEL_TransactionDetailItem]
 [dbo].[SPx_SOSEL_TransactionItemList]

[dbo].[ERPx_MFAttributeClass]**Columns**

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity
 PK	AttributeClassSK	bigint	8	NOT NULL	1 - 1
 FK	AttributeTypeDefinitionSK	bigint	8	NOT NULL	
 PK	ClassDescription	varchar(50)	50	NOT NULL	
 FK	DataEntityCompanySK	bigint	8	NOT NULL	

Indexes

Key	Name	Key Columns	Unique
 PK	PK_ERPx_MFAttributeTypeAssignment	AttributeClassSK	True
	IX_ERPx_MFAttributeTypeAssignment	AttributeTypeDefinitionSK, ClassDescription, DataEntityCompanySK	True

Foreign Keys

Name	Columns
FK_ERPx_MFAttributeClass_ERPx_MFAttributeClass	AttributeTypeDefinitionSK->[dbo].[ERPx_MFAttributeTypeDefinition].[AttributeTypeDefinitionSK]

Uses

[dbo].[ERPx_MFAttributeTypeDefinition]

Used By




[dbo].[ERPx_APGrades]
 [dbo].[ERPx_APVendorClass]
 [dbo].[ERPx_ARCustomer]
 [dbo].[ERPx_ARCustomerAddress]
 [dbo].[ERPx_CPField]
 [dbo].[ERPx_CPTicketHeader]
 [dbo].[ERPx_IMItem]
 [dbo].[ERPx_IMProductionLot]
 [dbo].[ERPx_IMQualityTest]
 [dbo].[ERPx_IMTransactionHeader]
 [dbo].[ERPx_LMLoadHeader]
 [dbo].[ERPx_MFAttributeClassAttribute]
 [dbo].[ERPx_SCCContractHeader]
 [dbo].[FNx_GetItemsFromAllItemSets]
 [dbo].[IQx_APSEL_POLinkedTransactions_AttributeList]

[dbo].[IQx_APSEL_PurchaseOrders_AttributeList]
[dbo].[IQx_IMSEL_QualityTestResults]
[dbo].[IQx_ItemInquiryAttributeClass]
[dbo].[IQx_SOSEL_ItemHistory]
[dbo].[SPx_APPProcess_AdjustmentTransaction]
[dbo].[SPx_APPProcess_DeliveryTicket]
[dbo].[SPx_APPProcess_PurchaseOrder]
[dbo].[SPx_APPProcess_Transaction]
[dbo].[SPx_APSEL_AdjustmentLineAttributeList]
[dbo].[SPx_APSEL_APVendor_Properties]
[dbo].[SPx_APSEL_APVendorClass_Properties]
[dbo].[SPx_APSEL_BalanceTransferLineAttributeList]
[dbo].[SPx_APSEL_BuildChecks_AttributeList]
[dbo].[SPx_APSEL_DeliveryTicketAttributeList]
[dbo].[SPx_APSEL_FishermanSaleAttributeList]
[dbo].[SPx_APSEL_GradeAttributeList]
[dbo].[SPx_APSEL_GradeNew]
[dbo].[SPx_APSEL_POAttributeList]
[dbo].[SPx_APSEL_POHeaderAttributeList]
[dbo].[SPx_APSEL_PurchaseOrders_AttributeList]
[dbo].[SPx_APSEL_SaleLineInquiryAttributeList]
[dbo].[SPx_APSEL_TicketAdditionalColumnList]
[dbo].[SPx_APSEL_TransactionAttributeList]
[dbo].[SPx_APSEL_TransactionHeaderAttributeList]
[dbo].[SPx_APSEL_TransactionLineAttributeList]
[dbo].[SPx_APSEL_VendorAddressList]
[dbo].[SPx_APSEL_VendorAttributeClassLookup]
[dbo].[SPx_APSEL_VendorAttributeList]
[dbo].[SPx_APSEL_VendorClassRecordProperties]
[dbo].[SPx_APSEL_VendorHeader]
[dbo].[SPx_APSEL_VendorList]
[dbo].[SPx_APSEL_VendorProperties]
[dbo].[SPx_APUUpdate_FishermanSale]
[dbo].[SPx_APUUpdate_MassUpdateFishermanSales]
[dbo].[SPx_APUUpdate_MassUpdatePO]
[dbo].[SPx_APUUpdate_MassUpdateTransactions]
[dbo].[SPx_APUUpdate_ProcessInterestCharges]
[dbo].[SPx_APUUpdate_ProcessInterestPayments]
[dbo].[SPx_APUUpdate_TransactionTenderSale]
[dbo].[SPx_APUUpdate_TransactionTransfer]
[dbo].[SPx_ARProcess_Customer]
[dbo].[SPx_ARProcess_Transaction]
[dbo].[SPx_ARSEL_CustomerAddressProperties]
[dbo].[SPx_ARSEL_CustomerProperties]
[dbo].[SPx_ARSEL_SaleInvoiceAttributeList]
[dbo].[SPx_ARSEL_TransactionHeaderAttributeList]
[dbo].[SPx_COSEL_AttributeClassList]
[dbo].[SPx_COUpdate_AttributeClassList]
[dbo].[SPx_CPSEL_FieldAttributeClassLookup]
[dbo].[SPx_CPSEL_FieldList]
[dbo].[SPx_CPSEL_GetTicketHeaders]
[dbo].[SPx_CPSEL_ItemAttributeClassLookup]
[dbo].[SPx_CPSEL_ItemList]


[dbo].[SPx_CPSEL_ItemProperties]
[dbo].[SPx_CPSEL_TicketHeaderAdditionalColumnList]
[dbo].[SPx_CPSEL_TicketHeaderAndLineAdditionalColumnList]
[dbo].[SPx_CPUUpdate_FieldList]
[dbo].[SPx_CPUUpdate_NewTicket]
[dbo].[SPx_FASEL_FishermanTenderList]
[dbo].[SPx_FASEL_FishermenAddressList]
[dbo].[SPx_FASEL_FishermenAttributeList]
[dbo].[SPx_FASEL_LoanAddressList]
[dbo].[SPx_FASEL_LoanAttributeList]
[dbo].[SPx_FASEL_LoanList]
[dbo].[SPx_HistoricalInventoryBalance]
[dbo].[SPx_HistoricalInventoryBalance_AttributeClassLookup]
[dbo].[SPx_IMPProcess_AdjustmentTransaction]
[dbo].[SPx_IMPProcess_ProductionTransaction]
[dbo].[SPx_IMPProcess_ReceiptTransaction]
[dbo].[SPx_IMPProcess_TransferTransaction]
[dbo].[SPx_IMSEL_CycleCountAttributes]
[dbo].[SPx_IMSEL_Item]
[dbo].[SPx_IMSEL_ItemClassProperties]
[dbo].[SPx_IMSEL_ItemProperties]
[dbo].[SPx_IMSEL_ItemPropertiesAdvanced]
[dbo].[SPx_IMSEL_ItemSetItemList]
[dbo].[SPx_IMSEL_ProductionLot_Properties]
[dbo].[SPx_IMSEL_ProductionLotIQ]
[dbo].[SPx_IMSEL_ProductionLots]
[dbo].[SPx_IMSEL_QualityTestResult]
[dbo].[SPx_IMSEL_QualityTestResultHeader]
[dbo].[SPx_IMSEL_QualityTestResultLookup]
[dbo].[SPx_IMSEL_QualityTestResultsList]
[dbo].[SPx_IMSEL_TransactionAttributeList]
[dbo].[SPx_INTEG_NSAPDeliveryTicket_XML]
[dbo].[SPx_LMINS_LoadBuilder]
[dbo].[SPx_LMINS_NewLoad]
[dbo].[SPx_LMUpdate_Load]
[dbo].[SPx_Load_MFEmployee_GP]
[dbo].[SPx_MFDEL_DeleteCompany]
[dbo].[SPx_MFExport_APVendorsAndAddresses]
[dbo].[SPx_MFExport_ARCustomersAndAddresses]
[dbo].[SPx_MFExport_IMItems]
[dbo].[SPx_MFINS_AttributeClass]
[dbo].[SPx_MFINS_AttributeClassAttribute]
[dbo].[SPx_MFINS_AttributeDataSynch]
[dbo].[SPx_MFSEL_AttributeClassList]
[dbo].[SPx_MFSEL_IMPReferences]
[dbo].[SPx_MFUpdate_MassUpdate]
[dbo].[SPx_PRUpdate_EmployeeList]
[dbo].[SPx_SOPProcess_Transaction_InsertShipments]
[dbo].[SPx_SOPProcess_Transaction_Validations]
[dbo].[SPx_SOSEL_FindLotDetails]
[dbo].[SPx_SOSEL_TransactionAttributeList]
[dbo].[SPx_SOSEL_TransactionDetailItemAttributeList]
[dbo].[SPx_SOSEL_TransactionItemList]

[dbo].[SPx_SOUupdate_PriceAdjustment]
[dbo].[SPx_SOUupdate_Return]
[dbo].[SPx_SOUupdate_Transaction]
[dbo].[VWx_IMItemProperties]
[dbo].[VWx_MFSEL_AttributeSetup]
[hist].[SPx_IMRollup]

[dbo].[ERPx_MFAttributeClassAttribute]**Columns**

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity
	AttributeClassAttributeSK	bigint	8	NOT NULL	1 - 1
	AttributeClassSK	bigint	8	NOT NULL	
	AttributeSK	bigint	8	NOT NULL	
	AttributeAvailableOptionEN	bigint	8	NOT NULL	
	LastUpdated	datetime	8	NOT NULL	
	LastUser	varchar(110)	110	NULL allowed	
	DataEntityCompanySK	bigint	8	NOT NULL	

Indexes

Key	Name	Key Columns	Unique
	PK_ERPx_MFAttributeClassAttribute	AttributeClassAttributeSK	True
	IX_ERPx_MFAttributeClassAttribute	AttributeClassSK, AttributeSK	True

Foreign Keys

Name	Columns
FK_ERPx_MFAttributeClassAttribute_ERPx_MFAttribute	AttributeSK->[dbo].[ERPx_MFAttribute].[AttributeSK]
FK_ERPx_MFAttributeClassAttribute_ERPx_MFAttribute-Class	AttributeClassSK->[dbo].[ERPx_MFAttributeClass].[AttributeClass-SK]

Uses

[dbo].[ERPx_MFAttribute]
 [dbo].[ERPx_MFAttributeClass]

Used By


[dbo].[IQx_APSEL_POLinkedTransactions_AttributeList]
 [dbo].[IQx_APSEL_PurchaseOrders_AttributeList]
 [dbo].[SPx_APPProcess_AdjustmentTransaction]
 [dbo].[SPx_APPProcess_DeliveryTicket]
 [dbo].[SPx_APPProcess_Grades]
 [dbo].[SPx_APPProcess_PurchaseOrder]
 [dbo].[SPx_APPProcess_Transaction]
 [dbo].[SPx_APPProcess_Vendor]
 [dbo].[SPx_APSEL_AdjustmentLineAttributeList]

[dbo].[SPx_APSEL_APVendor_Attributes]
[dbo].[SPx_APSEL_BalanceTransferLineAttributeList]
[dbo].[SPx_APSEL_BuildChecks_AttributeList]
[dbo].[SPx_APSEL_DeliveryTicketAttributeList]
[dbo].[SPx_APSEL_FishermanSaleAttributeList]
[dbo].[SPx_APSEL_GradeAttributeList]
[dbo].[SPx_APSEL_POAttributeList]
[dbo].[SPx_APSEL_POHeaderAttributeList]
[dbo].[SPx_APSEL_PurchaseOrders_AttributeList]
[dbo].[SPx_APSEL_SaleLineInquiryAttributeList]
[dbo].[SPx_APSEL_TicketAdditionalColumnList]
[dbo].[SPx_APSEL_TransactionAttributeList]
[dbo].[SPx_APSEL_TransactionHeaderAttributeList]
[dbo].[SPx_APSEL_TransactionLineAttributeList]
[dbo].[SPx_APSEL_VendorAttributeList]
[dbo].[SPx_APSEL_VendorAttributes]
[dbo].[SPx_APSEL_VendorHeader]
[dbo].[SPx_APSEL_VendorList]
[dbo].[SPx_APUUpdate_FishermanSale]
[dbo].[SPx_APUUpdate_MassUpdateFishermanSales]
[dbo].[SPx_APUUpdate_MassUpdatePO]
[dbo].[SPx_APUUpdate_MassUpdateTransactions]
[dbo].[SPx_APUUpdate_ProcessInterestCharges]
[dbo].[SPx_APUUpdate_ProcessInterestPayments]
[dbo].[SPx_APUUpdate_TransactionTenderSale]
[dbo].[SPx_APUUpdate_TransactionTransfer]
[dbo].[SPx_ARProcess_Customer]
[dbo].[SPx_ARProcess_Transaction]
[dbo].[SPx_ARSEL_CustomerAddressAttributes]
[dbo].[SPx_ARSEL_CustomerAttributes]
[dbo].[SPx_ARSEL_CustomerList]
[dbo].[SPx_ARSEL_SaleInvoiceAttributeList]
[dbo].[SPx_ARSEL_SOCustomerAddressList]
[dbo].[SPx_ARSEL_TransactionHeaderAttributeList]
[dbo].[SPx_COUpdate_AttributeClassList]
[dbo].[SPx_CPPProcess_Item]
[dbo].[SPx_CPPProcess_Ticket]
[dbo].[SPx_CPSEL_ItemAttributes]
[dbo].[SPx_CPSEL_ItemList]
[dbo].[SPx_CPSEL_TicketHeaderAdditionalColumnList]
[dbo].[SPx_CPSEL_TicketHeaderAndLineAdditionalColumnList]
[dbo].[SPx_CPSEL_TransactionAttributeList]
[dbo].[SPx_CPUUpdate_FieldList]
[dbo].[SPx_FASEL_FishermanTenderList]
[dbo].[SPx_FASEL_FishermenAttributeList]
[dbo].[SPx_FASEL_LoanAttributeList]
[dbo].[SPx_FASEL_LoanList]
[dbo].[SPx_IMPProcess_AdjustmentTransaction]
[dbo].[SPx_IMPProcess_Item]
[dbo].[SPx_IMPProcess_ProductionTransaction]
[dbo].[SPx_IMPProcess_ReceiptTransaction]
[dbo].[SPx_IMPProcess_TransferTransaction]
[dbo].[SPx_IMSEL_CycleCountAttributes]

[dbo].[SPx_IMSEL_Item]
[dbo].[SPx_IMSEL_ItemAttributes]
[dbo].[SPx_IMSEL_ItemSetAttributes]
[dbo].[SPx_IMSEL_ProductionLotAttributes]
[dbo].[SPx_IMSEL_QualityTestResult]
[dbo].[SPx_IMSEL_TransactionAttributeList]
[dbo].[SPx_IMSEL_TransactionHeaderAttributeList]
[dbo].[SPx_IMUpdate_ItemSet]
[dbo].[SPx_IMUpdate_QualityTestResult]
[dbo].[SPx_LMProcess_MFShipment]
[dbo].[SPx_LMSEL_LoadAttributeList]
[dbo].[SPx_LMSEL_LoadAttributeValues]
[dbo].[SPx_LMSEL_Shipment_AttributeList]
[dbo].[SPx_LMUpdate_Load]
[dbo].[SPx_MFDEL_Attribute]
[dbo].[SPx_MFDEL_DeleteCompany]
[dbo].[SPx_MFINS_AttributeClassAttribute]
[dbo].[SPx_MFSEL_AttributeClassAttributeList]
[dbo].[SPx_MFUPD_AttributeClassAttribute]
[dbo].[SPx_MFUpdate_MassUpdate]
[dbo].[SPx_SCSEL_ContractAttributes]
[dbo].[SPx_SOPProcess_Transaction_Validations]
[dbo].[SPx_SOSEL_TransactionAttributeList]
[dbo].[SPx_SOSEL_TransactionDetailItemAttributeList]
[dbo].[SPx_SOUUpdate_PriceAdjustment]
[dbo].[SPx_SOUUpdate_Return]
[dbo].[SPx_SOUUpdate_Transaction]
[dbo].[VWx_MFSEL_AttributeSetup]

 [dbo].[ERPx_MFAttributeReservedNames]

Columns

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity
	AttributeReservedNameSK	bigint	8	NOT NULL	1 - 1
	AttributeReservedName	varchar(150)	150	NOT NULL	



Indexes

Key	Name	Key Columns	Unique
	PK_ERPx_MFAttributeReservedNames	AttributeReservedNameSK	True


Used By

[dbo].[SPx_MFINSUPD_Attribute]

[dbo].[ERPx_MFAttributeType]**Columns**

Key	Name	Data Type	Max Length (Bytes)	Nullability
	AttributeTypeSK	bigint	8	NOT NULL
	AttributeType	varchar(50)	50	NOT NULL
	AttributeCategoryEN	int	4	NOT NULL
	Sort	int	4	NOT NULL
	AssignRulesByDescription	varchar(50)	50	NOT NULL

Indexes

Key	Name	Key Columns	Unique
	PK_ERPx_MFAttributeType	AttributeTypeSK	True
	IX_ERPx_MFAttributeType	AttributeType	True




Used By

[dbo].[ERPx_MFAttribute]
 [dbo].[ERPx_MFAttributeTypeDefinition]
 [dbo].[IQx_APSEL_POLinkedTransactions_AttributeList]
 [dbo].[IQx_APSEL_PurchaseOrders_AttributeList]
 [dbo].[IQx_MFSEL_PriceListHistoryMassUpdate_AttributeList]
 [dbo].[SPx_APSEL_AdjustmentLineAttributeList]
 [dbo].[SPx_APSEL_BalanceTransferLineAttributeList]
 [dbo].[SPx_APSEL_DeliveryTicketAttributeList]
 [dbo].[SPx_APSEL_DeliveryTicketReprice_GradeAttributeList]
 [dbo].[SPx_APSEL_FishermanSaleAttributeList]
 [dbo].[SPx_APSEL_POAttributeList]
 [dbo].[SPx_APSEL_POHeaderAttributeList]
 [dbo].[SPx_APSEL_PurchaseOrders_AttributeList]
 [dbo].[SPx_APSEL_SaleLineInquiryAttributeList]
 [dbo].[SPx_APSEL_TicketAdditionalColumnList]
 [dbo].[SPx_APSEL_TransactionAttributeList]
 [dbo].[SPx_APSEL_TransactionHeaderAttributeList]
 [dbo].[SPx_APSEL_TransactionLineAttributeList]
 [dbo].[SPx_APSEL_VendorAttributeClassLookup]
 [dbo].[SPx_APSEL_VendorClassRecordProperties]
 [dbo].[SPx_ARSEL_CustomerAddressAttributeList]
 [dbo].[SPx_ARSEL_CustomerAttributeList]
 [dbo].[SPx_ARSEL_SaleInvoiceAttributeList]
 [dbo].[SPx_ARSEL_TransactionHeaderAttributeList]
 [dbo].[SPx_CPSEL_FieldAttributeClassLookup]

[dbo].[SPx_CPSEL_FieldAttributeList]
[dbo].[SPx_CPSEL_ItemAttributeClassLookup]
[dbo].[SPx_CPSEL_TicketHeaderAdditionalColumnList]
[dbo].[SPx_CPSEL_TicketHeaderAndLineAdditionalColumnList]
[dbo].[SPx_IMSEL_AttributeList]
[dbo].[SPx_IMSEL_CycleCountAttributeList]
[dbo].[SPx_IMSEL_InventoryAsOfItemAttributeList]
[dbo].[SPx_IMSEL_ItemAndLotAttributeList]
[dbo].[SPx_IMSEL_ItemAttributeCertificationList_LotList]
[dbo].[SPx_IMSEL_ItemAttributeList]
[dbo].[SPx_IMSEL_ItemAttributeList_ItemList]
[dbo].[SPx_IMSEL_ItemSetAttributeList]
[dbo].[SPx_IMSEL_LotAttributeList]
[dbo].[SPx_IMSEL_ProductionLotAttributeList]
[dbo].[SPx_IMSEL_TransactionAttributeList]
[dbo].[SPx_IMSEL_TransactionDetailAttributeList]
[dbo].[SPx_IMSEL_WarehouseLotAttributeList]
[dbo].[SPx_IMSEL_WarehouseLotListNew]
[dbo].[SPx_IMUpdate_CertificationList]
[dbo].[SPx_IMUpdate_WarehouseLot]
[dbo].[SPx_INTEG_BWInvoiceHeaderItem_XML]
[dbo].[SPx_INTEG_NSAPInvoiceAndCreditMemo]
[dbo].[SPx_MFDEL_Attribute]
[dbo].[SPx_MFDEL_DeleteCompany]
[dbo].[SPx_MFINS_AttributeClass]
[dbo].[SPx_MFINS_AttributeClassAttribute]
[dbo].[SPx_MFINSUPD_Attribute]
[dbo].[SPx_MFSEL_AttributeClassList]
[dbo].[SPx_MFSEL_AttributeTypeList]
[dbo].[SPx_MFSEL_MassUpdate]
[dbo].[SPx_MFSEL_PriceListMassUpdate_AttributeList]
[dbo].[SPx_MFUtil_ConvertAttribute]
[dbo].[SPx_SCSEL_ContractHeader]
[dbo].[SPx_SOSEL_CustomerAddressAttributeList]
[dbo].[SPx_SOSEL_OrderHeaderAttributeList]
[dbo].[SPx_SOSEL_TransactionAttributeList]
[dbo].[SPx_SOUUpdate_PriceAdjustment]
[dbo].[SPx_SOUUpdate_Return]
[dbo].[VWx_MFSEL_AttributeSetup]

 [dbo].[ERPx_MFAttributeTypeDefinition]

Columns

Key	Name	Data Type	Max Length (Bytes)	Nullability
	AttributeTypeDefinitionSK	bigint	8	NOT NULL
	AttributeTypeSK	bigint	8	NOT NULL
	Definition	varchar(50)	50	NOT NULL

Indexes

Key	Name	Key Columns	Unique
	PK_ERPx_MFAttributeTypeDefinition	AttributeTypeDefinitionSK	True
	IX_ERPx_MFAttributeTypeDefinition	AttributeTypeSK, Definition	

Foreign Keys

Name	Columns
FK_ERPx_MFAttributeTypeDefinition_ERPx_MFAttributeType	AttributeTypeSK->[dbo].[ERPx_MFAttributeType].[AttributeTypeSK]

Uses





[dbo].[ERPx_MFAttributeType]

Used By


- [dbo].[ERPx_MFAttributeClass]
- [dbo].[IQx_APSEL_POLinkedTransactions_AttributeList]
- [dbo].[IQx_APSEL_PurchaseOrders_AttributeList]
- [dbo].[SPx_APPProcess_AdjustmentTransaction]
- [dbo].[SPx_APPProcess_PurchaseOrder]
- [dbo].[SPx_APPProcess_Transaction]
- [dbo].[SPx_APSEL_AdjustmentLineAttributeList]
- [dbo].[SPx_APSEL_BalanceTransferLineAttributeList]
- [dbo].[SPx_APSEL_DeliveryTicketAttributeList]
- [dbo].[SPx_APSEL_FishermanSaleAttributeList]
- [dbo].[SPx_APSEL_POAttributeList]
- [dbo].[SPx_APSEL_POHeaderAttributeList]
- [dbo].[SPx_APSEL_PurchaseOrders_AttributeList]
- [dbo].[SPx_APSEL_SaleLineInquiryAttributeList]
- [dbo].[SPx_APSEL_TicketAdditionalColumnList]
- [dbo].[SPx_APSEL_TransactionAttributeList]
- [dbo].[SPx_APSEL_TransactionHeaderAttributeList]

[dbo].[SPx_APSEL_TransactionLineAttributeList]
[dbo].[SPx_APSEL_VendorAttributeClassLookup]
[dbo].[SPx_APSEL_VendorClassRecordProperties]
[dbo].[SPx_APUUpdate_FishermanSale]
[dbo].[SPx_APUUpdate_MassUpdateFishermanSales]
[dbo].[SPx_APUUpdate_MassUpdatePO]
[dbo].[SPx_APUUpdate_MassUpdateTransactions]
[dbo].[SPx_APUUpdate_ProcessInterestCharges]
[dbo].[SPx_APUUpdate_ProcessInterestPayments]
[dbo].[SPx_APUUpdate_TransactionTenderSale]
[dbo].[SPx_APUUpdate_TransactionTransfer]
[dbo].[SPx_ARProcess_Transaction]
[dbo].[SPx_ARSEL_SaleInvoiceAttributeList]
[dbo].[SPx_ARSEL_TransactionHeaderAttributeList]
[dbo].[SPx_COSEL_AttributeClassList]
[dbo].[SPx_COUpdate_AttributeClassList]
[dbo].[SPx_CPSEL_FieldAttributeClassLookup]
[dbo].[SPx_CPSEL_ItemAttributeClassLookup]
[dbo].[SPx_CPSEL_TicketHeaderAdditionalColumnList]
[dbo].[SPx_CPSEL_TicketHeaderAndLineAdditionalColumnList]
[dbo].[SPx_CPUUpdate_NewTicket]
[dbo].[SPx_IMSEL_TransactionAttributeList]
[dbo].[SPx_Load_MFEmployee_GP]
[dbo].[SPx_MFDEL_DeleteCompany]
[dbo].[SPx_MFINS_AttributeClass]
[dbo].[SPx_MFINS_AttributeClassAttribute]
[dbo].[SPx_MFSEL_AttributeClassList]
[dbo].[SPx_MFSEL_IMPReferences]
[dbo].[SPx_MFUpdate_MassUpdate]
[dbo].[SPx_PRUpdate_EmployeeList]
[dbo].[SPx_SOPProcess_Transaction_Validations]
[dbo].[SPx_SOSEL_TransactionAttributeList]
[dbo].[SPx_SOUUpdate_PriceAdjustment]
[dbo].[SPx_SOUUpdate_Return]
[dbo].[SPx_SOUUpdate_Transaction]
[dbo].[VWx_MFSEL_AttributeSetup]

[dbo].[ERPx_MFAttributeValue]**Columns**

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity
	AttributeValueSK	bigint	8	NOT NULL	1 - 1
	AttributeSK	bigint	8	NOT NULL	
	AttributeValue	varchar(200)	200	NOT NULL	
	Sort	int	4	NOT NULL	
	LastUpdated	datetime	8	NOT NULL	
	LastUser	varchar(110)	110	NOT NULL	
	DataEntityCompanySK	bigint	8	NOT NULL	

Indexes

Key	Name	Key Columns	Unique
	PK_ERPx_MFAttributeValue	AttributeValueSK	True
	IX_ERPx_MFAttributeValue	AttributeSK, AttributeValue, DataEntityCompanySK	True

Foreign Keys

Name	Columns
FK_ERPx_MFAttributeValue_ERPx_MFAttribute	AttributeSK->[dbo].[ERPx_MFAttribute].[AttributeSK]

Uses

[dbo].[ERPx_MFAttribute]



Used By

[dbo].[FNx_APTransactionAttributeValues]
 [dbo].[FNx_ARSaleInvoiceAttributeValues]
 [dbo].[FNx_GetCustomerAddressesFromSet]
 [dbo].[FNx_GetItemsFromAllItemSets]
 [dbo].[FNx_GetUDFCustomerFavoriteValues]
 [dbo].[FNx_GetUDFItemValues]
 [dbo].[FNx_IMQualityTestResultAttributes]
 [dbo].[SPx_APSEL_APVendor_Attributes]
 [dbo].[SPx_APSEL_DeliveryTicketAttributeList]
 [dbo].[SPx_APSEL_POHeaderAttributeList]
 [dbo].[SPx_APSEL_TransactionAttributeValues]
 [dbo].[SPx_APSEL_TransactionHeaderAttributeList]


[dbo].[SPx_APSEL_VendorAttributes]
[dbo].[SPx_APSEL_VendorHeader]
[dbo].[SPx_APSEL_VendorList]
[dbo].[SPx_ARSEL_CustomerAddressAttributes]
[dbo].[SPx_ARSEL_CustomerAttributes]
[dbo].[SPx_ARSEL_CustomerList]
[dbo].[SPx_ARSEL_SOCustomerAddressList]
[dbo].[SPx_ARSEL_TransactionAttributeValues]
[dbo].[SPx_ARSEL_TransactionHeaderAttributeList]
[dbo].[SPx_CPSEL_AttributeValues]
[dbo].[SPx_CPSEL_ItemAttributes]
[dbo].[SPx_CPSEL_TicketAttributeValues]
[dbo].[SPx_CPSEL_TransactionAttributeList]
[dbo].[SPx_CPUUpdate_FieldList]
[dbo].[SPx_FASEL_FishermanTenderList]
[dbo].[SPx_FASEL_LoanList]
[dbo].[SPx_IMPProcess_AdjustmentTransaction]
[dbo].[SPx_IMPProcess_ProductionTransaction]
[dbo].[SPx_IMPProcess_ReceiptTransaction]
[dbo].[SPx_IMPProcess_RefreshLotBalanceSearchMetadata]
[dbo].[SPx_IMPProcess_TransferTransaction]
[dbo].[SPx_IMSEL_AttributeValues]
[dbo].[SPx_IMSEL_ItemAttributes]
[dbo].[SPx_IMSEL_ProductionLotAttributes]
[dbo].[SPx_IMSEL_QualityTestResult]
[dbo].[SPx_IMSEL_TransactionAttributeValues]
[dbo].[SPx_IMSEL_TransactionHeaderAttributeList]
[dbo].[SPx_INTEG_BWInvoiceHeaderItem_XML]
[dbo].[SPx_INTEG_NSAPIInvoiceAndCreditMemo]
[dbo].[SPx_INTEG_NSIMInventoryTrans]
[dbo].[SPx_LMSEL_LoadAttributeList]
[dbo].[SPx_LMSEL_LoadAttributeValues]
[dbo].[SPx_LMSEL_Shipment_AttributeList]
[dbo].[SPx_MFDEL_Attribute]
[dbo].[SPx_MFDEL_AttributeValue]
[dbo].[SPx_MFDEL_DeleteCompany]
[dbo].[SPx_MFINSUPD_AttributeValue]
[dbo].[SPx_MFSEL_AttributeValueList]
[dbo].[SPx_MFSEL_ImportAttributeLookup]
[dbo].[SPx_MFSEL_MassUpdateAttributeValues]
[dbo].[SPx_MFSYS_InstallSystemSearchText]
[dbo].[SPx_MFUpdate_ImportAttributeValue]
[dbo].[SPx_MFUtil_ConvertAttribute]
[dbo].[SPx_SCSEL_ContractAttributes]
[dbo].[SPx_SOPProcess_FindItems]
[dbo].[SPx_SOPProcess_FindItemsWithBalances]
[dbo].[SPx_SOPProcess_Transaction]
[dbo].[SPx_SOSEL_TransactionAttributeList]
[dbo].[SPx_SOSEL_TransactionAttributeValues]
[dbo].[VWx_MFSEL_AttributeSetup]
[hist].[SPx_SOPProcess_SearchMetadata_RefreshOrder]

 [dbo].[ERPx_MFCertification_IMProductionLot]

Columns

Key	Name	Data Type	Max Length (Bytes)	Nullability
	ProductionLotSK	bigint	8	NOT NULL
	DataEntityCompanySK	bigint	8	NOT NULL

Indexes

Key	Name	Key Columns	Unique
	PK_ERPx_MFCertification_IMProductionLot	ProductionLotSK	True
	IX_ERPx_MFCertification_IMProductionLot	DataEntityCompanySK	

Foreign Keys

Name	No Check	Delete	Columns
FK_ERPx_MFCertification_IMProductionLot - ERPx_IMProductionLot		Cascade	ProductionLotSK->[dbo].[ERPx_IMProductionLot].[ProductionLotSK]
FK_ERPx_MFCertification_IMProductionLot - ERPx_MFDataEntityCompanySK	True		DataEntityCompanySK->[dbo].[ERPx_MFDataEntityCompany].[DataEntityCompanySK]

Uses



[dbo].[ERPx_IMProductionLot]
 [dbo].[ERPx_MFDataEntityCompany]

Used By

[dbo].[IQx_IMSEL_LotHistory]
 [dbo].[SPx_IMProcess_ProductionLot]
 [dbo].[SPx_IMSEL_CostHistoryInquiry]
 [dbo].[SPx_IMSEL_CycleCountList]
 [dbo].[SPx_IMSEL_FindLotDetails]
 [dbo].[SPx_IMSEL_LotBalance]
 [dbo].[SPx_IMSEL_ProductionLotIQ]
 [dbo].[SPx_IMSEL_ProductionLots]
 [dbo].[SPx_IMSEL_UpdateCostList]
 [dbo].[SPx_IMUpdate_CleanUpLots]
 [dbo].[SPx_MFDEL_DeleteCompany]
 [dbo].[SPx_MFSEL_AllocateDetails]
 [dbo].[SPx_SOSEL_FindLotDetails]

 [dbo].[ERPx_MFCertificationSetup_IMItem]

Columns

Key	Name	Data Type	Max Length (Bytes)	Nullability
	ItemSK	bigint	8	NOT NULL
	DataEntityCompanySK	bigint	8	NOT NULL

Indexes

Key	Name	Key Columns	Unique
	PK_ERPx_MFCertificationSetup_IMItem	ItemSK	True
	IX_ERPx_MFCertificationSetup_IMItem	DataEntityCompanySK	

Foreign Keys

Name	No Check	Columns
FK_ERPx_MFCertificationSetup_IMItem_ERPx_IMItem	True	ItemSK->[dbo].[ERPx_IMItem].[ItemSK]
FK_ERPx_MFCertificationSetup_IMItem_ERPx_MFDataEntityCompanySK	True	DataEntityCompanySK->[dbo].[ERPx_MFDataEntityCompany].[DataEntityCompanySK]

Uses



[dbo].[ERPx_IMItem]
 [dbo].[ERPx_MFDataEntityCompany]

Used By


[dbo].[SPx_IMSEL_Item]
 [dbo].[SPx_MFDEL_DeleteCompany]
 [dbo].[SPx_MFExport_IMItems]

 [dbo].[ERPx_MFCertificationSetup_MFSite]

Columns

Key	Name	Data Type	Max Length (Bytes)	Nullability
	SiteSK	bigint	8	NOT NULL
	DataEntityCompanySK	bigint	8	NOT NULL

Indexes

Key	Name	Key Columns	Unique
	PK_ERPx_MFCertificationSetup_MFSite	SiteSK	True
	IX_ERPx_MFCertificationSetup_MFSite	DataEntityCompanySK	

Foreign Keys

Name	No Check	Columns
FK_ERPx_MFCertificationSetup_MFSite_ERPx_MFDataEntityCompanySK	True	DataEntityCompanySK->[dbo].[ERPx_MFDataEntityCompany].[DataEntityCompanySK]
FK_ERPx_MFCertificationSetup_MFSite_ERPx_MFSite		SiteSK->[dbo].[ERPx_MFSite].[SiteSK]

Uses






[dbo].[ERPx_MFDataEntityCompany]
 [dbo].[ERPx_MFSite]

Used By


[dbo].[SPx_MFDEL_DeleteCompany]
 [dbo].[SPx_MFINSUPDDEL_Site_XML]
 [dbo].[SPx_MFUpdate_Site]
 [dbo].[SPx_SOSEL_SiteList]

 [dbo].[ERPx_MFCheckbook]

Columns

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity	Default
	CheckbookSK	bigint	8	NOT NULL	1 - 1	
	HostSystemLink	varchar(25)	25	NULL allowed		
	CheckbookID	varchar(25)	25	NOT NULL		
	CheckbookDescription	varchar(50)	50	NULL allowed		
	CurrencySK	bigint	8	NULL allowed		
	CashAccountSK	bigint	8	NULL allowed		
	NextCheckNumber	varchar(20)	20	NULL allowed		
	IsInactive	bit	1	NOT NULL		((0))
	LastUpdated	datetime	8	NOT NULL		
	LastUser	varchar(150)	150	NOT NULL		
	DataEntityCompanySK	bigint	8	NOT NULL		
	EnableACH	bit	1	NOT NULL		((0))
	NextACHNumber	varchar(12)	12	NULL allowed		('ACH1000')
	BankID	varchar(100)	100	NULL allowed		
	AccountName	varchar(150)	150	NULL allowed		
	RoutingNumber	varchar(25)	25	NULL allowed		
	AccountNumber	varchar(100)	100	NULL allowed		
	FileID	varchar(250)	250	NULL allowed		
	ACHFileFormat	varchar(100)	100	NULL allowed		
	PositivePayFormat	varchar(100)	100	NULL allowed		
	CreatedBy	varchar(150)	150	NULL allowed		
	CreatedDateTime	datetime	8	NOT NULL		(getdate())

Indexes

Key	Name	Key Columns	Unique
	PK_ERPx_MFCheckbook	CheckbookSK	True
	IX_ERPx_MFCheckbook	CheckbookID, DataEntityCompanySK	True

Foreign Keys

Name	Columns
FK_ERPx_MFCheckbook_ERPx_GLAccount	CashAccountSK->[dbo].[ERPx_GLAccount].[AccountSK]

FK_ERPx_MFCheckbook_ERPx_MFCurrency	CurrencySK->[dbo].[ERPx_MFCurrency].[CurrencySK]
FK_ERPx_MFCheckbook_ERPx_MFDataEntity-Company	DataEntityCompanySK->[dbo].[ERPx_MFDataEntityCompany].[DataEntity-CompanySK]

Uses

[dbo].[ERPx_GLAccount]
 [dbo].[ERPx_MFCurrency]
 [dbo].[ERPx_MFDataEntityCompany]





Used By

[dbo].[ERPx_APTtransactionHeader]
 [dbo].[ERPx_APVendor]
 [dbo].[ERPx_ARCustomer]
 [dbo].[ERPx_ARCustomerClass]
 [dbo].[ERPx_ARTransactionHeader]
 [dbo].[ERPx_MFCheckbookReconciliation]
 [dbo].[ERPx_MFCheckbookTransaction]
 [dbo].[ERPx_PRCheckbookTransaction]
 [dbo].[FNx_GetTransactionAccounts]
 [dbo].[IQx_APCheckDetailInquiry]
 [dbo].[IQx_APSEL_PaymentReceiptHistoryInquiry]
 [dbo].[IQx_ARSEL_PaymentReceiptHistoryInquiry]
 [dbo].[IQx_CheckRegister]
 [dbo].[IQx_GLSEL_ACHBatchInquiry]
 [dbo].[IQx_GLSEL_CheckbookReconciliationInquiry]
 [dbo].[IQx_GLSEL_CheckbookTransactionInquiry]
 [dbo].[RPx_GLSEL_ACHFile]
 [dbo].[RPx_GLSEL_ACHPrenote]
 [dbo].[SPx_APPProcess_PaymentReceipt]
 [dbo].[SPx_APSEL_BuildCheckCheckbookLookup]
 [dbo].[SPx_APSEL_BuildFishermanSettlementCheckbookLookup]
 [dbo].[SPx_APSEL_CheckbookInquiryLookup]
 [dbo].[SPx_APSEL_FAPaymentReceiptCheckbookLookup]
 [dbo].[SPx_APSEL_FishermanPaymentReceipt]
 [dbo].[SPx_APSEL_ProcessChecks]
 [dbo].[SPx_APSEL_ProcessChecksAddressLookup]
 [dbo].[SPx_APSEL_ProcessChecksPayees]
 [dbo].[SPx_APSEL_TransactionPaymentDetail]
 [dbo].[SPx_APSEL_VendorACHList]
 [dbo].[SPx_APSEL_VendorClassRecordProperties]
 [dbo].[SPx_APSEL_VendorProperties]
 [dbo].[SPx_APUUpdate_BuildCheck]
 [dbo].[SPx_APUUpdate_BuildFishermanSettlement]
 [dbo].[SPx_APUUpdate_FishermanSale]
 [dbo].[SPx_APUUpdate_MassUpdateFishermanSales]
 [dbo].[SPx_APUUpdate_SplitPayment]
 [dbo].[SPx_ARProcess_PaymentReceipt]
 [dbo].[SPx_ARSEL_CheckbookInquiryLookup]
 [dbo].[SPx_ARSEL_CustomerClassProperties]
 [dbo].[SPx_ARSEL_CustomerProperties]



[dbo].[SPx_ARSEL_PaymentReceiptAccountLookup]
[dbo].[SPx_ARSEL_PaymentReceiptCheckbookLookup]
[dbo].[SPx_ARSEL_PaymentReceiptCurrency]
[dbo].[SPx_ARSEL_PaymentReceiptHeader]
[dbo].[SPx_ARSEL_PaymentReceiptHeaderProperty]
[dbo].[SPx_ARSEL_PaymentReceiptList]
[dbo].[SPx_ARSEL_TransactionPaymentDetail]
[dbo].[SPx_ARUpdate_PaymentReceiptList]
[dbo].[SPx_FASEL_FishermanTenderList]
[dbo].[SPx_FASEL_LoanList]
[dbo].[SPx_GLPProcess_CheckbookReconciliation]
[dbo].[SPx_GLPProcess_CheckbookTransaction]
[dbo].[SPx_GLSEL_CheckbookInquiryLookup]
[dbo].[SPx_GLSEL_CheckbookList]
[dbo].[SPx_GLSEL_CheckbookListAccountLookup]
[dbo].[SPx_GLSEL_CheckbookReconciliationCheckbookLookup]
[dbo].[SPx_GLSEL_CheckbookReconciliationDetails]
[dbo].[SPx_GLSEL_CheckbookReconciliationHeader]
[dbo].[SPx_GLSEL_CheckbookReconciliationList]
[dbo].[SPx_GLSEL_CheckbookTransactionAdjustmentDetails]
[dbo].[SPx_GLSEL_CheckbookTransactionAdjustmentDetailsNew]
[dbo].[SPx_GLSEL_CheckbookTransactionAdjustmentHeader]
[dbo].[SPx_GLSEL_CheckbookTransactionAdjustmentProperty]
[dbo].[SPx_GLSEL_CheckbookTransactionCheckbookLookup]
[dbo].[SPx_GLSEL_CheckbookTransactionDepositDetails]
[dbo].[SPx_GLSEL_CheckbookTransactionDepositHeader]
[dbo].[SPx_GLSEL_CheckbookTransactionDepositProperty]
[dbo].[SPx_GLSEL_CheckbookTransactionList]
[dbo].[SPx_GLSEL_CheckbookTransactionTransferHeader]
[dbo].[SPx_GLSEL_CheckbookTransactionTransferProperty]
[dbo].[SPx_GLSEL_ReconciliationEditAmounts]
[dbo].[SPx_GLUUpdate_CheckbookList]
[dbo].[SPx_INTEG_GPAPVendorOutbound]
[dbo].[SPx_INTEG_GPARInvoiceOutbound]
[dbo].[SPx_INTEG_GPCustomerClass]
[dbo].[SPx_INTEG_GPGLCheckbook]
[dbo].[SPx_INTEG_GPMFCheckbookTransaction]
[dbo].[SPx_MFDEL_DeleteCompany]
[dbo].[SPx_MFExport_APVendorsAndAddresses]
[dbo].[SPx_MFExport_ARCustomersAndAddresses]
[dbo].[SPx_MFProcess_BankTransaction]
[dbo].[SPx_MFSEL_APPreferences]
[dbo].[SPx_MFSEL_CashReceiptHeader]
[dbo].[SPx_MFSEL_CheckbookLookup]
[dbo].[SPx_MFSEL_FAPreferences]
[dbo].[SPx_MFSEL_PRPreferences]
[dbo].[SPx_MFSEL_SOPreferences]
[dbo].[SPx_MFUpdate_CashReceipt]
[dbo].[SPx_PRSEL_Check]
[dbo].[SPx_PRSEL_CheckCheckbookLookup]
[dbo].[SPx_PRUpdate_Check]

 [dbo].[ERPx_MFCheckbookDetail]

Columns

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity	Default
 C	CheckbookTransactionDetailSK	bigint	8	NOT NULL	1 - 1	
	CheckbookTransactionSK	bigint	8	NOT NULL		
	AccountSK	bigint	8	NULL allowed		
	SourceARTransactionHeaderSK	bigint	8	NULL allowed		
	SourceAPTTransactionHeaderSK	bigint	8	NULL allowed		
	DebitAmount	numeric(18,5)	9	NULL allowed		
	CreditAmount	numeric(18,5)	9	NULL allowed		
	IsAutoAdded	bit	1	NOT NULL		((0))
	Comment	varchar(500)	500	NULL allowed		
	ExchangeSK	bigint	8	NULL allowed		
	ExchangeRateCalculationMethodEN	bigint	8	NULL allowed		
	ExchangeRate	numeric(19,7)	9	NULL allowed		
	GainLossExchangeSK	bigint	8	NULL allowed		
	GainLossExchangeRateCalculation-MethodEN	bigint	8	NULL allowed		
	GainLossExchangeRate	numeric(19,7)	9	NULL allowed		
	GainLoss	numeric(18,5)	9	NULL allowed		
	LastUpdated	datetime	8	NOT NULL		(getdate())
	LastUser	varchar(150)	150	NOT NULL		
	CreatedBy	varchar(150)	150	NULL allowed		
	CreatedDate	datetime	8	NULL allowed		
	DataEntityCompanySK	bigint	8	NOT NULL		

Indexes

Key	Name	Key Columns	Unique
 	PK_ERPx_MFCheckbookDetail	CheckbookTransactionDetailSK	True

Foreign Keys

Name	Columns
FK_ERPx_MFCheckbookDetail_Checkbook-TransactionSK	CheckbookTransactionSK->[dbo].[ERPx_MFCheckbook-Transaction].[CheckbookTransactionSK]
FK_ERPx_MFCheckbookDetail_Source-APTransactionHeaderSK	SourceAPTransactionHeaderSK->[dbo].[ERPx_APTransaction-Header].[TransactionHeaderSK]
FK_ERPx_MFCheckbookDetail_Source-ARTransactionHeaderSK	SourceARTransactionHeaderSK->[dbo].[ERPx_ARTransaction-Header].[TransactionHeaderSK]





Uses

[dbo].[ERPx_APTransactionHeader]
 [dbo].[ERPx_ARTransactionHeader]
 [dbo].[ERPx_MFCheckbookTransaction]

Used By

[dbo].[IQx_APSEL_PaymentReceiptHistoryInquiry]
 [dbo].[IQx_ARSEL_PaymentReceiptHistoryInquiry]
 [dbo].[SPx_GLProcess_CheckbookTransaction]
 [dbo].[SPx_GLSEL_CheckbookTransactionAdjustmentDetails]
 [dbo].[SPx_GLSEL_CheckbookTransactionDepositDetails]
 [dbo].[SPx_GLUpdate_CheckbookTransactionList]

[dbo].[ERPx_MFCheckbookReconciliation]**Columns**

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity	Default
	CheckbookReconciliationSK	bigint	8	NOT NULL	1 - 1	
	CheckbookSK	bigint	8	NOT NULL		
	TransactionID	varchar(20)	20	NULL allowed		
	TransactionStatusSK	bigint	8	NOT NULL		
	BankBalanceDate	date	3	NULL allowed		
	TransactionCutoffDate	date	3	NULL allowed		
	Amount	numeric(18,5)	9	NOT NULL		
	LastUpdated	datetime	8	NOT NULL		(getdate())
	LastUser	varchar(150)	150	NOT NULL		
	DataEntityCompanySK	bigint	8	NOT NULL		
	CreatedBy	varchar(150)	150	NULL allowed		
	CreatedDate	datetime	8	NULL allowed		

Indexes

Key	Name	Key Columns	Unique
	PK_ERPx_MFCheckbookReconciliation	CheckbookReconciliationSK	True

Foreign Keys

Name	Columns
FK_ERPx_MFCheckbookReconciliation_ERPx_MFCheckbook	CheckbookSK->[dbo].[ERPx_MFCheckbook].[CheckbookSK]
FK_ERPx_MFCheckbookReconciliation_ERPx_MFCheckbookTransactionStatus	TransactionStatusSK->[dbo].[ERPx_MFTransactionStatus].[TransactionStatusSK]
FK_ERPx_MFCheckbookReconciliation_ERPx_MFDataEntityCompany	DataEntityCompanySK->[dbo].[ERPx_MFDataEntityCompany].[DataEntityCompanySK]

Uses







[dbo].[ERPx_MFCheckbook]
[dbo].[ERPx_MFDataEntityCompany]
[dbo].[ERPx_MFTransactionStatus]


Used By

[dbo].[ERPx_MFCheckbookTransaction]
[dbo].[IQx_CheckRegister]
[dbo].[IQx_GLSEL_CheckbookReconciliationInquiry]
[dbo].[IQx_GLSEL_CheckbookTransactionInquiry]
[dbo].[IQx_GLUUpdate_CheckbookReconciliationInquiry]
[dbo].[SPx_GLProcess_CheckbookReconciliation]
[dbo].[SPx_GLSEL_CheckbookList]
[dbo].[SPx_GLSEL_CheckbookReconciliationCheckbookLookup]
[dbo].[SPx_GLSEL_CheckbookReconciliationDetails]
[dbo].[SPx_GLSEL_CheckbookReconciliationHeader]
[dbo].[SPx_GLSEL_CheckbookReconciliationList]
[dbo].[SPx_GLSEL_CheckbookReconciliationStatusLookup]
[dbo].[SPx_GLUUpdate_CheckbookList]
[dbo].[SPx_GLUUpdate_CheckbookReconciliation]
[dbo].[SPx_GLUUpdate_CheckbookReconciliationList]
[dbo].[SPx_GLUUpdate_ReconciliationEditAmounts]
[dbo].[SPx_MFSEL_VoidTransactionHeader]
[dbo].[SPx_MFUUpdate_MassUpdate]

 [dbo].[ERPx_MFCheckbookTransaction]

Columns

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity	Default
 	CheckbookTransactionSK	bigint	8	NOT NULL	1 - 1	
	TransactionBatchSK	bigint	8	NULL allowed		
	CheckbookSK	bigint	8	NULL allowed		
	TransactionTypeSK	bigint	8	NOT NULL		
	TransactionID	varchar(20)	20	NULL allowed		
	TransactionStatusSK	bigint	8	NOT NULL		
	TransactionDate	date	3	NULL allowed		
	GLDate	date	3	NULL allowed		
	CheckbookEntityTypeEN	bigint	8	NULL allowed		
	EntitySK	bigint	8	NULL allowed		
	PayeeName	varchar(150)	150	NULL allowed		
	Description	varchar(250)	250	NULL allowed		
	Amount	numeric(18,5)	9	NOT NULL		
	IsInactive	bit	1	NOT NULL		((0))
	LastUpdated	datetime	8	NOT NULL		(getdate())
	LastUser	varchar(150)	150	NOT NULL		
	DataEntityCompanySK	bigint	8	NOT NULL		
	EntityAddressSK	bigint	8	NULL allowed		
	Address1	varchar(75)	75	NULL allowed		
	Address2	varchar(75)	75	NULL allowed		
	Address3	varchar(75)	75	NULL allowed		
	City	varchar(35)	35	NULL allowed		
	State	varchar(30)	30	NULL allowed		
	Zip	varchar(15)	15	NULL		

				allowed		
	Version	bigint	8	NOT NULL		((1))
	PreviousVersionCheckbookTransactionSK	bigint	8	NULL allowed		
	TransferFromCheckbookTransactionSK	bigint	8	NULL allowed		
	CreatedBy	varchar(150)	150	NULL allowed		
	CreatedDate	datetime	8	NULL allowed		
	Comment	varchar(60)	60	NULL allowed		
	Reference	varchar(60)	60	NULL allowed		
	CheckbookReconciliationSK	bigint	8	NULL allowed		
	IsReconciled	bit	1	NOT NULL		((0))
	ReconciledDate	date	3	NULL allowed		
	ReconciledAmount	numeric(18,5)	9	NULL allowed		
	ExchangeSK	bigint	8	NULL allowed		
	ExchangeRateCalculationMethodEN	bigint	8	NULL allowed		
	ExchangeRate	numeric(19,7)	9	NULL allowed		
	SplitFromCheckbookTransactionSK	bigint	8	NULL allowed		
	SplitPercent	numeric(18,5)	9	NULL allowed		

Indexes

Key	Name	Key Columns	Unique
	PK_ERPx_MFCheckbookTransaction	CheckbookTransactionSK	True

Foreign Keys

Name	Columns
FK_ERPx_MFCheckbookTransaction_ERPx_MFCheckbook	CheckbookSK->[dbo].[ERPx_MFCheckbook].[CheckbookSK]
FK_ERPx_MFCheckbookTransaction_ERPx_MFCheckbookReconciliation	CheckbookReconciliationSK->[dbo].[ERPx_MFCheckbook-Reconciliation].[CheckbookReconciliationSK]
FK_ERPx_MFCheckbookTransaction_ERPx_MFCheckbookTransaction	CheckbookTransactionSK->[dbo].[ERPx_MFCheckbook-Transaction].[CheckbookTransactionSK]
FK_ERPx_MFCheckbookTransaction_ERPx_MFCheckbookTransactionStatus	TransactionStatusSK->[dbo].[ERPx_MFTransactionStatus].[Transaction-StatusSK]

FK_ERPx_MFCheckbookTransaction_ERPx_MFDataEntityCompany	DataEntityCompanySK->[dbo].[ERPx_MFDataEntityCompany].[DataEntityCompanySK]
FK_ERPx_MFCheckbookTransaction_ERPx_MFTTransactionBatch	TransactionBatchSK->[dbo].[ERPx_MFTTransactionBatch].[TransactionBatchSK]

Uses

[dbo].[ERPx_MFCheckbook]
 [dbo].[ERPx_MFCheckbookReconciliation]
 [dbo].[ERPx_MFDataEntityCompany]
 [dbo].[ERPx_MFTTransactionBatch]
 [dbo].[ERPx_MFTTransactionStatus]






Used By

[dbo].[ERPx_GLCheckbookTransactionNote]
 [dbo].[ERPx_MFCheckbookDetail]
 [dbo].[FNx_GetDynamicRecordViewURL]
 [dbo].[FNx_GetTransactionAccounts]
 [dbo].[FNx_GetTransactionAmounts]
 [dbo].[IQx_APCheckDetailInquiry]
 [dbo].[IQx_APSEL_Activity]
 [dbo].[IQx_APSEL_ApplicationList]
 [dbo].[IQx_APSEL_FishermanBalanceDetail]
 [dbo].[IQx_APSEL_PaymentReceiptHistoryInquiry]
 [dbo].[IQx_APSEL_VendorTransactionHistory]
 [dbo].[IQx_ARSEL_PaymentReceiptHistoryInquiry]
 [dbo].[IQx_CheckPaymentDetail]
 [dbo].[IQx_CheckRegister]
 [dbo].[IQx_GLSEL_ACHBatchInquiry]
 [dbo].[IQx_GLSEL_CheckbookReconciliationInquiry]
 [dbo].[IQx_GLSEL_CheckbookTransactionInquiry]
 [dbo].[IQx_GLUpdate_CheckbookReconciliationInquiry]
 [dbo].[IQx_MFSEL_ApplicationList]
 [dbo].[IQx_MFUpdate_VoidApplication]
 [dbo].[IQx_SettlementTransactionInquiry]
 [dbo].[RPx_GLSEL_ACHFile]
 [dbo].[RPx_SettlementBalancesSummary]
 [dbo].[SPx_APINS_SettlementTransaction]
 [dbo].[SPx_APPProcess_Transaction]
 [dbo].[SPx_APPProcess_Vendor]
 [dbo].[SPx_APSEL_ApplyFishingDocumentList]
 [dbo].[SPx_APSEL_ApplyPayableDocumentList]
 [dbo].[SPx_APSEL_BuildCheckBatchLookup]
 [dbo].[SPx_APSEL_BuildCheckCheckbookLookup]
 [dbo].[SPx_APSEL_BuildCheckList]
 [dbo].[SPx_APSEL_BuildCheckVendorClassLookup]
 [dbo].[SPx_APSEL_BuildFishermanSettlementBatchLookup]
 [dbo].[SPx_APSEL_BuildFishermanSettlementList]
 [dbo].[SPx_APSEL_BuildFishermanSettlementVendorClassLookup]
 [dbo].[SPx_APSEL_FishermanBalancesList]
 [dbo].[SPx_APSEL_ProcessChecks]


[dbo].[SPx_APSEL_ProcessChecksAddress]
[dbo].[SPx_APSEL_ProcessChecksAddressLine]
[dbo].[SPx_APSEL_ProcessChecksBatchLookup]
[dbo].[SPx_APSEL_ProcessChecksPayees]
[dbo].[SPx_APSEL_ProcessChecksPayeesNew]
[dbo].[SPx_APSEL_ProcessChecksVendorLookup]
[dbo].[SPx_APSEL_SettlementVendorLookup]
[dbo].[SPx_APSEL_SplitPaymentHeader]
[dbo].[SPx_APSEL_SplitPaymentList]
[dbo].[SPx_APSEL_SplitPaymentListNewRow]
[dbo].[SPx_APSEL_VendorBalanceList]
[dbo].[SPx_APUUpdate_AutoPayFishermanBalance]
[dbo].[SPx_APUUpdate_BuildCheck]
[dbo].[SPx_APUUpdate_BuildFishermanSettlement]
[dbo].[SPx_APUUpdate_ProcessChecksAddress]
[dbo].[SPx_APUUpdate_SplitPayment]
[dbo].[SPx_APUUpdate_VendorACHList]
[dbo].[SPx_APUUpdate_VendorAddressList]
[dbo].[SPx_APUUpdate_VendorInterestCalculation]
[dbo].[SPx_APUUpdate_VendorList]
[dbo].[SPx_APUUpdate_VoidSettlementTransaction]
[dbo].[SPx_FASEL_FishermanBalancesWithInterest]
[dbo].[SPx_FAUpdate_FishermanTenderList]
[dbo].[SPx_FAUpdate_FishermenAddressList]
[dbo].[SPx_FAUpdate_LoanAddressList]
[dbo].[SPx_FAUpdate_LoanList]
[dbo].[SPx_GLProcess_CheckbookReconciliation]
[dbo].[SPx_GLProcess_CheckbookTransaction]
[dbo].[SPx_GLSEL_CheckbookList]
[dbo].[SPx_GLSEL_CheckbookReconciliationDetails]
[dbo].[SPx_GLSEL_CheckbookReconciliationHeader]
[dbo].[SPx_GLSEL_CheckbookReconciliationList]
[dbo].[SPx_GLSEL_CheckbookTransactionAdjustmentDetails]
[dbo].[SPx_GLSEL_CheckbookTransactionAdjustmentDetailsNew]
[dbo].[SPx_GLSEL_CheckbookTransactionAdjustmentHeader]
[dbo].[SPx_GLSEL_CheckbookTransactionAdjustmentProperty]
[dbo].[SPx_GLSEL_CheckbookTransactionCheckbookLookup]
[dbo].[SPx_GLSEL_CheckbookTransactionDepositDetails]
[dbo].[SPx_GLSEL_CheckbookTransactionDepositHeader]
[dbo].[SPx_GLSEL_CheckbookTransactionDepositProperty]
[dbo].[SPx_GLSEL_CheckbookTransactionList]
[dbo].[SPx_GLSEL_CheckbookTransactionStatusLookup]
[dbo].[SPx_GLSEL_CheckbookTransactionTransferHeader]
[dbo].[SPx_GLSEL_CheckbookTransactionTransferProperty]
[dbo].[SPx_GLSEL_JournalDetailHeader]
[dbo].[SPx_GLSEL_ReconciliationEditAmounts]
[dbo].[SPx_GLUUpdate_CheckbookList]
[dbo].[SPx_GLUUpdate_CheckbookReconciliationList]
[dbo].[SPx_GLUUpdate_CheckbookTransactionAdjustment]
[dbo].[SPx_GLUUpdate_CheckbookTransactionDeposit]
[dbo].[SPx_GLUUpdate_CheckbookTransactionList]
[dbo].[SPx_GLUUpdate_CheckbookTransactionTransfer]
[dbo].[SPx_GLUUpdate_ReconciliationEditAmounts]

[dbo].[SPx_INTEG_GPMFCheckbookTransaction]
[dbo].[SPx_INTEG_UpdatePostedMFCheckbookTransactionsFromGP]
[dbo].[SPx_MFDEL_DeleteCompany]
[dbo].[SPx_MFProcess_BankTransaction]
[dbo].[SPx_MFSEL_ApplyDocumentRecordTransactionLookup]
[dbo].[SPx_MFSEL_CashReceiptLine]
[dbo].[SPx_MFSEL_CheckbookBatchLookup]
[dbo].[SPx_MFSEL_CheckbookLookup]
[dbo].[SPx_MFSEL_FAApplyDocumentRecordList]
[dbo].[SPx_MFSEL_VoidTransactionApplicationList]
[dbo].[SPx_MFSEL_VoidTransactionHeader]
[dbo].[SPx_MFUPD_BankTransaction]
[dbo].[SPx_MFUpdate_ApplyDocumentRecord]
[dbo].[SPx_MFUpdate_JournalDetails]
[dbo].[SPx_MFUpdate_MassUpdate]
[dbo].[SPx_MFUpdate_TransactionBatchRollup]
[dbo].[SPx_MFUpdate_VoidTransaction]
[dbo].[SPx_PRProcess_Check]
[dbo].[SPx_PRSEL_Check]
[dbo].[SPx_PRSEL_CheckCheckbookLookup]
[dbo].[SPx_PRSEL_CheckPayees]
[dbo].[SPx_PRUpdate_Check]

[dbo].[ERPx_MFContactType]**Columns**

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity	Default
 PK	ContactTypeSK	bigint	8	NOT NULL	1 - 1	
	Description	varchar(100)	100	NOT NULL		
 	ContactEntityEN	bigint	8	NOT NULL		
	IsSystemContact	bit	1	NOT NULL		((1))
	DataEntityCompanySK	bigint	8	NOT NULL		
	Sort	bigint	8	NULL allowed		

Indexes

Key	Name	Key Columns	Unique
 PK	PK_ERPx_MFContactType	ContactTypeSK	True
	IX_ERPx_MFContactType	Description, ContactEntityEN, DataEntityCompanySK	True

Check Constraints

Name	On Column	Constraint
CK_ERPx_MFContact-Type	ContactEntity-EN	([ContactEntityEN]=[dbo].[FNx_ValidateEnumValue]('ContactEntity',[ContactEntity-EN]))

Uses





[dbo].[FNx_ValidateEnumValue]

Used By

[dbo].[ERPx_APVendorContact]
 [dbo].[ERPx_ARCustomerContact]
 [dbo].[ERPx_MFContactTypeReportMapping]
 [dbo].[ERPx_MFContactTypeReportMappingDistributionFilter]
 [dbo].[ERPx_MFContactTypeReportMappingTypeDocumentStatus]
 [dbo].[ERPx_MFContactTypeReportMappingWorkflowList]
 [dbo].[ERPx_MFSiteContact]
 [dbo].[ERPx_SOCarrierContact]
 [dbo].[SPx_APPProcess_Vendor]
 [dbo].[SPx_APSEL_APVendor_ContactList]
 [dbo].[SPx_APSEL_APVendor_ContactTypeLookup]
 [dbo].[SPx_APSEL_ContactTypeLookup]

[dbo].[SPx_APSEL_VendorContactList]
[dbo].[SPx_APUUpdate_VendorList]
[dbo].[SPx_ARProcess_Customer]
[dbo].[SPx_ARProcess_CustomerAddress]
[dbo].[SPx_ARSEL_CustomerContactList]
[dbo].[SPx_ARUpdate_ARCustomerAddressList]
[dbo].[SPx_ARUpdate_CustomerList]
[dbo].[SPx_FAUpdate_FishermanTenderList]
[dbo].[SPx_FAUpdate_LoanList]
[dbo].[SPx_LMSEL_LoadRecordOrders]
[dbo].[SPx_LMSEL_LoadSOOrderList]
[dbo].[SPx_MFDEL_DeleteCompany]
[dbo].[SPx_MFSEL_CarrierContact]
[dbo].[SPx_MFSEL_ContactType]
[dbo].[SPx_MFSEL_SiteContactList]
[dbo].[SPx_RSSEL_ContactTypeLookup_ByEntity]
[dbo].[SPx_SOUUpdate_Carrier]

[dbo].[ERPx_MFContactTypeReportMapping]**Columns**

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity	Default
	ReportMappingSK	bigint	8	NOT NULL	1 - 1	
	ReportSK	bigint	8	NOT NULL		
	ContactTypeSK	bigint	8	NOT NULL		
	IsEnabled	bit	1	NOT NULL		((1))
	EnableDistributionFilter	bit	1	NOT NULL		((1))
	IncludeSalespersonFromTransaction	bit	1	NOT NULL		((0))
	DataEntityCompanySK	bigint	8	NOT NULL		

Indexes

Key	Name	Key Columns	Unique
	PK_ERPx_MFContactTypeReportMapping	ReportMappingSK	True

Foreign Keys

Name	Columns
FK_ERPx_MFContactTypeReportMapping_ERPx_MFContactType	ContactTypeSK->[dbo].[ERPx_MFContactType].[ContactTypeSK]
FK_ERPx_MFContactTypeReportMapping_ERPx_MFDataEntityCompany	DataEntityCompanySK->[dbo].[ERPx_MFDataEntityCompany].[DataEntityCompanySK]
FK_ERPx_MFContactTypeReportMapping_ERPx_RSReport	ReportSK->[dbo].[ERPx_RSReport].[ReportSK]

Uses




[dbo].[ERPx_MFContactType]
 [dbo].[ERPx_MFDataEntityCompany]
 [dbo].[ERPx_RSReport]

Used By

[dbo].[SPx_MFDEL_DeleteCompany]
 [dbo].[SPx_MFSEL_ContactType]
 [dbo].[SPx_MFSEL_ContactTypeReportMappingReports]
 [dbo].[SPx_MFUPD_ContactTypeReportMappingCompleteValidation]
 [dbo].[SPx_MFUPDINS_ContactTypeReportMappingReports]
 [dbo].[SPx_RSUpdate_SetReportStatusToNotReady]

[dbo].[ERPx_MFContactTypeReportMappingDistributionFilter]

Columns

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity	Default
	DistributionFilterListSK	bigint	8	NOT NULL	1 - 1	
	ContactTypeSK	bigint	8	NOT NULL		
	FilterClassID	varchar(200)	200	NOT NULL		
	FilterValueSK	bigint	8	NOT NULL		
	IsDistributionFilterEnabled	bit	1	NOT NULL		((1))
	DataEntityCompanySK	bigint	8	NOT NULL		

Indexes

Key	Name	Key Columns	Unique
	PK_ERPx_MFContactTypeReportMappingDistributionFilter	DistributionFilterListSK	True

Foreign Keys

Name	Columns
FK_ERPx_MFContactTypeReportMappingDistributionFilter_-_ERPx_MFContactType	ContactTypeSK->[dbo].[ERPx_MFContactType].[ContactTypeSK]
FK_ERPx_MFContactTypeReportMappingDistributionFilter_-_ERPx_MFDataEntityCompany	DataEntityCompanySK->[dbo].[ERPx_MFDataEntityCompany].[DataEntityCompanySK]

Uses






[dbo].[ERPx_MFContactType]
[dbo].[ERPx_MFDataEntityCompany]

Used By

[dbo].[SPx_MFDEL_DeleteCompany]
[dbo].[SPx_MFSEL_ContactTypeReportMappingDistributionFilter]
[dbo].[SPx_MFUPDINS_ContactTypeReportMappingDistributionFilter]

[dbo].[ERPx_MFContactTypeReportMappingTypeDocumentStatus]

Columns

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity
 C	TypeDocumentStatusSK	bigint	8	NOT NULL	1 - 1
	OrderTypeSK	bigint	8	NOT NULL	
	DocumentID	varchar(15)	15	NOT NULL	
	OrderStatusSK	bigint	8	NOT NULL	
	ContactTypeSK	bigint	8	NOT NULL	
	IsEnabled	bit	1	NOT NULL	
	DataEntityCompanySK	bigint	8	NOT NULL	

Indexes

Key	Name	Key Columns	Unique
 C	PK_ERPx_MFContactTypeReportMappingTypeDocumentStatus	TypeDocumentStatusSK	True

Foreign Keys

Name	Columns
FK_ERPx_MFContactTypeReportMappingTypeDocumentStatus_ERPx_MFContactType	ContactTypeSK->[dbo].[ERPx_MFContactType].[ContactTypeSK]
FK_ERPx_MFContactTypeReportMappingTypeDocumentStatus_ERPx_MFDataEntityCompany	DataEntityCompanySK->[dbo].[ERPx_MFDataEntityCompany].[DataEntityCompanySK]
FK_ERPx_MFContactTypeReportMappingTypeDocumentStatus_ERPx_SOOrderStatus	OrderStatusSK->[dbo].[ERPx_SOOrderStatus].[OrderStatusSK]
FK_ERPx_MFContactTypeReportMappingTypeDocumentStatus_ERPx_SOOrderType	OrderTypeSK->[dbo].[ERPx_SOOrderType].[OrderTypeSK]

Uses

[dbo].[ERPx_MFContactType]
 [dbo].[ERPx_MFDataEntityCompany]
 [dbo].[ERPx_SOOrderStatus]
 [dbo].[ERPx_SOOrderType]

Used By

[dbo].[SPx_MFDEL_DeleteCompany]
 [dbo].[SPx_MFSEL_ContactType]
 [dbo].[SPx_MFSEL_ContactTypeReportMappingTypeDocumentStatus]





Project > NLPDev.TheNLP.com > User databases > NS_20221128 > Tables > dbo.ERPx_MFContactTypeReportMappingType-DocumentStatus

[dbo].[SPx_MFUPD_ContactTypeReportMappingCompleteValidation]


[dbo].[SPx_MFUPDINS_ContactTypeReportMappingTypeDocumentStatus]

[dbo].[ERPx_MFContactTypeReportMappingWorkflowList]

Columns

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity
	WorkflowListSK	bigint	8	NOT NULL	1 - 1
	ContactTypeSK	bigint	8	NOT NULL	
	WorkflowSK	bigint	8	NOT NULL	
	IsEnabled	bit	1	NOT NULL	
	DataEntityCompanySK	bigint	8	NOT NULL	

Indexes

Key	Name	Key Columns	Unique
	PK_ERPx_MFContactTypeReportMappingWorkflowList	WorkflowListSK	True

Foreign Keys

Name	Columns
FK_ERPx_MFContactTypeReportMappingWorkflowList_-_ERPx_MFContactType	ContactTypeSK->[dbo].[ERPx_MFContactType].[ContactTypeSK]
FK_ERPx_MFContactTypeReportMappingWorkflowList_-_ERPx_MFDataEntityCompany	DataEntityCompanySK->[dbo].[ERPx_MFDataEntity-Company].[DataEntityCompanySK]
FK_ERPx_MFContactTypeReportMappingWorkflowList_-_ERPx_WKWorkflow	WorkflowSK->[dbo].[ERPx_WKWorkflow].[WorkflowSK]



Uses

[dbo].[ERPx_MFContactType]
 [dbo].[ERPx_MFDataEntityCompany]
 [dbo].[ERPx_WKWorkflow]

Used By

[dbo].[SPx_MFDEL_DeleteCompany]
 [dbo].[SPx_MFSEL_ContactType]
 [dbo].[SPx_MFSEL_ContactTypeReportMappingWorkflows]
 [dbo].[SPx_MFUPD_ContactTypeReportMappingCompleteValidation]
 [dbo].[SPx_MFUPDINS_ContactTypeReportMappingWorkflows]

[dbo].[ERPx_MFCurrency]**Columns**

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity
	CurrencySK	bigint	8	NOT NULL	1 - 1
	CurrencyID	varchar(15)	15	NOT NULL	
	CurrencyDescription	varchar(100)	100	NOT NULL	
	CurrencyReportFormatString	varchar(25)	25	NULL allowed	

Indexes

Key	Name	Key Columns	Unique
	PK_ERPx_MFCurrency	CurrencySK	True
	IX_ERPx_MFCurrency	CurrencyID	True

Used By

[dbo].[ERPx_APDeliveryTicketHeader]
 [dbo].[ERPx_APPoHeader]
 [dbo].[ERPx_APTransactionHeader]
 [dbo].[ERPx_ARSettlementTransaction]
 [dbo].[ERPx_ARTransactionHeader]
 [dbo].[ERPx_GLJournalHeader]
 [dbo].[ERPx_GLProject]
 [dbo].[ERPx_LMLoadTransactionLeg]
 [dbo].[ERPx_LMLoadTransactionLegBalanceDetail]
 [dbo].[ERPx_MFCheckbook]
 [dbo].[ERPx_MFCurrencyExchange]
 [dbo].[ERPx_MFDataEntityCompanyCurrency]
 [dbo].[ERPx_MFPriceListHeader]
 [dbo].[ERPx_MFTaxClass]
 [dbo].[ERPx_MFTaxDetail]
 [dbo].[ERPx_SOOrderHeader]
 [dbo].[ERPx_SPPprogramHeader]
 [dbo].[ERPx_SPSettlementHeaderCurrency]
 [dbo].[FNx_GetExchangeRate]
 [dbo].[FNx_IsCompanyMultiCurrency]
 [dbo].[IQx_APSEL_Activity]
 [dbo].[IQx_APSEL_InvoiceLineList]
 [dbo].[IQx_APSEL_InvoiceList]
 [dbo].[IQx_APSEL_PaymentReceiptHistoryInquiry]
 [dbo].[IQx_APSEL_POLineList]
 [dbo].[IQx_APSEL_POLinkedItems]
 [dbo].[IQx_APSEL_POList]





[dbo].[IQx_APSEL_SaleLineList]
[dbo].[IQx_ARSEL_ApplicationList]
[dbo].[IQx_ARSEL_CustomerHistory]
[dbo].[IQx_ARSEL_PaymentReceiptHistoryInquiry]
[dbo].[IQx_ARSEL_SaleInvoiceList]
[dbo].[IQx_Billing]
[dbo].[IQx_ContainerDetails]
[dbo].[IQx_CPSEL_TicketLineList]
[dbo].[IQx_GLSEL_ACHBatchInquiry]
[dbo].[IQx_GLSEL_CheckbookReconciliationInquiry]
[dbo].[IQx_GLSEL_CheckbookTransactionInquiry]
[dbo].[IQx_MFSEL_PriceListHistory]
[dbo].[IQx_SOSEL_ItemHistory]
[dbo].[IQx_SOSEL_SalesHistory]
[dbo].[IQx_SOSEL_ShipmentHistory]
[dbo].[IQx_TransactionHistory]
[dbo].[SPx_APSEL_APTransaction_Header]
[dbo].[SPx_APSEL_APTransaction_Line]
[dbo].[SPx_APSEL_APVendor_Properties]
[dbo].[SPx_APSEL_APVendorClass_CurrencyLookup]
[dbo].[SPx_APSEL_APVendorClass_Properties]
[dbo].[SPx_APSEL_DeliveryTicketProperty]
[dbo].[SPx_APSEL_FishermanPaymentReceipt]
[dbo].[SPx_APSEL_FishermanSaleProperties]
[dbo].[SPx_APSEL_InvoiceLineList]
[dbo].[SPx_APSEL_InvoiceList]
[dbo].[SPx_APSEL_POHeaderProperties]
[dbo].[SPx_APSEL_POLine]
[dbo].[SPx_APSEL_POLineList]
[dbo].[SPx_APSEL_POList]
[dbo].[SPx_APSEL_TransactionHeader]
[dbo].[SPx_APSEL_TransactionHeaderProperties]
[dbo].[SPx_APSEL_TransactionTenderSaleProperties]
[dbo].[SPx_APSEL_VendorClassRecordProperties]
[dbo].[SPx_APSEL_VendorCurrencyLookup]
[dbo].[SPx_APSEL_VendorHeader]
[dbo].[SPx_APSEL_VendorList]
[dbo].[SPx_APSEL_VendorProperties]
[dbo].[SPx_APUUpdate_Transaction]
[dbo].[SPx_ARProcess_Customer]
[dbo].[SPx_ARProcess_PaymentReceipt]
[dbo].[SPx_ARProcess_Transaction]
[dbo].[SPx_ARSEL_ApplyCreditAndRebateDetail]
[dbo].[SPx_ARSEL_ApplyDocumentList]
[dbo].[SPx_ARSEL_ApplyDocumentsDetail]
[dbo].[SPx_ARSEL_ApplyDocumentsHeader]
[dbo].[SPx_ARSEL_CustomerAddressProperties]
[dbo].[SPx_ARSEL_CustomerAddressTaxClassLookup]
[dbo].[SPx_ARSEL_CustomerBalanceList]
[dbo].[SPx_ARSEL_CustomerClassProperties]
[dbo].[SPx_ARSEL_CustomerCurrencyLookup]
[dbo].[SPx_ARSEL_CustomerList]
[dbo].[SPx_ARSEL_CustomerPriceList]

[dbo].[SPx_ARSEL_CustomerPriceListLookup]
[dbo].[SPx_ARSEL_CustomerProperties]
[dbo].[SPx_ARSEL_CustomerSalesProgramList]
[dbo].[SPx_ARSEL_PaymentReceipt_ApplyDocumentsDetail]
[dbo].[SPx_ARSEL_PaymentReceiptAccountLookup]
[dbo].[SPx_ARSEL_PaymentReceiptCheckbookLookup]
[dbo].[SPx_ARSEL_PaymentReceiptCurrency]
[dbo].[SPx_ARSEL_PaymentReceiptHeader]
[dbo].[SPx_ARSEL_PaymentReceiptHeaderProperty]
[dbo].[SPx_ARSEL_PaymentReceiptList]
[dbo].[SPx_ARSEL_SaleInvoiceLineList]
[dbo].[SPx_ARSEL_SaleInvoiceList]
[dbo].[SPx_ARSEL_SOCustomerAddressList]
[dbo].[SPx_ARSEL_TaxClassLookup]
[dbo].[SPx_ARSEL_TransactionHeader]
[dbo].[SPx_ARSEL_TransactionHeaderProperties]
[dbo].[SPx_ARSEL_TransactionLine]
[dbo].[SPx_ARSEL_TransactionLineNew]
[dbo].[SPx_ARSEL_TransactionPaymentDetail]
[dbo].[SPx_ARUpdate_CustomerClassProperties]
[dbo].[SPx_ARUpdate_PaymentReceipt]
[dbo].[SPx_ARUpdate_PaymentReceiptList]
[dbo].[SPx_ARUpdate_Transaction]
[dbo].[SPx_COSEL_CompanyCurrencyList]
[dbo].[SPx_CPSEL_AccrualCrop]
[dbo].[SPx_CPSEL_AccrualCropAndItemDefault]
[dbo].[SPx_CPSEL_AccrualItem]
[dbo].[SPx_CPSEL_AccrualList]
[dbo].[SPx_CPSEL_AccrualProperties]
[dbo].[SPx_CPSEL_ChargeCrop]
[dbo].[SPx_CPSEL_ChargeCropAndItemDefault]
[dbo].[SPx_CPSEL_ChargeItem]
[dbo].[SPx_CPSEL_ChargeList]
[dbo].[SPx_CPSEL_ChargeProperties]
[dbo].[SPx_CPSEL_GetTicketHeaders]
[dbo].[SPx_CPSEL_TicketAccrualsList]
[dbo].[SPx_CPSEL_TicketChargesList]
[dbo].[SPx_CPSEL_TicketItemList]
[dbo].[SPx_CPSEL_TicketItemNew]
[dbo].[SPx_CPSEL_TicketLineList]
[dbo].[SPx_FASEL_FishermanTenderList]
[dbo].[SPx_FASEL_LoanList]
[dbo].[SPx_GLProcess_CheckbookReconciliation]
[dbo].[SPx_GLProcess_CheckbookTransaction]
[dbo].[SPx_GLSEL_CheckbookList]
[dbo].[SPx_GLSEL_CheckbookListCurrencyLookup]
[dbo].[SPx_GLSEL_CheckbookListNew]
[dbo].[SPx_GLSEL_CheckbookReconciliationCheckbookLookup]
[dbo].[SPx_GLSEL_CheckbookReconciliationDetails]
[dbo].[SPx_GLSEL_CheckbookReconciliationHeader]
[dbo].[SPx_GLSEL_CheckbookReconciliationList]
[dbo].[SPx_GLSEL_CheckbookTransactionAdjustmentDetails]
[dbo].[SPx_GLSEL_CheckbookTransactionAdjustmentDetailsNew]

[dbo].[SPx_GLSEL_CheckbookTransactionAdjustmentHeader]
[dbo].[SPx_GLSEL_CheckbookTransactionAdjustmentProperty]
[dbo].[SPx_GLSEL_CheckbookTransactionCheckbookLookup]
[dbo].[SPx_GLSEL_CheckbookTransactionDepositDetails]
[dbo].[SPx_GLSEL_CheckbookTransactionDepositHeader]
[dbo].[SPx_GLSEL_CheckbookTransactionDepositProperty]
[dbo].[SPx_GLSEL_CheckbookTransactionList]
[dbo].[SPx_GLSEL_CheckbookTransactionTransferHeader]
[dbo].[SPx_GLSEL_CheckbookTransactionTransferProperty]
[dbo].[SPx_GLSEL_JournalDetailDetailLine]
[dbo].[SPx_GLSEL_JournalDetailEntryLine]
[dbo].[SPx_GLSEL_JournalDetailHeader]
[dbo].[SPx_GLSEL_JournalHeaderCurrencyLookup]
[dbo].[SPx_GLSEL_ProjectProperties]
[dbo].[SPx_GLSEL_ReconciliationEditAmounts]
[dbo].[SPx_GLValidate_JournalEntry]
[dbo].[SPx_IMPProcess_Transfer_PurchaseOrder]
[dbo].[SPx_IMSEL_CarrierList]
[dbo].[SPx_IMSEL_CostHistoryInquiry]
[dbo].[SPx_IMSEL_UpdateCostList]
[dbo].[SPx_INTEG_GPAPVendorOutbound]
[dbo].[SPx_INTEG_GPCustomerClass]
[dbo].[SPx_INTEG_GPGLJournal]
[dbo].[SPx_INTEG_NSAPInvoiceAndCreditMemo]
[dbo].[SPx_LMINS_LoadBuilder]
[dbo].[SPx_LMPProcess_MFShipment]
[dbo].[SPx_LMSEL_CalculateLoadTransactionLegDetails]
[dbo].[SPx_LMSEL_MFShipmentLegList_CurrencyLookup]
[dbo].[SPx_LMSEL_MFShipmentLegList_NewRow]
[dbo].[SPx_LMUpdate_Load]
[dbo].[SPx_Load_MFCurrencyExchangeRates_GP]
[dbo].[SPx_Load_MFEmployee_GP]
[dbo].[SPx_MFDEL_DeleteCompany]
[dbo].[SPx_MFExport_APVendorsAndAddresses]
[dbo].[SPx_MFSEL_AllocateDetails]
[dbo].[SPx_MFSEL_ApplyDocumentRecordHeader]
[dbo].[SPx_MFSEL_ApplyDocumentRecordList]
[dbo].[SPx_MFSEL_CashReceiptARList]
[dbo].[SPx_MFSEL_CashReceiptHeader]
[dbo].[SPx_MFSEL_CashReceiptLine]
[dbo].[SPx_MFSEL_COPreferences]
[dbo].[SPx_MFSEL_Currency]
[dbo].[SPx_MFSEL_CurrencyExchange]
[dbo].[SPx_MFSEL_CurrencyExchangeProperties]
[dbo].[SPx_MFSEL_CurrencyLookup]
[dbo].[SPx_MFSEL_DataEntityCompanyCurrencyLookup]
[dbo].[SPx_MFSEL_FAApplyDocumentRecordList]
[dbo].[SPx_MFSEL_PriceListCurrencyLookup]
[dbo].[SPx_MFSEL_PriceListCustomerAddressList]
[dbo].[SPx_MFSEL_PriceListCustomerList]
[dbo].[SPx_MFSEL_PriceListCustomerLookup]
[dbo].[SPx_MFSEL_PriceListCustomerOnlyLookup]
[dbo].[SPx_MFSEL_PriceListFormulaStepHeader]

[dbo].[SPx_MFSEL_PriceListFormulaStepLine]
[dbo].[SPx_MFSEL_PriceListFormulaStepLineNew]
[dbo].[SPx_MFSEL_PriceListHeader]
[dbo].[SPx_MFSEL_PriceListItemList]
[dbo].[SPx_MFSEL_PriceListItemListNew]
[dbo].[SPx_MFSEL_PriceListList]
[dbo].[SPx_MFSEL_PriceListMassUpdateItemList]
[dbo].[SPx_MFSEL_PriceListTicketItemListNew]
[dbo].[SPx_MFSEL_TaxClassCurrencyLookup]
[dbo].[SPx_MFSEL_TaxClassList]
[dbo].[SPx_MFSEL_TaxDetailCurrencyLookup]
[dbo].[SPx_MFSEL_TaxDetailList]
[dbo].[SPx_MFUpdate_CashReceipt]
[dbo].[SPx_MFUpdate_Currency]
[dbo].[SPx_PRUpdate_EmployeeList]
[dbo].[SPx_SOINS_AddOrderHeader]
[dbo].[SPx_SOPProcess_PurchaseOrder]
[dbo].[SPx_SOPProcess_Transaction_InsertOrderHeader]
[dbo].[SPx_SOSEL_CarrierList]
[dbo].[SPx_SOSEL_FindItems_CustomerInfo]
[dbo].[SPx_SOSEL_FindItems_Detail]
[dbo].[SPx_SOSEL_FindItemsWithBalances_CustomerInfo]
[dbo].[SPx_SOSEL_FindItemsWithBalances_Detail]
[dbo].[SPx_SOSEL_OrderHeaderList]
[dbo].[SPx_SOSEL_PriceAdjustmentItems]
[dbo].[SPx_SOSEL_ReturnItems]
[dbo].[SPx_SOSEL_SalesProgramDetail_Accrual]
[dbo].[SPx_SOSEL_SalesProgramDetail_OnInvoice]
[dbo].[SPx_SOSEL_ShipmentContainersList]
[dbo].[SPx_SOSEL_ShipmentContainersListNew]
[dbo].[SPx_SOSEL_ShipmentList]
[dbo].[SPx_SOSEL_TransactionDetailItem]
[dbo].[SPx_SOSEL_TransactionDetailItemNewRow]
[dbo].[SPx_SOSEL_TransactionHeaderHome]
[dbo].[SPx_SOSEL_TransactionHeaderShipment]
[dbo].[SPx_SOSEL_TransactionItemList]
[dbo].[SPx_SOUUpdate_Transaction]
[dbo].[SPx_SP_CalculateOrderPrograms]
[dbo].[SPx_SPPProcess_SettlementBatch]
[dbo].[SPx_SPSEL_BrokerActivity]
[dbo].[SPx_SPSEL_CustomerAddressList]
[dbo].[SPx_SPSEL_ProcessSettlementBatchItems]
[dbo].[SPx_SPSEL_ProcessSettlementsList]
[dbo].[SPx_SPSEL_ProgramList]
[dbo].[SPx_SPSEL_ProgramList_Balances]
[dbo].[SPx_SPSEL_SalesProgram_Property]

[dbo].[ERPx_MFCurrencyExchange]**Columns**

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity
	ExchangeSK	bigint	8	NOT NULL	1 - 1
	SourceCurrencySK	bigint	8	NOT NULL	
	DestCurrencySK	bigint	8	NOT NULL	
	ExchangeID	varchar(15)	15	NOT NULL	
	Description	varchar(100)	100	NOT NULL	
	Sequence	int	4	NOT NULL	
	RateCalculationMethodEN	bigint	8	NOT NULL	
	ExchangeFrequencyEN	bigint	8	NULL allowed	
	CustomExchangeDays	int	4	NULL allowed	
	CreatedBy	varchar(110)	110	NOT NULL	
	CreatedDate	datetime	8	NOT NULL	
	LastUpdatedBy	varchar(110)	110	NOT NULL	
	LastUpdatedDate	datetime	8	NOT NULL	

Indexes

Key	Name	Key Columns	Unique
	PK_ERPx_MFCurrencyExchange	ExchangeSK	True
	IX_ERPx_MFCurrencyExchange	ExchangeID	True

Foreign Keys

Name	Columns
FK_ERPx_MFCurrencyExchange_DestCurrencySK	DestCurrencySK->[dbo].[ERPx_MFCurrency].[CurrencySK]
FK_ERPx_MFCurrencyExchange_SourceCurrencySK	SourceCurrencySK->[dbo].[ERPx_MFCurrency].[CurrencySK]

Uses

[dbo].[ERPx_MFCurrency]


Used By

[dbo].[ERPx_LMLoadTransactionLeg]



[dbo].[ERPx_LMLoadTransactionLegBalanceDetail]

[dbo].[ERPx_MFCurrencyExchangeRate]

[dbo].[ERPx_MFDataEntityCompanyCurrencyExchange]
[dbo].[ERPx_SPSettlementHeaderCurrency]
[dbo].[FNx_GetExchangeRate]
[dbo].[SPx_ARSEL_ApplyDocumentsDetail]
[dbo].[SPx_ARSEL_PaymentReceipt_ApplyDocumentsDetail]
[dbo].[SPx_ARSEL_PaymentReceiptHeaderProperty]
[dbo].[SPx_GLProcess_Journal]
[dbo].[SPx_GLSEL_CheckbookTransactionAdjustmentProperty]
[dbo].[SPx_GLSEL_JournalDetailHeader]
[dbo].[SPx_LMSEL_CalculateLoadTransactionLegDetails]
[dbo].[SPx_MFProcess_CurrencyExchange_Resort]
[dbo].[SPx_MFSEL_CurrencyExchange]
[dbo].[SPx_MFSEL_CurrencyExchangeCompanyLookup]
[dbo].[SPx_MFSEL_CurrencyExchangeHeader]
[dbo].[SPx_MFSEL_CurrencyExchangeLookup]
[dbo].[SPx_MFSEL_CurrencyExchangeProperties]
[dbo].[SPx_MFSEL_CurrencyExchangeRates]
[dbo].[SPx_MFUpdate_CurrencyExchange]
[dbo].[SPx_MFUpdate_CurrencyExchangeList]
[dbo].[SPx_SPSEL_BrokerActivity]
[dbo].[SPx_SPSEL_ProcessSettlementsList]
[dbo].[SPx_SPSEL_ProgramList_Balances]

 [dbo].[ERPx_MFCurrencyExchangeRate]

Columns

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity	Default
	ExchangeRateSK	bigint	8	NOT NULL	1 - 1	
	ExchangeSK	bigint	8	NOT NULL		
	Start	datetime	8	NOT NULL		
	Expire	datetime	8	NULL allowed		
	Rate	numeric(19,7)	9	NOT NULL		
	Voided	bit	1	NOT NULL		((0))
	CreatedBy	varchar(110)	110	NOT NULL		
	CreatedDate	datetime	8	NOT NULL		

Indexes

Key	Name	Key Columns	Unique
	PK_ERPx_MFCurrencyExchangeRate	ExchangeRateSK	True

Foreign Keys

Name	Columns
FK_ERPx_MFCurrencyExchangeRate_CurrencySK	ExchangeSK->[dbo].[ERPx_MFCurrencyExchange].[ExchangeSK]






Uses

[dbo].[ERPx_MFCurrencyExchange]


Used By

- [dbo].[FNx_GetExchangeRate]
- [dbo].[SPx_ARSEL_PaymentReceiptHeaderProperty]
- [dbo].[SPx_GLSEL_CheckbookTransactionAdjustmentProperty]
- [dbo].[SPx_MFSEL_CurrencyExchangeRates]
- [dbo].[SPx_MFUpdate_CurrencyExchange]
- [dbo].[SPx_MFUpdate_CurrencyExchangeList]

[dbo].[ERPx_MFDataEntityAccess]**Columns**

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity	Default
	DataEntityAccessSK	bigint	8	NOT NULL	1 - 1	
	DataEntityCompanySK	bigint	8	NOT NULL		
	UserSK	bigint	8	NOT NULL		
	DataEntityTypeSK	bigint	8	NOT NULL		
	DataEntitySK	varchar(20)	20	NOT NULL		
	IsEditable	bit	1	NOT NULL		((1))

Indexes

Key	Name	Key Columns	Unique
	PK_ERPx_MFDataEntityAccess	DataEntityAccessSK	True
	UK_ERPx_MFDataEntityAccess_1	UserSK, DataEntityCompanySK, DataEntityTypeSK, DataEntitySK	True

Foreign Keys

Name	No Check	Columns
FK_ERPx_MFDataEntityAccess_ERPx_MFDataEntityCompany	True	DataEntityCompanySK->[dbo].[ERPx_MFDataEntityCompany].[DataEntityCompanySK]
FK_ERPx_MFDataEntityAccess_ERPx_MFDataEntityType	True	DataEntityTypeSK->[dbo].[ERPx_MFDataEntityType].[DataEntityTypeSK]
FK_ERPx_MFDataEntityAccess_ERPx_MFUser	True	UserSK->[dbo].[ERPx_MFUser].[UserSk]

Uses





[dbo].[ERPx_MFDataEntityCompany]
 [dbo].[ERPx_MFDataEntityType]
 [dbo].[ERPx_MFUser]

Used By


[dbo].[FNx_DataEntitySKLookup]
 [dbo].[FNx_DataEntitySKLookupTable]
 [dbo].[IQx_Billing]
 [dbo].[IQx_SOSEL_ItemHistory]
 [dbo].[IQx_SOSEL_SalesHistory]
 [dbo].[IQx_SOSEL_ShipmentHistory]

[dbo].[SPx_MFDEL_DataEntityAccess]
[dbo].[SPx_MFDEL_DeleteCompany]
[dbo].[SPx_MFINS_DataEntityAccess]
[dbo].[SPx_MFSEL_AllocateDetails]
[dbo].[SPx_MFSEL_DataEntityAccess]
[dbo].[SPx_MFSEL_DataEntityMap]
[dbo].[SPx_MFSEL_DataEntityMapAll]
[dbo].[SPx_MFSEL_UserReport]
[dbo].[SPx_MFUPD_DataEntityMapAll]
[dbo].[SPx_MFUpdate_MassUpdate]
[dbo].[SPx_MFUpdate_User]
[dbo].[SPx_RSSEL_Report]
[dbo].[SPx_RSSEL_ReportUserFavoritesList]
[dbo].[SPx_SOSEL_OrderHeader]
[dbo].[SPx_SOSEL_OrderHeaderList]
[dbo].[SPx_SOSEL_OrderItemNotesList]
[dbo].[SPx_SOSEL_SalesProgramDetail_Accrual]
[dbo].[SPx_SOSEL_SalesProgramDetail_OnInvoice]
[dbo].[SPx_SOSEL_ShipmentList]
[dbo].[SPx_SOSEL_TransactionAttributeList]
[dbo].[SPx_SOSEL_TransactionDetailItem]
[dbo].[SPx_SOSEL_TransactionHeaderHome]
[dbo].[SPx_SOSEL_TransactionHeaderProperty]
[dbo].[SPx_SOSEL_TransactionHeaderShipment]
[dbo].[SPx_SOSEL_TransactionItemList]

[dbo].[ERPx_MFDataEntityCompany]**Columns**

Key	Name	Data Type	Max Length (Bytes)	Nullability
	DataEntityCompanySK	bigint	8	NOT NULL
	CompanyID	varchar(20)	20	NOT NULL
	CompanyName	varchar(100)	100	NOT NULL
	DataEntityCompanySystemSK	bigint	8	NULL allowed
	ServerName	varchar(25)	25	NOT NULL
	DatabaseName	varchar(100)	100	NULL allowed
	CompanyLogoFileLocation	varchar(500)	500	NULL allowed
	DataLayerID	varchar(50)	50	NULL allowed
	PhysicalAddressSK	bigint	8	NULL allowed
	MailingAddressSK	bigint	8	NULL allowed
	CompanyShortName	varchar(25)	25	NOT NULL

Indexes

Key	Name	Key Columns	Unique
	PK_ERPx_MFDataEntityCompany	DataEntityCompanySK	True
	UK_ERPx_MFDataEntityCompany_1	CompanyID	True
	UK_ERPx_MFDataEntityCompany_2	CompanyName	True

Foreign Keys

Name	Columns
FK_ERPx_MFDataEntityCompany_ERPx_MFData-EntityCompanySystem	DataEntityCompanySystemSK->[dbo].[ERPx_MFDataEntityCompany-System].[DataEntityCompanySystemSK]

Uses

[dbo].[ERPx_MFDataEntityCompanySystem]

Used By

[dbo].[ERPx_APChillType]
[dbo].[ERPx_APCondition]
[dbo].[ERPx_APDeliveryTicketEligiblePremium]
[dbo].[ERPx_APDeliveryTicketHeader]
[dbo].[ERPx_APDeliveryTicketHeader_SearchMetadata]

[dbo].[ERPx_APDeliveryTicketHeaderNote]
[dbo].[ERPx_APDeliveryTicketItem]
[dbo].[ERPx_APDeliveryTicketItemDefinition]
[dbo].[ERPx_APDeliveryTicketItemDefinitionGroup]
[dbo].[ERPx_APDeliveryTicketLine]
[dbo].[ERPx_APDeliveryTicketLineProgram]
[dbo].[ERPx_APDeliveryTicketProperty]
[dbo].[ERPx_APDeliveryTicketRepriceCriteria]
[dbo].[ERPx_APDeliveryTicketRepriceItemsAndPremiums]
[dbo].[ERPx_APDeliveryTicketRSW]
[dbo].[ERPx_APDeliveryTicketStatArea]
[dbo].[ERPx_APDisposition]
[dbo].[ERPx_APGear]
[dbo].[ERPx_APGradeAttributes]
[dbo].[ERPx_APGrades]
[dbo].[ERPx_APManagementPrograms]
[dbo].[ERPx_APPoHeader]
[dbo].[ERPx_APPoHeader_SearchMetadata]
[dbo].[ERPx_APPoHeaderNote]
[dbo].[ERPx_APPoHeaderProperty]
[dbo].[ERPx_APPoLine]
[dbo].[ERPx_APPoLine_SearchMetadata]
[dbo].[ERPx_APPort]
[dbo].[ERPx_APProgram]
[dbo].[ERPx_APProgramClass]
[dbo].[ERPx_APProgramEntity]
[dbo].[ERPx_APSeasons]
[dbo].[ERPx_APSettlementApplication]
[dbo].[ERPx_APSettlementApplicationTransaction]
[dbo].[ERPx_APSettlementTransaction]
[dbo].[ERPx_APSpecie]
[dbo].[ERPx_APStatAreas]
[dbo].[ERPx_APTransaction_SearchMetadata]
[dbo].[ERPx_APTransactionClass]
[dbo].[ERPx_APTransactionClassPriceList]
[dbo].[ERPx_APTransactionClassProperty]
[dbo].[ERPx_APTransactionHeader]
[dbo].[ERPx_APTransactionHeaderProperty]
[dbo].[ERPx_APTransactionLine]
[dbo].[ERPx_APTransactionLine_SearchMetadata]
[dbo].[ERPx_APTransactionMoreActionsCriteria]
[dbo].[ERPx_APTransactionNote]
[dbo].[ERPx_APTransactionTax]
[dbo].[ERPx_APVendor]
[dbo].[ERPx_APVendorACH]
[dbo].[ERPx_APVendorClassProperty]
[dbo].[ERPx_APVendorInterestCalculationHeader]
[dbo].[ERPx_APVendorInterestCalculationLine]
[dbo].[ERPx_APVendorPermit]
[dbo].[ERPx_APVendorPriceList]
[dbo].[ERPx_APVendorProperty]
[dbo].[ERPx_ARCustomerAddressAttribute]
[dbo].[ERPx_ARCustomerAddrSet]

[dbo].[ERPx_ARCustomerAttribute]
[dbo].[ERPx_ARCustomerCertification]
[dbo].[ERPx_ARCustomerFavoriteAttributes]
[dbo].[ERPx_ARCustomerSubstituteItem]
[dbo].[ERPx_ARPaymentReceiptProperty]
[dbo].[ERPx_ARSettlementApplication]
[dbo].[ERPx_ARSettlementApplicationTransaction]
[dbo].[ERPx_ARSettlementTransaction]
[dbo].[ERPx_ARTransactionClass]
[dbo].[ERPx_ARTransactionHeader]
[dbo].[ERPx_ARTransactionHeaderNote]
[dbo].[ERPx_ARTransactionLine]
[dbo].[ERPx_CPAccrualProperty]
[dbo].[ERPx_CPChargeProperty]
[dbo].[ERPx_CPFieldAttributes]
[dbo].[ERPx_CPItemAttributes]
[dbo].[ERPx_CPItemProperty]
[dbo].[ERPx_CPTicketAttributes]
[dbo].[ERPx_CPTicketContainer]
[dbo].[ERPx_CPTicketHeader_SearchMetadata]
[dbo].[ERPx_CPTicketHeaderHold]
[dbo].[ERPx_CPTicketHeaderNote]
[dbo].[ERPx_CPTicketHeaderProperty]
[dbo].[ERPx_CPTicketItem_SearchMetadata]
[dbo].[ERPx_CPTicketItemNote]
[dbo].[ERPx_CPTicketLineNote]
[dbo].[ERPx_CPTransactionClass]
[dbo].[ERPx_CPTransactionClassProperty]
[dbo].[ERPx_DW_FATicketHistory]
[dbo].[ERPx_DW_FATicketItemHistory]
[dbo].[ERPx_DW_FATicketStatAreaLineHistory]
[dbo].[ERPx_DW_FNJournalLine]
[dbo].[ERPx_DW_IMLotHistory]
[dbo].[ERPx_DW_SOBillingHistory]
[dbo].[ERPx_DW_SOItemHistory]
[dbo].[ERPx_GLAccountFormat]
[dbo].[ERPx_GLAccountPeriodSummary]
[dbo].[ERPx_GLAccountSegmentNumber]
[dbo].[ERPx_GLCheckbookTransactionNote]
[dbo].[ERPx_GLCheckbookTransactionProperty]
[dbo].[ERPx_GLJournalHeader]
[dbo].[ERPx_GLJournalLine]
[dbo].[ERPx_GLJournalLineDetail]
[dbo].[ERPx_GLJournalMoreActionsCriteria]
[dbo].[ERPx_GLProject]
[dbo].[ERPx_GLProjectClass]
[dbo].[ERPx_GLProjectModule]
[dbo].[ERPx_GLTransactionClass]
[dbo].[ERPx_IMCertification]
[dbo].[ERPx_IMCertificationAssignment]
[dbo].[ERPx_IMCostGroup]
[dbo].[ERPx_IMCountryOfOrigin_Company]
[dbo].[ERPx_IMCycleCountFilter]

[dbo].[ERPx_IMCycleCountLog]
[dbo].[ERPx_IMCycleCountTransactionLog]
[dbo].[ERPx_IMItemClass]
[dbo].[ERPx_IMItemClassProperty]
[dbo].[ERPx_IMItemProperty]
[dbo].[ERPx_IMItemSet]
[dbo].[ERPx_IMLotBalance]
[dbo].[ERPx_IMLotBalance_SearchMetadata]
[dbo].[ERPx_IMLotBalanceRollupLog]
[dbo].[ERPx_IMLotCostPostingLog]
[dbo].[ERPx_IMPalletConfiguration]
[dbo].[ERPx_IMPProductionLot]
[dbo].[ERPx_IMPProductionLotAttributeAssignment]
[dbo].[ERPx_IMPProductionLotProperty]
[dbo].[ERPx_IMPProductionOrderDetail]
[dbo].[ERPx_IMPProductionOrderHeader]
[dbo].[ERPx_IMPProductionOrderHeaderNote]
[dbo].[ERPx_IMQualityTest]
[dbo].[ERPx_IMTemplateDetail]
[dbo].[ERPx_IMTemplateHeader]
[dbo].[ERPx_IMTransactionAttributes]
[dbo].[ERPx_IMTransactionClass]
[dbo].[ERPx_IMTransactionClassPriceList]
[dbo].[ERPx_IMTransactionClassProperty]
[dbo].[ERPx_IMTransactionDetail]
[dbo].[ERPx_IMTransactionDetailPallet]
[dbo].[ERPx_IMTransactionHeader]
[dbo].[ERPx_IMTransactionHeaderProperty]
[dbo].[ERPx_IMTransactionMoreActionsCriteria]
[dbo].[ERPx_IMUOMScheduleConversionValue]
[dbo].[ERPx_IMWarehouseLot]
[dbo].[ERPx_IMWarehouseLotAttributes]
[dbo].[ERPx_INTEG_OutboundSupportedTransactions]
[dbo].[ERPx_LMLoadAttributes]
[dbo].[ERPx_LMLoadHeaderProperty]
[dbo].[ERPx_LMLoadTransactionBOLHistory]
[dbo].[ERPx_LMLoadTransactionContainer]
[dbo].[ERPx_LMLoadTransactionLeg]
[dbo].[ERPx_LMLoadTransactionLegNote]
[dbo].[ERPx_LMLoadTransactionLegPayment]
[dbo].[ERPx_MFAddress]
[dbo].[ERPx_MFAddressNote]
[dbo].[ERPx_MFAgingPeriods]
[dbo].[ERPx_MFAttribute_APDeliveryTicketHeader]
[dbo].[ERPx_MFAttribute_APGrade]
[dbo].[ERPx_MFAttribute_APPoHeader]
[dbo].[ERPx_MFAttribute_APTtransactionHeader]
[dbo].[ERPx_MFAttribute_APTtransactionHeader_FA]
[dbo].[ERPx_MFAttribute_APVendor]
[dbo].[ERPx_MFAttribute_ARCustomer]
[dbo].[ERPx_MFAttribute_ARCustomerAddress]
[dbo].[ERPx_MFAttribute_ARCustomerFavorite]
[dbo].[ERPx_MFAttribute_ARTransactionHeader]







[dbo].[ERPx_MFAttribute_CPFfield]
[dbo].[ERPx_MFAttribute_CPIItem]
[dbo].[ERPx_MFAttribute_CPTicketHeader]
[dbo].[ERPx_MFAttribute_IMItem]
[dbo].[ERPx_MFAttribute_IMProductionLot]
[dbo].[ERPx_MFAttribute_IMQualityTest]
[dbo].[ERPx_MFAttribute_IMTransactionHeader]
[dbo].[ERPx_MFAttribute_IMWarehouseLot]
[dbo].[ERPx_MFAttribute_LMLoadHeader]
[dbo].[ERPx_MFAttribute_SCContractHeader]
[dbo].[ERPx_MFAttribute_SOOrderHeader]
[dbo].[ERPx_MFAttribute_SOOrderItem]
[dbo].[ERPx_MFCertification_IMProductionLot]
[dbo].[ERPx_MFCertificationSetup_IMItem]
[dbo].[ERPx_MFCertificationSetup_MFSite]
[dbo].[ERPx_MFCheckbook]
[dbo].[ERPx_MFCheckbookReconciliation]
[dbo].[ERPx_MFCheckbookTransaction]
[dbo].[ERPx_MFContactTypeReportMapping]
[dbo].[ERPx_MFContactTypeReportMappingDistributionFilter]
[dbo].[ERPx_MFContactTypeReportMappingTypeDocumentStatus]
[dbo].[ERPx_MFContactTypeReportMappingWorkflowList]
[dbo].[ERPx_MFDataEntityAccess]
[dbo].[ERPx_MFDataEntityCompanyCurrency]
[dbo].[ERPx_MFDataEntityCompanyCurrencyExchange]
[dbo].[ERPx_MFEmployee]
[dbo].[ERPx_MFException]
[dbo].[ERPx_MFExceptionDetail]
[dbo].[ERPx_MFFiscalPeriod]
[dbo].[ERPx_MFFiscalYear]
[dbo].[ERPx_MFHoldCode]
[dbo].[ERPx_MFHoldCodeControl]
[dbo].[ERPx_MFModuleFormPage]
[dbo].[ERPx_MFPriceListFormulaStep]
[dbo].[ERPx_MFSecurityGroup]
[dbo].[ERPx_MFSite]
[dbo].[ERPx_MFSiteLine]
[dbo].[ERPx_MFSiteRelatedSite]
[dbo].[ERPx_MFSiteShift]
[dbo].[ERPx_MFSysPreferences]
[dbo].[ERPx_MFSysUserPreferences]
[dbo].[ERPx_MFTaxClass]
[dbo].[ERPx_MFTaxClassDetail]
[dbo].[ERPx_MFTaxDetail]
[dbo].[ERPx_MFTaxSchedule]
[dbo].[ERPx_MFTTransactionLogReportFilter]
[dbo].[ERPx_MFTTransactionLogReportTableGroupHeader]
[dbo].[ERPx_MFTTransactionTax]
[dbo].[ERPx_MFTTransactionTypeListView]
[dbo].[ERPx_MFUserCompany]
[dbo].[ERPx_MFUserFormFavorite]
[dbo].[ERPx_MFUserGridSettings]
[dbo].[ERPx_PRCheckbookTransaction]

[dbo].[ERPx_PRCODE]
[dbo].[ERPx_PRDeduction]
[dbo].[ERPx_SCContractAttribute]
[dbo].[ERPx_SCContractHeader]
[dbo].[ERPx_SOCarrier]
[dbo].[ERPx_SOCarrierProperty]
[dbo].[ERPx_SOFreightTerms]
[dbo].[ERPx_SOInvoiceHeader]
[dbo].[ERPx_SOInvoiceHistory]
[dbo].[ERPx_SOOrderHeaderCertification]
[dbo].[ERPx_SOOrderHeaderHold]
[dbo].[ERPx_SOOrderItemAttributes]
[dbo].[ERPx_SOOrderItemCertification]
[dbo].[ERPx_SOOrderItemLot]
[dbo].[ERPx_SOOrderItemSubstitution]
[dbo].[ERPx_SOOrderProperty]
[dbo].[ERPx_SOTransactionTax]
[dbo].[ERPx_SPPProgramHeader]
[dbo].[ERPx_SPPProgramHeaderProperty]
[dbo].[ERPx_SPPProgramSettlementBatch]
[dbo].[ERPx_SPPProgramSettlementBatchItem]
[dbo].[ERPx_SPPProgramSettlementBatchPayment]
[hist].[ERPh_SOOrder_SearchMetadata]
[dbo].[FNx_GetCompanyDB]
[dbo].[FNx_GetCompanyHostSystem]
[dbo].[FNx_GetCompanyHostSystemName]
[dbo].[FNx_GetCompanyID]
[dbo].[FNx_GetCompanySKFromID]
[dbo].[FNx_GetCustomerBalance]
[dbo].[FNx_GetHostCompanyDataLayerID]
[dbo].[IQx_CheckRegister]
[dbo].[IQx_MFIntegInboundQueue]
[dbo].[IQx_SalesHistory]
[dbo].[IQx_SettlementTransactionInquiry]
[dbo].[IQx_SPSEL_FreightRatesByItem]
[dbo].[IQx_SPSEL_FreightRatesByItemSet]
[dbo].[RPx_GLSEL_ACHFile]
[dbo].[RPx_GLSEL_ACHPrenote]
[dbo].[RPx_SettlementBalancesSummary]
[dbo].[SPx_APINS_SettlementTransaction]
[dbo].[SPx_APPProcess_Vendor]
[dbo].[SPx_APPProcess_VendorClass]
[dbo].[SPx_APSEL_APVendor_Address]
[dbo].[SPx_APSEL_APVendor_Properties]
[dbo].[SPx_APSEL_TransactionClass_Property]
[dbo].[SPx_APSEL_TransactionLine]
[dbo].[SPx_APSEL_VendorAddress]
[dbo].[SPx_APSEL_VendorProperties]
[dbo].[SPx_APUUpdate_CustomerClassDelete]
[dbo].[SPx_APUUpdate_TransactionMoreActions]
[dbo].[SPx_APUUpdate_VendorAddressList]
[dbo].[SPx_APUUpdate_VendorClassDelete]
[dbo].[SPx_APUUpdate_VendorList]



[dbo].[SPx_APUUpdate_VoidSettlementTransaction]
[dbo].[SPx_ARMerge_CustomerAndAddress]
[dbo].[SPx_ARProcess_Customer]
[dbo].[SPx_ARProcess_CustomerAddress]
[dbo].[SPx_ARSEL_CustomerAddressProperties]
[dbo].[SPx_ARSEL_CustomerProperties]
[dbo].[SPx_ARUpdate_ARCustomerAddressList]
[dbo].[SPx_ARUpdate_CustomerList]
[dbo].[SPx_DWUpdate_Refresh]
[dbo].[SPx_FAUpdate_FishermanTenderList]
[dbo].[SPx_FAUpdate_FishermenAddressList]
[dbo].[SPx_FAUpdate_LoanAddressList]
[dbo].[SPx_FAUpdate_LoanList]
[dbo].[SPx_IMPProcess_PostLotCosts]
[dbo].[SPx_IMUpdate_ConvertItemXML]
[dbo].[SPx_INTEG_APEmployeeDeduction]
[dbo].[SPx_INTEG_AREmployeeDeduction]
[dbo].[SPx_INTEG_BWOrderHeaderItem_XML]
[dbo].[SPx_INTEG_GPCustomerClass]
[dbo].[SPx_INTEG_GPGLAccount]
[dbo].[SPx_INTEG_GPGLAccountFormat]
[dbo].[SPx_INTEG_GPGLCheckbook]
[dbo].[SPx_INTEG_GPGLFiscalPeriod]
[dbo].[SPx_INTEG_NSAPIInvoiceAndCreditMemo]
[dbo].[SPx_INTEG_NSIMInventoryTrans]
[dbo].[SPx_INTEG_PRBatch]
[dbo].[SPx_INTEG_ProcessInboundQueue]
[dbo].[SPx_INTEG_ProcessOutboundQueue]
[dbo].[SPx_INTEG_UpdatePostedAPTtransactionsFromGP]
[dbo].[SPx_INTEG_UpdatePostedARTtransactionsFromGP]
[dbo].[SPx_INTEG_UpdatePostedCPTicketsFromGP]
[dbo].[SPx_INTEG_UpdatePostedGLJournalFromGP]
[dbo].[SPx_INTEG_UpdatePostedInventoryTransactionsFromGP]
[dbo].[SPx_INTEG_UpdatePostedMFCheckbookTransactionsFromGP]
[dbo].[SPx_INTEG_UpdatePostedOrdersFromGP]
[dbo].[SPx_Load_MFCurrencyExchangeRates_GP]
[dbo].[SPx_LoadManager]
[dbo].[SPx_MFAPI_InsertInboundIntegration]
[dbo].[SPx_MFAPI_ListCompanies]
[dbo].[SPx_MFDEL_Company]
[dbo].[SPx_MFDEL_DeleteCompany]
[dbo].[SPx_MFINS_FileImport]
[dbo].[SPx_MFINSUPDDEL_Site_XML]
[dbo].[SPx_MFProcess_BankTransaction]
[dbo].[SPx_MFSEL_AddressLookup]
[dbo].[SPx_MFSEL_Company]
[dbo].[SPx_MFSEL_CompanyLookup]
[dbo].[SPx_MFSEL_Currency]
[dbo].[SPx_MFSEL_CurrencyExchange]
[dbo].[SPx_MFSEL_CurrencyExchangeCompanyLookup]
[dbo].[SPx_MFSEL_CurrencyExchangeProperties]
[dbo].[SPx_MFSEL_FunctionalAreaFormUserAuditList]
[dbo].[SPx_MFSEL_SecurityGroup]

[dbo].[SPx_MFSEL_SecurityGroupCopyHeader]
[dbo].[SPx_MFSEL_SecurityGroupList]
[dbo].[SPx_MFSEL_SiteProperties]
[dbo].[SPx_MFSEL_UserCompany]
[dbo].[SPx_MFSEL_UserCompanyAccess]
[dbo].[SPx_MFSEL_UserProperties]
[dbo].[SPx_MFSEL_Users]
[dbo].[SPx_MFSEL_ValidateAPIKey]
[dbo].[SPx_MFSEL_ValidateUser]
[dbo].[SPx_MFSYS_InstallProcessMailQueueJob]
[dbo].[SPx_MFSYS_InstallSystemInventoryFunctions]
[dbo].[SPx_MFSYS_InstallSystemPurchasingTransactionsUDFFunction]
[dbo].[SPx_MFSYS_InstallSystemWarehouseCertificationFunction]
[dbo].[SPx_MFSYS_InstallSystemWarehouseLotsCertificationFunction]
[dbo].[SPx_MFSYS_InstallTransactionLogReportTableGroups]
[dbo].[SPx_MFSYS_SyncUserPreferences]
[dbo].[SPx_MFUPD_AutoLogoutUsers]
[dbo].[SPx_MFUpdate_AddressList]
[dbo].[SPx_MFUpdate_Company]
[dbo].[SPx_MFUpdate_Currency]
[dbo].[SPx_MFUpdate_IntegrationSetupList]
[dbo].[SPx_MFUpdate_SecurityGroup]
[dbo].[SPx_MFUpdate_SecurityGroupDetail]
[dbo].[SPx_MFUpdate_Site]
[dbo].[SPx_MFUtil_ConvertAttribute]
[dbo].[SPx_RSINSUPD_AddRemoveTrustedLocation]
[dbo].[SPx_RSSEL_Report]
[dbo].[SPx_RSSEL_ReportCompanyLookup]
[dbo].[SPx_RSSEL_ReportTrustedLocationContents]
[dbo].[SPx_SOINS_SalesInvoiceExecutionHistory]
[dbo].[VWx_IMItemAccounts]
[dbo].[VWx_IMItemProperties]
[dbo].[VWx_IMTransactionHistory]
[dbo].[VWx_INTEG_Inbound]
[dbo].[VWx_INTEG_Outbound]
[dbo].[VWx_SOSEL_SalesTransactionDetail]
[hist].[SPx_IMRollup]

[dbo].[ERPx_MFDataEntityCompanyCurrency]**Columns**

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity
 	CompanyCurrencySK	bigint	8	NOT NULL	1 - 1
	DataEntityCompanySK	bigint	8	NOT NULL	
	CurrencySK	bigint	8	NOT NULL	
	RealizedGainActSK	bigint	8	NULL allowed	
	RealizedLossActSK	bigint	8	NULL allowed	

Indexes

Key	Name	Key Columns	Unique
 	PK_ERPx_MFCompanyCurrency	CompanyCurrencySK	True
	IX_ERPx_MFDataEntityCompanyCurrency	CurrencySK, DataEntityCompanySK	True

Foreign Keys

Name	Columns
FK_ERPx_MFDataEntityCompanyCurrency_DataEntity-CompanySK	DataEntityCompanySK->[dbo].[ERPx_MFDataEntity-Company].[DataEntityCompanySK]
FK_ERPx_MFDataEntityCompanyCurrency_ERPx_-GLAccount_RealizedGainActSK	RealizedGainActSK->[dbo].[ERPx_GLAccount].[AccountSK]
FK_ERPx_MFDataEntityCompanyCurrency_ERPx_-GLAccount_RealizedLossActSK	RealizedLossActSK->[dbo].[ERPx_GLAccount].[AccountSK]
FK_ERPx_MFDataEntityCompanyCurrency_ERPx_-MFCurrency	CurrencySK->[dbo].[ERPx_MFCurrency].[CurrencySK]

Uses

[dbo].[ERPx_GLAccount]
 [dbo].[ERPx_MFCurrency]
 [dbo].[ERPx_MFDataEntityCompany]




Used By

[dbo].[FNx_IsCompanyMultiCurrency]
 [dbo].[SPx_APSEL_APVendorClass_CurrencyLookup]
 [dbo].[SPx_APSEL_VendorCurrencyLookup]
 [dbo].[SPx_ARSEL_CustomerCurrencyLookup]
 [dbo].[SPx_ARSEL_PaymentReceiptCurrency]


[dbo].[SPx_COSEL_CompanyCurrencyList]
[dbo].[SPx_COUpdate_CompanyCurrencyList]
[dbo].[SPx_GLSEL_JournalHeader]
[dbo].[SPx_GLSEL_JournalHeaderCurrencyLookup]
[dbo].[SPx_GLUpdate_JournalLineRollup]
[dbo].[SPx_LMSEL_MFShipmentLegList_CurrencyLookup]
[dbo].[SPx_MFDEL_DeleteCompany]
[dbo].[SPx_MFProcess_CurrencyGainLossJournal]
[dbo].[SPx_MFSEL_Currency]
[dbo].[SPx_MFSEL_CurrencyExchangeCompanyLookup]
[dbo].[SPx_MFSEL_DataEntityCompanyCurrencyLookup]
[dbo].[SPx_MFSEL_PriceListCurrencyLookup]
[dbo].[SPx_MFSEL_TaxClassCurrencyLookup]
[dbo].[SPx_MFSEL_TaxDetailCurrencyLookup]
[dbo].[SPx_MFUpdate_Currency]
[dbo].[SPx_SOSEL_TransactionHeaderHome]

[dbo].[ERPx_MFDataEntityCompanyCurrencyExchange]

Columns

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity
 C	CompanyExchangeSK	bigint	8	NOT NULL	1 - 1
	DataEntityCompanySK	bigint	8	NOT NULL	
	ExchangeSK	bigint	8	NOT NULL	

Indexes

Key	Name	Key Columns	Unique
 C	PK_ERPx_MFDataEntityCompanyCurrencyExchange	CompanyExchangeSK	True
	IX_ERPx_MFDataEntityCompanyCurrencyExchange	ExchangeSK, DataEntityCompanySK	True

Foreign Keys

Name	Columns
FK_ERPx_MFDataEntityCompanyCurrencyExchange_-_DataEntityCompanySK	DataEntityCompanySK->[dbo].[ERPx_MFDataEntityCompany].[DataEntityCompanySK]
FK_ERPx_MFDataEntityCompanyCurrencyExchange_-_ExchangeSK	ExchangeSK->[dbo].[ERPx_MFCurrencyExchange].[ExchangeSK]

Uses



[dbo].[ERPx_MFCurrencyExchange]
 [dbo].[ERPx_MFDataEntityCompany]

Used By


[dbo].[FNx_GetExchangeRate]
 [dbo].[SPx_MFSEL_CurrencyExchange]
 [dbo].[SPx_MFSEL_CurrencyExchangeLookup]
 [dbo].[SPx_MFSEL_CurrencyExchangeProperties]
 [dbo].[SPx_MFUpdate_CurrencyExchange]
 [dbo].[SPx_MFUpdate_CurrencyExchangeList]

 [dbo].[ERPx_MFDataEntityCompanySystem]

Columns

Key	Name	Data Type	Max Length (Bytes)	Nullability
	DataEntityCompanySystemSK	bigint	8	NOT NULL
	SystemName	varchar(50)	50	NOT NULL

Indexes




Key	Name	Key Columns	Unique
	PK_ERPx_MFDataEntityCompanySystem	DataEntityCompanySystemSK	True
	UK_ERPx_MFDataEntityCompanySystem_1	SystemName	True

Used By

[dbo].[ERPx_MFDataEntityCompany]
 [dbo].[FNx_GetCompanyHostSystemName]
 [dbo].[SPx_INTEG_UpdatePostedAPTtransactionsFromGP]
 [dbo].[SPx_INTEG_UpdatePostedARTtransactionsFromGP]
 [dbo].[SPx_INTEG_UpdatePostedCPTicketsFromGP]
 [dbo].[SPx_INTEG_UpdatePostedGLJournalFromGP]
 [dbo].[SPx_INTEG_UpdatePostedInventoryTransactionsFromGP]
 [dbo].[SPx_INTEG_UpdatePostedMFCheckbookTransactionsFromGP]
 [dbo].[SPx_INTEG_UpdatePostedOrdersFromGP]
 [dbo].[SPx_LoadManager]
 [dbo].[SPx_MFDEL_DeleteCompany]
 [dbo].[SPx_MFSEL_Company]
 [dbo].[SPx_MFSEL_CompanySystemLookup]

 **[dbo].[ERPx_MFDataEntityType]**

Columns

Key	Name	Data Type	Max Length (Bytes)	Nullability
	DataEntityTypeSK	bigint	8	NOT NULL
	TypeID	varchar(20)	20	NULL allowed
	TypeDescription	varchar(200)	200	NULL allowed
	TypeRelatedTable	varchar(100)	100	NULL allowed

Indexes




Key	Name	Key Columns	Unique
	PK_T_MFEntityType	DataEntityTypeSK	True
	UK_ERPx_MFDataEntityType_1	TypeID	True
	UK_ERPx_MFDataEntityType_2	TypeDescription	True

Used By


[dbo].[ERPx_MFDataEntityAccess]
 [dbo].[FNx_DataEntitySKLookup]
 [dbo].[FNx_DataEntitySKLookupTable]
 [dbo].[SPx_BRSEL_BRCollectionsOrderHeaderAging]
 [dbo].[SPx_MFDEL_DeleteCompany]
 [dbo].[SPx_MFSEL_CustomerSales]
 [dbo].[SPx_MFSEL_DataEntityAccess]
 [dbo].[SPx_MFSEL_MonthlySales_Kendo]
 [dbo].[SPx_RSSEL_Report]
 [dbo].[SPx_SOSEL_OrderHeader]
 [dbo].[SPx_SOSEL_OrderItemNotesList]
 [dbo].[SPx_SOSEL_SalesOrderHeader]
 [dbo].[SPx_SOSEL_SalesProgramDetail_Accrual]
 [dbo].[SPx_SOSEL_SalesProgramDetail_OnInvoice]

 [dbo].[ERPx_MFDBVersion]

Columns

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity	Default
	DBVersionSK	bigint	8	NOT NULL	1 - 1	
	DBVer	varchar(250)	250	NOT NULL		
	Updated	datetime	8	NOT NULL		(getdate())

Indexes



Key	Name	Key Columns	Unique
	PK_ERPx_MFDBVersion_1	DBVersionSK	True
	UK_ERPx_MFDBVersion_1	DBVer	True
	UK_ERPx_MFDBVersion_2	Updated	True

Used By

[dbo].[ERPx_MFDBVersionInstallation]

 [dbo].[ERPx_MFDBVersionInstallation]

Columns

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity
	InstallationSK	bigint	8	NOT NULL	1 - 1
	DBVersionSK	bigint	8	NOT NULL	
	SectionName	varchar(max)	max	NOT NULL	
	Started	datetime	8	NOT NULL	
	Completed	datetime	8	NULL allowed	

Indexes

Key	Name	Key Columns	Unique
	PK_ERPx_MFDBVersionInstallation	InstallationSK	True

Foreign Keys









Name	Columns
FK_ERPx_MFDBVersionInstallation_DBVersion	DBVersionSK->[dbo].[ERPx_MFDBVersion].[DBVersionSK]


Uses

[dbo].[ERPx_MFDBVersion]

 [dbo].[ERPx_MFEmployee]

Columns

Key	Name	Data Type	Persisted	Computed	Max Length (Bytes)	Nullability	Identity	Default
	EmployeeSK	bigint			8	NOT NULL	1 - 1	
	HostSystemLink	varchar(200)			200	NOT NULL		
	EmployeeID	varchar(25)			25	NULL allowed		
	LastName	varchar(21)			21	NOT NULL		
	FirstName	varchar(15)			15	NOT NULL		
	MiddleName	varchar(15)			15	NOT NULL		
	EmployeeName	varchar(55)			55	NOT NULL		
	SSN	varchar(15)			15	NULL allowed		
	PositionSK	bigint			8	NULL allowed		
	DepartmentSK	bigint			8	NULL allowed		
	ClassSK	bigint			8	NULL allowed		
	DivisionSK	bigint			8	NULL allowed		
	GenderEN	int			4	NULL allowed		
	EthnicOriginEN	int			4	NULL allowed		
	TaxStatusEN	int			4	NULL allowed		
	FedExemptions	int			4	NULL allowed		
	AllowRehire	bit			1	NULL allowed		
	BadgeNumber	varchar(50)			50	NULL allowed		
	BirthDate	datetime			8	NULL allowed		
	OriginalHireDate	datetime			8	NULL allowed		
	RehireDate	datetime			8	NULL allowed		
	AddressLine1	varchar(50)			50	NULL allowed		
	AddressLine2	varchar(50)			50	NULL allowed		


	City	varchar(50)			50	NULL allowed		
	State	varchar(50)			50	NULL allowed		
	Zip	varchar(25)			25	NULL allowed		
	PhoneNumber	varchar(25)			25	NULL allowed		
	EmailAddress	varchar(100)			100	NULL allowed		
	LastUpdated	datetime			8	NOT NULL		(getdate())
	LastUser	varchar(150)			150	NOT NULL		
	CreatedBy	varchar(100)			100	NULL allowed		
	CreatedDate	datetime			8	NULL allowed		
	DataEntity-CompanySK	bigint			8	NOT NULL		
	AdditionalFed-Withholding	numeric(18,2)			9	NULL allowed		
	Country	varchar(100)			100	NULL allowed		
	Rate	numeric(18,5)			9	NULL allowed		
	PRPayFrequency-EN	bigint			8	NULL allowed		
	CrewSK	varchar(50)			50	NULL allowed		
	StatusEN	varchar(50)			50	NULL allowed		
	IsInactive	bit	True	True	1	NULL allowed		
	RateEffectiveDate	datetime			8	NULL allowed		
	TerminationDate	datetime			8	NULL allowed		
	Termination-ReasonCodeSK	bigint			8	NULL allowed		
	LastDateWorked	datetime			8	NULL allowed		
	LifeToDateHours	numeric(18,5)			9	NULL allowed		
	RehireToDateHours	numeric(18,5)			9	NULL allowed		
	EmergencyContact-Name	varchar(150)			150	NULL allowed		
	EmergencyContact-Phone	varchar(15)			15	NULL allowed		
	EmergencyContact-Relationship	varchar(150)			150	NULL allowed		
	Retirement	varchar(1000)			1000	NULL		

						allowed		
	HealthInsurance	varchar(1000)			1000	NULL allowed		
	AdditionalInfo	varchar(1000)			1000	NULL allowed		
	Comment	varchar(1000)			1000	NULL allowed		
	W4Dependent-ClaimAmount	numeric(18,5)			9	NULL allowed		

Computed columns

Name	Column definition
IsInactive	(case when [StatusEN]=(3) OR [StatusEN]=(2) then CONVERT([bit],(1),(0)) else CONVERT([bit],(0),(0)) end)

Indexes

Key	Name	Key Columns	Unique	Filtered
	PK_ERPx_MFEmployee	EmployeeSK	True	
	IX_ERPx_MFEmployee_BadgeNumber	DataEntityCompanySK, BadgeNumber	True	True
	IX_ERPx_MFEmployee_EmployeeID	DataEntityCompanySK, EmployeeID	True	
	IX_ERPx_MFEmployee_SSN	DataEntityCompanySK, SSN	True	

Foreign Keys

Name	No Check	Columns
FK_ERPx_MFEmployee_ERPx_MFData-EntityCompany		DataEntityCompanySK->[dbo].[ERPx_MFDataEntityCompany].[Data-EntityCompanySK]
FK_ERPx_MFEmployee_ERPx_PRCClass		ClassSK->[dbo].[ERPx_PRCClass].[ClassSK]
FK_ERPx_MFEmployee_ERPx_PRDepartment	True	DepartmentSK->[dbo].[ERPx_PRDepartment].[DepartmentSK]
FK_ERPx_MFEmployee_ERPx_PRDivision		DivisionSK->[dbo].[ERPx_PRDivision].[DivisionSK]
FK_ERPx_MFEmployee_ERPx_PRPosition		PositionSK->[dbo].[ERPx_PRPosition].[PositionSK]

Uses

[dbo].[ERPx_MFDataEntityCompany]
 [dbo].[ERPx_PRCClass]
 [dbo].[ERPx_PRDepartment]
 [dbo].[ERPx_PRDivision]
 [dbo].[ERPx_PRPosition]






Used By

[dbo].[ERPx_ARCustomer]

[dbo].[ERPx_PRCheekbookTransaction]
[dbo].[ERPx_PRCODEEmployee]
[dbo].[ERPx_PRCODEEmployeeSummary]
[dbo].[FNx_GetTransactionAccounts]
[dbo].[IQx_APSEL_APTransactionDetail]
[dbo].[IQx_APSEL_InvoiceLineList]
[dbo].[IQx_APSEL_POLineList]
[dbo].[IQx_CheckRegister]
[dbo].[IQx_GLSEL_JournalLineList]
[dbo].[RPx_SettlementBalancesSummary]
[dbo].[SPx_APPProcess_PurchaseOrder]
[dbo].[SPx_APPProcess_Transaction]
[dbo].[SPx_APSEL_APTransaction_DistributionLookup]
[dbo].[SPx_APSEL_APTransaction_Line]
[dbo].[SPx_APSEL_APTransaction_POLineDefaultLookup]
[dbo].[SPx_APSEL_InvoiceLineList]
[dbo].[SPx_APSEL_PoDistributionLookup]
[dbo].[SPx_APSEL_POLine]
[dbo].[SPx_APSEL_POLineList]
[dbo].[SPx_APSEL_ProcessChecksVendorLookup]
[dbo].[SPx_APSEL_TransactionDistributionLookup]
[dbo].[SPx_APSEL_TransactionLine]
[dbo].[SPx_APUUpdate_Transaction]
[dbo].[SPx_GLSEL_JournalDetailDetailLine]
[dbo].[SPx_GLSEL_JournalDetailEntryLine]
[dbo].[SPx_GLSEL_JournalLineList]
[dbo].[SPx_INTEG_NSAPIInvoiceAndCreditMemo]
[dbo].[SPx_Load_MFEmployee_GP]
[dbo].[SPx_MFDEL_DeleteCompany]
[dbo].[SPx_MFUpdate_JournalDetails]
[dbo].[SPx_PRProcess_Check]
[dbo].[SPx_PSEL_BatchDetail]
[dbo].[SPx_PSEL_CheckPayees]
[dbo].[SPx_PSEL_EmployeeList]
[dbo].[SPx_PSEL_EmployeeLookup]
[dbo].[SPx_PRUpdate_Check]
[dbo].[SPx_PRUpdate_Crew]
[dbo].[SPx_PRUpdate_Department]
[dbo].[SPx_PRUpdate_EmployeeList]
[dbo].[SPx_PRUpdate_Position]

 **[dbo].[ERPx_MFException]**

Columns

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity
	ExceptionSK	bigint	8	NOT NULL	1 - 1
	ExceptionGroupSK	bigint	8	NOT NULL	
	ExceptionName	varchar(150)	150	NOT NULL	
	ExceptionQuery	varchar(max)	max	NOT NULL	
	PageURL	varchar(max)	max	NULL allowed	
	ModuleSK	bigint	8	NULL allowed	
	IsSystemException	bit	1	NOT NULL	
	DataEntityCompanySK	bigint	8	NOT NULL	

Indexes

Key	Name	Key Columns	Unique
	PK_ERPx_MFException	ExceptionSK	True
	IX_ERPx_MFException_ExceptionName_DataEntityCompanySK_ModuleSK	ExceptionName, DataEntityCompanySK, ModuleSK	True

Foreign Keys

Name	Columns
FK_ERPx_MFException_ERPx_MFDataEntityCompany	DataEntityCompanySK->[dbo].[ERPx_MFDataEntityCompany].[DataEntityCompanySK]
FK_ERPx_MFException_ERPx_MFExceptionGroup	ExceptionGroupSK->[dbo].[ERPx_MFExceptionGroup].[ExceptionGroupSK]
FK_ERPx_MFException_ERPx_MFModule	ModuleSK->[dbo].[ERPx_MFModule].[ModuleSK]

Uses




[dbo].[ERPx_MFDataEntityCompany]
 [dbo].[ERPx_MFExceptionGroup]
 [dbo].[ERPx_MFModule]

Used By

[dbo].[ERPx_MFExceptionDetail]
 [dbo].[IQx_MFSEL_ExceptionInquiry]
 [dbo].[SPx_MFSYS_InstallSystemException]

 **[dbo].[ERPx_MFExceptionDetail]**

Columns

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity	Default
	ExceptionDetailSK	bigint	8	NOT NULL	1 - 1	
	ExceptionSK	bigint	8	NOT NULL		
	SourceSK	bigint	8	NOT NULL		
	SourceIDName	varchar(500)	500	NOT NULL		
	SourceExtraInfo	varchar(500)	500	NULL allowed		
	PageURL	varchar(500)	500	NULL allowed		
	IsClosed	bit	1	NOT NULL		((0))
	Comment	varchar(1000)	1000	NULL allowed		
	LastUpdated	datetime	8	NOT NULL		
	LastUser	varchar(150)	150	NOT NULL		
	DataEntityCompanySK	bigint	8	NOT NULL		

Indexes

Key	Name	Key Columns	Unique
	PK_ERPx_MFExceptionDetail	ExceptionDetailSK	True

Foreign Keys

Name	Columns
FK_ERPx_MFExceptionDetail_ERPx_MFDataEntity-Company	DataEntityCompanySK->[dbo].[ERPx_MFDataEntityCompany].[DataEntity-CompanySK]
FK_ERPx_MFExceptionDetail_ERPx_MFException	ExceptionSK->[dbo].[ERPx_MFException].[ExceptionSK]

Uses


[dbo].[ERPx_MFDataEntityCompany]
 [dbo].[ERPx_MFException]

Used By

[dbo].[IQx_MFSEL_ExceptionInquiry]
 [dbo].[IQx_MFUpdate_ExceptionInquiry]
 [dbo].[SPx_MFSYS_InstallSystemException]

 [dbo].[ERPx_MFExceptionGroup]

Columns

Key	Name	Data Type	Max Length (Bytes)	Nullability	Default
	ExceptionGroupSK	bigint	8	NOT NULL	
	GroupName	varchar(150)	150	NOT NULL	
	GroupDescription	varchar(1000)	1000	NULL allowed	
	Sort	bigint	8	NOT NULL	
	IsEditable	bit	1	NOT NULL	((0))

Indexes


Key	Name	Key Columns	Unique
	PK_ERPx_MFExceptionGroup	ExceptionGroupSK	True

Used By


[dbo].[ERPx_MFException]
 [dbo].[IQx_MFSEL_ExceptionInquiry]
 [dbo].[SPx_MFSYS_InstallSystemException]

 [dbo].[ERPx_MFExportFile]

Columns

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity	Default
	ExportFileSK	bigint	8	NOT NULL	1 - 1	
	FileName	varchar(75)	75	NOT NULL		
	FileExtension	varchar(15)	15	NOT NULL		
	Contents	varbinary(max)	max	NOT NULL		
	ContentType	varchar(75)	75	NOT NULL		
	CreatedDateTime	datetime	8	NOT NULL		(getdate())
	CreatedBy	varchar(150)	150	NOT NULL		
	DataEntityCompanySK	bigint	8	NOT NULL		

Indexes





Key	Name	Key Columns	Unique
	PK_ERPx_MFExportFile	ExportFileSK	True

Used By


[dbo].[SPx_MFSEL_ExportFile]
 [dbo].[SPx_MFUpdate_ExportFile]

 [dbo].[ERPx_MFFiscalPeriod]

Columns

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity	Default
	FiscalPeriodSK	bigint	8	NOT NULL	1 - 1	
	FiscalYearSK	bigint	8	NOT NULL		
	PeriodID	varchar(50)	50	NOT NULL		
	PeriodName	varchar(150)	150	NOT NULL		
	PeriodStartDate	date	3	NULL allowed		
	PeriodEndDate	date	3	NULL allowed		
	FinancialClosed	bit	1	NOT NULL		((0))
	SalesClosed	bit	1	NOT NULL		((0))
	PurchasingClosed	bit	1	NOT NULL		((0))
	InventoryClosed	bit	1	NOT NULL		((0))
	PayrollClosed	bit	1	NOT NULL		((0))
	DataEntityCompanySK	bigint	8	NOT NULL		
	LastUpdated	datetime	8	NULL allowed		
	LastUser	varchar(150)	150	NULL allowed		

Indexes

Key	Name	Key Columns	Unique
	PK_ERPx_MFFiscalTable	FiscalPeriodSK	True
	IX_ERPx_MFFiscalPeriod	FiscalYearSK, PeriodID, DataEntityCompanySK	True

Foreign Keys

Name	Columns
FK_ERPx_MFFiscalTable_ERPx_MFDataEntity-Company	DataEntityCompanySK->[dbo].[ERPx_MFDataEntityCompany].[DataEntityCompanySK]
FK_ERPx_MFFiscalTable_ERPx_MFFiscalYear	FiscalYearSK->[dbo].[ERPx_MFFiscalYear].[FiscalYearSK]

Uses




[dbo].[ERPx_MFDataEntityCompany]
 [dbo].[ERPx_MFFiscalYear]

Used By


[dbo].[ERPx_GLAccountPeriodSummary]
[dbo].[FNx_CheckFiscalPeriod]
[dbo].[FNx_ConvertGLPeriodYearToDateRange]
[dbo].[IQx_APSEL_Activity]
[dbo].[IQx_APSEL_AdjustmentLineList]
[dbo].[IQx_APSEL_BalanceTransferLineList]
[dbo].[IQx_APSEL_FishermanSaleList]
[dbo].[IQx_APSEL_InvoiceLineList]
[dbo].[IQx_APSEL_InvoiceList]
[dbo].[IQx_APSEL_PaymentReceiptHistoryInquiry]
[dbo].[IQx_APSEL_SaleLineList]
[dbo].[IQx_APSEL_TicketLinelist]
[dbo].[IQx_APSEL_TicketList]
[dbo].[IQx_APSEL_TicketStatAreaLinelist]
[dbo].[IQx_APSEL_VendorTransactionHistory]
[dbo].[IQx_APSEL_VendorTransactionHistory_PeriodLookup]
[dbo].[IQx_ARSEL_CustomerHistory]
[dbo].[IQx_ARSEL_CustomerHistory_PeriodLookup]
[dbo].[IQx_ARSEL_PaymentReceiptHistoryInquiry]
[dbo].[IQx_ARSEL_SaleInvoiceLineList]
[dbo].[IQx_ARSEL_SaleInvoiceList]
[dbo].[IQx_Billing]
[dbo].[IQx_CheckRegister]
[dbo].[IQx_GLSEL_AccountBalanceSummaryList]
[dbo].[IQx_GLSEL_CheckbookTransactionInquiry]
[dbo].[IQx_GLSEL_JournalLineList]
[dbo].[IQx_GLSEL_JournalList]
[dbo].[IQx_ProjectTransaction]
[dbo].[IQx_SOSEL_ItemHistory]
[dbo].[IQx_SOSEL_ShipmentHistory]
[dbo].[SPx_APPProcess_Transaction]
[dbo].[SPx_APSEL_ApplyFishingDocumentList]
[dbo].[SPx_APSEL_ApplyPayableDocumentList]
[dbo].[SPx_APSEL_FishermanSaleLineList]
[dbo].[SPx_APSEL_FishermanSaleList]
[dbo].[SPx_APSEL_InvoiceLineList]
[dbo].[SPx_APSEL_InvoiceList]
[dbo].[SPx_APSEL_TicketLinelist]
[dbo].[SPx_APSEL_TicketList]
[dbo].[SPx_APSEL_TransactionList]
[dbo].[SPx_ARSEL_ApplyDocumentList]
[dbo].[SPx_ARSEL_PaymentReceiptList]
[dbo].[SPx_ARSEL_SaleInvoiceLineList]
[dbo].[SPx_ARSEL_SaleInvoiceList]
[dbo].[SPx_CPSEL_GetTicketHeaders]
[dbo].[SPx_GLSEL_FiscalPeriodIDLookup]
[dbo].[SPx_GLSEL_FiscalYearList]
[dbo].[SPx_GLSEL_FiscalYearPeriod]
[dbo].[SPx_GLSEL_GetAccountBalance]
[dbo].[SPx_GLSEL_JournalDetailHeader]
[dbo].[SPx_GLSEL_JournalLineList]

[dbo].[SPx_GLSEL_JournalList]
[dbo].[SPx_GLSEL_MoreActionsJournalList]
[dbo].[SPx_GLUpdate_AccountList]
[dbo].[SPx_GLUpdate_AccountPeriodSummary]
[dbo].[SPx_GLUpdate_AccountPeriodSummaryRollup]
[dbo].[SPx_GLUpdate_FiscalYear]
[dbo].[SPx_GLUpdate_FiscalYearClose]
[dbo].[SPx_GLUpdate_FiscalYearList]
[dbo].[SPx_IMPProcess_PostLotCosts]
[dbo].[SPx_IMPProcess_UpdateLotCostsFromPO]
[dbo].[SPx_MFDEL_DeleteCompany]
[dbo].[SPx_MFSEL_ApplyDocumentRecordList]
[dbo].[SPx_MFSEL_CashReceiptARList]
[dbo].[SPx_MFSEL_DistinctFiscalPeriodLookup]
[dbo].[SPx_MFSEL_FAApplyDocumentRecordList]
[dbo].[SPx_MFUpdate_AccountPeriodSummarySync]
[dbo].[SPx_MFUpdate_MassUpdate]
[dbo].[SPx_SOSEL_ShipmentList]
[dbo].[SPx_SOSEL_TransactionItemList]
[dbo].[SPx_SPSEL_ProcessSettlementsList]

[dbo].[ERPx_MFFiscalYear]**Columns**

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity	Default
	FiscalYearSK	bigint	8	NOT NULL	1 - 1	
	FiscalYear	varchar(10)	10	NOT NULL		
	FiscalYearStartDate	date	3	NOT NULL		
	FiscalYearEndDate	date	3	NOT NULL		
	NumberOfPeriods	bigint	8	NOT NULL		
	FiscalYearPostingTypeEN	bigint	8	NOT NULL		((1))
	DataEntityCompanySK	bigint	8	NOT NULL		
	LastUpdated	datetime	8	NULL allowed		
	LastUser	varchar(150)	150	NULL allowed		
	ValidatedForYearEndClose	bit	1	NOT NULL		((0))
	RetainedEarningsGLAcctForYearEndClose	bigint	8	NULL allowed		

Indexes

Key	Name	Key Columns	Unique
	PK_ERPx_MFFiscalYear	FiscalYearSK	True
	IX_ERPx_MFFiscalYear	FiscalYear, DataEntityCompanySK	True

Foreign Keys

Name	Columns
FK_ERPx_MFFiscalYear_ERPx_MFDataEntity-Company	DataEntityCompanySK->[dbo].[ERPx_MFDataEntityCompany].[DataEntity-CompanySK]

Uses

[dbo].[ERPx_MFDataEntityCompany]



Used By

[dbo].[ERPx_MFFiscalPeriod]
 [dbo].[FNx_CheckFiscalPeriod]
 [dbo].[FNx_ConvertGLPeriodYearToDateRange]
 [dbo].[IQx_APSEL_Activity]
 [dbo].[IQx_APSEL_AdjustmentLineList]
 [dbo].[IQx_APSEL_BalanceTransferLineList]


[dbo].[IQx_APSEL_FishermanSaleList]
[dbo].[IQx_APSEL_InvoiceLineList]
[dbo].[IQx_APSEL_InvoiceList]
[dbo].[IQx_APSEL_PaymentReceiptHistoryInquiry]
[dbo].[IQx_APSEL_SaleLineList]
[dbo].[IQx_APSEL_TicketLinelist]
[dbo].[IQx_APSEL_TicketList]
[dbo].[IQx_APSEL_TicketStatAreaLinelist]
[dbo].[IQx_APSEL_VendorTransactionHistory]
[dbo].[IQx_ARSEL_CustomerHistory]
[dbo].[IQx_ARSEL_PaymentReceiptHistoryInquiry]
[dbo].[IQx_ARSEL_SaleInvoiceLineList]
[dbo].[IQx_ARSEL_SaleInvoiceList]
[dbo].[IQx_Billing]
[dbo].[IQx_CheckRegister]
[dbo].[IQx_GLSEL_AccountBalances]
[dbo].[IQx_GLSEL_AccountBalanceSummaryList]
[dbo].[IQx_GLSEL_BalanceSummary_FiscalYearLookup]
[dbo].[IQx_GLSEL_CheckbookTransactionInquiry]
[dbo].[IQx_GLSEL_JournalLine_FiscalYearLookup]
[dbo].[IQx_GLSEL_JournalLineList]
[dbo].[IQx_GLSEL_JournalList]
[dbo].[IQx_ProjectTransaction]
[dbo].[IQx_SOSEL_ItemHistory]
[dbo].[IQx_SOSEL_ShipmentHistory]
[dbo].[SPx_APSEL_ApplyFishingDocumentList]
[dbo].[SPx_APSEL_ApplyPayableDocumentList]
[dbo].[SPx_APSEL_FishermanSaleLineList]
[dbo].[SPx_APSEL_FishermanSaleList]
[dbo].[SPx_APSEL_InvoiceLineList]
[dbo].[SPx_APSEL_InvoiceList]
[dbo].[SPx_APSEL_TicketLinelist]
[dbo].[SPx_APSEL_TicketList]
[dbo].[SPx_APSEL_TransactionList]
[dbo].[SPx_ARSEL_ApplyDocumentList]
[dbo].[SPx_ARSEL_PaymentReceiptList]
[dbo].[SPx_ARSEL_SaleInvoiceLineList]
[dbo].[SPx_ARSEL_SaleInvoiceList]
[dbo].[SPx_CPSEL_GetTicketHeaders]
[dbo].[SPx_GLSEL_AccountBalanceSummaryHeader]
[dbo].[SPx_GLSEL_AccountBalanceSummaryYearLookup]
[dbo].[SPx_GLSEL_FiscalPeriodIDLookup]
[dbo].[SPx_GLSEL_FiscalYearHeader]
[dbo].[SPx_GLSEL_FiscalYearList]
[dbo].[SPx_GLSEL_FiscalYearPeriod]
[dbo].[SPx_GLSEL_GetAccountBalance]
[dbo].[SPx_GLSEL_JournalDetailHeader]
[dbo].[SPx_GLSEL_JournalLineList]
[dbo].[SPx_GLSEL_JournalList]
[dbo].[SPx_GLSEL_MoreActionsJournalList]
[dbo].[SPx_GLSEL_YearEndClose]
[dbo].[SPx_GLUpdate_AccountList]
[dbo].[SPx_GLUpdate_AccountPeriodSummaryRollup]

[dbo].[SPx_GLUUpdate_FiscalYear]
[dbo].[SPx_GLUUpdate_FiscalYearClose]
[dbo].[SPx_GLUUpdate_FiscalYearList]
[dbo].[SPx_GLUUpdate_YearEndClose]
[dbo].[SPx_INTEG_GPGLFiscalPeriod]
[dbo].[SPx_MFDEL_DeleteCompany]
[dbo].[SPx_MFSEL_ApplyDocumentRecordList]
[dbo].[SPx_MFSEL_CashReceiptARList]
[dbo].[SPx_MFSEL_FAApplyDocumentRecordList]
[dbo].[SPx_SOSEL_ShipmentList]
[dbo].[SPx_SOSEL_TransactionItemList]
[dbo].[SPx_SPSEL_ProcessSettlementsList]

[dbo].[ERPx_MFFunctionalArea]**Columns**

Key	Name	Data Type	Max Length (Bytes)	Nullability
	FunctionalAreaSK	bigint	8	NOT NULL
	FunctionalAreaName	varchar(100)	100	NOT NULL
	Sort	bigint	8	NOT NULL
	FunctionalAreaID	varchar(25)	25	NOT NULL

Indexes





Key	Name	Key Columns	Unique
	PK_ERPx_MFFunctionalArea	FunctionalAreaSK	True
	UK_ERPx_MFFunctionalArea	FunctionalAreaName	True

Used By

[dbo].[ERPx_APPoHeader]
 [dbo].[ERPx_MFModuleForm]
 [dbo].[ERPx_MFSysPreferences]
 [dbo].[ERPx_RSReportFunctionalArea]
 [dbo].[SPx_MFSEL_ContactTypeReportMappingReports]
 [dbo].[SPx_MFSEL_DataEntityMap]
 [dbo].[SPx_MFSEL_FunctionalArea]
 [dbo].[SPx_MFSEL_FunctionalAreaForms_WithSecurity]
 [dbo].[SPx_MFSEL_FunctionalAreaFormUserAuditList]
 [dbo].[SPx_MFSEL_LicensedFunctionalAreasAndFormsByUser]
 [dbo].[SPx_MFSEL_ListViews]
 [dbo].[SPx_MFSEL_MenuSearch]
 [dbo].[SPx_MFSEL_ModuleForm_ByNavigateUrl]
 [dbo].[SPx_MFSEL_ModuleFormPage]
 [dbo].[SPx_MFSEL_RecordViews]
 [dbo].[SPx_MFSEL_SecurityGroupDetails]
 [dbo].[SPx_MFSEL_SecurityGroupFormLookup]
 [dbo].[SPx_MFSEL_UserCompanyAccess]
 [dbo].[SPx_RSSEL_Inquiry]
 [dbo].[SPx_RSSEL_ManageReports_ReportModuleForms]
 [dbo].[SPx_RSSEL_Report]
 [dbo].[SPx_RSSEL_ReportFormLookup]
 [dbo].[SPx_RSSEL_ReportModuleForms]
 [dbo].[SPx_RSSEL_ReportSubscription]

 [dbo].[ERPx_MFHoldAvailableControl]

Columns

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity	Default
	HoldControlSK	bigint	8	NOT NULL	1 - 1	
	ModuleSK	bigint	8	NOT NULL		
	TransactionTypeSK	bigint	8	NOT NULL		
	ControlRegion	varchar(200)	200	NOT NULL		
	ControlName	varchar(200)	200	NOT NULL		
	ControlDisplay	varchar(200)	200	NOT NULL		
	IsDisabled	bit	1	NOT NULL		((1))
	IsSystemHoldControl	bit	1	NOT NULL		((0))

Indexes

Key	Name	Key Columns	Unique
	PK_ERPx_MFHoldAvailableControl	HoldControlSK	True
	UK_ERPx_MFHoldAvailableControl	ModuleSK, TransactionTypeSK, ControlName	True

Foreign Keys

Name	Columns
FK_ERPx_MFHoldAvailableControl_ERPx_MFModule	ModuleSK->[dbo].[ERPx_MFModule].[ModuleSK]

Uses






[dbo].[ERPx_MFModule]

Used By


[dbo].[ERPx_MFHoldCodeControl]
 [dbo].[SPx_CPPProcess_Ticket]
 [dbo].[SPx_CPSEL_TicketHeader]
 [dbo].[SPx_MFSEL_HoldCodeRecordControls]
 [dbo].[SPx_MFUpdate_HoldCode]
 [dbo].[SPx_SOPProcess_Transaction_Validations]
 [dbo].[SPx_SOSEL_TransactionHeaderHome]

 **[dbo].[ERPx_MFHoldCode]**

Columns

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity	Default
	HoldCodeSK	bigint	8	NOT NULL	1 - 1	
	HoldCode	varchar(20)	20	NOT NULL		
	LastUpdated	datetime	8	NULL allowed		
	LastUser	varchar(110)	110	NULL allowed		
 (2)	DataEntityCompanySK	bigint	8	NOT NULL		
	Inactive	bit	1	NOT NULL		((0))
	ModuleSK	bigint	8	NOT NULL		
	TransactionTypeSK	bigint	8	NOT NULL		

Indexes

Key	Name	Key Columns	Unique
	PK_ERPx_MFHoldCode	HoldCodeSK	True
	IX_ERPx_MFHoldCode	HoldCodeSK, DataEntityCompanySK	True
	IX_ERPx_MFHoldCodeModule	DataEntityCompanySK, HoldCode, ModuleSK, TransactionTypeSK	True

Foreign Keys

Name	Columns
FK_ERPx_MFHoldCode_ERPx_MFDataEntity-Company	DataEntityCompanySK->[dbo].[ERPx_MFDataEntityCompany].[DataEntityCompanySK]
FK_ERPx_MFHoldCode_ERPx_MFModule	ModuleSK->[dbo].[ERPx_MFModule].[ModuleSK]

Uses






[dbo].[ERPx_MFDataEntityCompany]
[dbo].[ERPx_MFModule]

Used By

[dbo].[ERPx_CPTicketHeaderHold]
[dbo].[ERPx_IMItem]
[dbo].[ERPx_IMLotBalanceHold]
[dbo].[ERPx_MFHoldCodeControl]
[dbo].[ERPx_MFHoldCodeOverrideUser]
[dbo].[ERPx_SOOrderHeaderHold]

[dbo].[FNx_GetCPTicketHoldCodeSK]
[dbo].[FNx_GetSalesTransactionHoldCodeSK]
[dbo].[SPx_CPSEL_GetTicketHeaders]
[dbo].[SPx_CPSEL_HoldCodeLookup]
[dbo].[SPx_IMProcess_ProductionTransaction]
[dbo].[SPx_IMProcess_TransferTransaction]
[dbo].[SPx_IMSEL_FindLotDetails]
[dbo].[SPx_IMSEL_Item]
[dbo].[SPx_IMSEL_ItemBalance]
[dbo].[SPx_IMSEL_ItemClassProperties]
[dbo].[SPx_IMSEL_ItemPropertiesAdvanced]
[dbo].[SPx_IMSEL_LotBalance]
[dbo].[SPx_MFDEL_DeleteCompany]
[dbo].[SPx_MFExport_IMItems]
[dbo].[SPx_MFSEL_AllocateDetails]
[dbo].[SPx_MFSEL_HoldCodeList]
[dbo].[SPx_MFSEL_HoldCodeRecord]
[dbo].[SPx_MFSEL_HoldCodeRecordControls]
[dbo].[SPx_MFSEL_SOPreferences]
[dbo].[SPx_MFUpdate_HoldCode]
[dbo].[SPx_MFUpdate_HoldCodes]
[dbo].[SPx_MFUpdate_MassUpdate]
[dbo].[SPx_SOPProcess_Transaction_Validations]
[dbo].[SPx_SOSEL_FindLotDetails]
[dbo].[SPx_SOSEL_HoldCodeLookup]
[dbo].[VWx_IMItemProperties]

[dbo].[ERPx_MFHoldCodeControl]**Columns**

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity
 	HoldCodeControlSK	bigint	8	NOT NULL	1 - 1
	HoldCodeSK	bigint	8	NOT NULL	
	HoldControlSK	bigint	8	NOT NULL	
	IsDisabled	bit	1	NOT NULL	
	LastUpdated	datetime	8	NOT NULL	
	LastUser	varchar(150)	150	NOT NULL	
	DataEntityCompanySK	bigint	8	NOT NULL	

Indexes

Key	Name	Key Columns	Unique
 	PK_ERPx_MFHoldCodeControl	HoldCodeControlSK	True
	UK_ERPx_MFHoldCodeControl	HoldCodeSK, HoldControlSK, DataEntityCompanySK	True

Foreign Keys

Name	Columns
FK_ERPx_MFHoldCodeControl_ERPx_MFData-EntityCompany	DataEntityCompanySK->[dbo].[ERPx_MFDataEntityCompany].[Data-EntityCompanySK]
FK_ERPx_MFHoldCodeControl_ERPx_MFHold-AvailableControl	HoldControlSK->[dbo].[ERPx_MFHoldAvailableControl].[HoldControlSK]
FK_ERPx_MFHoldCodeControl_ERPx_MFHoldCode	HoldCodeSK->[dbo].[ERPx_MFHoldCode].[HoldCodeSK]

Uses




[dbo].[ERPx_MFDataEntityCompany]
 [dbo].[ERPx_MFHoldAvailableControl]
 [dbo].[ERPx_MFHoldCode]

Used By


[dbo].[SPx_CPPProcess_Ticket]
 [dbo].[SPx_CPSEL_TicketHeader]
 [dbo].[SPx_MFSEL_HoldCodeRecordControls]
 [dbo].[SPx_MFUpdate_HoldCode]
 [dbo].[SPx_MFUpdate_HoldCodes]
 [dbo].[SPx_SOPProcess_Transaction_Validations]

[dbo].[SPx_SOSEL_TransactionHeaderHome]

[dbo].[ERPx_MFHoldCodeOverrideUser]**Columns**

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity	Default
	HoldCodeOverrideUserSK	bigint	8	NOT NULL	1 - 1	
	HoldCodeSK	bigint	8	NOT NULL		
	UserSK	bigint	8	NOT NULL		
	CreatedBy	varchar(110)	110	NOT NULL		
	CreatedDate	datetime	8	NOT NULL		(getdate())

Indexes

Key	Name	Key Columns	Unique
	PK_ERPx_MFHoldCodeOverrideUser	HoldCodeOverrideUserSK	True
	UK_ERPx_MFHoldCodeOverrideUser_HoldCodeSK_UserSK	HoldCodeSK, UserSK	True

Foreign Keys

Name	Columns
FK_ERPx_MFHoldCodeOverrideUser_ERPx_MFHoldCode	HoldCodeSK->[dbo].[ERPx_MFHoldCode].[HoldCodeSK]
FK_ERPx_MFHoldCodeOverrideUser_ERPx_MFUser	UserSK->[dbo].[ERPx_MFUser].[UserSk]

Uses

[dbo].[ERPx_MFHoldCode]


[dbo].[ERPx_MFUser]

Used By


[dbo].[SPx_IMProcess_AdjustmentTransaction]
 [dbo].[SPx_IMProcess_ProductionTransaction]
 [dbo].[SPx_IMProcess_ReceiptTransaction]
 [dbo].[SPx_IMProcess_TransferTransaction]
 [dbo].[SPx_IMSEL_FindLotDetails]
 [dbo].[SPx_MFSEL_AllocateDetails]
 [dbo].[SPx_MFSEL_HoldCodeAllowedToOverride]
 [dbo].[SPx_MFUpdate_Allocate]
 [dbo].[SPx_MFUpdate_HoldCode]
 [dbo].[SPx_MFUpdate_HoldCodes]
 [dbo].[SPx_SOPProcess_Transaction_Validations]

 **[dbo].[ERPx_MFImport]**

Columns

Key	Name	Data Type	Max Length (Bytes)	Nullability
	ImportSK	bigint	8	NOT NULL
	ImportName	varchar(100)	100	NOT NULL
	ExportProcedure	varchar(max)	max	NULL allowed

Indexes



Key	Name	Key Columns	Unique
	PK_ERPx_MFImport	ImportSK	True

Used By


[dbo].[ERPx_MFImportColumn]
 [dbo].[ERPx_MFImportTemplateOwnership]
 [dbo].[SPx_MFSEL_ImportList]

 [dbo].[ERPx_MFImportColumn]

Columns

Key	Name	Data Type	Max Length (Bytes)	Nullability	Default
	ImportSK	bigint	8	NOT NULL	
	ColumnName	varchar(100)	100	NOT NULL	
	Sort	int	4	NOT NULL	
	ColumnFlags	int	4	NOT NULL	((0))
	DefaultValue	varchar(255)	255	NULL allowed	
	LookupQuery	varchar(max)	max	NULL allowed	
	LookupKeyName	varchar(50)	50	NULL allowed	
	LookupValueName	varchar(50)	50	NULL allowed	

Indexes

Key	Name	Key Columns	Unique
	PK_ERPx_MFImportColumn	ImportSK, ColumnName	True

Foreign Keys

Name	Columns
FK_ERPx_MFImportColumn_ImportTemplateSK	ImportSK->[dbo].[ERPx_MFImport].[ImportSK]

Uses


[dbo].[ERPx_MFImport]

Used By

[dbo].[SPx_IMProcess_TransactionClass]
 [dbo].[SPx_MFSEL_ImportColumns]
 [dbo].[SPx_MFSEL_TemplateColumns]

 [dbo].[ERPx_MFImportTemplate]

Columns

Key	Name	Data Type	Max Length (Bytes)	Nullability
	ImportTemplateSK	bigint	8	NOT NULL
	TemplateName	varchar(100)	100	NOT NULL
	TemplateIntegrationStatement	varchar(255)	255	NOT NULL
	SingularTemplate	varchar(max)	max	NULL allowed
	RepeatableTemplate	varchar(max)	max	NULL allowed
	AttributeTemplate	varchar(max)	max	NULL allowed
	WrapperTemplate	varchar(max)	max	NULL allowed

Indexes






Key	Name	Key Columns	Unique
	PK_ERPx_MFImportTemplate	ImportTemplateSK	True

Used By


[dbo].[ERPx_MFImportTemplateOwnership]
 [dbo].[SPx_MFSEL_ImportOptionsList]
 [dbo].[SPx_MFSEL_ImportTemplates]

 **[dbo].[ERPx_MFImportTemplateOwnership]**

Columns

Key	Name	Data Type	Max Length (Bytes)	Nullability
 	ImportSK	bigint	8	NOT NULL
 	ImportTemplateSK	bigint	8	NOT NULL
	TemplateSequence	int	4	NOT NULL

Indexes

Key	Name	Key Columns	Unique
	PK_ERPx_MFImportTemplateOwnership	ImportSK, ImportTemplateSK, TemplateSequence	True

Foreign Keys

Name	Columns
FK_ERPx_MFImportTemplateOwnership_ImportSK	ImportSK->[dbo].[ERPx_MFImport].[ImportSK]
FK_ERPx_MFImportTemplateOwnership_Import-TemplateSK	ImportTemplateSK->[dbo].[ERPx_MFImportTemplate].[Import-TemplateSK]

Uses


[dbo].[ERPx_MFImport]
 [dbo].[ERPx_MFImportTemplate]

Used By

[dbo].[SPx_MFSEL_ImportOptionsList]
 [dbo].[SPx_MFSEL_ImportTemplates]

 [dbo].[ERPx_MFLoadScript]

Columns

Key	Name	Data Type	Max Length (Bytes)	Nullability	Default
	LoadScriptSK	bigint	8	NOT NULL	
	ScriptName	varchar(50)	50	NOT NULL	
	Script	varchar(max)	max	NOT NULL	
	SubjectToDataEntityCompanySKCSV	varchar(50)	50	NULL allowed	
	IsCustomScript	bit	1	NOT NULL	((0))
	IsEnabled	bit	1	NOT NULL	((1))
	RunExplicitOnly	bit	1	NOT NULL	((0))

Indexes





Key	Name	Key Columns	Unique
	PK_ERPx_MFLoadScript	LoadScriptSK	True

Used By


[dbo].[SPx_MF_RunLoadScripts]

 [dbo].[ERPx_MFMassUpdateSettings]

Columns

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity	Default
	MassUpdateSettingSK	bigint	8	NOT NULL	1 - 1	
	ControlSK	bigint	8	NOT NULL		
	FieldID	varchar(50)	50	NOT NULL		
	Description	varchar(100)	100	NOT NULL		
	FieldUpdateSP	varchar(50)	50	NOT NULL		
	UpdateSPPKParameter	varchar(50)	50	NOT NULL		
	UpdateSPPParameter	varchar(50)	50	NOT NULL		
	Data Type	varchar(25)	25	NOT NULL		
	ControlType	varchar(25)	25	NOT NULL		
	LookupQuery	varchar(1000)	1000	NULL allowed		
	LookupBoundColumn	varchar(25)	25	NULL allowed		
	LookupDisplayColumn	varchar(25)	25	NULL allowed		
	MassUpdateGroup	varchar(50)	50	NOT NULL		
	DataEntityCompanySK	bigint	8	NOT NULL		
	DecimalDigits	int	4	NULL allowed		
	Sort	bigint	8	NOT NULL		((0))

Indexes

Key	Name	Key Columns	Unique
	PK_ERPx_MFMassUpdateSettings	MassUpdateSettingSK	True
	IX_ERPx_MFMassUpdateSettings	ControlSK, FieldID, DataEntityCompanySK	True

Foreign Keys

Name	Columns
FK_ERPx_MFMassUpdateSettings_ERPx_MFModuleFormControl	ControlSK->[dbo].[ERPx_MFModuleFormControl].[ControlSK]

Uses


[dbo].[ERPx_MFModuleFormControl]

Used By

[dbo].[SPx_MFDEL_DeleteCompany]

[dbo].[SPx_MFSEL_MassUpdate]

[dbo].[ERPx_MFMessageQueue]**Columns**

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity	Default
	MessageSK	bigint	8	NOT NULL	1 - 1	
	ToUserSK	bigint	8	NULL allowed		
	ToUserGroupSK	bigint	8	NULL allowed		
	Subject	varchar(max)	max	NULL allowed		
	Body	varchar(max)	max	NULL allowed		
	MessageDate	datetime	8	NULL allowed		
	MessageDisplayedDateTime	datetime	8	NULL allowed		
	IsUnread	bit	1	NOT NULL		((1))
	IsIgnored	bit	1	NOT NULL		((0))
	EmailSent	bit	1	NOT NULL		((0))
	MessagePriority	smallint	2	NOT NULL		((0))
	RelatedFormSK	bigint	8	NULL allowed		
	DataEntityCompanySK	bigint	8	NOT NULL		
	IsRead	bit	1	NOT NULL		((0))

Indexes




Key	Name	Key Columns	Unique
	PK_ERPx_MFMessageQueue	MessageSK	True

Used By


[dbo].[SPx_APPProcess_AdjustmentTransaction]
 [dbo].[SPx_APPProcess_Vendor]
 [dbo].[SPx_APUUpdate_BuildCheck]
 [dbo].[SPx_APUUpdate_BuildFishermanSettlement]
 [dbo].[SPx_APUUpdate_ProcessInterestCharges]
 [dbo].[SPx_APUUpdate_ProcessInterestPayments]
 [dbo].[SPx_ARProcess_Customer]
 [dbo].[SPx_ARProcess_PaymentReceipt]
 [dbo].[SPx_GLUUpdate_YearEndClose]
 [dbo].[SPx_IMProcess_AdjustmentTransaction]
 [dbo].[SPx_IMProcess_ProductionOrder]
 [dbo].[SPx_IMProcess_ProductionTransaction]
 [dbo].[SPx_IMProcess_Receipt_POLookup]
 [dbo].[SPx_IMProcess_ReceiptTransaction]
 [dbo].[SPx_IMProcess_TransferTransaction]

[dbo].[SPx_MFDEL_DeleteCompany]
[dbo].[SPx_MFDEL_MessageQueueMessage]
[dbo].[SPx_MFINS_MessageQueue]
[dbo].[SPx_MFSEL_MessageQueue]
[dbo].[SPx_MFSEL_MessageQueueCount]
[dbo].[SPx_MFUPD_MessageQueueInsertToEmailQueue]
[dbo].[SPx_MFUPD_MessageQueueMarkAsIgnored]
[dbo].[SPx_MFUPD_MessageQueueMarkAsRead]
[dbo].[SPx_MFUpdate_Company]
[dbo].[SPx_MFUpdate_IntegrationSetupList]
[dbo].[SPx_MFUpdate_MassUpdate]
[dbo].[SPx_MFUpdate_Site_AddDefaultWarehouseLot]
[dbo].[SPx_SOPProcess_Transaction_OrderHold]
[dbo].[SPx_SOUUpdate_Carrier]
[dbo].[SPx_SOUUpdate_TransactionDetailAutoAllocate]
[dbo].[SPx_SOUUpdate_TransactionShipTo]

[dbo].[ERPx_MFModule]**Columns**

Key	Name	Data Type	Max Length (Bytes)	Nullability	Default
	ModuleSK	bigint	8	NOT NULL	
	ModuleID	varchar(12)	12	NOT NULL	
	ModuleDescription	varchar(50)	50	NOT NULL	
	IsSubjectToSecurity	bit	1	NOT NULL	((0))
	IconUrl	varchar(255)	255	NULL allowed	
	NavigateUrl	varchar(255)	255	NULL allowed	
	Sort	bigint	8	NOT NULL	((0))

Indexes

Key	Name	Key Columns	Unique
	PK_ERPx_MFModule	ModuleSK	True
	UK_ERPx_MFModule_1	ModuleID	True
	UK_ERPx_MFModule_2	ModuleDescription	True

Used By

[dbo].[ERPx_APSettlementTransaction]
 [dbo].[ERPx_ARSettlementTransaction]
 [dbo].[ERPx_GLProjectModule]
 [dbo].[ERPx_IMLotBalance]
 [dbo].[ERPx_IMLotCostHistory]
 [dbo].[ERPx_MFException]
 [dbo].[ERPx_MFHoldAvailableControl]
 [dbo].[ERPx_MFHoldCode]
 [dbo].[ERPx_MFModuleTransaction]
 [dbo].[ERPx_MFPriceListHeader]
 [dbo].[ERPx_MFSysAccountingRule]
 [dbo].[ERPx_MFSysListView]
 [dbo].[ERPx_MFSysPreferences]
 [dbo].[ERPx_MFSysUserPreferences]
 [dbo].[ERPx_MFTransactionTypeListView]
 [dbo].[ERPx_WKWorkflowGroup]
 [dbo].[IQx_LMSEL_LoadList]
 [dbo].[IQx_ProjectTransaction]
 [dbo].[IQx_SettlementTransactionInquiry]
 [dbo].[SPx_APINS_SettlementTransaction]
 [dbo].[SPx_GLSEL_JournalDetailHeader]

[dbo].[SPx_GLSEL_JournalHeader]
[dbo].[SPx_GLSEL_MoreActionsJournalList]
[dbo].[SPx_GLSEL_ProjectProperties]
[dbo].[SPx_GLUpdate_Project]
[dbo].[SPx_INTEG_BWLMHeader]
[dbo].[SPx_INTEG_GPGLJournal]
[dbo].[SPx_LMINS_NewLoad]
[dbo].[SPx_LMSEL_LoadList]
[dbo].[SPx_LMUPD_MoveSOOrder]
[dbo].[SPx_LoadManager]
[dbo].[SPx_MFDEL_DeleteCompany]
[dbo].[SPx_MFSEL_ContactTypeReportMappingWorkflows]
[dbo].[SPx_MFSEL_DataEntityMap]
[dbo].[SPx_MFSEL_FunctionalAreaForms_WithSecurity]
[dbo].[SPx_MFSEL_MenuSearch]
[dbo].[SPx_MFSEL_Module]
[dbo].[SPx_MFSEL_Module_SecurityGroup]
[dbo].[SPx_MFSEL_ModuleForm_ByNavigateUrl]
[dbo].[SPx_MFSEL_ModuleForm_WithSecurity]
[dbo].[SPx_MFSEL_NoteTypeList]
[dbo].[SPx_MFSEL_ReasonCodeList]
[dbo].[SPx_MFSEL_SecurityGroupDetails]
[dbo].[SPx_MFSEL_SysUserPreferences]
[dbo].[SPx_MFSEL_Users]
[dbo].[SPx_RSSEL_ReportModule]
[dbo].[SPx_SOINS_AddOrderHeader]
[dbo].[SPx_SOSEL_OrderHeader]
[dbo].[SPx_SOSEL_StatusSetupPreferences]
[dbo].[SPx_SOSEL_TransactionItemList]
[dbo].[SPx_WKSEL_ModuleList]
[dbo].[VWx_IMTransactionHistory]
[dbo].[VWx_MFSysAccountingRule]
[hist].[SPx_IMRollup]

[dbo].[ERPx_MFModuleForm]**Columns**

Key	Name	Data Type	Max Length (Bytes)	Nullability	Default
	FormSK	bigint	8	NOT NULL	
	ModuleSK	bigint	8	NOT NULL	
	FormID	varchar(50)	50	NOT NULL	
	FormDescription	varchar(50)	50	NOT NULL	
	IsAvailableToPortal	bit	1	NOT NULL	((0))
	IsSubjectToSecurity	bit	1	NOT NULL	((1))
	IconUrl	varchar(255)	255	NULL allowed	('~/Images/18_users.gif')
	NavigateUrl	varchar(255)	255	NULL allowed	
	Sort	bigint	8	NOT NULL	((0))
	ParentFormSK	bigint	8	NULL allowed	
	IsOnNavigationBar	bit	1	NOT NULL	((1))
	IsLicenseable	bit	1	NOT NULL	((1))
	SecurityContainer	varchar(max)	max	NULL allowed	
	OnlineHelpURL	varchar(max)	max	NULL allowed	
	FormCategoryEN	bigint	8	NOT NULL	((6))
	FunctionalAreaSK	bigint	8	NULL allowed	

Indexes

Key	Name	Key Columns	Unique
	PK_ERPx_MFModuleForm	FormSK	True
	UK_ERPx_MFModuleForm_1	FormID	True

Foreign Keys

Name	Columns
FK_ERPx_MFModuleForm_ERPx_MFFunctionalArea	FunctionalAreaSK->[dbo].[ERPx_MFFunctionalArea].[FunctionalAreaSK]

Uses

[dbo].[ERPx_MFFunctionalArea]

Used By

[dbo].[ERPx_MFActionsForm]

[dbo].[ERPx_MFModuleFormControl]
[dbo].[ERPx_MFModuleFormPage]
[dbo].[ERPx_MFModuleFormUserFavorite]
[dbo].[ERPx_MFTransactionTypeListView]
[dbo].[ERPx_MFUserFormFavorite]
[dbo].[FNx_GetFormXML]
[dbo].[IQx_APSEL_FishermanBalanceDetail]
[dbo].[SPx_APSEL_APTtransaction_NewButtonLookup]
[dbo].[SPx_APUUpdate_MassUpdateFishermanSales]
[dbo].[SPx_APUUpdate_MassUpdatePO]
[dbo].[SPx_APUUpdate_MassUpdateTransactions]
[dbo].[SPx_ARUpdate_PaymentReceiptList]
[dbo].[SPx_LMUPD_LoadHeaderSOOrderCount]
[dbo].[SPx_MFDEL_DeleteCompany]
[dbo].[SPx_MFINS_UserGridSettings_ByID]
[dbo].[SPx_MFINSDEL_UserFormFavorite]
[dbo].[SPx_MFINSUPDDEL_UserGridSettingsKendo]
[dbo].[SPx_MFSEL_FunctionalArea]
[dbo].[SPx_MFSEL_FunctionalAreaForms_WithSecurity]
[dbo].[SPx_MFSEL_FunctionalAreaFormUserAuditList]
[dbo].[SPx_MFSEL_LicensedFunctionalAreasAndFormsByUser]
[dbo].[SPx_MFSEL_ListViewNewButtonLookup]
[dbo].[SPx_MFSEL_ListViews]
[dbo].[SPx_MFSEL_MenuSearch]
[dbo].[SPx_MFSEL_MessageQueue]
[dbo].[SPx_MFSEL_MessageQueueCount]
[dbo].[SPx_MFSEL_Module]
[dbo].[SPx_MFSEL_Module_SecurityGroup]
[dbo].[SPx_MFSEL_ModuleForm]
[dbo].[SPx_MFSEL_ModuleForm_AuthorizeUser]
[dbo].[SPx_MFSEL_ModuleForm_ByNavigateUrl]
[dbo].[SPx_MFSEL_ModuleForm_SecurityGroup]
[dbo].[SPx_MFSEL_ModuleForm_WithSecurity]
[dbo].[SPx_MFSEL_ModuleFormByFunctionalArea]
[dbo].[SPx_MFSEL_ModuleFormControl_SecurityGroup]
[dbo].[SPx_MFSEL_ModuleFormPage]
[dbo].[SPx_MFSEL_PrintControlReports_ByID]
[dbo].[SPx_MFSEL_RecordViews]
[dbo].[SPx_MFSEL_SecurityGroupDetails]
[dbo].[SPx_MFSEL_SecurityGroupFormLookup]
[dbo].[SPx_MFSEL_SecurityGroupForms]
[dbo].[SPx_MFSEL_SecurityGroupForms]
[dbo].[SPx_MFSEL_UserCompanyAccess]
[dbo].[SPx_MFSEL_UserFormFavorite]
[dbo].[SPx_MFSEL_UserGridSettingsKendo_Lookup]
[dbo].[SPx_MFSEL_UserGridSettingsLookup_ByID]
[dbo].[SPx_MFSEL_Users]
[dbo].[SPx_MFUPD_UserGridSettingsSetDefault_ByID]
[dbo].[SPx_MFUpdate_MassUpdate]
[dbo].[SPx_MFUpdate_SecurityGroupDetail]
[dbo].[SPx_PRUpdate_Check]
[dbo].[SPx_RSSEL_FormUserFavoritesList]
[dbo].[SPx_RSSEL_Inquiry]
[dbo].[SPx_RSSEL_ManageReports_ReportModuleForms]

[dbo].[SPx_RSSEL_ReportFormLookup]

[dbo].[SPx_RSSEL_ReportModuleForms]

[dbo].[SPx_RSSEL_ReportParameterProfiles]

[dbo].[SPx_RSSEL_ReportUserFavoritesList]




[dbo].[SPx_RSUpdate_ManageReports_Report]

[dbo].[SPx_RSUpdate_ReportParameterProfile]


[dbo].[SPx_SOUpdate_WorkflowOrStatus]

[dbo].[Util_GetSavedGridLayoutDiff]

[dbo].[ERPx_MFModuleFormControl]**Columns**

Key	Name	Data Type	Max Length (Bytes)	Nullability	Default
	ControlSK	bigint	8	NOT NULL	
	FormSK	bigint	8	NOT NULL	
	ControlID	varchar(200)	200	NOT NULL	
	ControlDescription	varchar(200)	200	NOT NULL	
	IsAvailableToPortal	bit	1	NOT NULL	((0))
	IsSubjectToSecurity	bit	1	NULL allowed	((1))
	ReportDataSourceModuleSK	int	4	NULL allowed	

Indexes

Key	Name	Key Columns	Unique
	PK_ERPx_MFModuleFormControl	ControlSK	True
	IX_ERPx_MFModuleFormControl	FormSK, ControlID	True

Foreign Keys

Name	No Check	Columns
FK_ERPx_MFModuleFormControl_ERPx_MFModuleForm	True	FormSK->[dbo].[ERPx_MFModuleForm].[FormSK]

Uses

[dbo].[ERPx_MFModuleForm]





Used By

[dbo].[ERPx_MFActionsForm]
 [dbo].[ERPx_MFMassUpdateSettings]
 [dbo].[ERPx_MFUserGridSettings]
 [dbo].[FNx_GetFormXML]
 [dbo].[SPx_CPSEL_TicketHeader]
 [dbo].[SPx_MFActionsLookup]
 [dbo].[SPx_MFDEL_DeleteCompany]
 [dbo].[SPx_MFINS_UserGridSettings_ByID]
 [dbo].[SPx_MFINSUPDDEL_UserGridSettingsKendo]
 [dbo].[SPx_MFSEL_ActionsLookup]
 [dbo].[SPx_MFSEL_MassUpdate]
 [dbo].[SPx_MFSEL_ModuleFormControl]

[dbo].[SPx_MFSEL_ModuleFormControl_SecurityGroup]
[dbo].[SPx_MFSEL_SecurityGroupDetails]
[dbo].[SPx_MFSEL_UserGridSettingsKendo_Lookup]
[dbo].[SPx_MFSEL_UserGridSettingsLookup_ByID]
[dbo].[SPx_MFUPD_UserGridSettingsSetDefault_ByID]
[dbo].[SPx_MFUpdate_MassUpdate]
[dbo].[SPx_MFUpdate_SecurityGroupDetail]
[dbo].[Util_GetSavedGridLayoutDiff]

 [dbo].[ERPx_MFModuleFormPage]

Columns

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity
	ModuleFormPageSK	bigint	8	NOT NULL	1 - 1
	FormSK	bigint	8	NOT NULL	
	UserSK	bigint	8	NULL allowed	
	DataEntityCompanySK	bigint	8	NULL allowed	
	PageLayout	xml	max	NOT NULL	
	CustomizedPageLayout	xml	max	NULL allowed	
	LanguageEN	bigint	8	NOT NULL	
	PageQueryString	varchar(1000)	1000	NULL allowed	

Indexes

Key	Name	Key Columns	Unique
	PK_ERPx_MFModuleFormPage	ModuleFormPageSK	True

Foreign Keys

Name	Columns
FK_ERPx_MFModuleFormPage_ERPx_MFData-EntityCompany	DataEntityCompanySK->[dbo].[ERPx_MFDataEntityCompany].[Data-EntityCompanySK]
FK_ERPx_MFModuleFormPage_ERPx_MFModule-Form	FormSK->[dbo].[ERPx_MFModuleForm].[FormSK]
FK_ERPx_MFModuleFormPage_ERPx_MFUser	UserSK->[dbo].[ERPx_MFUser].[UserSk]

Uses

[dbo].[ERPx_MFDataEntityCompany]
 [dbo].[ERPx_MFModuleForm]
 [dbo].[ERPx_MFUser]

Used By





[dbo].[SPx_MFSEL_LicensedFunctionalAreasAndFormsByUser]
 [dbo].[SPx_MFSEL_MenuSearch]
 [dbo].[SPx_MFSEL_ModuleForm_AuthorizeUser]
 [dbo].[SPx_MFSEL_ModuleFormPage]
 [dbo].[SPx_MFSEL_SecurityGroupFormLookup]
 [dbo].[SPx_MFSEL_UserGridSettingsKendo_Lookup]

[dbo].[SPx_RSSEL_Inquiry]

[dbo].[Util_GetSavedGridLayoutDiff]

 [dbo].[ERPx_MFModuleFormUserFavorite]

Columns

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity
	ModuleFormFavoriteSK	bigint	8	NOT NULL	1 - 1
	ParentFormSK	bigint	8	NOT NULL	
	FormSK	bigint	8	NOT NULL	
	UserSK	bigint	8	NOT NULL	

Indexes

Key	Name	Key Columns	Unique
	PK_ERPx_MFModuleFormUserFavorite	ModuleFormFavoriteSK	True

Foreign Keys

Name	Columns
FK_ERPx_MFModuleFormUserFavorite_ERPx_MFUser	UserSK->[dbo].[ERPx_MFUser].[UserSk]
FK_ERPx_MFModuleFormUserFavorite_ERPx_ModuleForm	FormSK->[dbo].[ERPx_MFModuleForm].[FormSK]
FK_ERPx_MFModuleFormUserFavorite_ERPx_ModuleForm_Parent	ParentFormSK->[dbo].[ERPx_MFModuleForm].[FormSK]

Uses



[dbo].[ERPx_MFModuleForm]
 [dbo].[ERPx_MFUser]

Used By


[dbo].[SPx_MFUpdate_User]
 [dbo].[SPx_RSSEL_FormUserFavoritesList]
 [dbo].[SPx_RSSEL_Inquiry]
 [dbo].[SPx_RSUpdate_InquiryFavorite]

 [dbo].[ERPx_MFModuleTransaction]

Columns

Key	Name	Data Type	Max Length (Bytes)	Nullability
	ModuleTransactionSK	bigint	8	NOT NULL
	ModuleSK	bigint	8	NOT NULL
	TransactionName	varchar(50)	50	NOT NULL

Indexes

Key	Name	Key Columns	Unique
	PK_ERPx_MFModuleTransaction_1	ModuleTransactionSK, ModuleSK	True

Foreign Keys

Name	Columns
FK_ERPx_MFModuleTransaction_ERPx_MFModule	ModuleSK->[dbo].[ERPx_MFModule].[ModuleSK]

Uses


[dbo].[ERPx_MFModule]

Used By

[dbo].[IQx_CheckRegister]
 [dbo].[IQx_GLSEL_CheckbookTransactionInquiry]
 [dbo].[SPx_APSEL_APVendor_Address]
 [dbo].[SPx_APSEL_APVendor_AddressDefaultPaymentTypeLookup]
 [dbo].[SPx_APSEL_ProcessChecksAddressLookup]
 [dbo].[SPx_APSEL_ProcessChecksPayeePaymentTypeLookup]
 [dbo].[SPx_APSEL_ProcessChecksPayees]
 [dbo].[SPx_APSEL_SplitPaymentList]
 [dbo].[SPx_APSEL_SplitPaymentListNewRow]
 [dbo].[SPx_APSEL_VendorAddressDefaultPaymentTypeLookup]
 [dbo].[SPx_GLProcess_CheckbookTransaction]
 [dbo].[SPx_GLSEL_CheckbookTransactionList]
 [dbo].[SPx_MFDEL_DeleteCompany]
 [dbo].[SPx_MFProcess_BankTransaction]
 [dbo].[SPx_MFSEL_ContactTypeReportMappingWorkflows]
 [dbo].[SPx_MFSEL_DataEntityMap]
 [dbo].[SPx_MFUpdate_JournalDetails]

 **[dbo].[ERPx_MFNoteEditorToolbarGroup]**

Columns

Key	Name	Data Type	Max Length (Bytes)	Nullability
	NoteEditorToolbarGroupSK	bigint	8	NOT NULL
	ToolbarButtonsCSV	varchar(max)	max	NOT NULL
	LastUpdated	datetime	8	NOT NULL
	LastUser	varchar(150)	150	NULL allowed






Indexes

Key	Name	Key Columns	Unique
	PK_ERPx_MFNoteEditorToolbarGroup	NoteEditorToolbarGroupSK	True


Used By

[dbo].[ERPx_MFNoteType]
 [dbo].[SPx_MFSEL_NoteList]

[dbo].[ERPx_MFNoteType]**Columns**

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity	Default
	NoteTypeSK	bigint	8	NOT NULL	1 - 1	
	IsReasonCode	bit	1	NOT NULL		((0))
	NoteType	varchar(50)	50	NOT NULL		
	Sort	int	4	NOT NULL		
	ModuleSK	bigint	8	NOT NULL		
	RecordType	varchar(25)	25	NOT NULL		
	NoteTable	varchar(50)	50	NOT NULL		
	IsInactive	bit	1	NOT NULL		((0))
	Description	varchar(50)	50	NULL allowed		
	NoteEditorToolbarGroupSK	bigint	8	NULL allowed		

Indexes

Key	Name	Key Columns	Unique
	PK_ERPx_MFNoteType	NoteTypeSK	True
	IX_ERPx_MFNoteType	ModuleSK, NoteType, RecordType	True

Foreign Keys

Name	Columns
FK_ERPx_MFNoteType_ERPx_MFNoteEditorToolbarGroup	NoteEditorToolbarGroupSK->[dbo].[ERPx_MFNoteEditorToolbarGroup].[NoteEditorToolbarGroupSK]

Uses

[dbo].[ERPx_MFNoteEditorToolbarGroup]

Used By

[dbo].[ERPx_APDeliveryTicketHeaderNote]

[dbo].[ERPx_APPoHeaderNote]

[dbo].[ERPx_APTransactionNote]

[dbo].[ERPx_APVendorNote]





[dbo].[ERPx_ARCustomerAddressNote]

[dbo].[ERPx_ARCustomerNote]


[dbo].[ERPx_ARTransactionHeaderNote]

[dbo].[ERPx_CPTicketHeaderNote]
[dbo].[ERPx_CPTicketItemNote]
[dbo].[ERPx_CPTicketLineNote]
[dbo].[ERPx_GLCheckbookTransactionNote]
[dbo].[ERPx_GLJournalHeaderNote]
[dbo].[ERPx_IMItemNote]
[dbo].[ERPx_IMLotNote]
[dbo].[ERPx_IMProductionLotNote]
[dbo].[ERPx_IMProductionOrderHeaderNote]
[dbo].[ERPx_IMTransactionDetailNote]
[dbo].[ERPx_IMTransactionHeaderNote]
[dbo].[ERPx_IMWarehouseLotNote]
[dbo].[ERPx_LMLoadHeaderNote]
[dbo].[ERPx_LMLoadOrderNote]
[dbo].[ERPx_MFAddressNote]
[dbo].[ERPx_MFNoteTypeReasonCode]
[dbo].[ERPx_MFPriceListNote]
[dbo].[ERPx_MFSiteNote]
[dbo].[ERPx_SOCarrierNote]
[dbo].[ERPx_SOHeaderNotes]
[dbo].[ERPx_SOOrderHeaderNote]
[dbo].[ERPx_SOOrderItemNote]
[dbo].[ERPx_SPPProgramHeaderNote]
[dbo].[FNx_GetNoteType]
[dbo].[FNx_GetReasonCodes]
[dbo].[IQx_SOSEL_ItemHistory]
[dbo].[SPx_APPProcess_PurchaseOrder]
[dbo].[SPx_BRSEL_BRCollectionsOrderHeaderAging]
[dbo].[SPx_BRSEL_BRSONotes]
[dbo].[SPx_IMSEL_CostHistoryInquiry]
[dbo].[SPx_INTEG_GPSOHeader]
[dbo].[SPx_INTEG_GPSOInvoice]
[dbo].[SPx_MFDEL_DeleteCompany]
[dbo].[SPx_MFManage_NoteAssignment]
[dbo].[SPx_MFSEL_NoteList]
[dbo].[SPx_MFSEL_NoteTypeList]
[dbo].[SPx_MFSEL_ReasonCodeList]
[dbo].[SPx_PRSEL_TerminationReasonCodeList]
[dbo].[SPx_SOINS_AddOrderHeader]
[dbo].[SPx_SOPProcess_Transaction_InsertOrderHeader]
[dbo].[SPx_SOSEL_OrderItemNotesList]
[dbo].[SPx_SOSEL_OrderNotesList]
[dbo].[SPx_SOSEL_PriceAdjustmentItems]
[dbo].[SPx_SOSEL_ReasonCodeLookup]
[dbo].[SPx_SOSEL_ReturnItems]
[dbo].[SPx_SOSEL_SalesOrderHeader]
[dbo].[SPx_SOSEL_TransactionItemList]

[dbo].[ERPx_MFNoteTypeReasonCode]**Columns**

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity
	ReasonCodeSK	bigint	8	NOT NULL	1 - 1
	NoteTypeSK	bigint	8	NOT NULL	
	ReasonCode	varchar(25)	25	NOT NULL	
	DataEntityCompanySK	bigint	8	NOT NULL	
	IMQuantityTypeEN	int	4	NULL allowed	

Indexes

Key	Name	Key Columns	Unique
	PK_ERPx_MFNoteTypeReasonCode	ReasonCodeSK	True
	IX_ERPx_MFNoteTypeReasonCode	ReasonCode, NoteTypeSK, DataEntityCompanySK	True

Foreign Keys

Name	Columns
FK_ERPx_MFNoteTypeReasonCode_ERPx_MFNoteType	NoteTypeSK->[dbo].[ERPx_MFNoteType].[NoteTypeSK]

Uses





[dbo].[ERPx_MFNoteType]

Used By


[dbo].[ERPx_IMLotCostHistory]
 [dbo].[ERPx_IMTransactionDetail]
 [dbo].[ERPx_IMTransactionHeader]
 [dbo].[FNx_GetReasonCodes]
 [dbo].[SPx_IMSEL_CostHistoryInquiry]
 [dbo].[SPx_IMSEL_CycleCountAdjustmentCodeLookup]
 [dbo].[SPx_IMSEL_GetLotBalance]
 [dbo].[SPx_IMUpdate_TransactionSOShipmentReturn]
 [dbo].[SPx_INTEG_GPSOHeader]
 [dbo].[SPx_INTEG_GPSOInvoice]
 [dbo].[SPx_INTEG_GPSOItem]
 [dbo].[SPx_INTEG_NSIMInventoryTrans]
 [dbo].[SPx_MFDEL_DeleteCompany]
 [dbo].[SPx_MFDEL_NoteTypeReasonCode]
 [dbo].[SPx_MFINS_NoteTypeReasonCode]

[dbo].[SPx_MFSEL_NoteList]
[dbo].[SPX_MFSEL_NoteTypeReasonCodeList]
[dbo].[SPx_MFSEL_PRPreferences]
[dbo].[SPX_MFUPD_NoteTypeReasonCode]
[dbo].[SPX_PRSEL_TerminationReasonCodeList]
[dbo].[SPx_SOSEL_PriceAdjustmentItems]
[dbo].[SPx_SOSEL_ReturnItems]
[dbo].[SPx_SPSEL_ProcessSettlementItems]
[dbo].[VWx_IMTransactionHistory]
[hist].[SPx_IMRollup]

[dbo].[ERPx_MFPaymentTerms]**Columns**

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity	Default
	PaymentTermSK	bigint	8	NOT NULL	1 - 1	
	HostSystemLink	varchar(100)	100	NULL allowed		
	PaymentTermName	varchar(20)	20	NOT NULL		
	DiscountAmount	numeric(18,5)	9	NOT NULL		((0))
	DiscountPercent	numeric(18,5)	9	NOT NULL		((0))
 (2)	DataEntityCompanySK	bigint	8	NOT NULL		
	DueTypeEN	bigint	8	NULL allowed		
	DueDateDays	bigint	8	NOT NULL		((0))
	DiscountTypeEN	bigint	8	NULL allowed		
	DiscountDateDays	bigint	8	NOT NULL		((0))
	DiscountCalcMethodEN	bigint	8	NULL allowed		
	IsInactive	bit	1	NOT NULL		((0))
	LastUpdated	datetime	8	NOT NULL		(getdate())
	LastUser	varchar(110)	110	NOT NULL		

Indexes

Key	Name	Key Columns	Unique
	PK_ERPx_ARPaymentTerms	PaymentTermSK	True
	UK_ERPx_ARPaymentTerms_1	HostSystemLink, DataEntityCompanySK	True
	UK_ERPx_ARPaymentTerms_2	PaymentTermName, DataEntityCompanySK	True






Used By

[dbo].[ERPx_APPoHeader]
 [dbo].[ERPx_APTransactionHeader]
 [dbo].[ERPx_APVendor]
 [dbo].[ERPx_ARCustomer]
 [dbo].[ERPx_ARTransactionHeader]
 [dbo].[IQx_APSEL_APTransactionDetail]
 [dbo].[IQx_APSEL_InvoiceLineList]
 [dbo].[IQx_APSEL_InvoiceList]
 [dbo].[IQx_APSEL_POList]
 [dbo].[IQx_APSEL_VendorTransactionHistory]
 [dbo].[IQx_ARSEL_CustomerHistory]
 [dbo].[IQx_ARSEL_SaleInvoiceList]


[dbo].[IQx_Billing]
[dbo].[IQx_EmployeeDeductions]
[dbo].[SPx_APINS_SettlementTransaction]
[dbo].[SPx_APPProcess_PurchaseOrder]
[dbo].[SPx_APPProcess_Transaction]
[dbo].[SPx_APSEL_APTransaction_Header]
[dbo].[SPx_APSEL_APTransaction_PaymentTermsLookup]
[dbo].[SPx_APSEL_APVendor_Properties]
[dbo].[SPx_APSEL_APVendorClass_Properties]
[dbo].[SPx_APSEL_InvoiceList]
[dbo].[SPx_APSEL_POHeaderProperties]
[dbo].[SPx_APSEL_POList]
[dbo].[SPx_APSEL_TransactionHeader]
[dbo].[SPx_APSEL_TransactionHeaderProperties]
[dbo].[SPx_APSEL_TransactionPaymentTermsLookup]
[dbo].[SPx_APSEL_VendorClassRecordProperties]
[dbo].[SPx_APSEL_VendorHeader]
[dbo].[SPx_APSEL_VendorList]
[dbo].[SPx_APSEL_VendorProperties]
[dbo].[SPx_ARINS_SettlementTransaction]
[dbo].[SPx_ARProcess_Transaction]
[dbo].[SPx_ARSEL_ApplyDocumentsDetail]
[dbo].[SPx_ARSEL_Customer]
[dbo].[SPx_ARSEL_CustomerClassProperties]
[dbo].[SPx_ARSEL_CustomerList]
[dbo].[SPx_ARSEL_CustomerProperties]
[dbo].[SPx_ARSEL_PaymentReceipt_ApplyDocumentsDetail]
[dbo].[SPx_ARSEL_SOCustomerAddressList]
[dbo].[SPx_ARSEL_TransactionList]
[dbo].[SPx_ARSEL_TransactionPaymentTermsLookup]
[dbo].[SPx_FASEL_FishermanTenderList]
[dbo].[SPx_FASEL_LoanList]
[dbo].[SPx_INTEG_APTransaction]
[dbo].[SPx_INTEG_GPAPVendorOutbound]
[dbo].[SPx_INTEG_GPCustomer]
[dbo].[SPx_INTEG_GPCustomerClass]
[dbo].[SPx_INTEG_GPSOHeader]
[dbo].[SPx_INTEG_GPSOInvoice]
[dbo].[SPx_INTEG_NSAPInvoiceAndCreditMemo]
[dbo].[SPx_MFDEL_DeleteCompany]
[dbo].[SPx_MFExport_APVendorsAndAddresses]
[dbo].[SPx_MFExport_ARCustomersAndAddresses]
[dbo].[SPx_MFSEL_ApplyDocumentRecordList]
[dbo].[SPx_MFSEL_CashReceiptARList]
[dbo].[SPx_MFSEL_FAApplyDocumentRecordList]
[dbo].[SPx_MFSEL_PaymentTermList]
[dbo].[SPx_MFSEL_SPPreferences]
[dbo].[SPx_MFUpdate_PaymentTermList]
[dbo].[SPx_SOINS_SalesInvoiceExecutionHistory]
[dbo].[SPx_SOSEL_OrderHeader]
[dbo].[SPx_SOSEL_OrderHeaderList]
[dbo].[SPx_SOSEL_PaymentTermsLookup]
[dbo].[SPx_SOSEL_TransactionClassList]

[dbo].[SPx_SOSEL_TransactionClassProperty]
[dbo].[SPx_SOSEL_TransactionHeaderProperty]
[dbo].[SPx_SOSEL_TransactionPaymentTermsLookup]
[dbo].[SPx_SPPProcess_SettlementBatch]
[dbo].[SPx_SPSEL_PaymentTermsLookup]

[dbo].[ERPx_MFPriceListFormulaStep]**Columns**

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity	Default
	PriceListFormulaStepSK	bigint	8	NOT NULL	1 - 1	
	PriceListHeaderSK	bigint	8	NULL allowed		
	PriceListItemSK	bigint	8	NULL allowed		
	Sequence	int	4	NOT NULL		
	PriceListFormulaOperationEN	bigint	8	NOT NULL		
	Factor	numeric(18,5)	9	NOT NULL		((0.00000))
	LastUpdated	datetime	8	NOT NULL		(getdate())
	LastUser	varchar(150)	150	NOT NULL		
	DataEntityCompanySK	bigint	8	NOT NULL		

Indexes

Key	Name	Key Columns	Unique
	PK_ERPx_MFPriceListFormulaStep	PriceListFormulaStepSK	True
	IX_ERPx_MFPriceListFormulaStep	PriceListHeaderSK, PriceListItemSK, Sequence, DataEntityCompanySK	True

Foreign Keys

Name	Columns
FK_ERPx_MFPriceListFormulaStep_ERPx_MFData-EntityCompany	DataEntityCompanySK->[dbo].[ERPx_MFDataEntityCompany].[Data-EntityCompanySK]
FK_ERPx_MFPriceListFormulaStep_ERPx_MFPrice-ListHeader1	PriceListHeaderSK->[dbo].[ERPx_MFPriceListHeader].[PriceListHeader-SK]
FK_ERPx_MFPriceListFormulaStep_ERPx_MFPrice-ListItem	PriceListItemSK->[dbo].[ERPx_MFPriceListItem].[PriceListItemSK]

Uses

[dbo].[ERPx_MFDataEntityCompany]
 [dbo].[ERPx_MFPriceListHeader]
 [dbo].[ERPx_MFPriceListItem]







Used By

[dbo].[FNx_EvaluatePriceListFormula]
 [dbo].[FNx_GetPriceListFormula]

[dbo].[SPx_MFDeI_PriceListHeader]
[dbo].[SPx_MFSEL_PriceListFormulaStepHeader]
[dbo].[SPx_MFSEL_PriceListFormulaStepLine]
[dbo].[SPx_MFSEL_PriceListHeader]
[dbo].[SPx_MFSEL_PriceListItemList]
[dbo].[SPx_MFUPD_UpdateLinkedPrices]
[dbo].[SPx_MFUpdate_PriceList]
[dbo].[SPx_MFUpdate_PriceListFormulaStep]
[dbo].[SPx_MFUpdate_PriceListList]

 [dbo].[ERPx_MFPriceListHeader]

Columns

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity	Default
	PriceListHeaderSK	bigint	8	NOT NULL	1 - 1	
	PriceListID	varchar(25)	25	NOT NULL		
	Description	varchar(50)	50	NULL allowed		
	IsFreightIncluded	bit	1	NOT NULL		((0))
	BasePriceListSK	bigint	8	NULL allowed		
	IsInactive	bit	1	NOT NULL		((0))
	LastUser	varchar(110)	110	NOT NULL		
	LastUpdated	datetime	8	NOT NULL		(getdate())
	DataEntityCompanySK	bigint	8	NOT NULL		
	CurrencySK	bigint	8	NULL allowed		
	PriceListTypeEN	bigint	8	NULL allowed		
	MinimumPrice	numeric(18,5)	9	NULL allowed		
	MaximumPrice	numeric(18,5)	9	NULL allowed		
	ModuleSK	bigint	8	NOT NULL		
	PriceListClassEN	bigint	8	NOT NULL		

Indexes

Key	Name	Key Columns	Unique
	PK_ERPx_MFPriceListHeader_1	PriceListHeaderSK	True
	IX_ERPx_MFPriceListHeader	PriceListID, PriceListClassEN, DataEntityCompanySK	True

Foreign Keys

Name	Columns
FK_ERPx_MFPriceListHeader_ERPx_MFCurrency	CurrencySK->[dbo].[ERPx_MFCurrency].[CurrencySK]
FK_ERPx_MFPriceListHeader_ERPx_MFModule	ModuleSK->[dbo].[ERPx_MFModule].[ModuleSK]

Uses

[dbo].[ERPx_MFCurrency]
 [dbo].[ERPx_MFModule]






Used By

[dbo].[ERPx_APTransactionClass]
[dbo].[ERPx_APTransactionClassPriceList]
[dbo].[ERPx_APTransactionHeader]
[dbo].[ERPx_APVendorPriceList]
[dbo].[ERPx_ARCustomer]
[dbo].[ERPx_ARCustomerAddress]
[dbo].[ERPx_ARCustomerPriceList]
[dbo].[ERPx_ARTransactionHeader]
[dbo].[ERPx_CPFarmer]
[dbo].[ERPx_IMTransactionClassPriceList]
[dbo].[ERPx_IMTransactionHeader]
[dbo].[ERPx_MFPriceListFormulaStep]
[dbo].[ERPx_MFPriceListItem]
[dbo].[ERPx_MFPriceListNote]
[dbo].[FNx_CalcSOItemPrice]
[dbo].[FNx_GetPriceListFormula]
[dbo].[IQx_APSEL_FishermanSaleList]
[dbo].[IQx_APSEL_SaleLineList]
[dbo].[IQx_APSEL_TicketLinelist]
[dbo].[IQx_APSEL_TicketList]
[dbo].[IQx_APSEL_TicketStatAreaLinelist]
[dbo].[IQx_ARSEL_SaleInvoiceList]
[dbo].[IQx_MFSEL_PriceListHistory]
[dbo].[SPx_APPProcess_DeliveryTicket]
[dbo].[SPx_APSEL_CustomerSalePriceListPreferenceLookup]
[dbo].[SPx_APSEL_DeliveryTicketMassUpdatePriceListLookup]
[dbo].[SPx_APSEL_DeliveryTicketPriceListLookup]
[dbo].[SPx_APSEL_DeliveryTicketReprice_PriceListLookup]
[dbo].[SPx_APSEL_FishermanSaleLineList]
[dbo].[SPx_APSEL_FishermanSaleList]
[dbo].[SPx_APSEL_FishermanSalePriceListLookup]
[dbo].[SPx_APSEL_FishermanSalePriceListPreferenceLookup]
[dbo].[SPx_APSEL_PriceListLookup]
[dbo].[SPx_APSEL_TicketClassList]
[dbo].[SPx_APSEL_TicketLinelist]
[dbo].[SPx_APSEL_TicketList]
[dbo].[SPx_APUUpdate_DeliveryTicketItem]
[dbo].[SPx_APUUpdate_FishermanSale]
[dbo].[SPx_APUUpdate_NewDeliveryTicket]
[dbo].[SPx_APUUpdate_TransactionTenderSale]
[dbo].[SPx_ARProcess_Customer]
[dbo].[SPx_ARProcess_Transaction]
[dbo].[SPx_ARSEL_Customer]
[dbo].[SPx_ARSEL_CustomerAddressList]
[dbo].[SPx_ARSEL_CustomerAddressLookup]
[dbo].[SPx_ARSEL_CustomerPriceList]
[dbo].[SPx_ARSEL_CustomerPriceListLookup]
[dbo].[SPx_ARSEL_CustomerSalePriceListLookup]
[dbo].[SPx_ARSEL_SaleInvoiceLineList]
[dbo].[SPx_ARSEL_SaleInvoiceList]
[dbo].[SPx_CPSEL_FarmerList]

[dbo].[SPx_CPSEL_GetTicketHeaders]
[dbo].[SPx_CPSEL_NewTicketLines]
[dbo].[SPx_CPSEL_PriceListByFarmer]
[dbo].[SPx_CPSEL_PriceListLookup]
[dbo].[SPx_IMSEL_Transfer_HeaderProperties]
[dbo].[SPx_IMSEL_TransferPriceListLookup]
[dbo].[SPx_MFDel_PriceListHeader]
[dbo].[SPx_MFIns_PriceListHeader]
[dbo].[SPx_MFSEL_FAPreferences]
[dbo].[SPx_MFSEL_PriceListCustomerAddressList]
[dbo].[SPx_MFSEL_PriceListCustomerList]
[dbo].[SPx_MFSEL_PriceListCustomerLookup]
[dbo].[SPx_MFSEL_PriceListCustomerOnlyLookup]
[dbo].[SPx_MFSEL_PriceListFishermanLookup]
[dbo].[SPx_MFSEL_PriceListFormulaStepHeader]
[dbo].[SPx_MFSEL_PriceListFormulaStepLine]
[dbo].[SPx_MFSEL_PriceListFormulaStepLineNew]
[dbo].[SPx_MFSEL_PriceListHeader]
[dbo].[SPx_MFSEL_PriceListItemLinkLookup]
[dbo].[SPx_MFSEL_PriceListItemList]
[dbo].[SPx_MFSEL_PriceListItemListNew]
[dbo].[SPx_MFSEL_PriceListLinkLookup]
[dbo].[SPx_MFSEL_PriceListList]
[dbo].[SPx_MFSEL_PriceListLookup]
[dbo].[SPx_MFSEL_PriceListMassUpdateItemList]
[dbo].[SPx_MFSEL_PriceListTicketItemListNew]
[dbo].[SPx_MFUpd_PriceListHeader]
[dbo].[SPx_MFUpd_PriceListItem]
[dbo].[SPx_MFUpdate_PriceList]
[dbo].[SPx_MFUpdate_PriceListFormulaStep]
[dbo].[SPx_MFUpdate_PriceListList]
[dbo].[SPx_MFUpdate_PriceListMassUpdate]
[dbo].[SPx_SOPProcess_Transaction_InsertItem]
[dbo].[SPx_SOSEL_FindItems_Detail]
[dbo].[SPx_SOSEL_FindItemsWithBalances_Detail]
[dbo].[SPx_SOSEL_ItemDefaultLookup]
[dbo].[SPx_SOSEL_TransactionDetailItem]
[dbo].[SPx_SOUUpdate_Transaction]
[hist].[SPx_IMRollup]

 [dbo].[ERPx_MFPriceListItem]

Columns

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity	Default
	PriceListItemSK	bigint	8	NOT NULL	1 - 1	
	PriceListHeaderSK	bigint	8	NOT NULL		
	ItemSK	bigint	8	NULL allowed		
	ItemSetSK	bigint	8	NULL allowed		
	LinkedToEntityEN	bigint	8	NULL allowed		
	LinkedToEntitySK	bigint	8	NULL allowed		
	LinkedDifferentialFormula	varchar(25)	25	NULL allowed		
	LastUpdated	datetime	8	NOT NULL		(getdate())
	LastUser	varchar(110)	110	NULL allowed		
	DataEntityCompanySK	bigint	8	NOT NULL		
	MinimumPrice	numeric(18,5)	9	NULL allowed		
	MaximumPrice	numeric(18,5)	9	NULL allowed		

Indexes

Key	Name	Key Columns	Unique
	PK_ERPx_MFPriceListItems	PriceListItemSK	True
	IX_ERPx_MFPriceListItem	ItemSK, ItemSetSK, PriceListHeaderSK	True

Check Constraints

Name	On Column	Constraint
CK_ERPx_MFPriceListItems	LinkedToEntity-EN	(([LinkedToEntityEN]=[dbo].[FNx_ValidateEnumValue]('MFPriceListItemLinked-Entity',[LinkedToEntityEN])))

Foreign Keys

Name	Columns
FK_ERPx_MFPriceListItems_ERPx_IMItemSet	ItemSetSK->[dbo].[ERPx_IMItemSet].[ItemSetSK]
FK_ERPx_MFPriceListItems_ERPx_MFPriceList-Header	PriceListHeaderSK->[dbo].[ERPx_MFPriceListHeader].[PriceListHeader-SK]

Uses



[dbo].[ERPx_IMItemSet]
[dbo].[ERPx_MFPriceListHeader]
[dbo].[FNx_ValidateEnumValue]

Used By


[dbo].[ERPx_APDeliveryTicketLine]
[dbo].[ERPx_APTTransactionLine]
[dbo].[ERPx_ARTransactionLine]
[dbo].[ERPx_IMTransactionDetail]
[dbo].[ERPx_MFPriceListFormulaStep]
[dbo].[ERPx_MFPriceListItemHistory]
[dbo].[FNx_CalcSOItemPrice]
[dbo].[FNx_GetPriceListFormula]
[dbo].[IQx_MFSEL_PriceListHistory]
[dbo].[SPx_APProcess_DeliveryTicket]
[dbo].[SPx_APUUpdate_DeliveryTicketItem]
[dbo].[SPx_APUUpdate_FishermanSale]
[dbo].[SPx_APUUpdate_TransactionTenderSale]
[dbo].[SPx_ARProcess_Transaction]
[dbo].[SPx_CPUUpdate_NewTicket]
[dbo].[SPx_IMProcess_TransferTransaction]
[dbo].[SPx_IMUpdate_ItemSet]
[dbo].[SPx_IMUpdate_ItemSetList]
[dbo].[SPx_MFDel_PriceListHeader]
[dbo].[SPx_MFDel_PriceListItem]
[dbo].[SPx_MFSEL_PriceListFormulaStepHeader]
[dbo].[SPx_MFSEL_PriceListFormulaStepLine]
[dbo].[SPx_MFSEL_PriceListFormulaStepLineNew]
[dbo].[SPx_MFSEL_PriceListItemLinkLookup]
[dbo].[SPx_MFSEL_PriceListItemList]
[dbo].[SPx_MFSEL_PriceListItemLookup]
[dbo].[SPx_MFSEL_PriceListMassUpdateItemSet]
[dbo].[SPx_MFSEL_PriceListTicketItemLookup]
[dbo].[SPx_MFUpd_PriceListItem]
[dbo].[SPx_MFUPD_UpdateLinkedPrices]
[dbo].[SPx_MFUpdate_PriceList]
[dbo].[SPx_MFUpdate_PriceListFormulaStep]
[dbo].[SPx_MFUpdate_PriceListList]
[dbo].[SPx_MFUpdate_PriceListMassUpdate]
[dbo].[SPx_SOPProcess_Transaction_InsertItem]
[dbo].[SPx_SOSEL_FindItems_Detail]
[dbo].[SPx_SOSEL_FindItemsWithBalances_Detail]
[dbo].[SPx_SOSEL_ItemDefaultLookup]
[dbo].[SPx_SOSEL_TransactionDetailItem]
[dbo].[SPx_SOUpdate_Transaction]
[hist].[SPx_IMRollup]

 [dbo].[ERPx_MFPriceListItemHistory]

Columns

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity	Default
	PriceListItemHistorySK	bigint	8	NOT NULL	1 - 1	
	PriceListItemSK	bigint	8	NULL allowed		
	ItemSK	bigint	8	NULL allowed		
	ItemSetSK	bigint	8	NULL allowed		
	Price	numeric(18,5)	9	NOT NULL		
	PriceUOMSK	bigint	8	NOT NULL		
	PriceEffectiveDateStart	datetime	8	NULL allowed		
	PriceEffectiveDateEnd	datetime	8	NULL allowed		
	LinkedToEntityEN	bigint	8	NULL allowed		
	LinkedToEntitySK	bigint	8	NULL allowed		
	LinkedDifferentialFormula	varchar(25)	25	NULL allowed		
	IsVoided	bit	1	NOT NULL		((0))
	VoidedDate	datetime	8	NULL allowed		
	LastUpdated	datetime	8	NOT NULL		(getdate())
	LastUser	varchar(110)	110	NULL allowed		
	DataEntityCompanySK	bigint	8	NOT NULL		
	TaxPrice	numeric(18,5)	9	NULL allowed		

Indexes

Key	Name	Key Columns	Unique
	PK_ERPx_MFPriceListItemHistory	PriceListItemHistorySK	True

Foreign Keys

Name	Columns
FK_ERPx_MFPriceListItemHistory_ERPx_MFPriceListItem	PriceListItemSK->[dbo].[ERPx_MFPriceListItem].[PriceListItemSK]

Uses

[dbo].[ERPx_MFPriceListItem]





Used By

[dbo].[FNx_CalcSOItemPrice]


[dbo].[FNx_GetPriceListFormula]
[dbo].[IQx_MFSEL_PriceListHistory]
[dbo].[SPx_APPProcess_DeliveryTicket]
[dbo].[SPx_APUpdate_DeliveryTicketItem]
[dbo].[SPx_APUpdate_FishermanSale]
[dbo].[SPx_APUpdate_TransactionTenderSale]
[dbo].[SPx_ARProcess_Transaction]
[dbo].[SPx_CPUUpdate_NewTicket]
[dbo].[SPx_IMProcess_TransferTransaction]
[dbo].[SPx_IMUpdate_ItemSet]
[dbo].[SPx_IMUpdate_ItemSetList]
[dbo].[SPx_MFDel_PriceListHeader]
[dbo].[SPx_MFDel_PriceListItem]
[dbo].[SPx_MFIns_PriceListItemHistory]
[dbo].[SPx_MFSEL_PriceListFormulaStepHeader]
[dbo].[SPx_MFSEL_PriceListFormulaStepLine]
[dbo].[SPx_MFSEL_PriceListItemList]
[dbo].[SPx_MFSEL_PriceListMassUpdateItemList]
[dbo].[SPx_MFUpd_PriceListItem]
[dbo].[SPx_MFUPD_UpdateLinkedPrices]
[dbo].[SPx_MFUpdate_PriceList]
[dbo].[SPx_MFUpdate_PriceListList]
[dbo].[SPx_MFUpdate_PriceListMassUpdate]
[dbo].[SPx_SOPProcess_Transaction_InsertItem]
[dbo].[SPx_SOSEL_FindItems_Detail]
[dbo].[SPx_SOSEL_FindItemsWithBalances_Detail]
[dbo].[SPx_SOSEL_ItemDefaultLookup]
[dbo].[SPx_SOSEL_TransactionDetailItem]
[dbo].[SPx_SOUUpdate_Transaction]

 [dbo].[ERPx_MFPriceListNote]

Columns

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity	Default
	HeaderNoteSK	bigint	8	NOT NULL	1 - 1	
	PriceListHeaderSK	bigint	8	NOT NULL		
	NoteTypeSK	bigint	8	NOT NULL		
	Note	varchar(max)	max	NULL allowed		
	LastUpdated	datetime	8	NULL allowed		(getdate())
	LastUser	varchar(110)	110	NULL allowed		
	DataEntityCompanySK	bigint	8	NOT NULL		
	NoteHTML	varchar(max)	max	NULL allowed		

Indexes

Key	Name	Key Columns	Unique
	PK_ERPx_MFPricelistNote	HeaderNoteSK	True
	UK_ERPx_MFPRiceListNote_1	PriceListHeaderSK, NoteTypeSK, DataEntityCompanySK	True

Foreign Keys

Name	Columns
FK_ERPx_ERPx_MFPriceListHeader_PriceListHeader-SK	PriceListHeaderSK->[dbo].[ERPx_MFPriceListHeader].[PriceListHeader-SK]
FK_ERPx_MFPriceListNote_ERPx_MFNoteType	NoteTypeSK->[dbo].[ERPx_MFNoteType].[NoteTypeSK]

Uses



[dbo].[ERPx_MFNoteType]
 [dbo].[ERPx_MFPriceListHeader]

Used By


[dbo].[SPx_MFManage_NoteAssignment]
 [dbo].[SPx_MFSEL_NoteList]

 [dbo].[ERPx_MFPrintFilter]

Columns

Key	Name	Data Type	Max Length (Bytes)	Nullability
	FormID	varchar(50)	50	NOT NULL
	ControlID	varchar(200)	200	NULL allowed
	FilterProcedure	varchar(200)	200	NOT NULL

Indexes


Key	Name	Key Columns	Unique
	IX_ERPx_MFPrintFilter	FormID, ControlID	True

Used By

[dbo].[SPx_MFSEL_PrintFilter]

 [dbo].[ERPx_MFProcessMailQueueLog]

Columns

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity
	ProcessMailQueueLogSK	bigint	8	NOT NULL	1 - 1
	Level	varchar(max)	max	NULL allowed	
	CallSite	varchar(max)	max	NULL allowed	
	Type	varchar(max)	max	NULL allowed	
	Message	varchar(max)	max	NULL allowed	
	StackTrace	varchar(max)	max	NULL allowed	
	InnerException	varchar(max)	max	NULL allowed	
	AdditionalInfo	varchar(max)	max	NULL allowed	
	CreatedDate	datetime	8	NOT NULL	
	CreatedBy	varchar(110)	110	NOT NULL	


Indexes

Key	Name	Key Columns	Unique
	PK_ERPx_MFProcessMailQueueLog	ProcessMailQueueLogSK	True


Used By

[dbo].[SPx_MFUpdate_LogMailQueueError]

[dbo].[ERPx_MFPropertyDefinition]**Columns**

Key	Name	Data Type	Max Length (Bytes)	Nullability
	PropertyDefinitionSK	bigint	8	NOT NULL
	DataType	varchar(25)	25	NOT NULL
	ControlType	varchar(25)	25	NOT NULL
	LookupQuery	varchar(2000)	2000	NULL allowed
	LookupBoundColumn	varchar(50)	50	NULL allowed
	LookupDisplayColumn	varchar(50)	50	NULL allowed

Indexes

Key	Name	Key Columns	Unique
	PK_ERPx_MFPropertyDefinition_1	PropertyDefinitionSK	True




Used By

[dbo].[ERPx_APPoHeaderProperty]
 [dbo].[ERPx_APTransactionClassProperty]
 [dbo].[ERPx_APTransactionHeaderProperty]
 [dbo].[ERPx_APVendorClassProperty]
 [dbo].[ERPx_APVendorProperty]
 [dbo].[ERPx_CPIItemProperty]
 [dbo].[ERPx_CPTTransactionClassProperty]
 [dbo].[ERPx_IMItemClassProperty]
 [dbo].[ERPx_IMItemProperty]
 [dbo].[ERPx_IMProductionLotProperty]
 [dbo].[ERPx_IMTransactionClassProperty]
 [dbo].[ERPx_IMTransactionHeaderProperty]
 [dbo].[ERPx_LMLoadHeaderProperty]
 [dbo].[ERPx_SOCarrierProperty]
 [dbo].[ERPx_SPPprogramHeaderProperty]
 [dbo].[SPx_APSEL_APVendor_Properties]
 [dbo].[SPx_APSEL_APVendorClass_Properties]
 [dbo].[SPx_APSEL_DeliveryTicketProperty]
 [dbo].[SPx_APSEL_POHeaderProperties]
 [dbo].[SPx_APSEL_TransactionClass_Property]
 [dbo].[SPx_APSEL_TransactionHeaderProperties]
 [dbo].[SPx_ARSEL_PaymentReceiptHeaderProperty]
 [dbo].[SPx_CPSEL_AccrualProperties]
 [dbo].[SPx_CPSEL_ChargeProperties]
 [dbo].[SPx_CPSEL_ItemProperties]

[dbo].[SPx_CPSEL_TicketHeaderProperty]
[dbo].[SPx_CPSEL_TransactionClassProperties]
[dbo].[SPx_GLSEL_CheckbookTransactionAdjustmentProperty]
[dbo].[SPx_GLSEL_CheckbookTransactionDepositProperty]
[dbo].[SPx_GLSEL_CheckbookTransactionTransferProperty]
[dbo].[SPx_IMSEL_Adjustment_HeaderProperties]
[dbo].[SPx_IMSEL_ItemClassProperties]
[dbo].[SPx_IMSEL_ItemProperties]
[dbo].[SPx_IMSEL_ItemPropertiesAdvanced]
[dbo].[SPx_IMSEL_Production_HeaderProperties]
[dbo].[SPx_IMSEL_ProductionLot_Properties]
[dbo].[SPx_IMSEL_TransactionClass_Property]
[dbo].[SPx_IMSEL_TransactionHeaderProperties]
[dbo].[SPx_IMSEL_Transfer_HeaderProperties]
[dbo].[SPx_LMSEL_Shipment_Properties]
[dbo].[SPx_MFDEL_DeleteCompany]
[dbo].[SPx_MFSEL_CarrierProperties]
[dbo].[SPx_SOSEL_TransactionHeaderProperty]
[dbo].[SPx_SPSEL_SalesProgram_Property]

 [dbo].[ERPx_MFSecurityGroup]

Columns

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity
	SecurityGroupSK	bigint	8	NOT NULL	1 - 1
	DataEntityCompanySK	bigint	8	NOT NULL	
	SecurityGroupName	varchar(40)	40	NOT NULL	
	UserLicenseTypeSK	bigint	8	NOT NULL	

Indexes

Key	Name	Key Columns	Unique
	PK_ERPx_MFSecurityGroup	SecurityGroupSK	True
	UK_ERPx_MFSecurityGroup_1	SecurityGroupName, DataEntityCompanySK	True

Foreign Keys

Name	No Check	Columns
FK_ERPx_MFSecurityGroup_ERPx_MFData-EntityCompany	True	DataEntityCompanySK->[dbo].[ERPx_MFDataEntity-Company].[DataEntityCompanySK]

Uses

[dbo].[ERPx_MFDataEntityCompany]






Used By

[dbo].[ERPx_MFSecurityGroupAccess]
 [dbo].[ERPx_MFSecurityGroupUser]
 [dbo].[SPx_CPSEL_TicketHeader]
 [dbo].[SPx_LMUPD_LoadHeaderSOOrderCount]
 [dbo].[SPx_MFDEL_Company]
 [dbo].[SPx_MFDEL_DeleteCompany]
 [dbo].[SPx_MFINS_MessageQueue]
 [dbo].[SPx_MFSEL_FunctionalAreaForms_WithSecurity]
 [dbo].[SPx_MFSEL_FunctionalAreaFormUserAuditList]
 [dbo].[SPx_MFSEL_LicensedFunctionalAreasAndFormsByUser]
 [dbo].[SPx_MFSEL_MassUpdate]
 [dbo].[SPx_MFSEL_MenuSearch]
 [dbo].[SPx_MFSEL_MessageQueue]
 [dbo].[SPx_MFSEL_MessageQueueCount]
 [dbo].[SPx_MFSEL_Module_SecurityGroup]


[dbo].[SPx_MFSEL_ModuleForm_AuthorizeUser]
[dbo].[SPx_MFSEL_ModuleForm_SecurityGroup]
[dbo].[SPx_MFSEL_ModuleForm_WithSecurity]
[dbo].[SPx_MFSEL_SecurityGroup]
[dbo].[SPx_MFSEL_SecurityGroupCopyHeader]
[dbo].[SPx_MFSEL_SecurityGroupDetails]
[dbo].[SPx_MFSEL_SecurityGroupFormLookup]
[dbo].[SPx_MFSEL_SecurityGroupHeader]
[dbo].[SPx_MFSEL_SecurityGroupList]
[dbo].[SPx_MFSEL_User]
[dbo].[SPx_MFSEL_UserCompanyAccess]
[dbo].[SPx_MFSEL_UserProperties]
[dbo].[SPx_MFSEL_Users]
[dbo].[SPx_MFSEL_ValidateUser]
[dbo].[SPx_MFUPD_MessageQueueMarkAsIgnored]
[dbo].[SPx_MFUPD_MessageQueueMarkAsRead]
[dbo].[SPx_MFUPD_SysUserSecurity]
[dbo].[SPx_MFUpdate_Company]
[dbo].[SPx_MFUpdate_MassUpdate]
[dbo].[SPx_MFUpdate_SecurityGroup]
[dbo].[SPx_MFUpdate_SecurityGroupCopy]
[dbo].[SPx_MFUpdate_SecurityGroupDetail]
[dbo].[SPx_MFUPDINS_SecurityGroupUser]
[dbo].[SPx_RSSEL_Inquiry]
[dbo].[SPx_SOSEL_TransactionHeaderHome]
[dbo].[SPx_SOSEL_TransactionHeaderProperty]

 [dbo].[ERPx_MFSecurityGroupAccess]

Columns

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity
	SecurityGroupAccessSK	bigint	8	NOT NULL	1 - 1
	SecurityGroupSK	bigint	8	NOT NULL	
	SecurityModeSK	bigint	8	NOT NULL	
	SecurityEntityTypeSK	bigint	8	NOT NULL	
	SecurityEntitySK	bigint	8	NOT NULL	

Indexes

Key	Name	Key Columns	Unique
	PK_ERPx_MFSecurityGroupAccess	SecurityGroupAccessSK	True
	UK_ERPx_MFSecurityGroup-Access_1	SecurityGroupSK, SecurityModeSK, SecurityEntityTypeSK, Security-EntitySK	True

Foreign Keys

Name	No Check	Columns
FK_ERPx_MFSecurityGroupAccess_ERPx_MFSecurityGroup	True	SecurityGroupSK->[dbo].[ERPx_MFSecurityGroup].[Security-GroupSK]

Uses

[dbo].[ERPx_MFSecurityGroup]




Used By

[dbo].[FNx_GetFormXML]
 [dbo].[SPx_CPSEL_TicketHeader]
 [dbo].[SPx_LMUPD_LoadHeaderSOOrderCount]
 [dbo].[SPx_MFDEL_DeleteCompany]
 [dbo].[SPx_MFSEL_FunctionalAreaForms_WithSecurity]
 [dbo].[SPx_MFSEL_FunctionalAreaFormUserAuditList]
 [dbo].[SPx_MFSEL_LicensedFunctionalAreasAndFormsByUser]
 [dbo].[SPx_MFSEL_MassUpdate]
 [dbo].[SPx_MFSEL_MenuSearch]
 [dbo].[SPx_MFSEL_ModuleForm_AuthorizeUser]
 [dbo].[SPx_MFSEL_ModuleForm_SecurityGroup]
 [dbo].[SPx_MFSEL_ModuleForm_WithSecurity]

[dbo].[SPx_MFSEL_ModuleFormControl_SecurityGroup]
[dbo].[SPx_MFSEL_SecurityGroupDetails]
[dbo].[SPx_MFSEL_SecurityGroupFormLookup]
[dbo].[SPx_MFSEL_SecurityGroupForms]
[dbo].[SPx_MFUpdate_MassUpdate]
[dbo].[SPx_MFUpdate_SecurityGroup]
[dbo].[SPx_MFUpdate_SecurityGroupCopy]
[dbo].[SPx_MFUpdate_SecurityGroupDetail]
[dbo].[SPx_MFUPDINS_SecurityGroupFormRights]
[dbo].[SPx_RSSEL_Inquiry]
[dbo].[SPx_SOSEL_TransactionHeaderHome]
[dbo].[SPx_SOSEL_TransactionHeaderProperty]

 [dbo].[ERPx_MFSecurityGroupUser]

Columns

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity
	SecurityGroupUserSK	bigint	8	NOT NULL	1 - 1
	UserSK	bigint	8	NOT NULL	
	SecurityGroupSK	bigint	8	NOT NULL	

Indexes

Key	Name	Key Columns	Unique
	PK_ERPx_MFSecurityGroupUser	SecurityGroupUserSK	True
	UK_ERPx_MFSecurityGroupUser	UserSK, SecurityGroupSK	True

Foreign Keys

Name	No Check	Columns
FK_ERPx_MFSecurityGroupUser_ERPx_MFSecurityGroup	True	SecurityGroupSK->[dbo].[ERPx_MFSecurityGroup].[SecurityGroupSK]
FK_ERPx_MFSecurityGroupUser_ERPx_MFUser	True	UserSK->[dbo].[ERPx_MFUser].[UserSk]

Uses

[dbo].[ERPx_MFSecurityGroup]
 [dbo].[ERPx_MFUser]



Used By

[dbo].[SPx_CPSEL_TicketHeader]
 [dbo].[SPx_LMUPD_LoadHeaderSOOrderCount]
 [dbo].[SPx_MFDEL_DeleteCompany]
 [dbo].[SPx_MFSEL_FunctionalAreaForms_WithSecurity]
 [dbo].[SPx_MFSEL_FunctionalAreaFormUserAuditList]
 [dbo].[SPx_MFSEL_LicensedFunctionalAreasAndFormsByUser]
 [dbo].[SPx_MFSEL_MassUpdate]
 [dbo].[SPx_MFSEL_MenuSearch]
 [dbo].[SPx_MFSEL_MessageQueue]
 [dbo].[SPx_MFSEL_MessageQueueCount]
 [dbo].[SPx_MFSEL_ModuleForm_AuthorizeUser]
 [dbo].[SPx_MFSEL_ModuleForm_WithSecurity]
 [dbo].[SPx_MFSEL_SecurityGroupList]
 [dbo].[SPx_MFSEL_User]

[dbo].[SPx_MFSEL_UserCompanyAccess]
[dbo].[SPx_MFSEL_UserProperties]
[dbo].[SPx_MFSEL_Users]
[dbo].[SPx_MFSEL_ValidateUser]
[dbo].[SPx_MFUPD_MessageQueueInsertToEmailQueue]
[dbo].[SPx_MFUPD_MessageQueueMarkAsIgnored]
[dbo].[SPx_MFUPD_MessageQueueMarkAsRead]
[dbo].[SPx_MFUPD_SysUserSecurity]
[dbo].[SPx_MFUpdate_SecurityGroup]
[dbo].[SPx_MFUpdate_SecurityGroupDetail]
[dbo].[SPx_MFUpdate_User]
[dbo].[SPx_MFUPDINS_SecurityGroupUser]
[dbo].[SPx_RSSEL_Inquiry]
[dbo].[SPx_SOSEL_TransactionHeaderHome]
[dbo].[SPx_SOSEL_TransactionHeaderProperty]

 [dbo].[ERPx_MFServiceBrokerLogs]

Columns

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity	Default
	LogID	bigint	8	NOT NULL	1 - 1	
	LogDate	datetime	8	NOT NULL		(getdate())
	SPID	int	4	NOT NULL		(@@spid)
	Program-Name	nvarchar(255)	510	NOT NULL		(app_name())
	Host-Name	nvarchar(255)	510	NOT NULL		(host_name())
	Error-Severity	int	4	NOT NULL		((0))
	Error-Message	nvarchar(max)	max	NULL allowed		
	ErrorLine	int	4	NULL allowed		
	Error-Proc	[sys].[sysname]	256	NOT NULL		(coalesce(error_procedure(),object_name(@@procid),'<unknown>'))
	Queue-Message	xml	max	NULL allowed		

Indexes




Key	Name	Key Columns	Unique	Fill Factor
	PK__ERPx_MFS__5E5499A9D7254DE4	LogID	True	
	IX_ERPx_MFServiceBrokerLogs	LogDate		100

Used By


[dbo].[SPx_MFSYS_CloseDialogs]
 [dbo].[SPx_MFSYS_HandleQueue]

 [dbo].[ERPx_MFShift]

Columns

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity
	ShiftSK	bigint	8	NOT NULL	1 - 1
	ShiftName	varchar(25)	25	NOT NULL	
	LastUser	varchar(125)	125	NOT NULL	
	LastUpdated	datetime	8	NOT NULL	
	DataEntityCompanySK	bigint	8	NOT NULL	

Indexes









Key	Name	Key Columns	Unique
	PK_ERPx_MFShift	ShiftSK	True
	IX_ERPx_MFShift	ShiftName, DataEntityCompanySK	True


Used By

[dbo].[SPx_MFSEL_ShiftLookup]


 [dbo].[ERPx_MFSite]

Columns

Key	Name	Data Type	Max Length (Bytes)	Nullability	Full Text Indexed	Language	Identity	Default
 	SiteSK	bigint	8	NOT NULL			1 - 1	
	HostSystemLink	varchar(100)	100	NULL allowed				
	SiteID	varchar(20)	20	NOT NULL				
	SiteName	varchar(35)	35	NOT NULL				
 	DataEntityCompany-SK	bigint	8	NOT NULL				
	IsVisibleToSales	bit	1	NOT NULL				((0))
	IsVisibleToLogistics	bit	1	NOT NULL				((0))
	IsVisibleToWMS	bit	1	NOT NULL				((0))
	IsSiteWarehouseLot-Tracked	int	4	NOT NULL				((0))
	IsInTransit	bit	1	NOT NULL				((0))
	AddressLine1	varchar(300)	300	NULL allowed				
	AddressLine2	varchar(75)	75	NULL allowed				
	City	varchar(35)	35	NULL allowed				
	State	varchar(30)	30	NULL allowed				
	Zip	varchar(15)	15	NULL allowed				
	Phone1	varchar(25)	25	NULL allowed				
	IsInactive	bit	1	NOT NULL				((0))
	Registration	varchar(50)	50	NULL allowed				
	VendorSK	bigint	8	NULL allowed				
	LastUpdated	datetime	8	NULL allowed				(getdate())
	LastUser	varchar(110)	110	NULL allowed				
	ProductionBatch-Prefix	varchar(25)	25	NULL allowed				
	NextProduction-BatchNumber	bigint	8	NULL allowed				
	Country	varchar(50)	50	NULL				

				allowed				
	Fax	varchar(25)	25	NULL allowed				
	Email	varchar(50)	50	NULL allowed				
	SearchText	varchar(max)	max	NULL allowed	True	2057		(")
	AllowDefault-WarehouseLotFrom-TransferReceipt	bit	1	NOT NULL				((0))
	IntegratedTransfer-DefaultViaSiteSK	bigint	8	NULL allowed				
	CreatedBy	varchar(150)	150	NULL allowed				
	CreatedDateTime	datetime	8	NOT NULL				(getdate())
	AssignWarehouse-LotsOnTransfer-Receipts	bit	1	NOT NULL				((0))
	WarehouseLot-Template	int	4	NULL allowed				

Indexes

Key	Name	Key Columns	Included Columns	Unique
	PK_ERPx_MFSite	SiteSK		True
	UK_ERPx_MFSite	SiteID, HostSystemLink, DataEntity-CompanySK		True
	IX_ERPx_MFSite_IsSiteWarehouseLot-Tracked	SiteSK	IsSiteWarehouseLot-Tracked	

Foreign Keys

Name	Columns
FK_ERPx_MFSite_ERPx_APVendor	VendorSK->[dbo].[ERPx_APVendor].[VendorSK]
FK_ERPx_MFSite_ERPx_MFDataEntityCompany	DataEntityCompanySK->[dbo].[ERPx_MFDataEntityCompany].[Data-EntityCompanySK]
FK_ERPx_MFSite_ERPx_MFSite	SiteSK->[dbo].[ERPx_MFSite].[SiteSK]
FK_ERPx_MFSiteIntegratedTransferDefaultViaSiteSK_-ERPx_MFSite	IntegratedTransferDefaultViaSiteSK->[dbo].[ERPx_MFSite].[SiteSK]

Uses

[dbo].[ERPx_APVendor]
 [dbo].[ERPx_MFDataEntityCompany]

Used By

[dbo].[ERPx_APDeliveryTicketHeader]

[dbo].[ERPx_APPoHeader]
[dbo].[ERPx_APTransactionClass]
[dbo].[ERPx_ARCustomerAddress]
[dbo].[ERPx_CPField]
[dbo].[ERPx_CPTicketHeader]
[dbo].[ERPx_IMBin]
[dbo].[ERPx_IMLotBalance]
[dbo].[ERPx_IMLotBalance_SearchMetadata]
[dbo].[ERPx_IMProductionLot]
[dbo].[ERPx_IMProductionOrderHeader]
[dbo].[ERPx_IMTemplateDetail]
[dbo].[ERPx_IMTemplateHeader]
[dbo].[ERPx_IMTransactionDetail]
[dbo].[ERPx_IMTransactionHeader]
[dbo].[ERPx_IMTransactionMoreActionsCriteria]
[dbo].[ERPx_IMWarehouseLot]
[dbo].[ERPx_LMLoadHeader]
[dbo].[ERPx_MFCertificationSetup_MFSite]
[dbo].[ERPx_MFSiteContact]
[dbo].[ERPx_MFSiteLine]
[dbo].[ERPx_MFSiteNote]
[dbo].[ERPx_MFSiteRelatedSite]
[dbo].[ERPx_MFSiteShift]
[dbo].[ERPx_MPBOMSite]
[dbo].[ERPx_SCContractHeader]
[dbo].[ERPx_SOOrderTypeDocument]
[dbo].[ERPx_SPPProgramSite]
[dbo].[ERPx_WKWorkflowSite]
[dbo].[FNx_IMInventoryBalances]
[dbo].[FNx_IMInventoryTransactionDetail]
[dbo].[IQx_APSEL_POLineList]
[dbo].[IQx_APSEL_POLinkedItems]
[dbo].[IQx_APSEL_POLinkedTransactions]
[dbo].[IQx_APSEL_POList]
[dbo].[IQx_APSEL_TicketLinelist]
[dbo].[IQx_APSEL_TicketList]
[dbo].[IQx_APSEL_TicketStatAreaLinelist]
[dbo].[IQx_CPSEL_TicketHistory_SiteLookup]
[dbo].[IQx_CPTicketHistory]
[dbo].[IQx_IMSEL_ItemHistory]
[dbo].[IQx_IMSEL_LotHistory]
[dbo].[IQx_IMSEL_ProductionOrderHistory]
[dbo].[IQx_IMSEL_ProductionOrderItemHistory]
[dbo].[IQx_ItemInquirySite]
[dbo].[IQx_LMSEL_LoadList]
[dbo].[IQx_LMSEL_LoadOrderList]
[dbo].[IQx_SOSEL_BillingHistory_SiteLookup]
[dbo].[IQx_SOSEL_ItemHistory]
[dbo].[IQx_SOSEL_ItemHistory_SiteLookup]
[dbo].[IQx_SOSEL_SalesHistory]
[dbo].[IQx_SOSEL_SalesHistory_SiteLookup]
[dbo].[IQx_SOSEL_ShipmentHistory]
[dbo].[IQx_SOSEL_ShipmentHistory_SiteLookup]




[dbo].[SPx_APPProcess_PurchaseOrder]
[dbo].[SPx_APPProcess_SearchMetadata_RefreshDeliveryTicketHeader]
[dbo].[SPx_APPProcess_Vendor]
[dbo].[SPx_APSEL_DeliveryTicketReprice_SiteProcessedLookup]
[dbo].[SPx_APSEL_DeliveryTicketSiteProcessedLookup]
[dbo].[SPx_APSEL_POHeader]
[dbo].[SPx_APSEL_POLineList]
[dbo].[SPx_APSEL_POList]
[dbo].[SPx_APSEL_ProgramPremiumEntitySiteProcessed]
[dbo].[SPx_APSEL_ProgramSiteProcessedLookup]
[dbo].[SPx_APSEL_ProgramTaxEntitySiteProcessed]
[dbo].[SPx_APSEL_PurchaseOrder_SiteLookup]
[dbo].[SPx_APSEL_TicketClassList]
[dbo].[SPx_APSEL_TicketLinelist]
[dbo].[SPx_APSEL_TicketList]
[dbo].[SPx_APSEL_TransactionClass_Property]
[dbo].[SPx_APSEL_TransactionClass_SiteLookup]
[dbo].[SPx_APUUpdate_NewDeliveryTicket]
[dbo].[SPx_APUUpdate_VendorList]
[dbo].[SPx_ARSEL_CustomerAddressList]
[dbo].[SPx_ARSEL_CustomerAddressLookup]
[dbo].[SPx_ARSEL_CustomerAddressProperties]
[dbo].[SPx_ARSEL_SiteLookup]
[dbo].[SPx_ARSEL_SOCustomerAddressList]
[dbo].[SPx_CPPProcess_CreateIMReceiptTransaction]
[dbo].[SPx_CPPProcess_SearchMetadata_RefreshCPTicketHeader]
[dbo].[SPx_CPSEL_FieldList]
[dbo].[SPx_CPSEL_Fields_SiteLookup]
[dbo].[SPx_CPSEL_GetTicketHeaders]
[dbo].[SPx_CPSEL_NewTicket_SiteLookup]
[dbo].[SPx_CPSEL_NewTicketLines]
[dbo].[SPx_CPSEL_Preference_SiteLookup]
[dbo].[SPx_CPSEL_SiteLookup]
[dbo].[SPx_CPSEL_Ticket_SiteLookup]
[dbo].[SPx_CPUUpdate_NewTicket]
[dbo].[SPx_FAUpdate_FishermanTenderList]
[dbo].[SPx_FAUpdate_LoanList]
[dbo].[SPx_HistoricalInventoryBalance]
[dbo].[SPx_HistoricalInventoryBalance_SiteLookup]
[dbo].[SPx_IMProcess_AdjustmentTransaction]
[dbo].[SPx_IMProcess_ProductionOrder]
[dbo].[SPx_IMProcess_ProductionTransaction]
[dbo].[SPx_IMProcess_ReceiptTransaction]
[dbo].[SPx_IMProcess_RefreshLotBalanceSearchMetadata]
[dbo].[SPx_IMProcess_Transfer_PurchaseOrder]
[dbo].[SPx_IMProcess_TransferTransaction]
[dbo].[SPx_IMSEL_Adjustment_TransactionItemDataLookup]
[dbo].[SPx_IMSEL_AllocationAndCommitment]
[dbo].[SPx_IMSEL_AllocationAndCommitmentList]
[dbo].[SPx_IMSEL_CostHistoryInquiry]
[dbo].[SPx_IMSEL_CycleCountList]
[dbo].[SPx_IMSEL_CycleCountSiteLookup]
[dbo].[SPx_IMSEL_FindLotDetails]

[dbo].[SPx_IMSEL_GetLotCost]
[dbo].[SPx_IMSEL_InquiryCriteriaSiteLookup]
[dbo].[SPx_IMSEL_InTransitSiteLookup]
[dbo].[SPx_IMSEL_InventoryAsOfSiteLookup]
[dbo].[SPx_IMSEL_ItemBalance]
[dbo].[SPx_IMSEL_LotBalance]
[dbo].[SPx_IMSEL_Production_TransactionDetailNew]
[dbo].[SPx_IMSEL_Production_TransactionItemDataLookup]
[dbo].[SPx_IMSEL_ProductionInput_TransactionDetailNew]
[dbo].[SPx_IMSEL_ProductionLot_Properties]
[dbo].[SPx_IMSEL_ProductionLotIQ]
[dbo].[SPx_IMSEL_ProductionLots]
[dbo].[SPx_IMSEL_ProductionOrderDetail]
[dbo].[SPx_IMSEL_ProductionOrderDetailList]
[dbo].[SPx_IMSEL_ProductionOrderDetailNew]
[dbo].[SPx_IMSEL_ProductionOrderList]
[dbo].[SPx_IMSEL_ProductionOrderSiteLookup]
[dbo].[SPx_IMSEL_Receipt_PORRecordLookupDetail]
[dbo].[SPx_IMSEL_Receipt_TransactionItemDataLookup]
[dbo].[SPx_IMSEL_SiteLookup]
[dbo].[SPx_IMSEL_TransactionDetailAdjustment]
[dbo].[SPx_IMSEL_TransactionDetailNew]
[dbo].[SPx_IMSEL_TransactionDetailProduction]
[dbo].[SPx_IMSEL_TransactionDetailReceipt]
[dbo].[SPx_IMSEL_TransactionDetailTransfer]
[dbo].[SPx_IMSEL_TransactionHeaderAdjustment]
[dbo].[SPx_IMSEL_TransactionHeaderReceipt]
[dbo].[SPx_IMSEL_TransactionItemDataLookup]
[dbo].[SPx_IMSEL_TransactionList]
[dbo].[SPx_IMSEL_TransactionMoreActionsTransfers]
[dbo].[SPx_IMSEL_Transfer_TransactionItemDataLookup]
[dbo].[SPx_IMSEL_UpdateCostList]
[dbo].[SPx_IMSEL_WarehouseLotList]
[dbo].[SPx_IMSEL_WarehouseLotList_SiteLookup]
[dbo].[SPx_IMSEL_WorkFlowLookup]
[dbo].[SPx_IMUpdate_CheckForLots]
[dbo].[SPx_IMUpdate_InventoryLot]
[dbo].[SPx_IMUpdate_RecalculateLotBalance]
[dbo].[SPx_IMUpdate_TransactionSOShipmentReturn]
[dbo].[SPx_IMUpdate_WarehouseLot]
[dbo].[SPx_INTEG_BWIMInventoryTrans]
[dbo].[SPx_INTEG_BWInvoiceHeaderItem_XML]
[dbo].[SPx_INTEG_BWOrderHeaderItem_XML]
[dbo].[SPx_INTEG_GPCustomerAddress]
[dbo].[SPx_INTEG_GPIMTransaction]
[dbo].[SPx_INTEG_GPINVInquiry]
[dbo].[SPx_INTEG_GPMFSSiteOutbound]
[dbo].[SPx_INTEG_GPSOHeader]
[dbo].[SPx_INTEG_GPSOInvoice]
[dbo].[SPx_INTEG_GPSOItem]
[dbo].[SPx_INTEG_NSIMInventoryTrans]
[dbo].[SPx_ItemInquirySites]
[dbo].[SPx_LMINS_LoadBuilder]


[dbo].[SPx_LMSEL_Load]
[dbo].[SPx_LMSEL_LoadList]
[dbo].[SPx_LMSEL_LoadOrderList]
[dbo].[SPx_LMSEL_LoadRecordHeader]
[dbo].[SPx_LMSEL_LoadRecordLoadPlan]
[dbo].[SPx_LMSEL_LoadRecordLoadPlanFreightCost]
[dbo].[SPx_LMSEL_MoveToNewLoadList]
[dbo].[SPx_LMSEL_Shipment_Properties]
[dbo].[SPx_LMSEL_SiteList]
[dbo].[SPx_LMSEL_SiteLookup]
[dbo].[SPx_LMUPD_Site]
[dbo].[SPx_Load_IMLotsAndBins_GP]
[dbo].[SPx_Load_ImportSOOrdersFromGP]
[dbo].[SPx_MFDEL_DeleteCompany]
[dbo].[SPx_MFExport_ARCustomersAndAddresses]
[dbo].[SPx_MFINSUPDDEL_Site_XML]
[dbo].[SPx_MFSEL_AllocateDetails]
[dbo].[SPx_MFSEL_ChangeAddressList]
[dbo].[SPx_MFSEL_ContactTypeReportMappingDistributionFilter]
[dbo].[SPx_MFSEL_CPPreferences]
[dbo].[SPx_MFSEL_InTransitSiteLookup]
[dbo].[SPx_MFSEL_RelatedSites]
[dbo].[SPx_MFSEL_RelatedSiteSKList]
[dbo].[SPx_MFSEL_Site_VendorLookup]
[dbo].[SPx_MFSEL_SiteAddress]
[dbo].[SPx_MFSEL_SiteLookup]
[dbo].[SPx_MFSEL_SiteProperties]
[dbo].[SPx_MFSEL_SiteRecord]
[dbo].[SPx_MFSYS_InstallSystemSearchText]
[dbo].[SPx_MFUPD_Site]
[dbo].[SPx_MFUpdate_MassUpdate]
[dbo].[SPx_MFUpdate_Site]
[dbo].[SPx_MFUpdate_Site_AddDefaultWarehouseLot]
[dbo].[SPx_MPSEL_BOMItemList]
[dbo].[SPx_MPSEL_BOMList]
[dbo].[SPx_MPSEL_BOMSite]
[dbo].[SPx_MPSEL_BOMSiteLookup]
[dbo].[SPx_SOINs_BWInboundInvoice_XML]
[dbo].[SPx_SOINs_BWInboundInvoicee_XML]
[dbo].[SPx_SOINs_SalesInvoiceExecutionHistory]
[dbo].[SPx_SOPProcess_FindItems]
[dbo].[SPx_SOPProcess_FindItemsWithBalances]
[dbo].[SPx_SOPProcess_Transaction]
[dbo].[SPx_SOPProcess_Transaction_InsertItem]
[dbo].[SPx_SOPProcess_Transaction_UpdateItem]
[dbo].[SPx_SOSEL_Allocate_HeaderOrderSummary]
[dbo].[SPx_SOSEL_FindItems_Header]
[dbo].[SPx_SOSEL_FindItems_OrderSummary]
[dbo].[SPx_SOSEL_FindItemsWithBalances_Detail]
[dbo].[SPx_SOSEL_FindItemsWithBalances_OrderSummary]
[dbo].[SPx_SOSEL_FindItemsWithBalances_SiteLookup]
[dbo].[SPx_SOSEL_FindLotDetails]
[dbo].[SPx_SOSEL_FindLots_AllocateFromSiteLookup]

[dbo].[SPx_SOSEL_FindLots_HeaderHome]
[dbo].[SPx_SOSEL_FindLots_HeaderOrderSummary]
[dbo].[SPx_SOSEL_OrderHeader]
[dbo].[SPx_SOSEL_OrderHeaderList]
[dbo].[SPx_SOSEL_PriceAdjustmentItems]
[dbo].[SPx_SOSEL_ReturnItems]
[dbo].[SPx_SOSEL_ReturnSiteLookup]
[dbo].[SPx_SOSEL_ShipmentDetailLookup]
[dbo].[SPx_SOSEL_ShipmentList]
[dbo].[SPx_SOSEL_SiteList]
[dbo].[SPx_SOSEL_SiteLookup]
[dbo].[SPx_SOSEL_TransactionCatalogSiteLookup]
[dbo].[SPx_SOSEL_TransactionClassProperty]
[dbo].[SPx_SOSEL_TransactionClassSiteLookup]
[dbo].[SPx_SOSEL_TransactionDefaultSiteLookup]
[dbo].[SPx_SOSEL_TransactionDetailItem]
[dbo].[SPx_SOSEL_TransactionDetailItemNewRow]
[dbo].[SPx_SOSEL_TransactionHeaderShipment]
[dbo].[SPx_SOSEL_TransactionItemList]
[dbo].[SPx_SOSEL_TransactionShipToDetail]
[dbo].[SPx_SOUPD_Site]
[dbo].[SPx_SOUupdate_TransactionDetailAutoAllocate]
[dbo].[SPx_SPINS_ProgramSite]
[dbo].[SPx_SPPProcess_Program]
[dbo].[SPx_SPSEL_SalesProgram_SiteLookup]
[dbo].[SPx_SPSEL_SiteList]
[dbo].[SPx_WKSEL_SiteList]
[dbo].[SPx_WKSEL_WorkflowGroupSite]
[dbo].[SPx_WKSEL_WorkFlows]
[dbo].[VWx_IMInventoryBalances]
[dbo].[VWx_IMTransactionHistory]
[dbo].[VWx_LotBalances]
[dbo].[VWx_MFAllocateLotBalance]
[hist].[SPx_IMRollup]
[hist].[SPx_SOPProcess_SearchMetadata_RefreshOrder]
[NS_20221128]

[dbo].[ERPx_MFSiteContact]**Columns**

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity	Default
	SiteContactSK	bigint	8	NOT NULL	1 - 1	
	SiteSK	bigint	8	NOT NULL		
	ContactTypeSK	bigint	8	NOT NULL		
	Name	varchar(100)	100	NULL allowed		
	Phone	varchar(25)	25	NULL allowed		
	Fax	varchar(25)	25	NULL allowed		
	Email	varchar(1000)	1000	NULL allowed		
	Note	varchar(500)	500	NULL allowed		
	LastUpdated	datetime	8	NOT NULL		(getdate())
	LastUser	varchar(110)	110	NOT NULL		

Indexes

Key	Name	Key Columns	Unique
	PK_ERPx_MFSiteContact	SiteContactSK	True
	IX_ERPx_MFSiteContact	SiteSK, ContactTypeSK	True

Foreign Keys

Name	Columns
FK_ERPx_MFSiteContact_ERPx_MFContactType	ContactTypeSK->[dbo].[ERPx_MFContactType].[ContactTypeSK]
FK_ERPx_MFSiteContact_ERPx_MFSite	SiteSK->[dbo].[ERPx_MFSite].[SiteSK]





Uses

[dbo].[ERPx_MFContactType]
[dbo].[ERPx_MFSite]


Used By

[dbo].[SPx_MFINSUPDDEL_Site_XML]
[dbo].[SPx_MFSEL_SiteContactList]
[dbo].[SPx_MFUpdate_Site]

[dbo].[ERPx_MFSiteLine]**Columns**

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity
 PK	SiteLineSK	bigint	8	NOT NULL	1 - 1
 FK	SiteSK	bigint	8	NOT NULL	
 FK	SiteLineName	varchar(100)	100	NOT NULL	
	LastUpdated	datetime	8	NOT NULL	
	LastUser	varchar(150)	150	NOT NULL	
 FK	DataEntityCompanySK	bigint	8	NOT NULL	

Indexes

Key	Name	Key Columns	Unique
 PK	PK_ERPx_MFSiteLine	SiteLineSK	True
	IX_ERPx_MFSiteLine	DataEntityCompanySK, SiteLineName, SiteSK	True

Foreign Keys

Name	Columns
FK_ERPx_MFSiteLine_ERPx_MFDataEntity-Company	DataEntityCompanySK->[dbo].[ERPx_MFDataEntityCompany].[DataEntity-CompanySK]
FK_ERPx_MFSiteLine_ERPx_MFSite	SiteSK->[dbo].[ERPx_MFSite].[SiteSK]

Uses

[dbo].[ERPx_MFDataEntityCompany]
[dbo].[ERPx_MFSite]

Used By






[dbo].[ERPx_IMTransactionDetail]
[dbo].[ERPx_IMTransactionHeader]
[dbo].[SPx_IMSEL_Production_TransactionDetailNew]
[dbo].[SPx_IMSEL_ProductionInput_TransactionDetailNew]
[dbo].[SPx_IMSEL_ProductionLotIQ]
[dbo].[SPx_IMSEL_TransactionDetailNew]
[dbo].[SPx_IMSEL_TransactionDetailSiteLineLookup]
[dbo].[SPx_IMSEL_TransactionSiteLineLookup]
[dbo].[SPx_MFDEL_DeleteCompany]
[dbo].[SPx_MFINSUPPDEL_Site_XML]

[dbo].[SPx_MFSEL_SiteLine]



[dbo].[SPx_MFUpdate_Site]

[hist].[SPx_IMRollup]

[dbo].[ERPx_MFSiteNote]**Columns**

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity	Default
 	SiteNoteSK	bigint	8	NOT NULL	1 - 1	
	SiteSK	bigint	8	NOT NULL		
	NoteTypeSK	bigint	8	NOT NULL		
	Note	varchar(2000)	2000	NULL allowed		
	NoteHTML	varchar(max)	max	NULL allowed		
	LastUpdated	datetime	8	NULL allowed		(getdate())
	LastUser	varchar(110)	110	NULL allowed		
	DataEntityCompanySK	bigint	8	NOT NULL		

Indexes

Key	Name	Key Columns	Unique
 	PK_ERPx_MFSiteNote	SiteNoteSK	True
	UK_ERPx_MFSiteNote	SiteSK, NoteTypeSK, DataEntityCompanySK	True

Foreign Keys

Name	Columns
FK_ERPx_MFSiteNote_ERPx_MFNoteType	NoteTypeSK->[dbo].[ERPx_MFNoteType].[NoteTypeSK]
FK_ERPx_MFSiteNote_ERPx_MFSite	SiteSK->[dbo].[ERPx_MFSite].[SiteSK]

Uses

[dbo].[ERPx_MFNoteType]





[dbo].[ERPx_MFSite]

Used By


[dbo].[SPx_MFManage_NoteAssignment]

[dbo].[SPx_MFSEL_NoteList]

[dbo].[ERPx_MFSiteRelatedSite]**Columns**

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity	Default
	RelatedSiteSK	bigint	8	NOT NULL	1 - 1	
	SiteSK	bigint	8	NOT NULL		
	RelatedToSiteSK	bigint	8	NOT NULL		
	LastUpdated	datetime	8	NOT NULL		(getdate())
	LastUser	varchar(150)	150	NOT NULL		
	DataEntityCompanySK	bigint	8	NOT NULL		

Indexes

Key	Name	Key Columns	Unique
	PK_ERPx_MFSiteRelatedSite	RelatedSiteSK	True
	IX_ERPx_MFSiteRelatedSite	SiteSK, RelatedToSiteSK	True

Foreign Keys

Name	Columns
FK_ERPx_MFSiteRelatedSite_ERPx_MFDataEntity-CompanySK	DataEntityCompanySK->[dbo].[ERPx_MFDataEntityCompany].[Data-EntityCompanySK]
FK_ERPx_MFSiteRelatedSite_ERPx_MFSite	SiteSK->[dbo].[ERPx_MFSite].[SiteSK]
FK_ERPx_MFSiteRelatedSite_RelatedToSite_ERPx-MFSite	RelatedToSiteSK->[dbo].[ERPx_MFSite].[SiteSK]





Uses

[dbo].[ERPx_MFDataEntityCompany]
[dbo].[ERPx_MFSite]


Used By

[dbo].[SPx_MFINSUPDDEL_Site_XML]
[dbo].[SPx_MFSEL_RelatedSites]
[dbo].[SPx_MFSEL_RelatedSiteSKList]
[dbo].[SPx_MFUpdate_Site]
[dbo].[SPx_SOSEL_FindItemsWithBalances_SiteLookup]
[dbo].[SPx_SOSEL_OrderHeaderList]
[dbo].[SPx_SOSEL_TransactionDetailItem]
[dbo].[SPx_SOSEL_TransactionHeaderHome]

[dbo].[ERPx_MFSiteShift]**Columns**

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity
 PK	SiteShiftSK	bigint	8	NOT NULL	1 - 1
 FK	SiteSK	bigint	8	NOT NULL	
 FK	SiteShiftName	varchar(100)	100	NOT NULL	
	LastUpdated	datetime	8	NOT NULL	
	LastUser	varchar(150)	150	NOT NULL	
 FK	DataEntityCompanySK	bigint	8	NOT NULL	

Indexes

Key	Name	Key Columns	Unique
 PK	PK_ERPx_MFSiteShift	SiteShiftSK	True
	IX_ERPx_MFSiteShift	DataEntityCompanySK, SiteShiftName, SiteSK	True

Foreign Keys

Name	Columns
FK_ERPx_MFSiteShift_ERPx_MFDataEntity-Company	DataEntityCompanySK->[dbo].[ERPx_MFDataEntityCompany].[DataEntity-CompanySK]
FK_ERPx_MFSiteShift_ERPx_MFSite	SiteSK->[dbo].[ERPx_MFSite].[SiteSK]

Uses

[dbo].[ERPx_MFDataEntityCompany]
[dbo].[ERPx_MFSite]

Used By

[dbo].[ERPx_IMTransactionDetail]
[dbo].[ERPx_IMTransactionHeader]
[dbo].[SPx_IMSEL_Production_TransactionDetailNew]
[dbo].[SPx_IMSEL_ProductionInput_TransactionDetailNew]
[dbo].[SPx_IMSEL_ProductionLotIQ]
[dbo].[SPx_IMSEL_TransactionDetailNew]
[dbo].[SPx_IMSEL_TransactionDetailSiteShiftLookup]
[dbo].[SPx_IMSEL_TransactionSiteShiftLookup]
[dbo].[SPx_MFDEL_DeleteCompany]
[dbo].[SPx_MFINSUPPDEL_Site_XML]


[dbo].[SPx_MFSEL_SiteShift]

[dbo].[SPx_MFUpdate_Site]

[hist].[SPx_IMRollup]

 [dbo].[ERPx_MFSpecialCharacters]

Columns

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity
	SpecialCharacterSK	bigint	8	NOT NULL	1 - 1
	SpecialCharacter	varchar(10)	10	NOT NULL	
	EscapedName	varchar(20)	20	NOT NULL	
	URLEncodedName	varchar(100)	100	NULL allowed	




Indexes

Key	Name	Key Columns	Unique
	PK_ERPx_MFSpecialCharacters	SpecialCharacterSK	True


Used By

[dbo].[FNx_ReplaceSpecialCharacters]
 [dbo].[SPx_GLUUpdate_AccountList]
 [dbo].[SPx_GLUUpdate_StatAccount_AccountList]
 [dbo].[SPx_MFSEL_SpecialCharacters]

[dbo].[ERPx_MFSysAccountingRule]**Columns**

Key	Name	Data Type	Max Length (Bytes)	Nullability
	AccountingRuleSK	bigint	8	NOT NULL
	ModuleSK	bigint	8	NOT NULL
	TransactionTypeSK	bigint	8	NOT NULL
	TransactionLineTypeSK	bigint	8	NOT NULL
	LineExtendedAmountSign	varchar(10)	10	NOT NULL
	DistributionSide	varchar(10)	10	NOT NULL
	DistributionSourceEN	bigint	8	NOT NULL
	MFDistributionTypeEN	bigint	8	NULL allowed
	JournalLineTypeSK	bigint	8	NOT NULL
	AccountSourceDescriptionEN	bigint	8	NOT NULL

Indexes

Key	Name	Key Columns	Unique
	PK_ERPx_MFAccountingRule	AccountingRuleSK	True
	IX_ERPx_MFAccountingRule	AccountingRuleSK	

Foreign Keys

Name	Columns
FK_ERPx_MFAccountingRule_ERPx_GLJournalLineType	JournalLineTypeSK->[dbo].[ERPx_GLJournalLineType].[JournalLineTypeSK]
FK_ERPx_MFAccountingRule_ERPx_MFModule	ModuleSK->[dbo].[ERPx_MFModule].[ModuleSK]




Uses

[dbo].[ERPx_GLJournalLineType]
[dbo].[ERPx_MFModule]


Used By

[dbo].[SPx_MFDEL_DeleteCompany]
[dbo].[SPx_MFUpdate_JournalDetails]
[dbo].[VWx_MFSysAccountingRule]

 **[dbo].[ERPx_MFSysEnumeration]**
Columns

Key	Name	Data Type	Max Length (Bytes)	Nullability	Default
 (2)	EnumerationClass	varchar(100)	100	NOT NULL	
	EnumerationValue	bigint	8	NOT NULL	
	EnumerationDisplay	varchar(250)	250	NOT NULL	
	Sort	bigint	8	NOT NULL	
	IsSystemEnumeration	bit	1	NOT NULL	((1))

Indexes

Key	Name	Key Columns	Unique
	PK_ERPx_MFSysEnumeration_1	EnumerationClass, EnumerationValue	True
	IX_ERPx_MFSysEnumeration	EnumerationClass, EnumerationValue	True
	IX_ERPx_MFSysEnumeration_1	EnumerationClass, EnumerationDisplay	True

Used By

[dbo].[FNx_ConvertDateTimeToUserDateFormat]
 [dbo].[FNx_GetEnumDisplay]
 [dbo].[FNx_GetEnumList]
 [dbo].[FNx_GetEnumValue]
 [dbo].[FNx_GetProductionOrderPlannedAndActuals]
 [dbo].[FNx_GetUserDateFormat]
 [dbo].[FNx_ValidateEnumValue]
 [dbo].[IQx_APSEL_Activity]
 [dbo].[IQx_APSEL_Activity_VendorTypeLookup]
 [dbo].[IQx_APSEL_ApplicationList_GroupByLookup]
 [dbo].[IQx_APSEL_BalanceDetail_VendorTypeLookup]
 [dbo].[IQx_APSEL_FishermanBalanceDetail]
 [dbo].[IQx_APSEL_FishTicketHistory_VersionLookup]
 [dbo].[IQx_APSEL_PaymentReceiptHistoryInquiry]
 [dbo].[IQx_APSEL_POLineList]
 [dbo].[IQx_APSEL_TicketHistory_StatusLookup]
 [dbo].[IQx_APSEL_TicketLinelist]
 [dbo].[IQx_APSEL_TicketList]
 [dbo].[IQx_APSEL_TicketStatAreaLinelist]
 [dbo].[IQx_ARSEL_ApplicationList]
 [dbo].[IQx_ARSEL_ApplicationList_GroupByLookup]
 [dbo].[IQx_ARSEL_PaymentReceiptHistoryInquiry]
 [dbo].[IQx_CheckRegister]
 [dbo].[IQx_CPSEL_TicketHistory_VersionLookup]

[dbo].[IQx_CPSEL_TicketInquiryCriteriaIncludeLookup]
[dbo].[IQx_CPSEL_TicketInquiryCriteriaVersionLookup]
[dbo].[IQx_GLSEL_AccountBalance_ControlAccountTypeLookup]
[dbo].[IQx_GLSEL_AccountBalances]
[dbo].[IQx_GLSEL_BalanceSummary_ControlAccountTypeLookup]
[dbo].[IQx_GLSEL_CheckbookTransactionInquiry]
[dbo].[IQx_GLSEL_JournalLineList]
[dbo].[IQx_IMSEL_InventoryAsOf]
[dbo].[IQx_IMSEL_ItemHistory]
[dbo].[IQx_IMSEL_LotHistory]
[dbo].[IQx_IMSEL_ProductionOrderHistory]
[dbo].[IQx_IMSEL_ProductionOrderItemHistory]
[dbo].[IQx_LMSEL_LoadList]
[dbo].[IQx_LMSEL_LoadOrderList]
[dbo].[IQx_MFIntegInboundQueue]
[dbo].[IQx_MFIntegOutboundQueue]
[dbo].[IQx_MFSEL_PriceListHistory]
[dbo].[IQx_SOSEL_SalesHistory_DateType]
[dbo].[SPx_APPProcess_Vendor]
[dbo].[SPx_APSEL_APTransaction_Line]
[dbo].[SPx_APSEL_APVendor_Address]
[dbo].[SPx_APSEL_APVendorClass_Properties]
[dbo].[SPx_APSEL_BuildCheckOneCheckPerLookup]
[dbo].[SPx_APSEL_DeliveryTicketDiscardReportLookup]
[dbo].[SPx_APSEL_DeliveryTicketDockDeliveryLookup]
[dbo].[SPx_APSEL_DeliveryTicketFishermen]
[dbo].[SPx_APSEL_DeliveryTicketMasterVendorLookup]
[dbo].[SPx_APSEL_DeliveryTicketReprice_DateOptionLookup]
[dbo].[SPx_APSEL_DeliveryTicketRepriceMassUpdate_PriceUpdateMethodLookup]
[dbo].[SPx_APSEL_DeliveryTicketRepricePremiumlist]
[dbo].[SPx_APSEL_DeliveryTicketTenderLookup]
[dbo].[SPx_APSEL_FishermanBalancesList]
[dbo].[SPx_APSEL_POLine]
[dbo].[SPx_APSEL_POLineList]
[dbo].[SPx_APSEL_ProgramGroupLookup]
[dbo].[SPx_APSEL_ProgramTypeLookup]
[dbo].[SPx_APSEL_PurchaseOrder_TypeLookup]
[dbo].[SPx_APSEL_SplitPaymentSplitAmountTypeLookup]
[dbo].[SPx_APSEL_TicketLinelist]
[dbo].[SPx_APSEL_TicketList]
[dbo].[SPx_APSEL_TransactionClass_Property]
[dbo].[SPx_APSEL_TransactionClassList_POTypeLookup]
[dbo].[SPx_APSEL_TransactionMoreActionsTicketList]
[dbo].[SPx_APSEL_VendorACHAccountTypeLookup]
[dbo].[SPx_APSEL_VendorACHList]
[dbo].[SPx_APSEL_VendorAddress]
[dbo].[SPx_APSEL_VendorAddressList]
[dbo].[SPx_APSEL_VendorClassExcludedTransactions]
[dbo].[SPx_APSEL_VendorExcludedTransactions]
[dbo].[SPx_APSEL_VendorList]
[dbo].[SPx_APSEL_VendorProperties]
[dbo].[SPx_APUpdate_VendorList]
[dbo].[SPx_ARSEL_ApplyDocumentsDetail]

[dbo].[SPx_ARSEL_ApplyDocumentsHeader]
[dbo].[SPx_ARSEL_Customer]
[dbo].[SPx_ARSEL_CustomerAddressList]
[dbo].[SPx_ARSEL_CustomerAddressLookup]
[dbo].[SPx_ARSEL_CustomerList]
[dbo].[SPx_ARSEL_PaymentReceipt_ApplyDocumentsDetail]
[dbo].[SPx_ARSEL_PaymentReceiptHeaderProperty]
[dbo].[SPx_ARSEL_PaymentReceiptList]
[dbo].[SPx_ARSEL_SOCustomerAddressList]
[dbo].[SPx_CPSEL_AccrualList]
[dbo].[SPx_CPSEL_AccrualProperties]
[dbo].[SPx_CPSEL_ChargeList]
[dbo].[SPx_CPSEL_ChargeProperties]
[dbo].[SPx_CPSEL_FieldGrowthMethodLookup]
[dbo].[SPx_CPSEL_FieldList]
[dbo].[SPx_CPSEL_GetTicketLines]
[dbo].[SPx_CPSEL_ItemList]
[dbo].[SPx_CPSEL_ItemProperties]
[dbo].[SPx_CPSEL_NewTicketLines]
[dbo].[SPx_CPSEL_TicketChargesList]
[dbo].[SPx_CPSEL_TicketRepriceAccrualLookup]
[dbo].[SPx_CPSEL_TicketRepriceChargeLookup]
[dbo].[SPx_CPSEL_TransactionClassList]
[dbo].[SPx_CPSEL_TransactionClassProperties]
[dbo].[SPx_FASEL_CopyType]
[dbo].[SPx_FASEL_FishermanTenderList]
[dbo].[SPx_FASEL_FishermenAddressList]
[dbo].[SPx_FASEL_LoanAddressList]
[dbo].[SPx_FASEL_LoanList]
[dbo].[SPx_FASEL_PremiumList]
[dbo].[SPx_FASEL_TaxList]
[dbo].[SPx_FAUpdate_FishermanTenderList]
[dbo].[SPx_FAUpdate_LoanList]
[dbo].[SPx_GLSEL_AccountClassCategoryLookup]
[dbo].[SPx_GLSEL_AccountClassList]
[dbo].[SPx_GLSEL_AccountList]
[dbo].[SPx_GLSEL_CheckbookTransactionAdjustmentProperty]
[dbo].[SPx_GLSEL_CheckbookTransactionDepositProperty]
[dbo].[SPx_GLSEL_CheckbookTransactionTransferHeader]
[dbo].[SPx_GLSEL_CheckbookTransactionTransferProperty]
[dbo].[SPx_GLSEL_ControlAccountTypeLookup]
[dbo].[SPx_GLSEL_FiscalYearHeader]
[dbo].[SPx_GLSEL_FiscalYearList]
[dbo].[SPx_GLSEL_JournalDetailDetailLine]
[dbo].[SPx_GLSEL_JournalDetailEntryLine]
[dbo].[SPx_GLSEL_JournalDetailHeader]
[dbo].[SPx_GLSEL_JournalHeaderExchangeRateCalcMethodLookup]
[dbo].[SPx_GLSEL_JournalLineList]
[dbo].[SPx_GLSEL_MoreActionsActionLookup]
[dbo].[SPx_GLSEL_PostingTypeLookup]
[dbo].[SPx_GLSEL_StatAccount_TypicalBalanceLookup]
[dbo].[SPx_GLSEL_TypicalBalanceLookup]
[dbo].[SPx_GLValidate_JournalEntry]


[dbo].[SPx_IMProcess_PostLotCosts]
[dbo].[SPx_IMSEL_Adjustment_HeaderProperties]
[dbo].[SPx_IMSEL_CertificationList]
[dbo].[SPx_IMSEL_CertificationTypeLookup]
[dbo].[SPx_IMSEL_CostHistoryInquiry]
[dbo].[SPx_IMSEL_CycleCountIncludeCriteriaLookup]
[dbo].[SPx_IMSEL_CycleCountList]
[dbo].[SPx_IMSEL_GetProductionOrderPlannedAndActuals]
[dbo].[SPx_IMSEL_IncludeInItemBalanceLookup]
[dbo].[SPx_IMSEL_IncludeInLotBalanceLookup]
[dbo].[SPx_IMSEL_IncludeInLotBalanceLookup_FindLots]
[dbo].[SPx_IMSEL_IncludeInUpdateCostLookup]
[dbo].[SPx_IMSEL_Item]
[dbo].[SPx_IMSEL_ItemBalance]
[dbo].[SPx_IMSEL_ItemProperties]
[dbo].[SPx_IMSEL_ItemPropertiesAdvanced]
[dbo].[SPx_IMSEL_ItemSetList]
[dbo].[SPx_IMSEL_ItemSetTypeLookup]
[dbo].[SPx_IMSEL_LotBalance]
[dbo].[SPx_IMSEL_Production_HeaderProperties]
[dbo].[SPx_IMSEL_Production_TransactionDetailNew]
[dbo].[SPx_IMSEL_ProductionInput_TransactionDetailNew]
[dbo].[SPx_IMSEL_ProductionLot_Properties]
[dbo].[SPx_IMSEL_ProductionLots]
[dbo].[SPx_IMSEL_ProductionOrderDetailList]
[dbo].[SPx_IMSEL_ProductionOrderList]
[dbo].[SPx_IMSEL_ProductionOrderStatus]
[dbo].[SPx_IMSEL_ProductionOrderTransactionTypeLookup]
[dbo].[SPx_IMSEL_ProductionTransactionTypeLookup]
[dbo].[SPx_IMSEL_PropertyCostMethodLookup]
[dbo].[SPx_IMSEL_SummarizeByLookup]
[dbo].[SPx_IMSEL_TransactionClass_Property]
[dbo].[SPx_IMSEL_TransactionDetailNew]
[dbo].[SPx_IMSEL_TransactionDetailProduction]
[dbo].[SPx_IMSEL_TransactionHeaderProperties]
[dbo].[SPx_IMSEL_TransactionHistoryStatus]
[dbo].[SPx_IMSEL_TransactionMoreActionsCriteriaActionLookup]
[dbo].[SPx_IMSEL_Transfer_HeaderProperties]
[dbo].[SPx_IMSEL_UpdateCostList]
[dbo].[SPx_IMUpdate_ProductionOrderList]
[dbo].[SPx_INTEG_BWInvoiceHeaderItem_XML]
[dbo].[SPx_LMSEL_CalculateLoadTransactionLegDetails]
[dbo].[SPx_LMSEL_FreightRateTypeLookup]
[dbo].[SPx_LMSEL_InquiryLoadStatusLookup]
[dbo].[SPx_LMSEL_LoadList]
[dbo].[SPx_LMSEL_LoadOrderList]
[dbo].[SPx_LMSEL_LoadRecordHeader]
[dbo].[SPx_LMSEL_LoadStatusLookup]
[dbo].[SPx_LMSEL_MFShipmentHeader_ShowWeightForLookup]
[dbo].[SPx_LMSEL_MFShipmentLegList_FreighRateTypeLookup]
[dbo].[SPx_LMSEL_MFShipmentLegList_NewRow]
[dbo].[SPx_LMSEL_ShipmentLeg_HandlingRateTypeLookup]
[dbo].[SPx_MFDEL_DeleteCompany]

[dbo].[SPx_MFExport_APVendorsAndAddresses]
[dbo].[SPx_MFExport_ARCustomersAndAddresses]
[dbo].[SPx_MFSEL_AgeByCriteriaLookup]
[dbo].[SPx_MFSEL_AllocateShowInLookup]
[dbo].[SPx_MFSEL_CarrierProperties]
[dbo].[SPx_MFSEL_CashReceiptAccountTypeLookup]
[dbo].[SPx_MFSEL_ContactTypeReportMappingTypeDocumentStatus]
[dbo].[SPx_MFSEL_DataEntityMap]
[dbo].[SPx_MFSEL_DeployedPrintControlReport_ByName]
[dbo].[SPx_MFSEL_EmployeeList_EnumerationLookup]
[dbo].[SPx_MFSEL_EnumerationLookup]
[dbo].[SPx_MFSEL_EnumerationValueLookup]
[dbo].[SPx_MFSEL_FunctionalAreaFormUserAuditList]
[dbo].[SPx_MFSEL_IntegInbound]
[dbo].[SPx_MFSEL_IntegrationModelLookup]
[dbo].[SPx_MFSEL_IntegrationSetupList]
[dbo].[SPx_MFSEL_InterestRateTypeLookup]
[dbo].[SPx_MFSEL_LicensedFunctionalAreasAndFormsByUser]
[dbo].[SPx_MFSEL_LicenseTypeLookup]
[dbo].[SPx_MFSEL_MenuSearch]
[dbo].[SPx_MFSEL_OutboundStatusLookup]
[dbo].[SPx_MFSEL_PriceListHeader]
[dbo].[SPx_MFSEL_PriceListInactiveLookup]
[dbo].[SPx_MFSEL_PriceListIncludeFreightLookup]
[dbo].[SPx_MFSEL_PriceListItemList]
[dbo].[SPx_MFSEL_PriceListLinkedFormulaOperationLookup]
[dbo].[SPx_MFSEL_PriceListList]
[dbo].[SPx_MFSEL_PriceListMassUpdateItemlist]
[dbo].[SPx_MFSEL_PriceListTypeLookup]
[dbo].[SPx_MFSEL_PrintControlReports_ByID]
[dbo].[SPx_MFSEL_SecurityGroupDetails]
[dbo].[SPx_MFSEL_SecurityGroupFormLookup]
[dbo].[SPx_MFSEL_SecurityGroupList]
[dbo].[SPx_MFSEL_TaxClassHeader]
[dbo].[SPx_MFSEL_TaxClassList]
[dbo].[SPx_MFSEL_TaxDetailList]
[dbo].[SPx_MFUpdate_TaxClass]
[dbo].[SPx_PRSEL_BatchDetail]
[dbo].[SPx_PRSEL_CheckPayees]
[dbo].[SPx_PRSEL_Code]
[dbo].[SPx_PRSEL_EmployeeList]
[dbo].[SPx_PRSEL_EmployeeListNewRow]
[dbo].[SPx_PRSEL_PayCodeLookup]
[dbo].[SPx_PRSEL_PRCCodeTypeLookup]
[dbo].[SPx_RSINS_QueuePrintedReportForEmail]
[dbo].[SPx_RSSEL_ReportFormLookup]
[dbo].[SPx_RSSEL_ReportsForDeploy]
[dbo].[SPx_RSSEL_ReportTypeLookup]
[dbo].[SPx_SOSEL_FreightRateTypeLookup]
[dbo].[SPx_SOSEL_LoadStatusLookup]
[dbo].[SPx_SOSEL_TransactionClassList]
[dbo].[SPx_SOSEL_TransactionClassProperty]
[dbo].[SPx_SOSEL_TransactionHeaderProperty]

[dbo].[SPx_SOSEL_TransactionItemList]
[dbo].[SPx_SP_CalculateOrderPrograms]
[dbo].[SPx_SPSEL_BrokerActivity]
[dbo].[SPx_SPSEL_CalculationMethodLookup]
[dbo].[SPx_SPSEL_ProcessSettlementBatch]
[dbo].[SPx_SPSEL_ProcessSettlementBatch_SettlePerLookup]
[dbo].[SPx_SPSEL_ProcessSettlementItems]
[dbo].[SPx_SPSEL_SalesProgram_Property]
[dbo].[SPx_SPSEL_SalesProgram_SettlementMethodLookup]
[dbo].[SPx_SPSEL_SettlementFrequencyLookup]
[dbo].[SPx_SPSEL_SettlementMethodLookup]
[dbo].[SPx_SPSEL_SettlementStatusLookup]
[dbo].[VWx_IMItemProperties]
[dbo].[VWx_INTEG_Inbound]
[dbo].[VWx_INTEG_Outbound]
[dbo].[VWx_LotBalances]
[dbo].[VWx_MFSEL_AttributeSetup]
[dbo].[VWx_MFSysAccountingRule]
[hist].[SPx_IMRollup]

 **[dbo].[ERPx_MFSysLicense]**

Columns

Key	Name	Data Type	Max Length (Bytes)	Nullability	Default
	CustomerLocationID	uniqueidentifier	16	NOT NULL	
	LicenseData	xml	max	NOT NULL	
	PortalLicenseCount	int	4	NOT NULL	((0))
	SystemLicenseCount	int	4	NOT NULL	((0))
	LastUpdate	datetime	8	NOT NULL	(getdate())

Indexes



Key	Name	Key Columns	Unique
	PK_ERPx_MFSysLicense	CustomerLocationID	True

Used By


[dbo].[SPx_MFSEL_FunctionalAreaFormUserAuditList]
 [dbo].[SPx_MFSEL_GetLicense]
 [dbo].[SPx_MFSEL_LicensedFunctionalAreasAndFormsByUser]

 [dbo].[ERPx_MFSysListView]

Columns

Key	Name	Data Type	Max Length (Bytes)	Nullability
	DynamicListViewSK	bigint	8	NOT NULL
	ModuleSK	bigint	8	NOT NULL
	ListViewName	varchar(200)	200	NOT NULL
	GridID	varchar(50)	50	NOT NULL
	GridProperties	xml	max	NOT NULL
	CustomizedGridProperties	xml	max	NULL allowed

Indexes

Key	Name	Key Columns	Unique
	PK_ERPx_MFSysListView	DynamicListViewSK	True

Foreign Keys

Name	Columns
FK_ERPx_MFSysListView_ERPx_MFModule	ModuleSK->[dbo].[ERPx_MFModule].[ModuleSK]

Uses


[dbo].[ERPx_MFModule]

Used By

[dbo].[SPx_MFDEL_DeleteCompany]
 [dbo].[SPx_MFSEL_ListViews]
 [dbo].[SPx_MFSEL_SysListViewLookup]

 [dbo].[ERPx_MFSysLogDBException]

Columns

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity	Default
	ExceptionSK	bigint	8	NOT NULL	1 - 1	
	ExceptionDateTime	datetime	8	NOT NULL		(getdate())
	DBCommandText	varchar(max)	max	NULL allowed		
	DBParameters	varchar(max)	max	NULL allowed		
	ExceptionNumber	bigint	8	NULL allowed		
	ExceptionMessage	varchar(max)	max	NULL allowed		

Indexes



Key	Name	Key Columns	Unique
	PK_ERPx_MFSysLogDBException	ExceptionSK	True

Used By


[dbo].[SPx_MFINS_SysLogDBException]

 **[dbo].[ERPx_MFSysObjects]**

Columns

Key	Name	Data Type	Max Length (Bytes)	Nullability
	SQLObjectID	int	4	NOT NULL
	ObjectType	varchar(10)	10	NOT NULL
	ObjectTypeName	varchar(50)	50	NOT NULL
	ObjectPhysicalName	varchar(100)	100	NOT NULL
	TablePrimaryKeyColumn	varchar(100)	100	NOT NULL
	ObjectDisplayName	varchar(100)	100	NOT NULL

Indexes










Key	Name	Key Columns	Unique
	PK_ERPx_MFSysTable	SQLObjectID	True
	IX_ERPx_MFSysTable	ObjectDisplayName	True

Used By



[dbo].[SPx_MFDEL_DeleteCompany]
 [dbo].[SPx_MFINS_SyncSysObjects]

 [dbo].[ERPx_MFSysPreferences]

Columns

Key	Name	Data Type	Max Length (Bytes)	Nullability	Default
  	ModuleSK	bigint	8	NOT NULL	
	PreferenceGroup	varchar(50)	50	NOT NULL	('Basic')
 	PreferenceName	varchar(50)	50	NOT NULL	
	PreferenceDisplayName	varchar(100)	100	NOT NULL	
	PreferenceValue	varchar(max)	max	NOT NULL	
	PreferenceSort	bigint	8	NOT NULL	
	IsReadOnly	bit	1	NOT NULL	((0))
	IsHidden	bit	1	NOT NULL	((0))
	DataType	varchar(25)	25	NOT NULL	
	ControlType	varchar(25)	25	NOT NULL	
	LookupQuery	varchar(max)	max	NULL allowed	
	LookupBoundColumn	varchar(50)	50	NULL allowed	
	LookupDisplayColumn	varchar(50)	50	NULL allowed	
	MinimumValue	varchar(25)	25	NULL allowed	
	MaximumValue	varchar(25)	25	NULL allowed	
	MaximumLength	bigint	8	NULL allowed	
	LastUpdated	datetime	8	NOT NULL	(getdate())
	LastUser	varchar(110)	110	NULL allowed	
  	DataEntityCompanySK	bigint	8	NOT NULL	
	IsRequired	bit	1	NOT NULL	((0))
	FunctionalAreaSK	bigint	8	NOT NULL	

Indexes

Key	Name	Key Columns	Unique
 	PK_ERPx_MFSysPreferences_1	ModuleSK, PreferenceName, DataEntityCompanySK	True
	UK_ERPx_MFSysPreferences_1	PreferenceName, ModuleSK, DataEntityCompanySK	True

Foreign Keys

Name	Columns
FK_ERPx_MFSysPreferences_ERPx_MFDataEntity-Company	DataEntityCompanySK->[dbo].[ERPx_MFDataEntityCompany].[DataEntity-CompanySK]

FK_ERPx_MFSysPreferences_ERPx_MFFunctionalArea	FunctionalAreaSK->[dbo].[ERPx_MFFunctionalArea].[FunctionalAreaSK]
FK_ERPx_MFSysPreferences_ERPx_MFModule	ModuleSK->[dbo].[ERPx_MFModule].[ModuleSK]

Uses

[dbo].[ERPx_MFDataEntityCompany]
 [dbo].[ERPx_MFFunctionalArea]
 [dbo].[ERPx_MFModule]


Used By

[dbo].[FNx_DataEntitySKLookup]
 [dbo].[FNx_DataEntitySKLookupTable]
 [dbo].[FNx_GetSysPrefValue]
 [dbo].[FNx_LMSEL_LoadGroupingOptions]
 [dbo].[IQx_APSEL_Activity]
 [dbo].[IQx_APSEL_FishermanBalanceDetail]
 [dbo].[RPx_GLSEL_ACHPrenote]
 [dbo].[SPx_APPProcess_PaymentReceipt]
 [dbo].[SPx_APPProcess_Transaction]
 [dbo].[SPx_APPProcess_TransactionClass]
 [dbo].[SPx_APSEL_BuildFishermanSettlementCheckbookLookup]
 [dbo].[SPx_APSEL_DefaultFishingUOMIDLookup]
 [dbo].[SPx_APSEL_DefaultInvoiceCreditMemoPurchaseOrderUOMIDLookup]
 [dbo].[SPx_APSEL_DocumentManagementSystemUrlLookup]
 [dbo].[SPx_APSEL_FAPaymentReceiptCheckbookLookup]
 [dbo].[SPx_APSEL_FishermanBalancesList]
 [dbo].[SPx_APSEL_VendorACHList]
 [dbo].[SPx_APUUpdate_CustomerClassDelete]
 [dbo].[SPx_APUUpdate_VendorClassDelete]
 [dbo].[SPx_ARProcess_RefreshAvgDaysToPay]
 [dbo].[SPx_ARSEL_ApplyDocumentList]
 [dbo].[SPx_CPUUpdate_NewTicket]
 [dbo].[SPx_GLProcess_CheckbookReconciliation]
 [dbo].[SPx_GLProcess_CheckbookTransaction]
 [dbo].[SPx_GLSEL_RetainedEarningsGLAcctLookup]
 [dbo].[SPx_GLUUpdate_CheckbookList]
 [dbo].[SPx_GLUUpdate_Project]
 [dbo].[SPx_IMUPD_UOMScheduleUOMList]
 [dbo].[SPx_INTEG_ArchiveIntegrationRecords]
 [dbo].[SPx_INTEG_NSIMInventoryTrans]
 [dbo].[SPx_LMINS_LoadBuilder]
 [dbo].[SPx_LMSEL_CreateOrderSKListForLoadBuilder]
 [dbo].[SPx_LMSEL_MFShipmentLegList_NewRow]
 [dbo].[SPx_LoadCompanyData_AX40]
 [dbo].[SPx_LoadManager]
 [dbo].[SPx_MFDEL_DeleteCompany]
 [dbo].[SPx_MFINSUPDDEL_Site_XML]
 [dbo].[SPx_MFSEL_AgingPeriodsHeader]
 [dbo].[SPx_MFSEL_ApplyDocumentRecordList]
 [dbo].[SPx_MFSEL_APPreferences]


[dbo].[SPx_MFSEL_BRPreferences]
[dbo].[SPx_MFSEL_CashReceiptARList]
[dbo].[SPx_MFSEL_CheckbookLookup]
[dbo].[SPx_MFSEL_COPreferences]
[dbo].[SPx_MFSEL_CPPreferences]
[dbo].[SPx_MFSEL_FAApplyDocumentRecordList]
[dbo].[SPx_MFSEL_FAPreferences]
[dbo].[SPx_MFSEL_GLPreferences]
[dbo].[SPx_MFSEL_IMPreferences]
[dbo].[SPx_MFSEL_LMPreferences]
[dbo].[SPx_MFSEL_MFPreferences]
[dbo].[SPx_MFSEL_PRPreferences]
[dbo].[SPx_MFSEL_SOPreferences]
[dbo].[SPx_MFSEL_SPPreferences]
[dbo].[SPx_MFSEL_SysPreferenceValueLookup]
[dbo].[SPx_MFSEL_ValidateUser]
[dbo].[SPx_MFSYS_FireTrigger]
[dbo].[SPx_MFSYS_InstallProcessMailQueueJob]
[dbo].[SPx_MFUpdate_AgingPeriods]
[dbo].[SPx_MFUpdate_APPreferences]
[dbo].[SPx_MFUpdate_BRPreferences]
[dbo].[SPx_MFUpdate_COPreferences]
[dbo].[SPx_MFUpdate_CPPreferences]
[dbo].[SPx_MFUpdate_FAPreferences]
[dbo].[SPx_MFUpdate_GLPreferences]
[dbo].[SPx_MFUpdate_IMPreferences]
[dbo].[SPx_MFUpdate_LMPreferences]
[dbo].[SPx_MFUpdate_MassUpdate]
[dbo].[SPx_MFUpdate_MFPreferences]
[dbo].[SPx_MFUpdate_PriceList]
[dbo].[SPx_MFUpdate_PRPreferences]
[dbo].[SPx_MFUpdate_Site]
[dbo].[SPx_MFUpdate_SOPreferences]
[dbo].[SPx_MFUpdate_SPPreferences]
[dbo].[SPx_MFUpdate_SysPreferences]
[dbo].[SPx_MPINSUPD_BOM]
[dbo].[SPx_PRSEL_EmployeeListNewRow]
[dbo].[SPx_PRUpdate_EmployeeList]
[dbo].[SPx_RSSEL_ReportServerInfo]
[dbo].[SPx_SCUpdate_ContractHeader]
[dbo].[SPx_SOAssignBOLNumber]
[dbo].[SPx_SOPProcess_Transaction_Validations]
[dbo].[SPx_SOPProcess_ValidateTransaction]
[dbo].[SPx_SOSEL_IsPOUsed]
[dbo].[SPx_SOSEL_OrderHeader]
[dbo].[SPx_SOSEL_OrderItemNotesList]
[dbo].[SPx_SOSEL_SalesProgramDetail_Accrual]
[dbo].[SPx_SOSEL_SalesProgramDetail_OnInvoice]
[dbo].[SPx_SOSEL_StatusSetupPreferences]
[dbo].[SPx_SOSEL_TransactionClassLookup]
[dbo].[SPx_SOUUpdate_Transaction]
[dbo].[SPx_SOUUpdate_TransactionDetailAutoAllocate]

 [dbo].[ERPx_MFSysRecordView]

Columns

Key	Name	Data Type	Max Length (Bytes)	Nullability
	DynamicRecordViewSK	bigint	8	NOT NULL
	ModuleSK	bigint	8	NOT NULL
	RecordViewName	varchar(200)	200	NOT NULL
	RecordViewProperties	xml	max	NOT NULL
	CustomizedRecordViewProperties	xml	max	NULL allowed

Indexes


Key	Name	Key Columns	Unique
	PK_ERPx_MFSysRecordView	DynamicRecordViewSK	True

Used By

[dbo].[SPx_MFDEL_DeleteCompany]
 [dbo].[SPx_MFSEL_RecordViews]
 [dbo].[SPx_MFSEL_SysRecordViewLookup]

 [dbo].[ERPx_MFSysTable]

Columns

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity
	SysTableSK	bigint	8	NOT NULL	1 - 1
	SysTableName	varchar(200)	200	NULL allowed	
	AttributeTypeSK	bigint	8	NULL allowed	
	AssignmentTable	varchar(128)	128	NULL allowed	
	PivotTable	varchar(128)	128	NULL allowed	
	SKColumn	varchar(128)	128	NULL allowed	
	ValueColumn	varchar(128)	128	NULL allowed	
	EntityColumn	varchar(128)	128	NULL allowed	
	CertificationTypeEN	bigint	8	NULL allowed	

Indexes


Key	Name	Key Columns	Unique
	PK_ERPx_MFSysTables	SysTableSK	True

Used By

[dbo].[SPx_MFDEL_Attribute]
 [dbo].[SPx_MFINSUPD_Attribute]
 [dbo].[SPx_MFUPD_AttributePivotTableColumnsAndView]
 [dbo].[SPx_MFUPD_AttributePivotTableSync]
 [dbo].[SPx_MFUPD_AttributeView]
 [dbo].[SPx_MFUPD_CertificationPivotTableColumnsAndView]
 [dbo].[SPx_MFUPD_CertificationPivotTableSync]
 [dbo].[SPx_MFUPD_CertificationView]

 [dbo].[ERPx_MFSysTransactionLogTables]





Columns

Key	Name	Data Type	Max Length (Bytes)	Nullability	Default
	ObjectID	varchar(100)	100	NOT NULL	
	TableName	varchar(100)	100	NOT NULL	
	IsSystemInstalled	bit	1	NOT NULL	((0))
	RetentionDays	bigint	8	NOT NULL	


Indexes

Key	Name	Key Columns	Unique
	PK_ERPx_MFSysTransactionLogTables	ObjectID	True

[dbo].[ERPx_MFSysUserPreferences]**Columns**

Key	Name	Data Type	Max Length (Bytes)	Nullability	Default
	UserSK	bigint	8	NOT NULL	
	ModuleSK	bigint	8	NOT NULL	
	PreferenceGroup	varchar(50)	50	NOT NULL	('Basic')
	PreferenceName	varchar(50)	50	NOT NULL	
	PreferenceDisplayName	varchar(100)	100	NOT NULL	
	PreferenceValue	varchar(max)	max	NOT NULL	
	PreferenceSort	bigint	8	NOT NULL	
	IsReadOnly	bit	1	NOT NULL	((0))
	IsHidden	bit	1	NOT NULL	((0))
	DataType	varchar(25)	25	NOT NULL	
	ControlType	varchar(25)	25	NOT NULL	
	LookupQuery	varchar(max)	max	NULL allowed	
	LookupBoundColumn	varchar(50)	50	NULL allowed	
	LookupDisplayColumn	varchar(50)	50	NULL allowed	
	MinimumValue	varchar(25)	25	NULL allowed	
	MaximumValue	varchar(25)	25	NULL allowed	
	MaximumLength	bigint	8	NULL allowed	
	LastUpdated	datetime	8	NOT NULL	(getdate())
	LastUser	varchar(110)	110	NULL allowed	
	DataEntityCompanySK	bigint	8	NOT NULL	
	HomePage	varchar(255)	255	NULL allowed	

Indexes

Key	Name	Key Columns	Unique
	PK_ERPx_MFSysUserPreferences_1	UserSK, ModuleSK, PreferenceName, DataEntityCompanySK	True

Foreign Keys

Name	Columns
FK_ERPx_MFSysUserPreferences_ERPx_MFData-EntityCompany	DataEntityCompanySK->[dbo].[ERPx_MFDataEntityCompany].[Data-EntityCompanySK]
FK_ERPx_MFSysUserPreferences_ERPx_MFModule	ModuleSK->[dbo].[ERPx_MFModule].[ModuleSK]

FK_ERPx_MFSysUserPreferences_ERPx_MFUser	UserSK->[dbo].[ERPx_MFUser].[UserSk]
--	--------------------------------------





Uses

[dbo].[ERPx_MFDataEntityCompany]
[dbo].[ERPx_MFModule]
[dbo].[ERPx_MFUser]


Used By

[dbo].[FNx_ConvertDateTimeToUserDateFormat]
[dbo].[FNx_GetUserDateFormat]
[dbo].[SPx_APSEL_DeliveryTicketADFGAvailableNumbers]
[dbo].[SPx_APSEL_DeliveryTicketADFGPreferences]
[dbo].[SPx_MFDEL_DeleteCompany]
[dbo].[SPx_MFSEL_IntegOutboundADFG]
[dbo].[SPx_MFSEL_SysUserDateFormat]
[dbo].[SPx_MFSEL_SysUserPreferences]
[dbo].[SPx_MFSEL_SysUserPreferenceValueLookup]
[dbo].[SPx_MFSEL_TransactionClassLookup]
[dbo].[SPx_MFSYS_SyncUserPreferences]
[dbo].[SPx_MFUPD_SysUserPreferences]
[dbo].[SPx_MFUpdate_User]
[dbo].[SPx_SOINS_AddOrderHeader]
[dbo].[SPx_SOPProcess_Transaction_InsertOrderHeader]

[dbo].[ERPx_MFTaxClass]**Columns**

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity	Default
	TaxClassSK	bigint	8	NOT NULL	1 - 1	
	TaxClassName	varchar(150)	150	NOT NULL		
	TaxApplyToEN	bigint	8	NOT NULL		
	CurrencySK	bigint	8	NOT NULL		
	IsInactive	bit	1	NOT NULL		((0))
	LastUpdated	datetime	8	NOT NULL		(getdate())
	LastUser	varchar(150)	150	NOT NULL		
	DataEntityCompanySK	bigint	8	NOT NULL		

Indexes

Key	Name	Key Columns	Unique
	PK_ERPx_MFTaxClass	TaxClassSK	True
	IX_ERPx_MFTaxClass	TaxClassName, DataEntityCompanySK	True

Foreign Keys

Name	Columns
FK_ERPx_MFTaxClass_ERPx_MFCurrency	CurrencySK->[dbo].[ERPx_MFCurrency].[CurrencySK]
FK_ERPx_MFTaxClass_ERPx_MFDataEntity-Company	DataEntityCompanySK->[dbo].[ERPx_MFDataEntityCompany].[DataEntity-CompanySK]

Uses

[dbo].[ERPx_MFCurrency]
[dbo].[ERPx_MFDataEntityCompany]





Used By

[dbo].[ERPx_APTransactionHeader]
[dbo].[ERPx_APVendor]
[dbo].[ERPx_ARCustomer]
[dbo].[ERPx_ARCustomerAddress]
[dbo].[ERPx_ARCustomerClass]
[dbo].[ERPx_ARTransactionHeader]
[dbo].[ERPx_MFTaxClassDetail]
[dbo].[ERPx_MFTTransactionTax]


[dbo].[IQx_APSEL_FishermanSaleList]
[dbo].[IQx_APSEL_SaleLineList]
[dbo].[IQx_ARSEL_SaleInvoiceList]
[dbo].[SPx_APProcess_Vendor]
[dbo].[SPx_APSEL_FishermanSaleLineList]
[dbo].[SPx_APSEL_FishermanSaleList]
[dbo].[SPx_APSEL_TaxClassLookup]
[dbo].[SPx_APSEL_TransactionLine]
[dbo].[SPx_APSEL_VendorClassRecordProperties]
[dbo].[SPx_APSEL_VendorList]
[dbo].[SPx_APSEL_VendorProperties]
[dbo].[SPx_APUupdate_FishermanSale]
[dbo].[SPx_APUupdate_TransactionTenderSale]
[dbo].[SPx_ARProcess_Transaction]
[dbo].[SPx_ARSEL_CustomerAddressList]
[dbo].[SPx_ARSEL_CustomerAddressLookup]
[dbo].[SPx_ARSEL_CustomerAddressProperties]
[dbo].[SPx_ARSEL_CustomerAddressTaxClassLookup]
[dbo].[SPx_ARSEL_CustomerClassProperties]
[dbo].[SPx_ARSEL_CustomerList]
[dbo].[SPx_ARSEL_CustomerProperties]
[dbo].[SPx_ARSEL_SaleInvoiceLineList]
[dbo].[SPx_ARSEL_SaleInvoiceList]
[dbo].[SPx_ARSEL_SOCustomerAddressList]
[dbo].[SPx_ARSEL_TaxClassLookup]
[dbo].[SPx_ARSEL_TransactionLine]
[dbo].[SPx_FASEL_FishermanTenderList]
[dbo].[SPx_FASEL_LoanList]
[dbo].[SPx_MFDEL_DeleteCompany]
[dbo].[SPx_MFExport_APVendorsAndAddresses]
[dbo].[SPx_MFExport_ARCustomersAndAddresses]
[dbo].[SPx_MFSEL_TaxClassCurrencyLookup]
[dbo].[SPx_MFSEL_TaxClassDetail]
[dbo].[SPx_MFSEL_TaxClassHeader]
[dbo].[SPx_MFSEL_TaxClassList]
[dbo].[SPx_MFSEL_TaxClassLookup]
[dbo].[SPx_MFUpdate_TaxClass]
[dbo].[SPx_MFUpdate_TaxClassList]
[dbo].[SPx_MFUpdate_TransactionTax]

 [dbo].[ERPx_MFTaxClassDetail]

Columns

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity
	TaxClassDetailSK	bigint	8	NOT NULL	1 - 1
	TaxClassSK	bigint	8	NOT NULL	
	TaxDetailSK	bigint	8	NOT NULL	
	LastUpdate	datetime	8	NOT NULL	
	LastUser	varchar(150)	150	NOT NULL	
	DataEntityCompanySK	bigint	8	NOT NULL	

Indexes

Key	Name	Key Columns	Unique
	PK_ERPx_MFTaxClassDetail	TaxClassDetailSK	True
	IX_ERPx_MFTaxClassDetail	TaxClassSK, TaxDetailSK, DataEntityCompanySK	True

Foreign Keys

Name	Columns
FK_ERPx_MFTaxClassDetail_ERPx_MFDataEntity-Company	DataEntityCompanySK->[dbo].[ERPx_MFDataEntityCompany].[DataEntity-CompanySK]
FK_ERPx_MFTaxClassDetail_ERPx_MFTaxClass	TaxClassSK->[dbo].[ERPx_MFTaxClass].[TaxClassSK]
FK_ERPx_MFTaxClassDetail_ERPx_MFTaxDetail	TaxDetailSK->[dbo].[ERPx_MFTaxDetail].[TaxDetailSK]





Uses

[dbo].[ERPx_MFDataEntityCompany]
 [dbo].[ERPx_MFTaxClass]
 [dbo].[ERPx_MFTaxDetail]

Used By

[dbo].[SPx_MFDEL_DeleteCompany]
 [dbo].[SPx_MFSEL_TaxClassDetail]
 [dbo].[SPx_MFSEL_TaxClassList]
 [dbo].[SPx_MFUpdate_TaxClass]
 [dbo].[SPx_MFUpdate_TaxClassList]
 [dbo].[SPx_MFUpdate_TaxDetailList]
 [dbo].[SPx_MFUpdate_TransactionTax]

 **[dbo].[ERPx_MFTaxDetail]****Columns**

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity	Default
	TaxDetailSK	bigint	8	NOT NULL	1 - 1	
	TaxDetailName	varchar(150)	150	NOT NULL		
	TaxApplyToEN	bigint	8	NOT NULL		
	TaxBasedOnEN	bigint	8	NOT NULL		
	Rate	numeric(18,5)	9	NOT NULL		
	CurrencySK	bigint	8	NOT NULL		
	TaxRoundEN	bigint	8	NOT NULL		
	MinTransactionAmount	numeric(18,5)	9	NOT NULL		
	MaxTransactionAmount	numeric(18,5)	9	NOT NULL		
	GLAccountSK	bigint	8	NOT NULL		
	IsInactive	bit	1	NOT NULL		((0))
	LastUpdated	datetime	8	NOT NULL		
	LastUser	varchar(150)	150	NOT NULL		
	DataEntityCompanySK	bigint	8	NOT NULL		

Indexes

Key	Name	Key Columns	Unique
	PK_ERPx_MFTaxDetail	TaxDetailSK	True

Foreign Keys

Name	Columns
FK_ERPx_MFTaxDetail_ERPx_GLAccount	GLAccountSK->[dbo].[ERPx_GLAccount].[AccountSK]
FK_ERPx_MFTaxDetail_ERPx_MFCurrency	CurrencySK->[dbo].[ERPx_MFCurrency].[CurrencySK]
FK_ERPx_MFTaxDetail_ERPx_MFDataEntity-Company	DataEntityCompanySK->[dbo].[ERPx_MFDataEntityCompany].[DataEntity-CompanySK]

Uses




[dbo].[ERPx_GLAccount]
[dbo].[ERPx_MFCurrency]
[dbo].[ERPx_MFDataEntityCompany]

Used By


[dbo].[ERPx_APTransactionTax]
[dbo].[ERPx_MFTaxClassDetail]
[dbo].[ERPx_SOTransactionTax]
[dbo].[FNx_GetTransactionAccounts]
[dbo].[SPx_APSEL_FishermanSaleLineList]
[dbo].[SPx_ARSEL_SaleInvoiceLineList]
[dbo].[SPx_MFDEL_DeleteCompany]
[dbo].[SPx_MFSEL_TaxClassDetail]
[dbo].[SPx_MFSEL_TaxDetailCurrencyLookup]
[dbo].[SPx_MFSEL_TaxDetailList]
[dbo].[SPx_MFUpdate_JournalDetails]
[dbo].[SPx_MFUpdate_TaxClass]
[dbo].[SPx_MFUpdate_TaxDetailList]
[dbo].[SPx_MFUpdate_TransactionTax]

 [dbo].[ERPx_MFTaxSchedule]

Columns

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity	Default
	TaxScheduleSK	bigint	8	NOT NULL	1 - 1	
	HostSystemLink	varchar(50)	50	NULL allowed		
	TaxScheduleID	varchar(25)	25	NOT NULL		
	TaxScheduleDescription	varchar(50)	50	NOT NULL		
	IsInactive	bit	1	NOT NULL		((0))
	LastUpdated	datetime	8	NOT NULL		(getdate())
	LastUser	varchar(150)	150	NOT NULL		
	DataEntityCompanySK	bigint	8	NOT NULL		

Indexes

Key	Name	Key Columns	Unique
	PK_ERPx_MFTaxSchedule	TaxScheduleSK	True
	IX_ERPx_MFTaxSchedule	TaxScheduleID, DataEntityCompanySK	True

Foreign Keys

Name	Columns
FK_ERPx_MFTaxSchedule_ERPx_MFDataEntity-Company	DataEntityCompanySK->[dbo].[ERPx_MFDataEntityCompany].[DataEntity-CompanySK]

Uses






[dbo].[ERPx_MFDataEntityCompany]

Used By

[dbo].[SPx_MFDEL_DeleteCompany]
 [dbo].[SPx_MFSEL_TaxScheduleLookup]


 [dbo].[ERPx_MFTtransactionBatch]

Columns

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity	Default
	TransactionBatchSK	bigint	8	NOT NULL	1 - 1	
	ModuleSK	bigint	8	NOT NULL		
	BatchID	varchar(150)	150	NOT NULL		
	BatchDate	datetime	8	NOT NULL		
	TransactionCount	bigint	8	NOT NULL		
	TransactionTotalAmount	numeric(18,5)	9	NOT NULL		
	NextTransactionID	varchar(20)	20	NULL allowed		
	TransactionStatusSK	bigint	8	NOT NULL		
	BatchCreatedByUser	varchar(150)	150	NOT NULL		
	LastUpdated	datetime	8	NOT NULL		
	LastUser	varchar(150)	150	NOT NULL		
	DataEntityCompanySK	bigint	8	NOT NULL		
	MFOneCheckPerEN	bigint	8	NULL allowed		
	CheckbookSK	bigint	8	NULL allowed		
	VendorSKCSV	varchar(1000)	1000	NULL allowed		
	VendorClassCSV	varchar(1000)	1000	NULL allowed		
	PRBatchSKCSV	varchar(1000)	1000	NULL allowed		
	InvoiceNumber	varchar(150)	150	NULL allowed		
	DueDateAsOf	datetime	8	NULL allowed		
	DiscountDateAsOf	datetime	8	NULL allowed		
	ApplyExpiredDiscounts	bit	1	NOT NULL		((0))
	BatchCount	bigint	8	NOT NULL		
	APBuildCheckIncludeEN	bigint	8	NULL allowed		
	PRPayPeriodStartDate	date	3	NULL allowed		
	PRPayPeriodEndDate	date	3	NULL allowed		
	PRExcludedCodeSKCSV	varchar(max)	max	NULL allowed		
	NextACHNumber	varchar(100)	100	NULL allowed		
	ACHTotal	numeric(18,5)	9	NULL allowed		
	CheckTotal	numeric(18,5)	9	NULL allowed		
	ACHPrintedDate	datetime	8	NULL allowed		
	ACHGeneratedBy	varchar(150)	150	NULL allowed		
	CheckPrintedDate	datetime	8	NULL allowed		
	TransactionBatchTypeEN	bigint	8	NULL allowed		

Search	varchar(250)	250	NULL allowed		
BatchComment	varchar(250)	250	NULL allowed		
SeasonSearch	varchar(100)	100	NULL allowed		
AsOfDate	date	3	NULL allowed		
IncludedTransactionTypeSKCSV	varchar(50)	50	NULL allowed		
ACHEffectiveDate	date	3	NULL allowed		
TransactionClassSKCSV	varchar(max)	max	NULL allowed		


Indexes

Key	Name	Key Columns	Unique
	PK_ERPx_MFTtransactionBatch	TransactionBatchSK	True
	UK_ERPx_MFTtransactionBatch	ModuleSK, BatchID, DataEntityCompanySK, BatchCount	True



Used By

[dbo].[ERPx_MFCheckbookTransaction]
 [dbo].[ERPx_MFTtransactionBatchApplication]
 [dbo].[ERPx_PRBatch]
 [dbo].[FNx_GetTransactionAccounts]
 [dbo].[FNx_GetTransactionAmounts]
 [dbo].[IQx_APSEL_Activity]
 [dbo].[IQx_APSEL_ApplicationList]
 [dbo].[IQx_APSEL_VendorTransactionHistory]
 [dbo].[IQx_CheckPaymentDetail]
 [dbo].[IQx_CheckRegister]
 [dbo].[IQx_GLSEL_ACHBatchInquiry]
 [dbo].[IQx_GLSEL_CheckbookTransactionInquiry]
 [dbo].[RPx_GLSEL_ACHFile]
 [dbo].[RPx_SettlementBalancesSummary]
 [dbo].[SPx_APINS_SettlementTransaction]
 [dbo].[SPx_APProcess_Transaction]
 [dbo].[SPx_APSEL_ApplyFishingDocumentList]
 [dbo].[SPx_APSEL_ApplyPayableDocumentList]
 [dbo].[SPx_APSEL_BuildCheckBatchLookup]
 [dbo].[SPx_APSEL_BuildCheckEditAmounts]
 [dbo].[SPx_APSEL_BuildCheckHeader]
 [dbo].[SPx_APSEL_BuildCheckTransactionClassLookup]
 [dbo].[SPx_APSEL_BuildFishermanSettlementBatchLookup]
 [dbo].[SPx_APSEL_BuildFishermanSettlementCheckbookLookup]
 [dbo].[SPx_APSEL_BuildFishermanSettlementHeader]
 [dbo].[SPx_APSEL_BuildFishermanSettlementList]
 [dbo].[SPx_APSEL_FishermanBalancesList]
 [dbo].[SPx_APSEL_ProcessChecks]
 [dbo].[SPx_APSEL_ProcessChecksBatchLookup]
 [dbo].[SPx_APSEL_ProcessChecksPayees]
 [dbo].[SPx_APSEL_TransactionMoreActionsFishermanSaleList]
 [dbo].[SPx_APSEL_TransactionMoreActionsTicketList]

[dbo].[SPx_APSEL_VendorBalanceList]
[dbo].[SPx_APUUpdate_BuildCheck]
[dbo].[SPx_APUUpdate_BuildCheckEditAmounts]
[dbo].[SPx_APUUpdate_BuildFishermanSettlement]
[dbo].[SPx_APUUpdate_FishermanSettlementFifo]
[dbo].[SPx_APUUpdate_TransactionMoreActions]
[dbo].[SPx_APUUpdate_VendorInterestCalculation]
[dbo].[SPx_APUUpdate_VoidSettlementTransaction]
[dbo].[SPx_FASEL_FishermanBalancesWithInterest]
[dbo].[SPx_GLProcess_CheckbookReconciliation]
[dbo].[SPx_GLSEL_CheckbookList]
[dbo].[SPx_GLSEL_CheckbookReconciliationDetails]
[dbo].[SPx_GLSEL_JournalDetailDetailLine]
[dbo].[SPx_GLSEL_JournalDetailEntryLine]
[dbo].[SPx_GLSEL_JournalDetailHeader]
[dbo].[SPx_GLSEL_ReconciliationEditAmounts]
[dbo].[SPx_GLUpdate_CheckbookList]
[dbo].[SPx_INTEG_GPMFCheckbookTransaction]
[dbo].[SPx_MFDEL_DeleteCompany]
[dbo].[SPx_MFProcess_BankTransaction]
[dbo].[SPx_MFSEL_ApplyDocumentRecordList]
[dbo].[SPx_MFSEL_ApplyDocumentRecordTransactionLookup]
[dbo].[SPx_MFSEL_CashReceiptLine]
[dbo].[SPx_MFSEL_CheckbookBatchLookup]
[dbo].[SPx_MFSEL_FAApplyDocumentRecordList]
[dbo].[SPx_MFSEL_VoidTransactionHeader]
[dbo].[SPx_MFUPD_BankTransaction]
[dbo].[SPx_MFUpdate_AddNewBatch]
[dbo].[SPx_MFUpdate_ApplyDocumentRecord]
[dbo].[SPx_MFUpdate_JournalDetails]
[dbo].[SPx_MFUpdate_MassUpdate]
[dbo].[SPx_MFUpdate_TransactionBatchRollup]
[dbo].[SPx_MFUpdate_VoidTransaction]
[dbo].[SPx_PRSEL_Check]
[dbo].[SPx_PRSEL_CheckBatchLookup]
[dbo].[SPx_PRUpdate_Check]

 **[dbo].[ERPx_MFTtransactionBatchApplication]**

Columns

Key	Name	Data Type	Max Length (Bytes)	Nullability
	TransactionBatchSK	bigint	8	NOT NULL
	SettlementApplicationSK	bigint	8	NOT NULL

Indexes

Name	Key Columns	Unique
IX_ERPx_MFTtransactionBatchApplication	TransactionBatchSK, SettlementApplicationSK	True

Foreign Keys

Name	Columns
FK_ERPx_MFTtransactionBatchApplication_ERPx_APSettlementApplication	SettlementApplicationSK->[dbo].[ERPx_APSettlementApplication].[SettlementApplicationSK]
FK_ERPx_MFTtransactionBatchApplication_ERPx_TransactionBatch	TransactionBatchSK->[dbo].[ERPx_MFTtransactionBatch].[TransactionBatchSK]



Uses

[dbo].[ERPx_APSettlementApplication]
 [dbo].[ERPx_MFTtransactionBatch]

Used By

[dbo].[SPx_APUdate_FishermanSettlementFifo]
 [dbo].[SPx_GLSEL_JournalDetailDetailLine]
 [dbo].[SPx_GLSEL_JournalDetailEntryLine]
 [dbo].[SPx_GLSEL_JournalDetailHeader]
 [dbo].[SPx_MFUPD_BankTransaction]
 [dbo].[SPx_MFUpdate_VoidTransaction]

[dbo].[ERPx_MFTtransactionBatchTransaction]**Columns**

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity
	TransactionBatchTransactionSK	bigint	8	NOT NULL	1 - 1
	TransactionBatchSK	bigint	8	NOT NULL	
	SourceSettlementTransactionSK	bigint	8	NOT NULL	
	IsApplied	bit	1	NOT NULL	
	AmountToConsume	numeric(18,5)	9	NULL allowed	
	DiscountToConsume	numeric(18,5)	9	NULL allowed	
	LastUpdated	datetime	8	NOT NULL	
	LastUser	varchar(150)	150	NOT NULL	
	DataEntityCompanySK	bigint	8	NOT NULL	
	HoldbackComment	varchar(250)	250	NULL allowed	

Indexes

Name	Key Columns	Unique
IX_ERPx_MFTtransactionBatchTransaction	TransactionBatchSK, SourceSettlementTransactionSK	True



Used By

[dbo].[SPx_APSEL_ApplyFishingDocumentList]
 [dbo].[SPx_APSEL_ApplyPayableDocumentList]
 [dbo].[SPx_APSEL_BuildCheckEditAmounts]
 [dbo].[SPx_APSEL_BuildCheckList]
 [dbo].[SPx_APSEL_BuildFishermanSettlementList]
 [dbo].[SPx_APSEL_TransactionMoreActionsFishermanSaleList]
 [dbo].[SPx_APSEL_TransactionMoreActionsTicketList]
 [dbo].[SPx_APUdate_BuildCheck]
 [dbo].[SPx_APUdate_BuildCheckEditAmounts]
 [dbo].[SPx_APUdate_BuildFishermanSettlement]
 [dbo].[SPx_APUdate_FishermanSettlementFifo]
 [dbo].[SPx_APUdate_TransactionMoreActions]
 [dbo].[SPx_MFProcess_BankTransaction]
 [dbo].[SPx_MFSEL_ApplyDocumentRecordList]
 [dbo].[SPx_MFSEL_ApplyDocumentRecordTransactionLookup]
 [dbo].[SPx_MFSEL_FAApplyDocumentRecordList]
 [dbo].[SPx_MFSEL_VoidTransactionHeader]
 [dbo].[SPx_MFUPD_BankTransaction]
 [dbo].[SPx_MFUpdate_MassUpdate]
 [dbo].[SPx_MFUpdate_TransactionBatchRollup]


[dbo].[SPx_MFUpdate_VoidTransaction]

 [dbo].[ERPx_MFTransactionLog]

Columns

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity
	TransactionLogSK	bigint	8	NOT NULL	1 - 1
	TablePhysicalName	varchar(100)	100	NOT NULL	
	RecordPrimaryKey	varchar(50)	50	NULL allowed	
	Timestamp	datetime	8	NOT NULL	
	Operation	varchar(25)	25	NOT NULL	
	Data	xml	max	NOT NULL	
	SQLUser	nvarchar(128)	256	NULL allowed	




Indexes

Key	Name	Key Columns	Type	Unique	XML Type
	PK_ERPx_MFTransactionLog	TransactionLogSK		True	
	XML_IX_ERPx_MFTransactionLog	Data	xml		Primary


Used By

[dbo].[SPx_MFINS_TransactionLog]

[dbo].[ERPx_MFTtransactionLogReportFilter]**Columns**

Key	Name	Data Type	Max Length (Bytes)	Nullability
 PK	UserSK	bigint	8	NOT NULL
 FK	DataEntityCompanySK	bigint	8	NOT NULL
	CreatedDate	datetime	8	NOT NULL
 FK	TableGroupHeaderSK	bigint	8	NOT NULL
	ColumnFilter	varchar(max)	max	NULL allowed
	ColumnValue	varchar(max)	max	NULL allowed
	ColumnFilterClause	varchar(max)	max	NULL allowed
	FromDate	datetime	8	NULL allowed
	ToDate	datetime	8	NULL allowed

Indexes

Key	Name	Key Columns	Unique
 PK	PK_ERPx_MFTtransactionLogReportFilter	UserSK, DataEntityCompanySK	True

Foreign Keys

Name	Columns
FK_ERPx_MFTtransactionLogReportFilter_ERPx_MFData-EntityCompany	DataEntityCompanySK->[dbo].[ERPx_MFDataEntity-Company].[DataEntityCompanySK]
FK_ERPx_MFTtransactionLogReportFilter_ERPx_-MFTtransactionLogReportTableGroupHeader	TableGroupHeaderSK->[dbo].[ERPx_MFTtransactionLogReport-TableGroupHeader].[TableGroupHeaderSK]
FK_ERPx_MFTtransactionLogReportFilter_ERPx_MFUser	UserSK->[dbo].[ERPx_MFUser].[UserSk]

Uses



[dbo].[ERPx_MFDataEntityCompany]
 [dbo].[ERPx_MFTtransactionLogReportTableGroupHeader]
 [dbo].[ERPx_MFUser]

Used By

[dbo].[SPx_MFSEL_TransactionLogReport]
 [dbo].[SPx_MFSEL_TransactionLogReportTableGroupHeader]
 [dbo].[SPx_MFUpdate_TransactionLogReportTableGroupHeader]

[dbo].[ERPx_MFTtransactionLogReportTableGroupDetail]

Columns

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity
	TableGroupDetailSK	bigint	8	NOT NULL	1 - 1
	TableGroupHeaderSK	bigint	8	NOT NULL	
	TableName	varchar(100)	100	NULL allowed	
	ColumnList	varchar(max)	max	NULL allowed	
	ColumnListDisplay	varchar(max)	max	NULL allowed	
	ColumnListFilter	varchar(max)	max	NULL allowed	
	JoinToTableName	varchar(100)	100	NULL allowed	
	JoinColumn	varchar(100)	100	NULL allowed	
	TableSQL	nvarchar(max)	max	NULL allowed	
	TableFilter	varchar(max)	max	NULL allowed	
	MissingTransactionLogData	bit	1	NULL allowed	
	IsTransactionLogTracked	bit	1	NULL allowed	
	JoinFromColumn	varchar(100)	100	NULL allowed	
	JoinToColumn	varchar(100)	100	NULL allowed	
	TableAlias	varchar(100)	100	NULL allowed	
	JoinToTableAlias	varchar(100)	100	NULL allowed	

Indexes

Key	Name	Key Columns	Unique
	PK__ERPx_MFT__8F8D285CF55E513C	TableGroupDetailSK	True

Foreign Keys

Name	Columns
FK__ERPx_MFTtransactionLogReportTableGroupDetail_ERPx_- MFTtransactionLogReportTableGroupHeader	TableGroupHeaderSK->[dbo].[ERPx_MFTtransactionLogReport- TableGroupHeader].[TableGroupHeaderSK]

Uses

[dbo].[ERPx_MFTtransactionLogReportTableGroupHeader]

Used By

[dbo].[SPx_MFSEL_TransactionLogReport]




Project > NLPDev.TheNLP.com > User databases > NS_20221128 > Tables > dbo.ERPx_MFTransactionLogReportTableGroup-
Detail

[dbo].[SPx_MFSEL_TransactionLogReportTableGroupHeader]

[dbo].[SPx_MFUpdate_TransactionLogReportTableGroupHeader]

[dbo].[ERPx_MFTtransactionLogReportTableGroupHeader]

Columns

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity	Default
	TableGroupHeaderSK	bigint	8	NOT NULL	1 - 1	
	TableGroupDescription	varchar(250)	250	NOT NULL		
	DataEntityCompanySK	bigint	8	NOT NULL		
	UserSK	bigint	8	NOT NULL		
	IsSystemGroup	bit	1	NULL allowed		((0))
	CreatedBy	varchar(250)	250	NULL allowed		
	CreatedDateTime	datetime	8	NULL allowed		

Indexes

Key	Name	Key Columns	Unique
	PK__ERPx_MFT__CA9CC11EB33B6999	TableGroupHeaderSK	True

Foreign Keys

Name	Columns
FK_ERPx_MFTtransactionLogReportTableGroupHeader_-ERPx_MFDataEntityCompany	DataEntityCompanySK->[dbo].[ERPx_MFDataEntity-Company].[DataEntityCompanySK]
FK_ERPx_MFTtransactionLogReportTableGroupHeader_-ERPx_MFUser	UserSK->[dbo].[ERPx_MFUser].[UserSk]

Uses





[dbo].[ERPx_MFDataEntityCompany]
[dbo].[ERPx_MFUser]

Used By

[dbo].[ERPx_MFTtransactionLogReportFilter]
[dbo].[ERPx_MFTtransactionLogReportTableGroupDetail]
[dbo].[ERPx_MFTtransactionLogReportUserPreferences]
[dbo].[SPx_MFSEL_TransactionLogReport]
[dbo].[SPx_MFSEL_TransactionLogReportTableGroupHeader]
[dbo].[SPx_MFSEL_TransactionLogReportTableGroupLookup]
[dbo].[SPx_MFUpdate_TransactionLogReportTableGroupHeader]

 [dbo].[ERPx_MFTransactionLogReportUserPreferences]

Columns

Key	Name	Data Type	Max Length (Bytes)	Nullability
 	UserSK	bigint	8	NOT NULL
 	TableGroupHeaderSK	bigint	8	NOT NULL
	ColumnDisplay	varchar(max)	max	NULL allowed

Indexes

Key	Name	Key Columns	Unique
	PK_ERPx_MFTransactionLoReport	UserSK, TableGroupHeaderSK	True

Foreign Keys

Name	Columns
FK_ERPx_MFTransactionLogReportUserPreferences_ERPx_MFTransactionLogReportTableGroupHeader	TableGroupHeaderSK->[dbo].[ERPx_MFTransactionLogReport-TableGroupHeader].[TableGroupHeaderSK]
FK_ERPx_MFTransactionLogReportUserPreferences_ERPx_MFUser	UserSK->[dbo].[ERPx_MFUser].[UserSk]

Uses


[dbo].[ERPx_MFTransactionLogReportTableGroupHeader]
 [dbo].[ERPx_MFUser]

Used By

[dbo].[SPx_MFSEL_TransactionLogReport]

 [dbo].[ERPx_MFTransactionLogTable]

Columns

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity	Default
	TransactionLogSK	bigint	8	NOT NULL	1 - 1	
	TableName	varchar(100)	100	NOT NULL		
	TableGroup	varchar(250)	250	NULL allowed		
	IsTracked	bit	1	NOT NULL		((0))
	RetentionDays	int	4	NULL allowed		
	LastUpdated	datetime	8	NOT NULL		(getdate())
	LastUser	varchar(110)	110	NULL allowed		

Indexes



Key	Name	Key Columns	Unique
	PK_ERPx_MFTransactionLogTable	TransactionLogSK	True

Used By


[dbo].[SPx_MFSEL_TransactionLog]
 [dbo].[SPx_MFSYS_InstallTransactionLogTables]
 [dbo].[SPx_MFSYS_InstallTransactionLogTableTriggers]

 [dbo].[ERPx_MFTtransactionLogTableSQL]

Columns





Key	Name	Data Type	Max Length (Bytes)	Nullability
	TablePhysicalName	varchar(100)	100	NOT NULL
	ColumnPhysicalName	varchar(100)	100	NOT NULL
	SQLToReturnPKValueFromID	nvarchar(2000)	4000	NULL allowed
	SQLToReturnFriendlyIDFromPK	nvarchar(2000)	4000	NULL allowed
	ParentTablePhysicalName	varchar(100)	100	NULL allowed
	TableFriendlyIDColumn	varchar(100)	100	NULL allowed
	SQLToReturnRelatedEntriesFromParentPK	nvarchar(2000)	4000	NULL allowed

Indexes



Key	Name	Key Columns	Unique
	PK_ERPx_MFTtransactionLogObjectTableSQL	TablePhysicalName, ColumnPhysicalName	True

 [dbo].[ERPx_MFTransactionLogTableTrackedColumns]

Columns


Key	Name	Data Type	Max Length (Bytes)	Nullability
 	SQLObjectID	int	4	NOT NULL
 	TrackedColumnPhysicalName	varchar(100)	100	NOT NULL
	TrackedColumnFriendlyName	varchar(150)	150	NOT NULL

Indexes

Key	Name	Key Columns	Unique
 	PK_ERPx_MFTransactionLogTableTrackedColumns	SQLObjectID, TrackedColumnPhysicalName	True

 [dbo].[ERPx_MFTtransactionStatus]

Columns

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity
	TransactionStatusSK	bigint	8	NOT NULL	1 - 1
	TransactionStatusName	varchar(20)	20	NOT NULL	
	Sort	int	4	NOT NULL	

Indexes







Key	Name	Key Columns	Unique
	PK_ERPx_MFCheckbookTransactionStatus	TransactionStatusSK	True

Used By


[dbo].[ERPx_MFCheckbookReconciliation]
 [dbo].[ERPx_MFCheckbookTransaction]
 [dbo].[IQx_APSEL_VendorTransactionHistory]
 [dbo].[IQx_CheckRegister]
 [dbo].[IQx_GLSEL_CheckbookReconciliationInquiry]
 [dbo].[IQx_GLSEL_CheckbookTransactionInquiry]
 [dbo].[SPx_APSEL_ProcessChecksBatchLookup]
 [dbo].[SPx_APUUpdate_VendorInterestCalculation]
 [dbo].[SPx_FASEL_FishermanBalancesWithInterest]
 [dbo].[SPx_GLSEL_CheckbookReconciliationList]
 [dbo].[SPx_GLSEL_CheckbookReconciliationStatusLookup]
 [dbo].[SPx_GLSEL_CheckbookTransactionStatusLookup]
 [dbo].[SPx_INTEG_UpdatePostedMFCheckbookTransactionsFromGP]
 [dbo].[SPx_MFProcess_BankTransaction]
 [dbo].[SPx_MFSEL_CheckbookBatchLookup]
 [dbo].[SPx_PRSEL_Check]

 [dbo].[ERPx_MFTtransactionTax]

Columns

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity
	TransactionTaxSK	bigint	8	NOT NULL	1 - 1
	ModuleSK	bigint	8	NOT NULL	
	TransactionHeaderSK	bigint	8	NOT NULL	
	TransactionTypeSK	bigint	8	NOT NULL	
	TaxClassSK	bigint	8	NOT NULL	
	TaxDetailSK	bigint	8	NOT NULL	
	TaxAmount	numeric(18,5)	9	NOT NULL	
	AccountSK	bigint	8	NOT NULL	
	LastUpdated	datetime	8	NOT NULL	
	LastUser	varchar(150)	150	NOT NULL	
	DataEntityCompanySK	bigint	8	NOT NULL	

Indexes

Key	Name	Key Columns	Unique
	PK_ERPx_MFTtransactionTax	TransactionTaxSK	True
	IX_ERPx_MFTtransactionTax	ModuleSK, TransactionHeaderSK, TransactionTypeSK, DataEntityCompanySK	True

Foreign Keys





Name	Columns
FK_ERPx_MFTtransactionTax_ERPx_MFDataEntity-Company	DataEntityCompanySK->[dbo].[ERPx_MFDataEntityCompany].[DataEntityCompanySK]
FK_ERPx_MFTtransactionTax_ERPx_MFTaxClass	TaxClassSK->[dbo].[ERPx_MFTaxClass].[TaxClassSK]

Uses

[dbo].[ERPx_MFDataEntityCompany]
 [dbo].[ERPx_MFTaxClass]

 [dbo].[ERPx_MFTransactionTypeListView]

Columns

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity
	TransactionTypeListViewSK	bigint	8	NOT NULL	1 - 1
	ModuleSK	bigint	8	NOT NULL	
	FormSK	bigint	8	NOT NULL	
	TransactionTypeSK	bigint	8	NOT NULL	
	DataEntityCompanySK	bigint	8	NOT NULL	

Indexes

Key	Name	Key Columns	Unique
	PK_ERPx_MFTransactionTypeListView	TransactionTypeListViewSK	True

Foreign Keys

Name	Columns
FK_ERPx_MFTransactionTypeListView_ERPx_MFData-EntityCompany	DataEntityCompanySK->[dbo].[ERPx_MFDataEntityCompany].[Data-EntityCompanySK]
FK_ERPx_MFTransactionTypeListView_ERPx_-MFModule	ModuleSK->[dbo].[ERPx_MFModule].[ModuleSK]
FK_ERPx_MFTransactionTypeListView_ERPx_-MFModuleForm	FormSK->[dbo].[ERPx_MFModuleForm].[FormSK]

Uses


[dbo].[ERPx_MFDataEntityCompany]
 [dbo].[ERPx_MFModule]
 [dbo].[ERPx_MFModuleForm]

Used By

[dbo].[SPx_APSEL_APTransaction_NewButtonLookup]
 [dbo].[SPx_MFDEL_DeleteCompany]
 [dbo].[SPx_MFSEL_ListViewNewButtonLookup]

 [dbo].[ERPx_MFTransLog]

Columns

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity
	TransLogSK	bigint	8	NOT NULL	1 - 1
	ModuleSK	bigint	8	NULL allowed	
	TransactionType	varchar(25)	25	NULL allowed	
	Data	xml	max	NOT NULL	
	LastUpdated	datetime	8	NULL allowed	
	LastUser	varchar(150)	150	NULL allowed	
	DataEntityCompanySK	bigint	8	NULL allowed	

Indexes



Key	Name	Key Columns	Unique
	PK_ERPx_MFTransLog	TransLogSK	True

Used By


[dbo].[SPx_MFDEL_DeleteCompany]

 [dbo].[ERPx_MFUser]

Columns

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity	Default
	UserSk	bigint	8	NOT NULL	1 - 1	
	UserTypeSK	bigint	8	NOT NULL		((1))
	Email	varchar(100)	100	NOT NULL		
	NTUserID	varchar(50)	50	NULL allowed		
	FirstName	varchar(50)	50	NOT NULL		
	LastName	varchar(50)	50	NOT NULL		
	Phone	varchar(20)	20	NOT NULL		
	Password	varchar(255)	255	NOT NULL		
	UserLicenseTypeSK	bigint	8	NOT NULL		
	HomePage	varchar(255)	255	NULL allowed		
	LicenseAcceptDate	datetime	8	NULL allowed		
	UserIPAddress	varchar(100)	100	NULL allowed		
	UserSessionID	varchar(200)	200	NULL allowed		
	UserBrowserAgent	varchar(150)	150	NULL allowed		
	UserSessionExists	bit	1	NOT NULL		((0))
	LastActivity	datetime	8	NULL allowed		
	APIAuthenticationModeEN	bigint	8	NOT NULL		((1))
	APIKey	varchar(200)	200	NULL allowed		
	CreatedBy	varchar(150)	150	NULL allowed		
	CreatedDateTime	datetime	8	NOT NULL		(getdate())

Indexes

Key	Name	Key Columns	Unique
	PK_ERPx_MFUser	UserSk	True
	UK_ERPx_MFUser_1	Email	True




Used By

[dbo].[ERPx_APTransactionMoreActionsCriteria]
 [dbo].[ERPx_APVendorInterestCalculationHeader]
 [dbo].[ERPx_APVendorInterestCalculationLine]
 [dbo].[ERPx_GLJournalMoreActionsCriteria]
 [dbo].[ERPx_IMTransactionMoreActionsCriteria]
 [dbo].[ERPx_MFDataEntityAccess]


[dbo].[ERPx_MFHoldCodeOverrideUser]
[dbo].[ERPx_MFModuleFormPage]
[dbo].[ERPx_MFModuleFormUserFavorite]
[dbo].[ERPx_MFSecurityGroupUser]
[dbo].[ERPx_MFSysUserPreferences]
[dbo].[ERPx_MFTTransactionLogReportFilter]
[dbo].[ERPx_MFTTransactionLogReportTableGroupHeader]
[dbo].[ERPx_MFTTransactionLogReportUserPreferences]
[dbo].[ERPx_MFUserCompany]
[dbo].[ERPx_MFUserFormFavorite]
[dbo].[ERPx_MFUserLoginHistory]
[dbo].[ERPx_MFUserLoginRequest]
[dbo].[ERPx_MFUserSession]
[dbo].[ERPx_RSReportUserFavorite]
[dbo].[FNx_GetUserLoginID]
[dbo].[FNx_GetUserName]
[dbo].[IQx_APSEL_PaymentReceiptHistoryInquiry]
[dbo].[IQx_ARSEL_PaymentReceiptHistoryInquiry]
[dbo].[SPx_APSEL_DeliveryTicketADFGAvailableNumbers]
[dbo].[SPx_APSEL_TransactionMoreActions]
[dbo].[SPx_ARProcess_PaymentReceipt]
[dbo].[SPx_ARSEL_PaymentReceiptHeaderProperty]
[dbo].[SPx_ARSEL_PaymentReceiptList]
[dbo].[SPx_BRSEL_BRSONotes]
[dbo].[SPx_CPUUpdate_Farmer]
[dbo].[SPx_DWUpdate_Refresh]
[dbo].[SPx_GLSEL_MoreActionsHeader]
[dbo].[SPx_IMINS_TransactionHeader]
[dbo].[SPx_IMPProcess_TransferTransaction]
[dbo].[SPx_LMUPD_LoadHeaderSOOrderCount]
[dbo].[SPx_MFDEL_DeleteCompany]
[dbo].[SPx_MFDEL_UserSessionInfo]
[dbo].[SPx_MFINS_User]
[dbo].[SPx_MFINS_UserSessionInfo]
[dbo].[SPx_MFProcess_BankTransaction]
[dbo].[SPx_MFSEL_ActiveSessions]
[dbo].[SPx_MFSEL_CheckbookBatchLookup]
[dbo].[SPx_MFSEL_GenerateAPIKey]
[dbo].[SPx_MFSEL_HoldCodeAllowedToOverride]
[dbo].[SPx_MFSEL_TaxClassHeader]
[dbo].[SPx_MFSEL_TransactionClassLookup]
[dbo].[SPx_MFSEL_TransactionLogReport]
[dbo].[SPx_MFSEL_User]
[dbo].[SPx_MFSEL_UserCompanyAccess]
[dbo].[SPx_MFSEL_UserCount]
[dbo].[SPx_MFSEL_UserList]
[dbo].[SPx_MFSEL_UserMaintenanceUsers]
[dbo].[SPx_MFSEL_UserProperties]
[dbo].[SPx_MFSEL_Users]
[dbo].[SPx_MFSEL_ValidateAPIKey]
[dbo].[SPx_MFSEL_ValidateUser]
[dbo].[SPx_MFSEL_ValidateUserSession]
[dbo].[SPx_MFSYS_InstallTransactionLogReportTableGroups]

[dbo].[SPx_MFSYS_SyncUserPreferences]
[dbo].[SPx_MFUPD_AutoLogoutUsers]
[dbo].[SPx_MFUPD_LogoutSession]
[dbo].[SPx_MFUPD_MessageQueueInsertToEmailQueue]
[dbo].[SPx_MFUPD_User]
[dbo].[SPx_MFUPD_UserDetails]
[dbo].[SPx_MFUPD_UserLicenseAcceptDate]
[dbo].[SPx_MFUpdate_AddNewBatch]
[dbo].[SPx_MFUpdate_CashReceipt]
[dbo].[SPx_MFUpdate_JournalDetails]
[dbo].[SPx_MFUpdate_TaxClass]
[dbo].[SPx_MFUpdate_TaxClassList]
[dbo].[SPx_MFUpdate_TaxDetailList]
[dbo].[SPx_MFUpdate_TransactionTax]
[dbo].[SPx_MFUpdate_User]
[dbo].[SPx_MFUPDINS_SecurityGroupUser]
[dbo].[SPx_SOINS_AddOrderHeader]
[dbo].[SPx_SOINSUPD_OrderHeaderHold]
[dbo].[SPx_SOSEL_OrderTypeLookup]
[dbo].[SPx_SOSEL_TransactionClassLookup]
[dbo].[SPx_SOSEL_TransactionHeaderProperty]

[dbo].[ERPx_MFUserCompany]**Columns**

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity	Default
	UserCompanySK	bigint	8	NOT NULL	1 - 1	
	DataEntityCompanySK	bigint	8	NOT NULL		
	UserSK	bigint	8	NOT NULL		
	IsUserPreference	bit	1	NOT NULL		((0))
	DefaultPageURL	varchar(255)	255	NULL allowed		

Indexes

Key	Name	Key Columns	Unique
	PK_ERPx_MFUserCompany	UserCompanySK	True
	UK_ERPx_MFUserCompany	DataEntityCompanySK, UserSK	True

Foreign Keys

Name	No Check	Columns
FK_ERPx_MFUserCompany_ERPx_MFData-EntityCompany	True	DataEntityCompanySK->[dbo].[ERPx_MFDataEntity-Company].[DataEntityCompanySK]
FK_ERPx_MFUserCompany_ERPx_MFUser	True	UserSK->[dbo].[ERPx_MFUser].[UserSk]

Uses


[dbo].[ERPx_MFDataEntityCompany]
[dbo].[ERPx_MFUser]

Used By

[dbo].[SPx_MFAPI_ListCompanies]
[dbo].[SPx_MFDEL_DeleteCompany]
[dbo].[SPx_MFINS_User]
[dbo].[SPx_MFSEL_CompanyLookup]
[dbo].[SPx_MFSEL_FunctionalAreaFormUserAuditList]
[dbo].[SPx_MFSEL_HoldCodeAllowedToOverride]
[dbo].[SPx_MFSEL_SysUserDefaultPageURLValueLookup]
[dbo].[SPx_MFSEL_User]
[dbo].[SPx_MFSEL_UserCompany]
[dbo].[SPx_MFSEL_UserCompanyAccess]
[dbo].[SPx_MFSEL_UserProperties]

[dbo].[SPx_MFSEL_Users]
[dbo].[SPx_MFSEL_ValidateUser]
[dbo].[SPx_MFSYS_SyncUserPreferences]
[dbo].[SPx_MFUPD_SysUserSecurity]
[dbo].[SPx_MFUPD_User]
[dbo].[SPx_MFUPD_UserDetails]
[dbo].[SPx_MFUpdate_User]
[dbo].[SPx_MFUPDINS_UserCompany]

[dbo].[ERPx_MFUserDefinedField]**Columns**









Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity
	UserDefinedFieldSK	bigint	8	NOT NULL	1 - 1
	FormSK	bigint	8	NOT NULL	
	ControlTypeEN	bigint	8	NOT NULL	
	ControlLabel	varchar(15)	15	NOT NULL	
	Sequence	int	4	NOT NULL	
	IsSystemControl	bit	1	NULL allowed	
	ControlID	varchar(max)	max	NULL allowed	
	ControlLookupStoredProcedure	varchar(max)	max	NULL allowed	
	ControlLookupTextColumn	varchar(max)	max	NULL allowed	
	ControlLookupValueColumn	varchar(max)	max	NULL allowed	
	ControlSelectedValueStoredProcedure	varchar(max)	max	NULL allowed	
	ControlSelectedValueStoredProcedureControl-Parameter	varchar(max)	max	NULL allowed	
	ControlSelectedValueColumn	varchar(max)	max	NULL allowed	
	ControlUpdateStoredProcedure	varchar(max)	max	NULL allowed	
	ControlUpdateStoredProcedureControlParameter	varchar(max)	max	NULL allowed	
	ControlUpdateStoredProcedureValueParameter	varchar(max)	max	NULL allowed	
	DataEntityCompanySK	bigint	8	NOT NULL	
	UserSK	bigint	8	NULL allowed	

Indexes



Key	Name	Key Columns	Unique
	PK_ERPx_MFUserDefinedField	UserDefinedFieldSK	True

 [dbo].[ERPx_MFUserEnumeration]

Columns

Key	Name	Data Type	Max Length (Bytes)	Nullability	Default
 	EnumerationClass	varchar(100)	100	NOT NULL	
  	EnumerationValue	bigint	8	NOT NULL	
	EnumerationDisplay	varchar(50)	50	NOT NULL	
	Sort	bigint	8	NOT NULL	
	IsSystemEnumeration	bit	1	NOT NULL	((0))
 	DataEntityCompanySK	bigint	8	NOT NULL	

Indexes

Key	Name	Key Columns	Unique
 	PK_ERPx_MFUserEnumeration_1	EnumerationClass, EnumerationValue, DataEntityCompanySK	True
	IX_ERPx_MFUserEnumeration_1	EnumerationClass, EnumerationDisplay	True

Check Constraints





Name	On Column	Constraint
CK_ERPx_MFUserEnumeration	EnumerationValue	(([EnumerationValue]>=(10000))

Used By


[dbo].[FNx_GetEnumDisplay]
 [dbo].[FNx_GetEnumList]
 [dbo].[SPx_MFSEL_EmployeeList_EnumerationLookup]
 [dbo].[SPx_MFSEL_EnumerationLookup]

 [dbo].[ERPx_MFUserFormFavorite]

Columns

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity
	UserFormFavoriteSK	bigint	8	NOT NULL	1 - 1
	UserSK	bigint	8	NOT NULL	
	FormSK	bigint	8	NOT NULL	
	FavoriteAlias	varchar(100)	100	NULL allowed	
	FavoriteShortcutKey	varchar(1)	1	NULL allowed	
	LastUpdated	datetime	8	NOT NULL	
	LastUser	varchar(100)	100	NOT NULL	
	DataEntityCompanySK	bigint	8	NOT NULL	

Indexes

Key	Name	Key Columns	Unique
	PK_ERPx_MFUserFormFavorite	UserFormFavoriteSK	True
	IX_ERPx_MFUserFormFavorite	UserSK, FormSK, DataEntityCompanySK	True

Foreign Keys

Name	Columns
FK_ERPx_MFUserFormFavorite_ERPx_MFData-EntityCompany	DataEntityCompanySK->[dbo].[ERPx_MFDataEntityCompany].[Data-EntityCompanySK]
FK_ERPx_MFUserFormFavorite_ERPx_MFModule-Form	FormSK->[dbo].[ERPx_MFModuleForm].[FormSK]
FK_ERPx_MFUserFormFavorite_ERPx_MFUser	UserSK->[dbo].[ERPx_MFUser].[UserSk]

Uses

[dbo].[ERPx_MFDataEntityCompany]
 [dbo].[ERPx_MFModuleForm]
 [dbo].[ERPx_MFUser]







Used By

[dbo].[SPx_MFINSDEL_UserFormFavorite]
 [dbo].[SPx_MFSEL_FunctionalAreaFormUserAuditList]
 [dbo].[SPx_MFSEL_LicensedFunctionalAreasAndFormsByUser]
 [dbo].[SPx_MFSEL_MenuSearch]
 [dbo].[SPx_MFSEL_UserFormFavorite]


[dbo].[SPx_MFUPD_UserFormFavorite]

[dbo].[SPx_MFUpdate_User]

[dbo].[ERPx_MFUserGridSettings]**Columns**

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity	Default
 PK	UserGridSettingsSK	bigint	8	NOT NULL	1 - 1	
 FK	ControlSK	bigint	8	NOT NULL		
 FK	UserSK	bigint	8	NOT NULL		
 FK	Description	varchar(30)	30	NOT NULL		
	GridSettings	varchar(max)	max	NOT NULL		
 FK	DataEntityCompanySK	bigint	8	NOT NULL		
	Default	bit	1	NOT NULL		((0))
 FK	DataEntitySK	bigint	8	NULL allowed		
	Custom	varchar(max)	max	NULL allowed		

Indexes

Key	Name	Key Columns	Unique
 PK	PK_ERPx_MFModuleControlSettings	UserGridSettingsSK	True
	UK_ERPx_MFUserGridSettings_1	ControlSK, UserSK, Description, DataEntityCompanySK, DataEntitySK	True

Foreign Keys

Name	Columns
FK_ERPx_MFUserGridSettings_ERPx_MFData-EntityCompany	DataEntityCompanySK->[dbo].[ERPx_MFDataEntityCompany].[DataEntity-CompanySK]
FK_ERPx_MFUserGridSettings_ERPx_MFModule-FormControl	ControlSK->[dbo].[ERPx_MFModuleFormControl].[ControlSK]

Uses

[dbo].[ERPx_MFDataEntityCompany]
[dbo].[ERPx_MFModuleFormControl]




Used By

[dbo].[SPx_MFDEL_DeleteCompany]
[dbo].[SPx_MFDEL_UserGridSettings]
[dbo].[SPx_MFINS_UserGridSettings_ByID]
[dbo].[SPx_MFINSUPDDEL_UserGridSettingsKendo]
[dbo].[SPx_MFSEL_UserGridSettings_Setting]

[dbo].[SPx_MFSEL_UserGridSettingsKendo_Lookup]
[dbo].[SPx_MFSEL_UserGridSettingsLookup_ByID]
[dbo].[SPx_MFSYS_InstallSystemInquirySystemViews]
[dbo].[SPx_MFUPD_UserGridSettings]
[dbo].[SPx_MFUPD_UserGridSettingsSetDefault_ByID]
[dbo].[SPx_MFUpdate_User]
[dbo].[Util_GetSavedGridLayoutDiff]

 [dbo].[ERPx_MFUserLoginHistory]

Columns

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity
	LoginHistorySK	bigint	8	NOT NULL	1 - 1
	UserSK	bigint	8	NOT NULL	
	LoginDate	datetime	8	NOT NULL	

Indexes

Key	Name	Key Columns	Unique
	PK_ERPx_MFUserLoginHistory	LoginHistorySK	True
	UK_ERPx_MFUserLoginHistory_1	UserSK, LoginDate	True

Foreign Keys

Name	No Check	Columns
FK_ERPx_MFUserLoginHistory_ERPx_MFUser	True	UserSK->[dbo].[ERPx_MFUser].[UserSk]

Uses




[dbo].[ERPx_MFUser]

Used By


[dbo].[SPx_MFDEL_DeleteCompany]
 [dbo].[SPx_MFSEL_ValidateUser]
 [dbo].[SPx_MFUpdate_User]

 [dbo].[ERPx_MFUserLoginRequest]

Columns

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity	Default
	UserLoginRequestSK	bigint	8	NOT NULL	1 - 1	
	UserSK	bigint	8	NOT NULL		
	LoginRequestTime	datetime	8	NOT NULL		(getdate())
	LoginRequestText	varchar(500)	500	NOT NULL		
	IsArchived	bit	1	NOT NULL		((0))

Indexes

Key	Name	Key Columns	Unique
	PK_ERPx_MFUserLoginRequest	UserLoginRequestSK	True
	UK_ERPx_MFUserLoginRequest_1	UserSK, LoginRequestTime	True

Foreign Keys

Name	No Check	Columns
FK_ERPx_MFUserLoginRequest_ERPx_MFUser	True	UserSK->[dbo].[ERPx_MFUser].[UserSk]

Uses



[dbo].[ERPx_MFUser]

Used By

[dbo].[SPx_MFDEL_DeleteCompany]
 [dbo].[SPx_MFINS_User]
 [dbo].[SPx_MFSEL_User]
 [dbo].[SPx_MFSEL_Users]
 [dbo].[SPx_MFUpdate_User]

 [dbo].[ERPx_MFUserSession]

Columns

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity
	UserSessionSK	bigint	8	NOT NULL	1 - 1
	UserIPAddress	varchar(20)	20	NULL allowed	
	UserSessionID	varchar(200)	200	NULL allowed	
	UserBrowserInfo	varchar(200)	200	NULL allowed	
	UserSk	bigint	8	NOT NULL	

Indexes

Key	Name	Key Columns	Unique
	PK_ERPx_MFUserSession	UserSessionSK	True

Foreign Keys

Name	Columns
FK_ERPx_MFUserSession_ERPx_MFUser	UserSk->[dbo].[ERPx_MFUser].[UserSk]

Uses


[dbo].[ERPx_MFUser]

Used By

[dbo].[SPx_MFDEL_DeleteCompany]
 [dbo].[SPx_MFDEL_UserSession]
 [dbo].[SPx_MFINS_UserSessionInfo]
 [dbo].[SPx_MFUpdate_User]

 [dbo].[ERPx_MFUserSessionHistory]

Columns

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity
	UserSessionHistorySK	bigint	8	NOT NULL	1 - 1
	UserSK	bigint	8	NOT NULL	
	SessionActionEN	bigint	8	NOT NULL	
	ActionDateTime	datetime	8	NOT NULL	
	ResponsibleUserSK	bigint	8	NULL allowed	

Indexes





Key	Name	Key Columns	Unique
	PK_ERPx_MFUserSessionHistory	UserSessionHistorySK	True

Used By


[dbo].[SPx_MFDEL_UserSessionInfo]
 [dbo].[SPx_MFUPD_AutoLogoutUsers]
 [dbo].[SPx_MFUPD_LogoutSession]
 [dbo].[SPx_MFUpdate_User]

 [dbo].[ERPx_MPBOM]

Columns

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity	Default
	BOMSK	bigint	8	NOT NULL	1 - 1	
	BOMID	varchar(25)	25	NOT NULL		
	BOMName	varchar(100)	100	NOT NULL		
	BOMClassSK	bigint	8	NOT NULL		
	BOMTypeEN	bigint	8	NOT NULL		
	OutputQuantity	numeric(18,5)	9	NOT NULL		
	InputQuantity	numeric(18,5)	9	NOT NULL		
	RecoveryPercent	numeric(18,5)	9	NOT NULL		
	UOMSK	bigint	8	NOT NULL		
	IsInactive	bit	1	NOT NULL		((0))
	LastUpdated	datetime	8	NOT NULL		
	LastUser	varchar(150)	150	NOT NULL		
	DataEntityCompanySK	bigint	8	NOT NULL		

Indexes

Key	Name	Key Columns	Unique
	PK_ERPx_MPBOM	BOMSK	True
	IX_ERPx_MPBOM	BOMID, DataEntityCompanySK	True

Foreign Keys

Name	Columns
FK_ERPx_MPBOM_ERPx_MPBOMClass	BOMClassSK->[dbo].[ERPx_MPBOMClass].[BOMClassSK]


Uses

[dbo].[ERPx_MPBOMClass]




Used By

[dbo].[ERPx_MPBOMCostHistory]
 [dbo].[ERPx_MPBOMItem]
 [dbo].[ERPx_MPBOMOutput]
 [dbo].[ERPx_MPBOMSite]


[dbo].[SPx_IMSEL_CostHistoryInquiry]
[dbo].[SPx_IMSEL_UpdateCostList]
[dbo].[SPx_IMUpdate_UpdateCostsFromBOM]
[dbo].[SPx_MFDEL_DeleteCompany]
[dbo].[SPx_MFUpdate_MassUpdate]
[dbo].[SPx_MPDEL_BOM]
[dbo].[SPx_MPINSUPD_BOM]
[dbo].[SPx_MPSEL_BOMCostInput]
[dbo].[SPx_MPSEL_BOMItemList]
[dbo].[SPx_MPSEL_BOMList]
[dbo].[SPx_MPSEL_BOMLookup]
[dbo].[SPx_MPSEL_BOMPlanningItemLookup]
[dbo].[SPx_MPSEL_BOMProperty]
[dbo].[SPx_MPSEL_ItemLookup]
[dbo].[SPx_MPUPD_BOMCostRollup]
[dbo].[SPx_MPUUpdate_BOMList]

 [dbo].[ERPx_MPBOMClass]

Columns

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity
	BOMClassSK	bigint	8	NOT NULL	1 - 1
	BOMClass	varchar(50)	50	NOT NULL	
	IsInactive	bit	1	NOT NULL	
	LastUpdated	datetime	8	NOT NULL	
	LastUser	varchar(150)	150	NOT NULL	
	DataEntityCompanySK	bigint	8	NOT NULL	

Indexes



Key	Name	Key Columns	Unique
	PK_ERPx_MPBOMClass	BOMClassSK	True
	IX_ERPx_MPBOMClass	BOMClass, DataEntityCompanySK	True

Used By

[dbo].[ERPx_MPBOM]
 [dbo].[SPx_MFDEL_DeleteCompany]
 [dbo].[SPx_MPSEL_BOMItemList]
 [dbo].[SPx_MPSEL_BOMList]

 [dbo].[ERPx_MPBOMCostHistory]

Columns

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity
	BOMCostHistorySK	bigint	8	NOT NULL	1 - 1
	BOMSK	bigint	8	NOT NULL	
	RecoveryPercent	numeric(18,5)	9	NOT NULL	
	Cost	numeric(18,5)	9	NOT NULL	
	EffectiveDate	datetime	8	NOT NULL	
	IsVoided	bit	1	NOT NULL	
	LastUpdated	datetime	8	NOT NULL	
	LastUser	varchar(150)	150	NOT NULL	
	DataEntityCompanySK	bigint	8	NOT NULL	

Indexes

Key	Name	Key Columns	Unique
	PK_ERPx_MPBOMCostHistory	BOMCostHistorySK	True

Foreign Keys

Name	Columns
FK_ERPx_MPBOMCostHistory_ERPx_MPBOMItem	BOMSK->[dbo].[ERPx_MPBOM].[BOMSK]

Uses



[dbo].[ERPx_MPBOM]

Used By

[dbo].[SPx_IMUpdate_UpdateCostsFromBOM]
 [dbo].[SPx_MFDEL_DeleteCompany]
 [dbo].[SPx_MPDEL_BOM]
 [dbo].[SPx_MPSEL_BOMList]
 [dbo].[SPx_MPSEL_BOMProperty]
 [dbo].[SPx_MPUPD_BOMCostRollup]
 [dbo].[SPx_MPUpdate_BOMList]

 [dbo].[ERPx_MPBOMCostItemHistory]

Columns

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity
	BOMCostItemHistorySK	bigint	8	NOT NULL	1 - 1
	BOMItemSK	bigint	8	NOT NULL	
	RecoveryPercent	numeric(18,5)	9	NOT NULL	
	Cost	numeric(18,5)	9	NOT NULL	
	EffectiveDate	datetime	8	NOT NULL	
	IsVoided	bit	1	NOT NULL	
	LastUpdated	datetime	8	NOT NULL	
	LastUser	varchar(150)	150	NOT NULL	
	DataEntityCompanySK	bigint	8	NOT NULL	
	BOMCostChangeTypeEN	bigint	8	NOT NULL	

Indexes

Key	Name	Key Columns	Unique
	PK_ERPx_MPBOMCostItemHistory	BOMCostItemHistorySK	True

Foreign Keys

Name	Columns
FK_ERPx_MPBOMCostItemHistory_ERPx_MPBOMItem	BOMItemSK->[dbo].[ERPx_MPBOMItem].[BOMItemSK]

Uses






[dbo].[ERPx_MPBOMItem]

Used By


[dbo].[SPx_MFDEL_DeleteCompany]
 [dbo].[SPx_MFUpdate_MassUpdate]
 [dbo].[SPx_MPDEL_BOM]
 [dbo].[SPx_MPINSUPD_BOM]
 [dbo].[SPx_MPINSUPD_BOMItemCostHistory]
 [dbo].[SPx_MPSEL_BOMCostInput]
 [dbo].[SPx_MPSEL_BOMItemList]
 [dbo].[SPx_MPSEL_BOMProperty]
 [dbo].[SPx_MPUPD_BOMCostRollup]
 [dbo].[SPx_MPUpdate_BOMList]

 **[dbo].[ERPx_MPBOMItem]**

Columns

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity
	BOMItemSK	bigint	8	NOT NULL	1 - 1
	BOMSK	bigint	8	NOT NULL	
	BOMItemTypeEN	bigint	8	NOT NULL	
	ItemSK	bigint	8	NOT NULL	
	RecoveryPercent	numeric(18,5)	9	NOT NULL	
	LastUpdated	datetime	8	NOT NULL	
	LastUser	varchar(50)	50	NOT NULL	
	DataEntityCompanySK	bigint	8	NOT NULL	

Indexes

Key	Name	Key Columns	Unique
	PK_ERPx_MPBOMCostItem	BOMItemSK	True
	IX_ERPx_MPBOMItem	BOMSK, BOMItemTypeEN, ItemSK, DataEntityCompanySK	True

Foreign Keys

Name	Columns
FK_ERPx_MPBOMItem_ERPx_MPBOM	BOMSK->[dbo].[ERPx_MPBOM].[BOMSK]

Uses

[dbo].[ERPx_MPBOM]

Used By

- [dbo].[ERPx_MPBOMCostItemHistory]
- [dbo].[SPx_MFDEL_DeleteCompany]
- [dbo].[SPx_MFUpdate_MassUpdate]
- [dbo].[SPx_MPDEL_BOM]
- [dbo].[SPx_MPINSUPD_BOM]
- [dbo].[SPx_MPINSUPD_BOMItemCostHistory]
- [dbo].[SPx_MPSEL_BOMCostInput]
- [dbo].[SPx_MPSEL_BOMItemList]
- [dbo].[SPx_MPSEL_BOMList]
- [dbo].[SPx_MPSEL_BOMProperty]




[dbo].[SPx_MPUPD_BOMCostRollup]

[dbo].[SPx_MPUpdate_BOMList]

[dbo].[SPx_MPUpdate_PlanningItem]

 [dbo].[ERPx_MPBOMOutput]

Columns

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity
	BOMOutputSK	bigint	8	NOT NULL	1 - 1
	BOMSK	bigint	8	NOT NULL	
	ItemSK	bigint	8	NOT NULL	
	LastUpdated	datetime	8	NOT NULL	
	LastUser	varchar(150)	150	NOT NULL	
	DataEntityCompanySK	bigint	8	NOT NULL	

Indexes

Key	Name	Key Columns	Unique
	PK_ERPx_MPBOMOutput	BOMOutputSK	True
	IX_ERPx_MPBOMOutput	BOMSK, ItemSK	True

Foreign Keys

Name	Columns
FK_ERPx_MPBOMOutput_ERPx_IMItem	ItemSK->[dbo].[ERPx_IMItem].[ItemSK]
FK_ERPx_MPBOMOutput_ERPx_MPBOM	BOMSK->[dbo].[ERPx_MPBOM].[BOMSK]





Uses

[dbo].[ERPx_IMItem]
[dbo].[ERPx_MPBOM]


Used By

[dbo].[SPx_IMUpdate_UpdateCostsFromBOM]
[dbo].[SPx_MFDEL_DeleteCompany]
[dbo].[SPx_MPDEL_BOM]
[dbo].[SPx_MPINSUPD_BOM]
[dbo].[SPx_MPSEL_BOMItemList]
[dbo].[SPx_MPSEL_BOMList]
[dbo].[SPx_MPSEL_BOMOutput]
[dbo].[SPx_MPUUpdate_BOMList]

[dbo].[ERPx_MPBOMSite]**Columns**

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity
	BomSiteSK	bigint	8	NOT NULL	1 - 1
	BOMSK	bigint	8	NOT NULL	
	SiteSK	bigint	8	NOT NULL	
	LastUpdated	datetime	8	NOT NULL	
	LastUser	varchar(150)	150	NOT NULL	
	DataEntityCompanySK	bigint	8	NOT NULL	

Indexes

Key	Name	Key Columns	Unique
	PK_ERPx_MPBOMSite	BomSiteSK	True
	IX_ERPx_MPBOMSite	BOMSK, SiteSK, DataEntityCompanySK	True

Foreign Keys

Name	Columns
FK_ERPx_MPBOMSite_ERPx_MFSSite	SiteSK->[dbo].[ERPx_MFSSite].[SiteSK]
FK_ERPx_MPBOMSite_ERPx_MPBOM	BOMSK->[dbo].[ERPx_MPBOM].[BOMSK]

Uses




[dbo].[ERPx_MFSSite]
[dbo].[ERPx_MPBOM]

Used By


[dbo].[SPx_IMUpdate_UpdateCostsFromBOM]
[dbo].[SPx_MFDEL_DeleteCompany]
[dbo].[SPx_MFINSUPDDEL_Site_XML]
[dbo].[SPx_MFUpdate_Site]
[dbo].[SPx_MPDEL_BOM]
[dbo].[SPx_MPINSUPD_BOM]
[dbo].[SPx_MPSEL_BOMItemList]
[dbo].[SPx_MPSEL_BOMList]
[dbo].[SPx_MPSEL_BOMSite]
[dbo].[SPx_MPUUpdate_BOMList]

 [dbo].[ERPx_MPPlanningItem]

Columns

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity
	PlanningItemSK	bigint	8	NOT NULL	1 - 1
	PlanningItem	varchar(25)	25	NOT NULL	
	BOMScalingMethodEN	bigint	8	NOT NULL	
	LastUpdated	datetime	8	NOT NULL	
	LastUser	varchar(150)	150	NOT NULL	
	DataEntityCompanySK	bigint	8	NOT NULL	

Indexes




Key	Name	Key Columns	Unique
	PK_ERPx_MPPlanningItem	PlanningItemSK	True
	IX_ERPx_MPPlanningItem	PlanningItem, DataEntityCompanySK	True

Used By


[dbo].[SPx_MFDEL_DeleteCompany]
 [dbo].[SPx_MFUpdate_MassUpdate]
 [dbo].[SPx_MPINSUPD_BOM]
 [dbo].[SPx_MPSEL_BOMCostInput]
 [dbo].[SPx_MPSEL_BOMItemList]
 [dbo].[SPx_MPSEL_BOMPlanningItemLookup]
 [dbo].[SPx_MPSEL_BOMProperty]
 [dbo].[SPx_MPSEL_PlanningItemList]
 [dbo].[SPx_MPUpdate_PlanningItem]

 [dbo].[ERPx_PRBatch]

Columns

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity	Default
	BatchSK	bigint	8	NOT NULL	1 - 1	
	PRBatchStatusEN	int	4	NOT NULL		((1))
	PRBatchTypeEN	bigint	8	NOT NULL		((1))
	BatchName	varchar(15)	15	NULL allowed		
	BatchDescription	varchar(300)	300	NULL allowed		
	StartDate	datetime	8	NULL allowed		
	EndDate	datetime	8	NULL allowed		
	LastUser	varchar(150)	150	NOT NULL		
	LastUpdated	datetime	8	NOT NULL		(getdate())
	DataEntityCompanySK	bigint	8	NULL allowed		
	ErrorText	varchar(max)	max	NULL allowed		
	TransactionBatchSK	bigint	8	NULL allowed		

Indexes

Key	Name	Key Columns	Unique
	PK_ERPx_PRBatch	BatchSK	True
	UK_ERPx_PRBatch	BatchName	True

Foreign Keys

Name	Columns
FK_ERPx_PRBatch_ERPx_MFTransactionBatch	TransactionBatchSK->[dbo].[ERPx_MFTransactionBatch].[TransactionBatchSK]

Uses

[dbo].[ERPx_MFTransactionBatch]

Used By

[dbo].[ERPx_PRBatchDetail]
 [dbo].[SPx_INTEG_PRBatch]
 [dbo].[SPx_PRSEL_BatchDetail]
 [dbo].[SPx_PRSEL_BatchList]
 [dbo].[SPx_PRSEL_BatchLookup]




[dbo].[SPx_PRUpdate_Batch]

[dbo].[SPx_PRUpdate_BatchDetail]

[dbo].[SPx_PRUpdate_Check]

 [dbo].[ERPx_PRBatchDetail]

Columns

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity	Default
	ImportDetailSK	bigint	8	NOT NULL	1 - 1	
	BatchSK	bigint	8	NOT NULL		
	EmployeeSK	bigint	8	NOT NULL		
	CodeSK	bigint	8	NOT NULL		
	DepartmentSK	bigint	8	NOT NULL		
	PositionSK	bigint	8	NOT NULL		
	Hours	numeric(18,2)	9	NOT NULL		
	Rate	numeric(18,2)	9	NOT NULL		
	PayDate	date	3	NOT NULL		
	StatusText	varchar(max)	max	NULL allowed		
	Ignore	bit	1	NOT NULL		((0))
	DoNotAllocate	bit	1	NOT NULL		((0))
	ManualAddition	bit	1	NOT NULL		
	BaseRate	numeric(18,2)	9	NOT NULL		
	Differential	numeric(18,2)	9	NOT NULL		
	OriginalRate	numeric(18,2)	9	NOT NULL		
	UncollectedDeductionAmount	numeric(18,5)	9	NULL allowed		
	LastUser	varchar(150)	150	NOT NULL		
	LastUpdated	datetime	8	NOT NULL		(getdate())

Indexes

Key	Name	Key Columns	Unique
	PK_ERPx_PRBatchDetail	ImportDetailSK	True

Foreign Keys

Name	Columns
FK_ERPx_PRBatchDetail_ERPx_PRBatch	BatchSK->[dbo].[ERPx_PRBatch].[BatchSK]
FK_ERPx_PRBatchDetail_ERPx_PRCODE	CodeSK->[dbo].[ERPx_PRCODE].[CodeSK]

Uses

[dbo].[ERPx_PRBatch]

[dbo].[ERPx_PRCODE]

Used By

[dbo].[SPx_PRSEL_BatchDetail]

[dbo].[SPx_PRSEL_BatchDetailDepartmentLookup]

[dbo].[SPx_PRSEL_BatchDetailPositionLookup]


[dbo].[SPx_PRSEL_BatchList]


[dbo].[SPx_PRUpdate_BatchDetail]

[dbo].[SPx_PRUpdate_Check]


 [dbo].[ERPx_PRCheckbookTransaction]

Columns

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity	Default
 PK	PayrollCheckbookTransactionSK	bigint	8	NOT NULL	1 - 1	
	CheckbookTransactionSK	bigint	8	NOT NULL		
 FK	EmployeeSK	bigint	8	NOT NULL		
	TaxStatusEN	bigint	8	NOT NULL		
	FedExemptions	bigint	8	NOT NULL		
 FK	CheckbookSK	bigint	8	NOT NULL		
	TransactionDate	datetime	8	NOT NULL		
	TransactionID	varchar(20)	20	NULL allowed		
	TransactionStatusSK	bigint	8	NOT NULL		
	GrossAmount	numeric(18,5)	9	NOT NULL		
	Deductions	numeric(18,5)	9	NOT NULL		
	InsuranceDed	numeric(18,5)	9	NOT NULL		
	RetirementDed	numeric(18,5)	9	NOT NULL		
	GarnishmentDed	numeric(18,5)	9	NULL allowed		
	OtherDed	numeric(18,5)	9	NULL allowed		
	FedTaxableGrossAmount	numeric(18,5)	9	NOT NULL		
	FedWithholdingAllowance	numeric(18,5)	9	NOT NULL		
	FedGrossLessWithholding	numeric(18,5)	9	NOT NULL		
	FedNonTaxableDed	numeric(18,5)	9	NOT NULL		
	FedTaxableWages	numeric(18,5)	9	NOT NULL		
	FedTaxableWagesPercentage	numeric(18,5)	9	NOT NULL		
	FedAdditionalTax	numeric(18,5)	9	NOT NULL		
	FedTax	numeric(18,5)	9	NOT NULL		
	StateTaxableGrossAmount	numeric(18,5)	9	NOT NULL		
	StateNonTaxableDed	numeric(18,5)	9	NOT NULL		
	StateTax	numeric(18,5)	9	NOT NULL		
	LocalTaxableGrossAmount	numeric(18,5)	9	NOT NULL		
	LocalNonTaxableDed	numeric(18,5)	9	NOT NULL		
	LocalTax	numeric(18,5)	9	NOT NULL		
	MedicareGrossAmount	numeric(18,5)	9	NOT NULL		
	MedicareNonTaxableDed	numeric(18,5)	9	NOT NULL		
	EmployeeMedicareTaxPercentage	numeric(18,5)	9	NOT NULL		
	EmployeeMedicareTax	numeric(18,5)	9	NOT NULL		

	CompanyMedicareTaxPercentage	numeric(18,5)	9	NOT NULL	
	CompanyMedicareTax	numeric(18,5)	9	NULL allowed	
	SocialSecurityGrossAmount	numeric(18,5)	9	NOT NULL	
	SocialSecurityNonTaxableDed	numeric(18,5)	9	NOT NULL	
	EmployeeSocialSecurityTaxPercentage	numeric(18,5)	9	NOT NULL	
	EmployeeSocialSecurityTax	numeric(18,5)	9	NOT NULL	
	CompanySocialSecurityTaxPercentage	numeric(18,5)	9	NOT NULL	
	CompanySocialSecurityTax	numeric(18,5)	9	NULL allowed	
	NetAmount	numeric(18,5)	9	NOT NULL	
	Address1	varchar(75)	75	NULL allowed	
	Address2	varchar(75)	75	NULL allowed	
	Address3	varchar(75)	75	NULL allowed	
	City	varchar(35)	35	NULL allowed	
	State	varchar(30)	30	NULL allowed	
	Zip	varchar(15)	15	NULL allowed	
	LastUpdated	datetime	8	NOT NULL	(getdate())
	LastUser	varchar(150)	150	NOT NULL	
	DataEntityCompanySK	bigint	8	NOT NULL	
	PRExcludedCodeSKCSV	varchar(max)	max	NULL allowed	

Indexes

Key	Name	Key Columns	Unique
	PK_ERPx_PRCheckbookTransaction	PayrollCheckbookTransactionSK	True

Foreign Keys

Name	Columns
FK_ERPx_PRCheckbookTransaction_ERPx_MFCheckbook	CheckbookSK->[dbo].[ERPx_MFCheckbook].[CheckbookSK]
FK_ERPx_PRCheckbookTransaction_ERPx_MFData-EntityCompany	DataEntityCompanySK->[dbo].[ERPx_MFDataEntityCompany].[Data-EntityCompanySK]
FK_ERPx_PRCheckbookTransaction_ERPx_MFEmployee	EmployeeSK->[dbo].[ERPx_MFEmployee].[EmployeeSK]

Uses

[dbo].[ERPx_MFCheckbook]
 [dbo].[ERPx_MFDataEntityCompany]
 [dbo].[ERPx_MFEmployee]

Used By

[dbo].[ERPx_PRCheckbookTransactionDeduction]

[dbo].[FNx_GetTransactionAmounts]

[dbo].[SPx_GLUUpdate_CheckbookList]

[dbo].[SPx_MFUpdate_VoidTransaction]

[dbo].[SPx_PRProcess_Check]




[dbo].[SPx_PRSEL_Check]

[dbo].[SPx_PRSEL_CheckPayees]

[dbo].[SPx_PRUpdate_Check]

 [dbo].[ERPx_PRCheckbookTransactionDeduction]

Columns

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity
	PayrollTransactionDeductionSK	bigint	8	NOT NULL	1 - 1
	PayrollCheckbookTransactionSK	bigint	8	NOT NULL	
	DeductionSK	bigint	8	NOT NULL	
	DeductionAmount	numeric(18,5)	9	NOT NULL	

Indexes

Key	Name	Key Columns	Unique
	PK_ERPx_PRCheckbookTransactionDeduction	PayrollTransactionDeductionSK	True

Foreign Keys

Name	Columns
FK_ERPx_PRCheckbookTransactionDeduction_-ERPx_PRCheckbookTransaction	PayrollCheckbookTransactionSK->[dbo].[ERPx_PRCheckbookTransaction].[PayrollCheckbookTransactionSK]
FK_ERPx_PRCheckbookTransactionDeduction_-ERPx_PRCODE	DeductionSK->[dbo].[ERPx_PRCODE].[CodeSK]

Uses




[dbo].[ERPx_PRCheckbookTransaction]
 [dbo].[ERPx_PRCODE]

Used By


[dbo].[SPx_PRProcess_Check]

 [dbo].[ERPx_PRClass]

Columns

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity
	ClassSK	bigint	8	NOT NULL	1 - 1
	HostSystemLink	varchar(25)	25	NOT NULL	
	ClassID	varchar(10)	10	NOT NULL	
	ClassName	varchar(50)	50	NOT NULL	
	LastUpdated	datetime	8	NOT NULL	
	LastUser	varchar(50)	50	NOT NULL	
	DataEntityCompanySK	bigint	8	NOT NULL	

Indexes





Key	Name	Key Columns	Unique
	PK_ERPx_PRClass	ClassSK	True
	IX_ERPx_PRClass	ClassID, DataEntityCompanySK	True

Used By


- [dbo].[ERPx_MFEmployee]
- [dbo].[SPx_MFSEL_PRPreferences]
- [dbo].[SPx_PRSEL_ClassLookup]
- [dbo].[SPx_PRSEL_EmployeeList]
- [dbo].[SPx_PRSEL_EmployeeListNewRow]

 [dbo].[ERPx_PRCode]

Columns

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity	Default
	CodeSK	bigint	8	NOT NULL	1 - 1	
	HostSystemLink	varchar(50)	50	NULL allowed		
	CodeID	varchar(50)	50	NOT NULL		
	Description	varchar(60)	60	NULL allowed		
	PRCodeTypeEN	bigint	8	NOT NULL		
	PRPayTypeEN	bigint	8	NULL allowed		
	PRDeductionTypeEN	bigint	8	NULL allowed		
	PRDeductionCalcMethodEN	bigint	8	NULL allowed		
	PRCodeIntegrationTypeEN	bigint	8	NULL allowed		
	IsEligibleForEmployeeSale	bit	1	NOT NULL		
	Modifier	numeric(18,5)	9	NOT NULL		((1))
	SubjectToFEDTax	bit	1	NOT NULL		((0))
	SubjectToSSTax	bit	1	NOT NULL		((0))
	SubjectToMEDTax	bit	1	NOT NULL		((0))
	SubjectToLocalTax	bit	1	NOT NULL		((0))
	SubjectToStateTax	bit	1	NOT NULL		((0))
	FixedFedTaxPercent	numeric(18,5)	9	NULL allowed		
	CheckDescription	varchar(50)	50	NULL allowed		
	IsInactive	bit	1	NOT NULL		
	LastUpdated	datetime	8	NOT NULL		
	LastUser	varchar(120)	120	NOT NULL		
	CanExclude	bit	1	NOT NULL		((0))
	DataEntityCompanySK	bigint	8	NOT NULL		

Indexes

Key	Name	Key Columns	Unique
	PK_ERPx_PRCode	CodeSK	True
	IX_ERPx_PRCode	CodeID, PRCodeTypeEN, DataEntityCompanySK	True

Foreign Keys

Name	Columns
------	---------

FK_ERPx_PRCode_ERPx_MFDataEntity-Company	DataEntityCompanySK->[dbo].[ERPx_MFDataEntityCompany].[DataEntity-CompanySK]
--	--

Uses




[dbo].[ERPx_MFDataEntityCompany]

Used By


[dbo].[ERPx_ARTransactionHeader]
 [dbo].[ERPx_IMItem]
 [dbo].[ERPx_PRBatchDetail]
 [dbo].[ERPx_PRCheckbookTransactionDeduction]
 [dbo].[ERPx_PRCodeEmployee]
 [dbo].[ERPx_PRCodeEmployeeSummary]
 [dbo].[IQx_ARSEL_SaleInvoiceLineList]
 [dbo].[IQx_ARSEL_TransactionDetail]
 [dbo].[SPx_ARSEL_SaleInvoiceLineList]
 [dbo].[SPx_ARSEL_TransactionDeductionLookup]
 [dbo].[SPx_ARSEL_TransactionLine]
 [dbo].[SPx_INTEG_APEmployeeDeduction]
 [dbo].[SPx_INTEG_AREmployeeDeduction]
 [dbo].[SPx_MFSEL_APPreferences]
 [dbo].[SPx_MFSEL_FAPreferences]
 [dbo].[SPx_MFSEL_ProcessChecksAdditionalColumnList]
 [dbo].[SPx_PRProcess_Check]
 [dbo].[SPx_PRSEL_BatchDetail]
 [dbo].[SPx_PRSEL_BatchList]
 [dbo].[SPx_PRSEL_CheckExcludeCode]
 [dbo].[SPx_PRSEL_Code]
 [dbo].[SPx_PRSEL_PayCodeLookup]
 [dbo].[SPx_PRUpdate_BatchDetail]
 [dbo].[SPx_PRUpdate_Check]
 [dbo].[SPx_PRUpdate_Code]

 [dbo].[ERPx_PRCodeEmployee]

Columns

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity	Default
	CodeEmployeeSK	bigint	8	NOT NULL	1 - 1	
	EmployeeSK	bigint	8	NOT NULL		
	CodeSK	bigint	8	NOT NULL		
	PRRateTypeEN	bigint	8	NOT NULL		
	Rate	numeric(18,5)	9	NOT NULL		
	UncollectedDeductionAmount	numeric(18,5)	9	NOT NULL		
	PayPeriodMax	numeric(18,5)	9	NULL allowed		
	YearToDateMax	numeric(18,5)	9	NULL allowed		
	LifeToDateMax	numeric(18,5)	9	NULL allowed		
	BeginDate	date	3	NULL allowed		
	EndDate	date	3	NULL allowed		
	IsInactive	bit	1	NOT NULL		((0))

Indexes

Key	Name	Key Columns	Unique
	PK_ERPx_PRCodeEmployee	CodeEmployeeSK	True
	UK_ERPx_PRCodeEmployee	EmployeeSK, CodeSK	True

Foreign Keys

Name	Columns
FK_ERPx_PRCodeEmployee_ERPx_MFEmployee	EmployeeSK->[dbo].[ERPx_MFEmployee].[EmployeeSK]
FK_ERPx_PRCodeEmployee_ERPx_PRCode	CodeSK->[dbo].[ERPx_PRCode].[CodeSK]

Uses





[dbo].[ERPx_MFEmployee]
[dbo].[ERPx_PRCode]

Used By


[dbo].[SPx_PRUpdate_Check]

 [dbo].[ERPx_PRCODEEmployeeSummary]

Columns

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity
	PRCODEEmployeeSummarySK	bigint	8	NOT NULL	1 - 1
	PayrollYear	bigint	8	NOT NULL	
	EmployeeSK	bigint	8	NOT NULL	
	CodeSK	bigint	8	NOT NULL	
	YearToDateAmount	numeric(18,5)	9	NOT NULL	
	LifeToDateAmount	numeric(18,5)	9	NOT NULL	

Indexes

Key	Name	Key Columns	Unique
	PK_ERPx_PRCODEEmployeeSummary	PRCODEEmployeeSummarySK	True
	UK_ERPx_PRCODEEmployeeSummary	PayrollYear DESC, EmployeeSK, CodeSK	True

Foreign Keys

Name	Columns
FK_ERPx_PRCODEEmployeeSummary_ERPx_MFEmployee	EmployeeSK->[dbo].[ERPx_MFEmployee].[EmployeeSK]
FK_ERPx_PRCODEEmployeeSummary_ERPx_PRCODE	CodeSK->[dbo].[ERPx_PRCODE].[CodeSK]

Uses


[dbo].[ERPx_MFEmployee]
[dbo].[ERPx_PRCODE]

Used By

[dbo].[SPx_PRUpdate_Check]

 [dbo].[ERPx_PRCrew]

Columns

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity	Default
	CrewSK	bigint	8	NOT NULL	1 - 1	
	HostSystemLink	varchar(10)	10	NULL allowed		
	CrewID	varchar(10)	10	NOT NULL		
	CrewName	varchar(50)	50	NOT NULL		
	ShiftDifferential	numeric(18,2)	9	NULL allowed		
	LastUpdated	datetime	8	NOT NULL		(getdate())
	LastUser	varchar(150)	150	NULL allowed		
	DataEntityCompanySK	bigint	8	NOT NULL		
	DirectLabor	bit	1	NOT NULL		((0))
	IsInactive	bigint	8	NOT NULL		((0))

Indexes




Key	Name	Key Columns	Unique
	PK_ERPx_PRCrew	CrewSK	True

Used By


[dbo].[SPx_PRSEL_Crew]
 [dbo].[SPx_PRSEL_CrewLookup]
 [dbo].[SPx_PRSEL_EmployeeList]
 [dbo].[SPx_PRUpdate_Crew]

 **[dbo].[ERPx_PRDeduction]**

Columns

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity	Default
	DeductionSK	bigint	8	NOT NULL	1 - 1	
	HostSystemLink	varchar(50)	50	NULL allowed		
	DeductionID	varchar(50)	50	NOT NULL		
	Description	varchar(60)	60	NULL allowed		
	IsEligibleForEmployeeSale	bit	1	NOT NULL		
	IsInactive	bit	1	NOT NULL		((0))
	LastUpdated	datetime	8	NOT NULL		
	LastUser	varchar(120)	120	NOT NULL		
	DataEntityCompanySK	bigint	8	NOT NULL		

Indexes

Key	Name	Key Columns	Unique
	PK_ERPx_PRDeduction	DeductionSK	True
	IX_ERPx_PRDeduction	DeductionID, DataEntityCompanySK	True

Foreign Keys

Name	Columns
FK_ERPx_PRDeduction_ERPx_MFDataEntity-Company	DataEntityCompanySK->[dbo].[ERPx_MFDataEntityCompany].[DataEntityCompanySK]

Uses


[dbo].[ERPx_MFDataEntityCompany]

Used By

[dbo].[SPx_MFDEL_DeleteCompany]

 [dbo].[ERPx_PRDepartment]

Columns

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity	Default
	DepartmentSK	bigint	8	NOT NULL	1 - 1	
	HostSystemLink	varchar(10)	10	NULL allowed		
	DepartmentID	varchar(10)	10	NOT NULL		
	DepartmentName	varchar(50)	50	NOT NULL		
	IsInactive	bit	1	NOT NULL		((0))
	LastUpdated	datetime	8	NOT NULL		(getdate())
	LastUser	varchar(150)	150	NULL allowed		
	DataEntityCompanySK	bigint	8	NOT NULL		

Indexes


Key	Name	Key Columns	Unique
	PK_ERPx_PRDepartment	DepartmentSK	True

Used By

[dbo].[ERPx_MFEmployee]
 [dbo].[SPx_MFSEL_PRPreferences]
 [dbo].[SPx_PRSEL_BatchDetail]
 [dbo].[SPx_PRSEL_BatchDetailDepartmentLookup]
 [dbo].[SPx_PRSEL_Department]
 [dbo].[SPx_PRSEL_DepartmentLookup]
 [dbo].[SPx_PRSEL_EmployeeList]
 [dbo].[SPx_PRSEL_EmployeeListNewRow]
 [dbo].[SPx_PRSEL_EmployeeLookup]
 [dbo].[SPx_PRUpdate_Check]
 [dbo].[SPx_PRUpdate_Department]
 [dbo].[SPx_PRUpdate_EmployeeList]

 [dbo].[ERPx_PRDivision]

Columns

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity	Default
	DivisionSK	bigint	8	NOT NULL	1 - 1	
	HostSystemLink	varchar(10)	10	NULL allowed		
	DivisionID	varchar(10)	10	NOT NULL		
	DivisionName	varchar(50)	50	NOT NULL		
	LastUpdated	datetime	8	NOT NULL		(getdate())
	LastUser	varchar(150)	150	NULL allowed		
	DataEntityCompanySK	bigint	8	NOT NULL		

Indexes


Key	Name	Key Columns	Unique
	PK_ERPx_PRDivision	DivisionSK	True

Used By

[dbo].[ERPx_MFEmployee]
 [dbo].[SPx_MFSEL_PRRPreferences]
 [dbo].[SPx_PRSEL_DivisionLookup]
 [dbo].[SPx_PRSEL_EmployeeList]
 [dbo].[SPx_PRSEL_EmployeeListNewRow]

 [dbo].[ERPx_PRFedWithholdingAllowance]

Columns

Key	Name	Data Type	Max Length (Bytes)	Nullability
	PRPayFrequencyEN	bigint	8	NOT NULL
	Amount	numeric(18,5)	9	NOT NULL
	BeginDate	date	3	NOT NULL
	EndDate	date	3	NOT NULL
	Divisor	bigint	8	NOT NULL

Indexes




Key	Name	Key Columns	Unique
	PK_ERPx_PRFedWithholdingAllowance	PRPayFrequencyEN	True

Used By


[dbo].[SPx_PRUpdate_Check]

 [dbo].[ERPx_PRPosition]

Columns

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity	Default
	PositionSK	bigint	8	NOT NULL	1 - 1	
	HostSystemLink	varchar(10)	10	NULL allowed		
	PositionID	varchar(10)	10	NOT NULL		
	PositionName	varchar(50)	50	NOT NULL		
	WorkersComp	varchar(7)	7	NULL allowed		
	IsInactive	bit	1	NOT NULL		((0))
	LastUpdated	datetime	8	NOT NULL		(getdate())
	LastUser	varchar(150)	150	NULL allowed		
	DataEntityCompanySK	bigint	8	NOT NULL		

Indexes


Key	Name	Key Columns	Unique
	PK_ERPx_PRPosition	PositionSK	True
	IX_ERPx_PRPosition	PositionID, DataEntityCompanySK	True

Used By

[dbo].[ERPx_MFEmployee]
 [dbo].[SPx_MFSEL_PRPreferences]
 [dbo].[SPx_PRSEL_BatchDetail]
 [dbo].[SPx_PRSEL_BatchDetailPositionLookup]
 [dbo].[SPx_PRSEL_EmployeeList]
 [dbo].[SPx_PRSEL_EmployeeListNewRow]
 [dbo].[SPx_PRSEL_EmployeeLookup]
 [dbo].[SPx_PRSEL_Position]
 [dbo].[SPx_PRSEL_PositionLookup]
 [dbo].[SPx_PRUpdate_Check]
 [dbo].[SPx_PRUpdate_EmployeeList]
 [dbo].[SPx_PRUpdate_Position]

 [dbo].[ERPx_PRTaxBracket]

Columns

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity
	TaxBracketSK	bigint	8	NOT NULL	1 - 1
	CodeID	varchar(50)	50	NOT NULL	
	BeginDate	date	3	NOT NULL	
	EndDate	date	3	NOT NULL	
	PRPayFrequencyEN	bigint	8	NULL allowed	
	PRTaxStatusEN	int	4	NULL allowed	
	LowerBound	numeric(18,5)	9	NOT NULL	
	UpperBound	numeric(18,5)	9	NULL allowed	
	BaseTaxAmount	numeric(18,5)	9	NOT NULL	
	TaxedOnExcessOver	numeric(18,5)	9	NOT NULL	
	ExcessTaxPercentage	numeric(18,5)	9	NOT NULL	

Indexes











Key	Name	Key Columns	Unique
	PK_ERPx_PRTaxBracket	TaxBracketSK	True

Used By

[dbo].[SPx_PRUpdate_Check]

 [dbo].[ERPx_RS_DashboardPreferences]

Columns

Key	Name	Data Type	Max Length (Bytes)	Nullability
 	PageID	varchar(400)	400	NOT NULL
 	DataEntityCompanySK	int	4	NOT NULL
 	UserSK	int	4	NOT NULL
 	QuadrantID	int	4	NOT NULL
 	PreferenceType	varchar(200)	200	NOT NULL
	PreferenceValue	varchar(max)	max	NOT NULL


Indexes

Key	Name	Key Columns	Unique
 	PK_RT_x_Grid_Preferences	PageID, DataEntityCompanySK, UserSK, QuadrantID, PreferenceType	True

Used By

[dbo].[SPx_MFDEL_DeleteCompany]
 [dbo].[SPx_RSSEL_DashboardGetPreferences]

 **[dbo].[ERPx_RSMailQueue]**
Columns

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity	Default
	MailQueueSK	bigint	8	NOT NULL	1 - 1	
	Created	datetime	8	NOT NULL		(getdate())
	CreatedByUserSK	bigint	8	NULL allowed		
	CreatedByUserEmail	varchar(110)	110	NOT NULL		
	LastProcessed	datetime	8	NULL allowed		
	MailStatusEN	int	4	NOT NULL		((1))
	ErrorText	varchar(1000)	1000	NULL allowed		
	ReportURL	varchar(max)	max	NULL allowed		
	ReportSK	bigint	8	NULL allowed		
	ControlID	varchar(25)	25	NULL allowed		
	ControlParameterSK	varchar(max)	max	NULL allowed		
	TransactionID	varchar(50)	50	NULL allowed		
	DataEntityCompanySK	bigint	8	NOT NULL		
	Profile_Name	varchar(128)	128	NOT NULL		
	Recipients	varchar(max)	max	NULL allowed		
	Copy_Recipients	varchar(max)	max	NULL allowed		
	Blind_Copy_Recipients	varchar(max)	max	NULL allowed		
	Subject	varchar(max)	max	NULL allowed		
	Body	varchar(max)	max	NULL allowed		
	Body_Format	varchar(20)	20	NULL allowed		
	Importance	varchar(6)	6	NULL allowed		
	Sensitivity	varchar(12)	12	NULL allowed		
	FilePath	varchar(200)	200	NULL allowed		
	File_Attachments	varchar(max)	max	NULL allowed		
	Query	varchar(max)	max	NULL allowed		
	Execute_Query_Database	varchar(128)	128	NULL allowed		
	Attach_Query_Result_As_File	bit	1	NULL allowed		
	Query_Attachment_Filename	varchar(255)	255	NULL allowed		
	Query_Result_Header	bit	1	NULL allowed		
	Query_Result_Width	int	4	NULL allowed		
	Query_Result_Separator	char(1)	1	NULL allowed		
	Exclude_Query_Output	bit	1	NULL allowed		
	Append_Query_Error	bit	1	NULL allowed		
	Query_No_Truncate	bit	1	NULL allowed		

	Mailitem_ID	int	4	NULL allowed		
	MailQueueRequestTypeEN	bigint	8	NULL allowed		

Indexes


Key	Name	Key Columns	Unique
	PK_ERPx_SYSMailQueue	MailQueueSK	True

Used By

[dbo].[SPx_IMProcess_TransferTransaction]
 [dbo].[SPx_INTEG_ProcessInboundQueue]
 [dbo].[SPx_INTEG_ProcessOutboundQueue]
 [dbo].[SPx_MFDEL_DeleteCompany]
 [dbo].[SPx_MFUPD_MessageQueueInsertToEmailQueue]
 [dbo].[SPx_RSINS_ArchiveSysMail]
 [dbo].[SPx_RSINS_QueuePrintedReportForEmail]
 [dbo].[SPx_RSSEL_ReportMailQueue]
 [dbo].[SPx_RSUPD_ProcessSysMail]
 [dbo].[SPx_RSUpdate_ReportMailQueue]

 [dbo].[ERPx_RSMailQueue_Archive]

Columns

Key	Name	Data Type	Max Length (Bytes)	Nullability	Default
	MailQueueSK	bigint	8	NOT NULL	
	Created	datetime	8	NOT NULL	
	CreatedByUserSK	bigint	8	NULL allowed	
	CreatedByUserEmail	varchar(110)	110	NOT NULL	
	LastProcessed	datetime	8	NOT NULL	
	MailStatusEN	int	4	NOT NULL	((1))
	ErrorText	varchar(1000)	1000	NULL allowed	
	ReportURL	varchar(200)	200	NULL allowed	
	ReportSK	bigint	8	NULL allowed	
	ControlID	varchar(25)	25	NULL allowed	
	ControlParameterSK	bigint	8	NULL allowed	
	TransactionID	varchar(50)	50	NULL allowed	
	DataEntityCompanySK	bigint	8	NOT NULL	
	Profile_Name	varchar(128)	128	NOT NULL	
	Recipients	varchar(max)	max	NULL allowed	
	Copy_Recipients	varchar(max)	max	NULL allowed	
	Blind_Copy_Recipients	varchar(max)	max	NULL allowed	
	Subject	varchar(max)	max	NULL allowed	
	Body	varchar(max)	max	NULL allowed	
	Body_Format	varchar(20)	20	NULL allowed	
	Importance	varchar(6)	6	NULL allowed	
	Sensitivity	varchar(12)	12	NULL allowed	
	FilePath	varchar(200)	200	NULL allowed	
	File_Attachments	varchar(max)	max	NULL allowed	
	Query	varchar(max)	max	NULL allowed	
	Execute_Query_Database	varchar(128)	128	NULL allowed	
	Attach_Query_Result_As_File	bit	1	NULL allowed	
	Query_Attachment_Filename	varchar(255)	255	NULL allowed	
	Query_Result_Header	bit	1	NULL allowed	
	Query_Result_Width	int	4	NULL allowed	
	Query_Result_Separator	char(1)	1	NULL allowed	
	Exclude_Query_Output	bit	1	NULL allowed	
	Append_Query_Error	bit	1	NULL allowed	
	Query_No_Truncate	bit	1	NULL allowed	

	Mailitem_ID	int	4	NULL allowed	
	MailQueueRequestTypeEN	bigint	8	NULL allowed	

Indexes



Key	Name	Key Columns	Unique
	PK_ERPx_SYSMailQueue_Archive	MailQueueSK	True

Used By

[dbo].[SPx_RSINS_ArchiveSysMail]

 [dbo].[ERPx_RSPrinter]

Columns

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity
	PrinterSK	bigint	8	NOT NULL	1 - 1
	PrinterName	varchar(200)	200	NOT NULL	
	DisplayName	varchar(200)	200	NOT NULL	

Indexes

Key	Name	Key Columns	Unique
	PK_ERPx_RSPrinter	PrinterSK	True
	IX_ERPx_RSPrinter_PrinterName	PrinterName	True

Used By

[dbo].[SPx_RSSEL_DirectPrinterLookup]
 [dbo].[SPx_RSSEL_DirectPrinters]
 [dbo].[SPx_RSSEL_PrinterQueue]
 [dbo].[SPx_RSUpdate_DirectPrinters]

 [dbo].[ERPx_RSPrinterQueue]



Columns

Name	Data Type	Max Length (Bytes)	Nullability	Identity
PrinterQueueSK	bigint	8	NOT NULL	1 - 1
PrinterSK	bigint	8	NOT NULL	
DataEntityCompanySK	bigint	8	NOT NULL	
UserSK	bigint	8	NOT NULL	
QueueDate	datetime	8	NOT NULL	
LastPrinted	datetime	8	NULL allowed	
PrintStatusEN	int	4	NOT NULL	
ReportSK	bigint	8	NOT NULL	
ControlParameterSK	bigint	8	NOT NULL	
RequestURL	varchar(max)	max	NOT NULL	
FolderPath	varchar(200)	200	NOT NULL	
FileName	varchar(200)	200	NULL allowed	
ErrorText	varchar(max)	max	NULL allowed	


Used By

[dbo].[SPx_RSINS_QueueDirectPrintReport]
 [dbo].[SPx_RSSEL_PrinterQueue]
 [dbo].[SPx_RSSEL_ReportPrinterQueue]
 [dbo].[SPx_RSUpdate_ReportPrinterQueue]

[dbo].[ERPx_RSReport]**Columns**

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity	Default
	ReportSK	bigint	8	NOT NULL	1 - 1	
	ReportTypeEN	bigint	8	NOT NULL		
	ReportLocationEN	bigint	8	NOT NULL		
	ReportName	varchar(200)	200	NOT NULL		
	DisplayName	varchar(50)	50	NULL allowed		
	Description	varchar(1000)	1000	NOT NULL		
	ReportPathOverride	varchar(250)	250	NULL allowed		
	ChartURL	varchar(250)	250	NULL allowed		
	DisplayTypeEN	bigint	8	NULL allowed		
	IsHistoryTracked	bit	1	NOT NULL		((0))
	RunWithDefaults	bit	1	NULL allowed		
	ReportExportTypeEN	varchar(100)	100	NOT NULL		
	DirectQueryHeaders	bit	1	NOT NULL		((1))
	DirectQueryDelimiter	nchar(1)	2	NULL allowed		
	DirectQueryExtension	varchar(10)	10	NULL allowed		
	ReportStatusEN	int	4	NOT NULL		((1))
	ReportNameOverrideTemplate	nvarchar(max)	max	NULL allowed		
	OnlineHelpURL	varchar(1000)	1000	NULL allowed		
	IsControlParameterXML	bit	1	NULL allowed		((0))

Indexes

Key	Name	Key Columns	Unique
	PK_ERPx_RSReport	ReportSK	True
	IX_ERPx_RSReport_ReportName	ReportName	True



Used By

[dbo].[ERPx_MFContactTypeReportMapping]
 [dbo].[ERPx_RSReportCompany]
 [dbo].[ERPx_RSReportDefinition]
 [dbo].[ERPx_RSReportForm]
 [dbo].[ERPx_RSReportFunctionalArea]
 [dbo].[ERPx_RSReportParameter]
 [dbo].[ERPx_RSReportUserFavorite]

[dbo].[IQx_SalesHistory]
[dbo].[SPx_APSEL_FishermanBalancesList]
[dbo].[SPx_APSEL_ProcessChecks]
[dbo].[SPx_MFDEL_DeleteCompany]
[dbo].[SPx_MFSEL_ContactTypeReportMappingReports]
[dbo].[SPx_MFSEL_DataEntityMap]
[dbo].[SPx_MFSEL_DeployedPrintControlReport_ByName]
[dbo].[SPx_MFSEL_PrintControlReports_ByID]
[dbo].[SPx_MFSEL_UserReport]
[dbo].[SPx_PRSEL_Check]
[dbo].[SPx_RSINS_QueueDirectPrintReport]
[dbo].[SPx_RSINS_QueuePrintedReportForEmail]
[dbo].[SPx_RSReportDeployReportList]
[dbo].[SPx_RSSEL_GetReportNameOverride]
[dbo].[SPx_RSSEL_InquiryFiltersList]
[dbo].[SPx_RSSEL_Report]
[dbo].[SPx_RSSEL_ReportDeployReportPath]
[dbo].[SPx_RSSEL_ReportFormLookup]
[dbo].[SPx_RSSEL_ReportMailQueue]
[dbo].[SPx_RSSEL_ReportPackageInfo]
[dbo].[SPx_RSSEL_ReportParameterDependencyLookup]
[dbo].[SPx_RSSEL_ReportParametersLookup]
[dbo].[SPx_RSSEL_ReportPrinterQueue]
[dbo].[SPx_RSSEL_ReportsForDeploy]
[dbo].[SPx_RSSEL_ReportSubscription]
[dbo].[SPx_RSSEL_ReportUserFavoritesList]
[dbo].[SPx_RSUpdate_ImportReportPackage]
[dbo].[SPx_RSUpdate_ManageReports_Report]
[dbo].[SPx_RSUpdate_Report]
[dbo].[SPx_RSUpdate_ReportAndReportDefinition]
[dbo].[SPx_RSUpdate_SetReportStatus]
[dbo].[SPx_RSUpdate_SetReportStatusToNotReady]

 [dbo].[ERPx_RSReportCompany]

Columns

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity
	ReportCompanySK	bigint	8	NOT NULL	1 - 1
	ReportSK	bigint	8	NOT NULL	
	DataEntityCompanySK	bigint	8	NOT NULL	
	LastUpdated	datetime	8	NOT NULL	
	LastUser	varchar(110)	110	NOT NULL	

Indexes

Key	Name	Key Columns	Unique
	PK_ERPx_RSReportCompany	ReportSK, DataEntityCompanySK	True

Foreign Keys

Name	Columns
FK_ERPx_RSReportCompany_ERPx_RSReport	ReportSK->[dbo].[ERPx_RSReport].[ReportSK]

Uses



[dbo].[ERPx_RSReport]

Used By

[dbo].[SPx_APSEL_ProcessChecks]
 [dbo].[SPx_MFSEL_DataEntityMap]
 [dbo].[SPx_MFSEL_PrintControlReports_ByID]
 [dbo].[SPx_RSSEL_Report]
 [dbo].[SPx_RSSEL_ReportParameterDependencyLookup]
 [dbo].[SPx_RSSEL_ReportParametersLookup]
 [dbo].[SPx_RSSEL_ReportsForDeploy]
 [dbo].[SPx_RSSEL_ReportSubscription]
 [dbo].[SPx_RSUpdate_ImportReportPackage]
 [dbo].[SPx_RSUpdate_ManageReports_Report]
 [dbo].[SPx_RSUpdate_Report]
 [dbo].[SPx_RSUpdate_ReportCompanies]
 [dbo].[SPx_RSUpdate_SetReportStatusToNotReady]

 **[dbo].[ERPx_RSReportDefinition]**

Columns

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity	Default
	ReportDefinitionSK	bigint	8	NOT NULL	1 - 1	
	ReportSK	bigint	8	NOT NULL		
	ReportDefinition	xml	max	NOT NULL		
	IsSystemVersion	bit	1	NOT NULL		((0))
	VersionNumber	varchar(20)	20	NOT NULL		
	LastUpdated	datetime	8	NOT NULL		(getdate())
	LastUser	varchar(150)	150	NOT NULL		
	DeployedDate	datetime	8	NULL allowed		
	DeployedBy	varchar(150)	150	NULL allowed		

Indexes

Key	Name	Key Columns	Unique
	PK_ERPx_RSReportDefinition	ReportDefinitionSK	True

Foreign Keys

Name	Columns
FK_RSReportDefinition_RSReport_ReportSK	ReportSK->[dbo].[ERPx_RSReport].[ReportSK]

Uses

[dbo].[ERPx_RSReport]


Used By

[dbo].[SPx_MFSEL_DeployedPrintControlReport_ByName]
 [dbo].[SPx_MFSEL_PrintControlReports_ByID]
 [dbo].[SPx_RSSEL_Report]
 [dbo].[SPx_RSSEL_ReportDefinitions]
 [dbo].[SPx_RSSEL_ReportPackageInfo]
 [dbo].[SPx_RSSEL_ReportsForDeploy]
 [dbo].[SPx_RSUpdate_ImportReportPackage]
 [dbo].[SPx_RSUpdate_ManageReports_Report]
 [dbo].[SPx_RSUpdate_Report]
 [dbo].[SPx_RSUpdate_ReportAndReportDefinition]
 [dbo].[SPx_RSUpdate_ReportDefinitions]

[dbo].[SPx_RSUpdate_SetReportStatusToNotReady]

 [dbo].[ERPx_RSReportDeployHistory]

Columns

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity	Default
	RowID	bigint	8	NOT NULL	1 - 1	
	Message	varchar(max)	max	NULL allowed		
	Message_DateTime	datetime	8	NULL allowed		(getdate())

Indexes



Key	Name	Key Columns	Unique
	PK_ERPx_RSReportDeployHistory	RowID	True

Used By

[dbo].[SPx_RSINS_ReportDeployHistory]

 **[dbo].[ERPx_RSReportForm]**

Columns

Key	Name	Data Type	Max Length (Bytes)	Nullability
	FormSK	bigint	8	NOT NULL
	ReportSK	bigint	8	NOT NULL
	LastUpdated	datetime	8	NULL allowed
	LastUser	varchar(110)	110	NULL allowed

Indexes

Name	Key Columns	Unique
IX_ERPx_RSReportByForm	FormSK, ReportSK	True

Foreign Keys

Name	Columns
FK_ERPx_RSReportByForm_ERPx_RSReport	ReportSK->[dbo].[ERPx_RSReport].[ReportSK]

Uses




[dbo].[ERPx_RSReport]

Used By

[dbo].[SPx_MFSEL_PrintControlReports_ByID]
 [dbo].[SPx_RSSEL_ManageReports_ReportModuleForms]
 [dbo].[SPx_RSSEL_Report]
 [dbo].[SPx_RSSEL_ReportModuleForms]
 [dbo].[SPx_RSSEL_ReportPackageInfo]
 [dbo].[SPx_RSSEL_ReportUserFavoritesList]
 [dbo].[SPx_RSUpdate_ImportReportPackage]
 [dbo].[SPx_RSUpdate_ManageReports_Report]
 [dbo].[SPx_RSUpdate_Report]
 [dbo].[SPx_RSUpdate_SetReportStatusToNotReady]

[dbo].[ERPx_RSReportFunctionalArea]

Columns

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity
	ReportFunctionalAreaSK	bigint	8	NOT NULL	1 - 1
	ReportSK	bigint	8	NOT NULL	
	FunctionalAreaSK	bigint	8	NOT NULL	

Indexes

Key	Name	Key Columns	Unique
	PK_ERPx_RSReportFunctionalArea	ReportFunctionalAreaSK	True
	IX_ERPx_RSReportFunctionalArea	ReportSK, FunctionalAreaSK	True

Foreign Keys

Name	Columns
FK_ERPx_RSReportFunctionalArea_ERPx_MFFunctionalArea_FunctionalAreaSK	FunctionalAreaSK->[dbo].[ERPx_MFFunctionalArea].[FunctionalAreaSK]
FK_ERPx_RSReportFunctionalArea_ERPx_RSReport_ReportSK	ReportSK->[dbo].[ERPx_RSReport].[ReportSK]




Uses

[dbo].[ERPx_MFFunctionalArea]
 [dbo].[ERPx_RSReport]


Used By

[dbo].[SPx_MFSEL_ContactTypeReportMappingReports]
 [dbo].[SPx_MFSEL_DataEntityMap]
 [dbo].[SPx_MFSEL_PrintControlReports_ByID]
 [dbo].[SPx_RSSEL_Report]
 [dbo].[SPx_RSSEL_ReportFormLookup]
 [dbo].[SPx_RSSEL_ReportPackageInfo]
 [dbo].[SPx_RSSEL_ReportSubscription]
 [dbo].[SPx_RSSEL_ReportUserFavoritesList]
 [dbo].[SPx_RSUpdate_ImportReportPackage]
 [dbo].[SPx_RSUpdate_ManageReports_Report]

[dbo].[ERPx_RSReportParameter]**Columns**

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity
	ReportParameterSK	bigint	8	NOT NULL	1 - 1
	ReportSK	bigint	8	NOT NULL	
	ParameterID	varchar(50)	50	NOT NULL	
	ParameterName	varchar(50)	50	NOT NULL	
	ParameterType	varchar(12)	12	NOT NULL	
	ParameterDescription	varchar(50)	50	NOT NULL	
	ParameterDefaultValue	varchar(max)	max	NULL allowed	
	ParameterSize	bigint	8	NULL allowed	
	ParameterSequence	bigint	8	NULL allowed	

Indexes

Key	Name	Key Columns	Unique
	PK_ERPx_RSReportParameter	ReportParameterSK	True
	UK_ERPx_RSReportParameter_1	ReportSK, ParameterID	True

Foreign Keys

Name	No Check	Columns
FK_ERPx_RSReportParameter_ERPx_RSReport	True	ReportSK->[dbo].[ERPx_RSReport].[ReportSK]

Uses

[dbo].[ERPx_RSReport]


Used By

[dbo].[SPx_MFDEL_DeleteCompany]
 [dbo].[SPx_RSDEL_Parameter]
 [dbo].[SPx_RSINS_Parameter]
 [dbo].[SPx_RSSEL_InquiryFiltersList]
 [dbo].[SPx_RSSEL_Parameter]
 [dbo].[SPx_RSSEL_ReportParameterProfileParameterValues]
 [dbo].[SPx_RSUPD_Parameter]
 [dbo].[SPx_RSUpdate_ManageReports_Report]
 [dbo].[SPx_RSUpdate_Report]
 [dbo].[SPx_RSUpdate_ReportParameters]

[dbo].[SPx_RSUpdate_SetReportStatusToNotReady]

 [dbo].[ERPx_RSReportParameterProfile]

Columns

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity
	ProfileSK	bigint	8	NOT NULL	1 - 1
	ReportSK	bigint	8	NULL allowed	
	FormSK	bigint	8	NULL allowed	
	UserSK	bigint	8	NOT NULL	
	IsDefault	bit	1	NOT NULL	
	ProfileName	varchar(200)	200	NOT NULL	
	DataEntityCompanySK	bigint	8	NOT NULL	

Indexes



Key	Name	Key Columns	Unique
	PK_ERPx_RSReportParameterProfile	ProfileSK	True

Used By

[dbo].[ERPx_RSReportParameterProfileValue]
 [dbo].[SPx_MFDEL_DeleteCompany]
 [dbo].[SPx_RSDEL_ReportParameterProfile]
 [dbo].[SPx_RSINS_ReportParameterProfile]
 [dbo].[SPx_RSSEL_ReportParameterProfileParameterValues]
 [dbo].[SPx_RSSEL_ReportParameterProfiles]
 [dbo].[SPx_RSUPD_ReportParameterProfile]
 [dbo].[SPx_RSUpdate_ReportParameterProfile]

 **[dbo].[ERPx_RSReportParameterProfileValue]**

Columns

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity
	ProfileParameterSK	bigint	8	NOT NULL	1 - 1
	ProfileSK	bigint	8	NOT NULL	
	ReportParameterSK	bigint	8	NULL allowed	
	ReportSK	bigint	8	NULL allowed	
	FormSK	bigint	8	NULL allowed	
	ParameterID	varchar(max)	max	NULL allowed	
	ParameterValue	varchar(max)	max	NULL allowed	
	ParameterEditorType	varchar(max)	max	NULL allowed	
	ParameterValueDisplay	varchar(max)	max	NULL allowed	

Indexes

Key	Name	Key Columns	Unique
	PK_ERPx_RSReportParameterProfileValue	ProfileParameterSK	True

Foreign Keys

Name	Columns
FK_ERPx_RSReportParameterProfileValue_ERPx_RSReport-ParameterProfile	ProfileSK->[dbo].[ERPx_RSReportParameter-Profile],[ProfileSK]

Uses



[dbo].[ERPx_RSReportParameterProfile]

Used By

- [dbo].[SPx_MFDEL_DeleteCompany]
- [dbo].[SPx_RSDEL_ReportParameterProfile]
- [dbo].[SPx_RSINSUPD_ReportParameterProfileValue]
- [dbo].[SPx_RSSEL_ReportParameterProfileParameterValues]
- [dbo].[SPx_RSSEL_ReportParameterProfiles]
- [dbo].[SPx_RSUpdate_ReportParameterProfile]

 [dbo].[ERPx_RSReportParameterType]

Columns


Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity
	ReportParameterTypeSK	bigint	8	NOT NULL	1 - 1
	ReportParameterName	varchar(50)	50	NOT NULL	
	ReportParameterValue	varchar(50)	50	NOT NULL	

Indexes

Key	Name	Key Columns	Unique
	PK_RSReportParameterType	ReportParameterTypeSK	True
	UK_ERPx_RSReportParameterType_1	ReportParameterName	True

 [dbo].[ERPx_RSReportSubscription]

Columns

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity	Default
	ReportSubscriptionSK	bigint	8	NOT NULL	1 - 1	
	ReportSK	bigint	8	NOT NULL		
	EntityTypeEN	int	4	NOT NULL		
	EntitySK	bigint	8	NOT NULL		
	ContactTypeSK	bigint	8	NULL allowed		
	EmailAddress	varchar(max)	max	NULL allowed		
	IsEnabled	bit	1	NOT NULL		((1))

Indexes



Key	Name	Key Columns	Unique
	PK_ERPx_RSReportSubscription	ReportSubscriptionSK	True

Used By

[dbo].[ERPx_RSReportSubscriptionParameter]
 [dbo].[SPx_RSSEL_ReportSubscription]
 [dbo].[SPx_RSSEL_ReportSubscription_Lookup]
 [dbo].[SPx_RSUPDINS_ReportSubscription]

 [dbo].[ERPx_RSReportSubscriptionParameter]

Columns

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity
	ReportSubscriptionParameterSK	bigint	8	NOT NULL	1 - 1
	ReportSubscriptionSK	bigint	8	NOT NULL	
	ParameterName	varchar(max)	max	NOT NULL	
	ParameterValue	varchar(max)	max	NULL allowed	

Indexes

Key	Name	Key Columns	Unique
	PK_ERPX_RSReportSubscriptionParameter	ReportSubscriptionParameterSK	True

Foreign Keys

Name	Columns
FK_ERPX_RSReportSubscriptionParameter_ERPx_RSReportSubscription	ReportSubscriptionSK->[dbo].[ERPx_RSReportSubscription].[ReportSubscriptionSK]

Uses



[dbo].[ERPx_RSReportSubscription]

Used By

[dbo].[SPx_RSSEL_ReportSubscription_Lookup]

 [dbo].[ERPx_RSReportTrustedLocation]

Columns

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity
 	ReportTrustedLocationSK	bigint	8	NOT NULL	1 - 1
	Path	varchar(1000)	1000	NULL allowed	
	Type	varchar(10)	10	NULL allowed	
	DataEntityCompanySK	bigint	8	NOT NULL	

Indexes




Key	Name	Key Columns	Unique
 	PK_ERPx_RSReportTrustedLocation	ReportTrustedLocationSK	True

Used By

[dbo].[Spx_RSINSUPD_AddRemoveTrustedLocation]
 [dbo].[SPx_RSUpdate_SetReportStatusToNotReady]

 [dbo].[ERPx_RSReportUserFavorite]

Columns

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity
	ReportFavoriteSK	bigint	8	NOT NULL	1 - 1
	ReportSK	bigint	8	NOT NULL	
	UserSK	bigint	8	NOT NULL	

Indexes

Key	Name	Key Columns	Unique
	PK_ERPx_RSReportUserFavorite	ReportFavoriteSK	True

Foreign Keys

Name	Columns
FK_ERPx_RSReportUserFavorite_ERPx_MFUser	UserSK->[dbo].[ERPx_MFUser].[UserSk]
FK_ERPx_RSReportUserFavorite_ERPx_RSReport	ReportSK->[dbo].[ERPx_RSReport].[ReportSK]

Uses

[dbo].[ERPx_MFUser]
 [dbo].[ERPx_RSReport]


Used By

[dbo].[SPx_MFUpdate_User]
 [dbo].[SPx_RSINSDel_ReportUserFavorite]
 [dbo].[SPx_RSSEL_Report]
 [dbo].[SPx_RSSEL_ReportUserFavoritesList]
 [dbo].[SPx_RSUpdate_SetReportStatusToNotReady]

 [dbo].[ERPx_RSSalesInvoice_ExecutionHistory]

Columns

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity
	OrderHeaderSK	bigint	8	NOT NULL	
	OrderID	varchar(50)	50	NOT NULL	
	PurchaseOrder	varchar(20)	20	NULL allowed	
	ShipToAddressBlock	varchar(500)	500	NULL allowed	
	BillToAddressBlock	varchar(500)	500	NULL allowed	
	ScheduledDeliveryDate	datetime	8	NULL allowed	
	OrderDate	datetime	8	NOT NULL	
	ScheduledShipDate	datetime	8	NOT NULL	
	ActualShipDate	datetime	8	NULL allowed	
	CarrierName	varchar(50)	50	NULL allowed	
	SiteName	varchar(35)	35	NULL allowed	
	PaymentTermName	varchar(20)	20	NULL allowed	
	DriverName	varchar(50)	50	NULL allowed	
	OrderItemSK	bigint	8	NOT NULL	
	ItemID	varchar(50)	50	NOT NULL	
	ItemDescription	varchar(100)	100	NOT NULL	
	Units	numeric(18,5)	9	NOT NULL	
	UnitsUOM	varchar(10)	10	NULL allowed	
	Weight	numeric(18,5)	9	NOT NULL	
	WeightUOM	varchar(10)	10	NULL allowed	
	ItemPrice	numeric(18,5)	9	NOT NULL	
	PriceUOMID	varchar(10)	10	NULL allowed	
	Amount	numeric(18,5)	9	NOT NULL	
	CurrencyID	varchar(5)	5	NOT NULL	
	CompanyName	varchar(25)	25	NOT NULL	
	SalesPersonSK	bigint	8	NULL allowed	
	SalespersonName	varchar(50)	50	NULL allowed	
	DocumentLogoLocation	varchar(1000)	1000	NULL allowed	
	SalesConfirmationEmailAddress	varchar(500)	500	NULL allowed	
	RemitToAddressBlock	varchar(500)	500	NULL allowed	
	DataEntityCompanySK	bigint	8	NULL allowed	
	UserSK	bigint	8	NULL allowed	
	ControlParameterSK	bigint	8	NULL allowed	
	ExecutionDTTM	datetime	8	NULL allowed	

	RowID	bigint	8	NOT NULL	1 - 1
	ExecutionTypeID	smallint	2	NULL allowed	
	ExecutionVersion	int	4	NULL allowed	
	InvoiceID	varchar(50)	50	NULL allowed	
	CustomerPurchaseOrderID	varchar(20)	20	NULL allowed	
	EDIOrderStatusEN	bit	1	NULL allowed	
	CustomerName	varchar(100)	100	NULL allowed	
	CustomerID	varchar(50)	50	NULL allowed	
	InvoiceType	varchar(20)	20	NULL allowed	
	AirwayNum	varchar(50)	50	NULL allowed	
	DueDate	datetime	8	NULL allowed	
	OriginalOrderDate	datetime	8	NULL allowed	
	DeliveryTerms	varchar(50)	50	NULL allowed	
	Origin	varchar(50)	50	NULL allowed	
	ProductOfCountry	varchar(50)	50	NULL allowed	
	CatchArea	varchar(50)	50	NULL allowed	
	DeliveryPoint	varchar(50)	50	NULL allowed	
	FileNumber	varchar(50)	50	NULL allowed	
	Vessel	varchar(50)	50	NULL allowed	
	Container	varchar(max)	max	NULL allowed	
	ProvisionalAmount	numeric(18,5)	9	NULL allowed	
	AdjustedAmount	numeric(18,5)	9	NULL allowed	






Indexes

Key	Name	Key Columns	Unique
	PK_RPx_SalesInvoice_ExecutionHistory	RowID	True



Used By

[dbo].[SPx_MFDEL_DeleteCompany]
 [dbo].[SPx_SOINS_SalesInvoiceExecutionHistory]

[dbo].[ERPx_SCContractAttribute]**Columns**

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity
 	ContractAttributeSK	bigint	8	NOT NULL	1 - 1
	ContractHeaderSK	bigint	8	NOT NULL	
	AttributeSK	bigint	8	NOT NULL	
	AttributeValue	varchar(200)	200	NULL allowed	
	LastUpdated	datetime	8	NOT NULL	
	LastUser	varchar(150)	150	NOT NULL	
	DataEntityCompanySK	bigint	8	NOT NULL	

Indexes

Key	Name	Key Columns	Unique
 	PK_ERPx_SCContractAttribute	ContractAttributeSK	True
	IX_ERPx_SCContractAttribute	AttributeSK, ContractHeaderSK, DataEntityCompanySK	True

Foreign Keys

Name	Columns
FK_ERPx_SCContractAttribute_ERPx_MFAttribute	AttributeSK->[dbo].[ERPx_MFAttribute].[AttributeSK]
FK_ERPx_SCContractAttribute_ERPx_MFData-EntityCompany	DataEntityCompanySK->[dbo].[ERPx_MFDataEntityCompany].[DataEntity-CompanySK]
FK_ERPx_SCContractAttribute_ERPx_SCContract-Header	ContractHeaderSK->[dbo].[ERPx_SCContractHeader].[ContractHeaderSK]







Uses

[dbo].[ERPx_MFAttribute]
 [dbo].[ERPx_MFDataEntityCompany]
 [dbo].[ERPx_SCContractHeader]

Used By

[dbo].[SPx_MFDEL_Attribute]
 [dbo].[SPx_SCSEL_ContractAttributes]
 [dbo].[SPx_SCUpdate_ContractHeader]

[dbo].[ERPx_SCContractHeader]**Columns**

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity	Default
	ContractHeaderSK	bigint	8	NOT NULL	1 - 1	
	ContractTypeEN	bigint	8	NOT NULL		((1))
	ContractID	varchar(255)	255	NOT NULL		
	Reference	varchar(10)	10	NOT NULL		
	Description	varchar(500)	500	NULL allowed		
	CustomerSK	bigint	8	NOT NULL		
	StartDate	datetime	8	NOT NULL		
	EndDate	datetime	8	NULL allowed		
	ClosedDate	datetime	8	NULL allowed		
	ClosedBy	varchar(255)	255	NULL allowed		
	CreatedDate	datetime	8	NOT NULL		
	CreatedBy	varchar(255)	255	NULL allowed		
	ContractStatusSK	bigint	8	NOT NULL		
	OverShipOptionSK	bigint	8	NOT NULL		((1))
	UOMSK	bigint	8	NULL allowed		
	CurrencySK	bigint	8	NULL allowed		
	ContractedAmount	numeric(18,5)	9	NULL allowed		
	PostedAmount	numeric(18,5)	9	NULL allowed		((0))
	UnPostedAmount	numeric(18,5)	9	NULL allowed		((0))
	ContractedQty	numeric(18,5)	9	NULL allowed		
	RemainingQty	numeric(18,5)	9	NULL allowed		
	PostedQty	numeric(18,5)	9	NULL allowed		
	UnpostedQty	numeric(18,5)	9	NULL allowed		
	IsSubstitutionAllowed	bit	1	NOT NULL		((0))
	LastUpdated	datetime	8	NULL allowed		
	LastUser	varchar(150)	150	NULL allowed		
	DataEntityCompanySK	bigint	8	NOT NULL		
	AttributeClassSK	bigint	8	NULL allowed		
	SiteSK	bigint	8	NULL allowed		

Indexes

Key	Name	Key Columns	Unique
-----	------	-------------	--------

	PK_ERPx_SCContractHeader	ContractHeaderSK	True
	UK_ERPx_SCContractHeader_1	ContractID, DataEntityCompanySK	True

Foreign Keys

Name	Columns
FK_ERPx_SCContractHeader_ERPx_ARCustomer	CustomerSK->[dbo].[ERPx_ARCustomer].[CustomerSK]
FK_ERPx_SCContractHeader_ERPx_MFAttribute-Class	AttributeClassSK->[dbo].[ERPx_MFAttributeClass].[AttributeClassSK]
FK_ERPx_SCContractHeader_ERPx_MFData-EntityCompany	DataEntityCompanySK->[dbo].[ERPx_MFDataEntityCompany].[DataEntity-CompanySK]
FK_ERPx_SCContractHeader_ERPx_MFSite	SiteSK->[dbo].[ERPx_MFSite].[SiteSK]

Uses




[dbo].[ERPx_ARCustomer]
 [dbo].[ERPx_MFAttributeClass]
 [dbo].[ERPx_MFDataEntityCompany]
 [dbo].[ERPx_MFSite]

Used By


[dbo].[ERPx_MFAttribute_SCContractHeader]
 [dbo].[ERPx_SCContractAttribute]
 [dbo].[ERPx_SCContractItem]
 [dbo].[SPx_ARMerge_CustomerAndAddress]
 [dbo].[SPx_ARProcess_Customer]
 [dbo].[SPx_ARUpdate_CustomerList]
 [dbo].[SPx_MFDEL_DeleteCompany]
 [dbo].[SPx_SCDEL_ContractHeader]
 [dbo].[SPx_SCSEL_ContractAttributes]
 [dbo].[SPx_SCSEL_ContractCustomerLookup]
 [dbo].[SPx_SCSEL_ContractHeader]
 [dbo].[SPx_SCSEL_ContractHeaderList]
 [dbo].[SPx_SCSEL_ContractHeaderSummary]
 [dbo].[SPx_SCSEL_ContractItems]
 [dbo].[SPx_SCSEL_ContractItemUOMLookup]
 [dbo].[SPx_SCSEL_ContractUOMLookup]
 [dbo].[SPx_SCSEL_ItemLookup]
 [dbo].[SPx_SCUPD_ContractHeaderRollup]
 [dbo].[SPx_SCUpdate_ContractHeader]
 [dbo].[SPx_SOSEL_ItemContractLookup]
 [dbo].[SPx_SOSEL_TransactionDetailItem]
 [dbo].[SPx_SOSEL_TransactionItemList]

[dbo].[ERPx_SCContractItem]

Columns

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity	Default
	ContractItemSK	bigint	8	NOT NULL	1 - 1	
	ContractHeaderSK	bigint	8	NOT NULL		
	ItemSK	bigint	8	NOT NULL		
	UOMSK	bigint	8	NOT NULL		
	Price	nvarchar(9)	18	NOT NULL		((0.00))
	ContractedQty	numeric(18,5)	9	NULL allowed		
	UnPostedQty	numeric(18,5)	9	NULL allowed		
	PostedQty	numeric(18,5)	9	NULL allowed		
	RemainingQty	numeric(18,5)	9	NULL allowed		
	ContractedAmount	numeric(18,5)	9	NULL allowed		
	UnPostedAmount	numeric(18,5)	9	NULL allowed		
	PostedAmount	numeric(18,5)	9	NULL allowed		
	RemainingAmount	numeric(18,5)	9	NULL allowed		
	LastUpdated	datetime	8	NULL allowed		
	LastUser	varchar(150)	150	NULL allowed		
	DataEntityCompanySK	bigint	8	NOT NULL		

Indexes

Key	Name	Key Columns	Unique
	PK_ERPx_SCContractLine	ContractItemSK	True
	UK_ERPx_SCContractItem_1 <i>This UK is redundant for this table but it exists for relation to ERPx_SOrderItem</i>	ContractItemSK, ContractHeaderSK	True

Foreign Keys

Name	No Check	Columns
FK_ERPx_SCContractItem_ERPx_IMItem		ItemSK->[dbo].[ERPx_IMItem].[ItemSK]
FK_ERPx_SCContractItem_ERPx_SCContract-Header	True	ContractHeaderSK->[dbo].[ERPx_SCContractHeader].[Contract-HeaderSK]

Uses






[dbo].[ERPx_IMItem]
[dbo].[ERPx_SCContractHeader]

Used By


[dbo].[SPx_MFDEL_DeleteCompany]
[dbo].[SPx_SCDEL_ContractHeader]
[dbo].[SPx_SCSEL_ContractHeaderList]
[dbo].[SPx_SCSEL_ContractItems]
[dbo].[SPx_SCSEL_ContractItemUOMLookup]
[dbo].[SPx_SCSEL_ItemLookup]
[dbo].[SPx_SCUpdate_ContractHeader]
[dbo].[SPx_SOSEL_ItemContractLookup]

 [dbo].[ERPx_SOCarrier]

Columns

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity	Default
	CarrierSK	bigint	8	NOT NULL	1 - 1	
	HostSystemLink	varchar(100)	100	NULL allowed		
	CarrierCode	varchar(50)	50	NULL allowed		
	CarrierName	varchar(50)	50	NOT NULL		
	DataEntityCompanySK	bigint	8	NOT NULL		
	IsVisibleToLogistics	bit	1	NOT NULL		((0))
	IsInActive	bit	1	NOT NULL		((0))
	LinkedToVendorSK	bigint	8	NULL allowed		
	Description	varchar(200)	200	NULL allowed		
	CreatedBy	varchar(150)	150	NULL allowed		
	CreatedDateTime	datetime	8	NOT NULL		(getdate())
	EnableForSalesFreightPO	bit	1	NOT NULL		((0))
	EnableForTransferFreightPO	bit	1	NOT NULL		((0))

Indexes

Key	Name	Key Columns	Unique
	PK_ERPx_SOCarrier	CarrierSK	True
	UK_ERPx_SOCarrier	CarrierCode, CarrierName, LinkedToVendorSK, DataEntityCompanySK	True

Foreign Keys

Name	Columns
FK_ERPx_SOCarrier_ERPx_APVendor	LinkedToVendorSK->[dbo].[ERPx_APVendor].[VendorSK]
FK_ERPx_SOCarrier_ERPx_MFDataEntity-Company	DataEntityCompanySK->[dbo].[ERPx_MFDataEntityCompany].[DataEntity-CompanySK]

Uses

[dbo].[ERPx_APVendor]
[dbo].[ERPx_MFDataEntityCompany]




Used By

[dbo].[ERPx_ARCustomerAddress]


[dbo].[ERPx_LMLoadHeader]
[dbo].[ERPx_LMLoadTransactionLeg]
[dbo].[ERPx_LMLoadTransactionLegBalanceDetail]
[dbo].[ERPx_LMTruck]
[dbo].[ERPx_SOCarrierContact]
[dbo].[ERPx_SOCarrierNote]
[dbo].[ERPx_SOOrderTypeDocument]
[dbo].[ERPx_SPProgramCarrier]
[dbo].[IQx_LMSEL_LoadList]
[dbo].[IQx_LMSEL_LoadOrderList]
[dbo].[IQx_SOSEL_BillingHistory_CarrierLookup]
[dbo].[IQx_SOSEL_ItemHistory]
[dbo].[IQx_SOSEL_ItemHistory_CarrierLookup]
[dbo].[IQx_SOSEL_SalesHistory]
[dbo].[IQx_SOSEL_SalesHistory_CarrierLookup]
[dbo].[IQx_SOSEL_ShipmentHistory]
[dbo].[IQx_SOSEL_ShipmentHistory_CarrierLookup]
[dbo].[SPx_APPProcess_Vendor]
[dbo].[SPx_APUUpdate_VendorList]
[dbo].[SPx_ARSEL_CustomerAddressList]
[dbo].[SPx_ARSEL_CustomerAddressLookup]
[dbo].[SPx_ARSEL_CustomerAddressProperties]
[dbo].[SPx_ARSEL_SOCustomerAddressList]
[dbo].[SPx_FAUpdate_FishermanTenderList]
[dbo].[SPx_FAUpdate_LoanList]
[dbo].[SPx_IMPProcess_Transfer_PurchaseOrder]
[dbo].[SPx_IMPProcess_TransferTransaction]
[dbo].[SPx_IMSEL_CarrierList]
[dbo].[SPx_IMSEL_CarrierLookup]
[dbo].[SPx_INTEG_GPCustomerAddress]
[dbo].[SPx_INTEG_GPSOHeader]
[dbo].[SPx_INTEG_GPSOInvoice]
[dbo].[SPx_INTEG_GPSOItem]
[dbo].[SPx_LMINS_LoadBuilder]
[dbo].[SPx_LMSEL_CalculateLoadTransactionLegDetails]
[dbo].[SPx_LMSEL_CarrierList]
[dbo].[SPx_LMSEL_CarrierLookup]
[dbo].[SPx_LMSEL_Load]
[dbo].[SPx_LMSEL_LoadList]
[dbo].[SPx_LMSEL_LoadOrderList]
[dbo].[SPx_LMSEL_LoadRecordHeader]
[dbo].[SPx_LMSEL_LoadRecordLoadPlan]
[dbo].[SPx_LMSEL_LoadRecordLoadPlanFreightCost]
[dbo].[SPx_LMSEL_MFShipmentLegList_CarrierLookup]
[dbo].[SPx_LMSEL_MoveToNewLoadList]
[dbo].[SPx_LMSEL_TruckList]
[dbo].[SPx_LMSEL_TruckLookup]
[dbo].[SPx_LMUPD_Carrier]
[dbo].[SPx_MFDEL_DeleteCompany]
[dbo].[SPx_MFExport_ARCustomersAndAddresses]
[dbo].[SPx_MFProcess_Carrier]
[dbo].[SPx_MFSEL_CarrierHeader]
[dbo].[SPx_MFSEL_CarrierLookup]

[dbo].[SPx_MFSEL_CarrierProperties]
[dbo].[SPx_MFSEL_SOPreferences]
[dbo].[SPx_SOINS_SalesInvoiceExecutionHistory]
[dbo].[SPx_SOPProcess_PurchaseOrder]
[dbo].[SPx_SOPProcess_Transaction]
[dbo].[SPx_SOPProcess_Transaction_UpdateOrderHeader]
[dbo].[SPx_SOPProcess_Transaction_Validations]
[dbo].[SPx_SOSEL_CarrierList]
[dbo].[SPx_SOSEL_CarrierLookup]
[dbo].[SPx_SOSEL_CarrierVendorLookup]
[dbo].[SPx_SOSEL_OrderHeader]
[dbo].[SPx_SOSEL_OrderHeaderList]
[dbo].[SPx_SOSEL_ReturnCarrierLookup]
[dbo].[SPx_SOSEL_ShipmentList]
[dbo].[SPx_SOSEL_ShippingMethodLookup]
[dbo].[SPx_SOSEL_ShipToCarrierLookup]
[dbo].[SPx_SOSEL_TransactionClassCarrierLookup]
[dbo].[SPx_SOSEL_TransactionClassProperty]
[dbo].[SPx_SOSEL_TransactionDetailItem]
[dbo].[SPx_SOSEL_TransactionHeaderShipment]
[dbo].[SPx_SOSEL_TransactionItemList]
[dbo].[SPx_SOSEL_TransactionShipToDetail]
[dbo].[SPx_SOUUpdate_Carrier]
[dbo].[SPx_SPINS_ProgramCarrier]
[dbo].[SPx_SPPProcess_Program]
[dbo].[SPx_SPSEL_CarrierList]
[dbo].[SPx_SPSEL_SalesProgram_CarrierLookup]
[dbo].[VWx_IMTransactionHistory]
[hist].[SPx_IMRollup]
[hist].[SPx_SOPProcess_SearchMetadata_RefreshOrder]

[dbo].[ERPx_SOCarrierContact]**Columns**

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity	Default
	CarrierContactSK	bigint	8	NOT NULL	1 - 1	
	CarrierSK	bigint	8	NOT NULL		
	ContactTypeSK	bigint	8	NOT NULL		
	Name	varchar(100)	100	NULL allowed		
	Phone	varchar(25)	25	NULL allowed		
	Fax	varchar(25)	25	NULL allowed		
	Email	varchar(1000)	1000	NULL allowed		
	Note	varchar(500)	500	NULL allowed		
	LastUpdated	datetime	8	NOT NULL		(getdate())
	LastUser	varchar(110)	110	NOT NULL		

Indexes

Key	Name	Key Columns	Unique
	PK_ERPx_SOCarrierContact	CarrierContactSK	True
	IX_ERPx_SOCarrierContact	CarrierSK, ContactTypeSK	True

Foreign Keys


Name	Columns
FK_ERPx_SOCarrierContact_ERPx_MFContactType	ContactTypeSK->[dbo].[ERPx_MFContactType].[ContactTypeSK]
FK_ERPx_SOCarrierContact_ERPx_SOCarrier	CarrierSK->[dbo].[ERPx_SOCarrier].[CarrierSK]

Uses




[dbo].[ERPx_MFContactType]
[dbo].[ERPx_SOCarrier]

Used By

[dbo].[SPx_MFProcess_Carrier]
[dbo].[SPx_MFSEL_CarrierContact]
[dbo].[SPx_SOUUpdate_Carrier]

 [dbo].[ERPx_SOCarrierNote]

Columns

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity	Default
	CarrierNoteSK	bigint	8	NOT NULL	1 - 1	
	CarrierSK	bigint	8	NOT NULL		
	NoteTypeSK	bigint	8	NOT NULL		
	Note	varchar(max)	max	NOT NULL		
	NoteHTML	varchar(max)	max	NULL allowed		
	LastUpdated	datetime	8	NOT NULL		(getdate())
	LastUser	varchar(110)	110	NOT NULL		
	DataEntityCompanySK	bigint	8	NOT NULL		

Indexes

Key	Name	Key Columns	Unique
	PK_ERPx_SOCarrierNote	CarrierNoteSK	True

Foreign Keys

Name	Columns
FK_ERPx_SOCarrierNote_ERPx_MFNoteType	NoteTypeSK->[dbo].[ERPx_MFNoteType].[NoteTypeSK]
FK_ERPx_SOCarrierNote_ERPx_SOCarrier	CarrierSK->[dbo].[ERPx_SOCarrier].[CarrierSK]




Uses

[dbo].[ERPx_MFNoteType]
 [dbo].[ERPx_SOCarrier]

Used By

[dbo].[SPx_MFManage_NoteAssignment]
 [dbo].[SPx_MFProcess_Carrier]
 [dbo].[SPx_MFSEL_NoteList]

[dbo].[ERPx_SOCarrierProperty]**Columns**

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity	Default
	CarrierPropertySK	bigint	8	NOT NULL	1 - 1	
	PropertyGroupDescription	varchar(200)	200	NULL allowed		
	PropertyName	varchar(50)	50	NOT NULL		
	PropertyDescription	varchar(200)	200	NOT NULL		
	PropertyDefinitionSK	bigint	8	NULL allowed		
	Sort	bigint	8	NOT NULL		
	LastUpdated	datetime	8	NOT NULL		(getdate())
	LastUser	varchar(150)	150	NOT NULL		
	DataEntityCompanySK	bigint	8	NOT NULL		
	IsReadOnly	bit	1	NOT NULL		((0))
	TabLocation	varchar(50)	50	NOT NULL		('Properties')
	MaxLengthOrDecimals	bigint	8	NULL allowed		
	EnumerationClass	varchar(100)	100	NULL allowed		

Indexes

Key	Name	Key Columns	Unique
	PK_ERPx_SOCarrierProperty	CarrierPropertySK	True

Foreign Keys

Name	Columns
FK_ERPx_SOCarrierProperty_ERPx_MFDataEntity-Company	DataEntityCompanySK->[dbo].[ERPx_MFDataEntityCompany].[DataEntity-CompanySK]
FK_ERPx_SOCarrierProperty_ERPx_MFProperty-Definition	PropertyDefinitionSK->[dbo].[ERPx_MFPropertyDefinition].[Property-DefinitionSK]

Uses

[dbo].[ERPx_MFDataEntityCompany]




[dbo].[ERPx_MFPropertyDefinition]

Used By


[dbo].[SPx_MFSEL_CarrierProperties]

 [dbo].[ERPx_SOFreightTerms]

Columns

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity	Default
	FreightTermsSK	bigint	8	NOT NULL	1 - 1	
	Name	varchar(50)	50	NULL allowed		
	Description	varchar(100)	100	NULL allowed		
	LastUpdated	datetime	8	NULL allowed		
	LastUser	varchar(110)	110	NULL allowed		
	DataEntityCompanySK	bigint	8	NOT NULL		
	Inactive	bit	1	NOT NULL		((0))

Indexes

Key	Name	Key Columns	Unique
	PK_ERPx_SOFreightTerms	FreightTermsSK	True
	IX_ERPx_SOFreightTerms	Name, DataEntityCompanySK	True

Foreign Keys

Name	Columns
FK_ERPx_SOFreightTerms_ERPx_MFDataEntity-Company	DataEntityCompanySK->[dbo].[ERPx_MFDataEntityCompany].[DataEntity-CompanySK]

Uses

[dbo].[ERPx_MFDataEntityCompany]



Used By

[dbo].[ERPx_SOOrderTypeDocument]
 [dbo].[IQx_SOSEL_SalesHistory]
 [dbo].[IQx_SOSEL_ShipmentHistory]
 [dbo].[SPx_ARSEL_CustomerAddressList]
 [dbo].[SPx_ARSEL_CustomerAddressLookup]
 [dbo].[SPx_ARSEL_CustomerAddressProperties]
 [dbo].[SPx_ARSEL_FreightTermsLookup]
 [dbo].[SPx_ARSEL_SOCustomerAddressList]
 [dbo].[SPx_IMSEL_FreightTermsLookup]
 [dbo].[SPx_IMSEL_TransactionClass_Property]
 [dbo].[SPx_LMSEL_FreightTermsLookup]

[dbo].[SPx_LMSEL_LoadRecordOrderFreightCostList]
[dbo].[SPx_LMSEL_MFShipmentHeader_FreightTermsLookup]
[dbo].[SPx_MFDEL_DeleteCompany]
[dbo].[SPx_MFExport_ARCustomersAndAddresses]
[dbo].[SPx_SOSEL_FreightTermsList]
[dbo].[SPx_SOSEL_FreightTermsLookup]
[dbo].[SPx_SOSEL_OrderHeaderList]
[dbo].[SPx_SOSEL_ShipmentList]
[dbo].[SPx_SOSEL_ShipToFreightTermsLookup]
[dbo].[SPx_SOSEL_TransactionClassFreightTermsLookup]
[dbo].[SPx_SOSEL_TransactionClassProperty]
[dbo].[SPx_SOSEL_TransactionHeaderShipment]
[dbo].[SPx_SOSEL_TransactionShipToDetail]
[dbo].[SPx_SOUupdate_FreightTerms]

 [dbo].[ERPx_SOHeaderNotes]

Columns

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity	Default
	HeaderNoteSK	bigint	8	NOT NULL	1 - 1	
	SOHeaderSK	bigint	8	NOT NULL		
	NoteTypeSK	bigint	8	NOT NULL		
	Note	varchar(max)	max	NOT NULL		
	CreatedOn	datetime	8	NOT NULL		(getdate())
	CreatedBySK	bigint	8	NOT NULL		

Indexes

Key	Name	Key Columns	Unique
	PK_ERPx_SOHeaderNotes	HeaderNoteSK	True

Foreign Keys

Name	Columns
FK_ERPx_SOHeaderNotes_ERPx_MFNoteType	NoteTypeSK->[dbo].[ERPx_MFNoteType].[NoteTypeSK]

Uses

[dbo].[ERPx_MFNoteType]

Used By





[dbo].[SPx_BRSEL_BRCollectionsOrderHeaderAging]

[dbo].[SPx_BRSEL_BRSONotes]


[dbo].[SPx_MFDEL_DeleteCompany]

 [dbo].[ERPx_SOInvoiceHeader]

Columns

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity	Default
	InvoiceHeaderSK	bigint	8	NOT NULL	1 - 1	
	OrderHeaderSK	bigint	8	NOT NULL		
	InvoiceNumber	varchar(50)	50	NULL allowed		
	InvoiceDate	date	3	NULL allowed		
	GLDate	date	3	NULL allowed		
	InvoiceDocumentFirstPrintDate	datetime	8	NULL allowed		
	LastUpdated	datetime	8	NOT NULL		
	LastUser	varchar(150)	150	NOT NULL		
	DataEntityCompanySK	bigint	8	NOT NULL		
	ExtendedAmount	numeric(18,5)	9	NOT NULL		((0.00))

Indexes

Key	Name	Key Columns	Unique
	PK_ERPx_SOInvoiceHeader	InvoiceHeaderSK	True
	IX_ERPx_SOInvoiceHeader	InvoiceNumber, DataEntityCompanySK	True

Foreign Keys

Name	Columns
FK_ERPx_SOInvoiceHeader_ERPx_MFDataEntity-Company	DataEntityCompanySK->[dbo].[ERPx_MFDataEntityCompany].[DataEntity-CompanySK]
FK_ERPx_SOInvoiceHeader_ERPx_SOOrder-Header	OrderHeaderSK->[dbo].[ERPx_SOOrderHeader].[OrderHeaderSK]

Uses

[dbo].[ERPx_MFDataEntityCompany]
 [dbo].[ERPx_SOOrderHeader]

Used By



[dbo].[ERPx_LMLoadTransaction]
 [dbo].[FNx_GetCustomerBalance]
 [dbo].[FNx_GetTransactionAccounts]
 [dbo].[FNx_GetTransactionAmounts]

[dbo].[IQx_ARSEL_ApplicationList]
[dbo].[IQx_ARSEL_CustomerHistory]
[dbo].[IQx_Billing]
[dbo].[IQx_GLSEL_JournalLineList]
[dbo].[IQx_GLSEL_JournalList]
[dbo].[IQx_IMSEL_ItemHistory]
[dbo].[IQx_IMSEL_LotHistory]
[dbo].[IQx_MFSEL_ApplicationList]
[dbo].[IQx_SOSEL_ShipmentHistory]
[dbo].[SPx_ARINS_SettlementTransaction]
[dbo].[SPx_ARProcess_PaymentReceipt]
[dbo].[SPx_ARProcess_PaymentReceipt_SettleRebates]
[dbo].[SPx_ARProcess_RefreshAvgDaysToPay]
[dbo].[SPx_ARSEL_ApplyCreditAndRebateDetail]
[dbo].[SPx_ARSEL_ApplyCreditAndRebateHeader]
[dbo].[SPx_ARSEL_ApplyDocumentList]
[dbo].[SPx_ARSEL_ApplyDocumentsDetail]
[dbo].[SPx_ARSEL_ApplyDocumentsHeader]
[dbo].[SPx_ARSEL_CustomerBalanceList]
[dbo].[SPx_ARSEL_PaymentReceipt_ApplyDocumentsDetail]
[dbo].[SPx_ARUpdate_ApplyDocuments]
[dbo].[SPx_ARUpdate_SettlementTransactionRollup]
[dbo].[SPx_GLSEL_JournalDetailDetailLine]
[dbo].[SPx_GLSEL_JournalDetailEntryLine]
[dbo].[SPx_GLSEL_JournalDetailHeader]
[dbo].[SPx_IMUpdate_TransactionSOShipmentReturn]
[dbo].[SPx_INTEG_GPSOInvoice]
[dbo].[SPx_INTEG_GPSOInvoiceAndLines]
[dbo].[SPx_LMUpdate_LoadTransactionFreight]
[dbo].[SPx_MFSEL_CashReceiptARList]
[dbo].[SPx_MFSEL_VoidTransactionApplicationList]
[dbo].[SPx_MFSEL_VoidTransactionHeader]
[dbo].[SPx_MFUpdate_JournalDetails]
[dbo].[SPx_SOPProcess_AssignInvoiceNumber]
[dbo].[SPx_SOPProcess_Transaction]
[dbo].[SPx_SOPProcess_Transaction_AssignInvoiceNumber]
[dbo].[SPx_SOPProcess_Transaction_InsertShipments]
[dbo].[SPx_SOPProcess_Transaction_UpdateShipments]
[dbo].[SPx_SOPProcess_Transaction_Validations]
[dbo].[SPx_SOPProcess_ValidateTransaction]
[dbo].[SPx_SOSEL_ItemLookup]
[dbo].[SPx_SOSEL_PriceAdjustmentHeaderHome]
[dbo].[SPx_SOSEL_PriceAdjustmentItems]
[dbo].[SPx_SOSEL_ReturnHeaderHome]
[dbo].[SPx_SOSEL_ReturnItems]
[dbo].[SPx_SOSEL_ShipmentList]
[dbo].[SPx_SOSEL_TransactionDetailItem]
[dbo].[SPx_SOSEL_TransactionHeaderHome]
[dbo].[SPx_SOSEL_TransactionHeaderShipment]
[dbo].[SPx_SOSEL_TransactionItemList]
[dbo].[SPx_SOUUpdate_InvoiceHeaderRollup]
[dbo].[SPx_SOUUpdate_PriceAdjustment]
[dbo].[SPx_SOUUpdate_Return]

[dbo].[SPx_SOUpdate_Transaction]
[dbo].[SPx_SP_CalculateOrderPrograms]
[dbo].[SPx_SPPProcess_SettlementBatch]
[dbo].[SPx_SPSEL_BrokerActivity]
[dbo].[SPx_SPSEL_ProcessSettlementBatchItems]
[dbo].[SPx_SPSEL_ProcessSettlementsList]
[dbo].[SPx_SPSEL_ProgramList_Balances]
[hist].[SPx_SOHistory_SynchHistory]

 [dbo].[ERPx_SOInvoiceHistory]

Columns

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity
	InvoiceHistorySK	bigint	8	NOT NULL	1 - 1
	InvoiceHeaderSK	bigint	8	NOT NULL	
	InvoiceData	xml	max	NOT NULL	
	CreatedDate	datetime	8	NOT NULL	
	CreatedBy	varchar(150)	150	NOT NULL	
	DataEntityCompanySK	bigint	8	NOT NULL	

Indexes

Key	Name	Key Columns	Unique
	PK_ERPx_SOInvoiceHistory	InvoiceHistorySK	True

Foreign Keys


Name	Columns
FK_ERPx_SOInvoiceHistory_ERPx_MFDataEntity-Company	DataEntityCompanySK->[dbo].[ERPx_MFDataEntityCompany].[DataEntity-CompanySK]

Uses


[dbo].[ERPx_MFDataEntityCompany]

 [dbo].[ERPx_SOLastReturnHistory]

Columns




























Key	Name	Data Type	Max Length (Bytes)	Nullability
	LastReturnOriginalOrderHeaderSK	bigint	8	NOT NULL
	LastReturnOrderHeaderSK	bigint	8	NOT NULL
	LastReturnOrderID	varchar(25)	25	NOT NULL
	ReturnCreatedDateTime	datetime	8	NOT NULL
	ReturnCreatedUserSK	bigint	8	NOT NULL
	DataEntityCompanySK	bigint	8	NOT NULL

Indexes

Key	Name	Key Columns	Unique
	PK_ERPx_SOLastReturnHistory	LastReturnOriginalOrderHeaderSK	True

[dbo].[ERPx_SOOrderHeader]**Columns**

Key	Name	Data Type	Persisted	Computed	Max Length (Bytes)	Nullability	Identity	Default
 OrderHeaderSK	OrderHeaderSK	bigint			8	NOT NULL	1 - 1	
 (2)	OrderID	varchar(50)			50	NOT NULL		
	MasterNumber-Override	bigint			8	NULL allowed		
	MasterNumber	bigint	True	True	8	NOT NULL		
 OriginTransID	OriginTransID	varchar(50)			50	NULL allowed		
	OriginTransType-SK	bigint			8	NULL allowed		
 DocumentID	DocumentID	varchar(15)			15	NOT NULL		
 OrderTypeSK	OrderTypeSK	bigint			8	NOT NULL		
 OrderStatusSK	OrderStatusSK	bigint			8	NOT NULL		
 WorkflowSK	WorkflowSK	bigint			8	NULL allowed		
 CustomerSK	CustomerSK	bigint			8	NOT NULL		
 PaymentTermsSK	PaymentTermsSK	bigint			8	NULL allowed		
 BillAddressSK	BillAddressSK	bigint			8	NOT NULL		
 ShipAddressSK	ShipAddressSK	bigint			8	NOT NULL		
 ShipAddressLine1	ShipAddressLine1	varchar(75)			75	NULL allowed		
 ShipAddressLine2	ShipAddressLine2	varchar(75)			75	NULL allowed		
 ShipAddressLine3	ShipAddressLine3	varchar(75)			75	NULL allowed		
 ShipCity	ShipCity	varchar(35)			35	NULL allowed		
 ShipState	ShipState	varchar(30)			30	NULL allowed		
 ShipZip	ShipZip	varchar(15)			15	NULL allowed		
 ShipCountry	ShipCountry	varchar(50)			50	NULL allowed		
 ShipPhone1	ShipPhone1	varchar(25)			25	NULL allowed		
 ShipAttentionTo	ShipAttentionTo	varchar(60)			60	NULL allowed		

	PurchaseOrder	varchar(35)			35	NULL allowed		
	OrderDate	datetime			8	NOT NULL		
	ScheduledShip-Date	datetime			8	NULL allowed		
	Scheduled-DeliveryDate	datetime			8	NULL allowed		
	ActualShipDate	datetime			8	NULL allowed		
	CarrierSK	bigint			8	NULL allowed		
	SiteSK	bigint			8	NOT NULL		
	SalesPersonSK	bigint			8	NULL allowed		
	OrderedUnits	numeric(18,5)			9	NOT NULL		((0.00))
	OrderedWeight	numeric(18,5)			9	NOT NULL		((0.00))
	OrderedAmount	numeric(18,5)			9	NOT NULL		((0.00))
	AllocatedUnits	numeric(18,5)			9	NOT NULL		((0.00))
	AllocatedWeight	numeric(18,5)			9	NOT NULL		((0.00))
	AllocatedAmount	numeric(18,5)			9	NOT NULL		((0.00))
	InventoryUnits	numeric(18,5)			9	NOT NULL		((0.00))
	InventoryWeight	numeric(18,5)			9	NOT NULL		((0.00))
	PriceBasisSK	bigint			8	NULL allowed		
	DiscountMethodSK	bigint			8	NULL allowed		
	DiscountRate	numeric(18,5)			9	NULL allowed		
	DiscountAmount	numeric(18,5)			9	NULL allowed		
	ItemDiscount-Amount	numeric(18,5)			9	NULL allowed		
	InvoicedAmount	numeric(18,5)			9	NULL allowed		
	IsContractOrder	bit			1	NULL allowed		
	ContractHeaderSK	bigint			8	NULL allowed		
	Truck	varchar(50)			50	NULL allowed		
	Trailer	varchar(50)			50	NULL allowed		
	SealNumber	varchar(100)			100	NULL allowed		
	BOL	varchar(100)			100	NULL allowed		
	Waybill	varchar(50)			50	NULL		

						allowed		
	SOTruckTare	numeric(18,5)			9	NOT NULL		((0.00))
	TrackingNumber	varchar(50)			50	NULL allowed		
	EDIOrderStatusEN	int			4	NOT NULL		((0))
	SOFreightTerms-EN	int			4	NULL allowed		
	AdjustmentVersion	int			4	NULL allowed		
	AllowMultipleShipments	bit			1	NULL allowed		((0))
	CreatedBy	varchar(110)			110	NULL allowed		
	CreatedDate	datetime			8	NOT NULL		(getdate())
	LastUpdated	datetime			8	NOT NULL		
	LastUser	varchar(110)			110	NULL allowed		
	DataEntity-CompanySK	bigint			8	NOT NULL		
	InsideSalesperson-SK	bigint			8	NULL allowed		
	ShipAddressIs-Customized	bit			1	NULL allowed		
	ExtendedAmount	numeric(18,5)			9	NULL allowed		
	CurrencySK	bigint			8	NOT NULL		
	TransactionGUID	uniqueidentifier			16	NULL allowed		
	IsMultiShipment	bit			1	NULL allowed		((0))
	FreightPOEN	bigint			8	NULL allowed		

Computed columns

Name	Column definition
MasterNumber	(isnull([MasterNumberOverride],[OrderHeaderSK]))

Indexes

Key	Name	Key Columns	Included Columns	Unique
	PK_ERPx_-SOHeader	OrderHeader-SK		True
	UK_ERPx_-SOOrder-Header_1	OrderID, Data-Entity-CompanySK		True
	IX_ERPx_-	DataEntity-	Truck, Waybill, WorkflowSK, ShipCountry, ShipPhone1, ShipState, ShipZip,	

SOOrder-Header_Order-Status	CompanySK, OrderStatus-SK	SiteSK, Trailer, ShipAddressLine1, ShipAddressLine2, ShipAddressLine3, ShipAddressSK, ShipAttentionTo, ShipCity, PriceBasisSK, PurchaseOrder, SalesPersonSK, ScheduledDeliveryDate, ScheduledShipDate, SealNumber, OrderedWeight, OrderHeaderSK, OrderID, OrderTypeSK, OriginTransID, PaymentTermsSK, IsContractOrder, EDIOrderStatusEN, ItemDiscount-Amount, OrderDate, OrderedAmount, OrderedUnits, DiscountAmount, DiscountMethodSK, DiscountRate, DocumentID, ExtendedAmount, Invoiced-Amount, BOL, CarrierSK, ContractHeaderSK, CreatedBy, CreatedDate, CustomerSK, ActualShipDate, AllocatedAmount, AllocatedUnits, Allocated-Weight, BillAddressSK	
-----------------------------	---------------------------	---	--

Foreign Keys

Name	Columns
FK_ERPx_SOOrderHeader_ERPx_MFCurrency	CurrencySK->[dbo].[ERPx_MFCurrency].[CurrencySK]
FK_ERPx_SOOrderHeader_ERPx_WKWorkflow	WorkflowSK->[dbo].[ERPx_WKWorkflow].[WorkflowSK]

Uses

[dbo].[ERPx_MFCurrency]
[dbo].[ERPx_WKWorkflow]

Used By

[dbo].[ERPx_LMLoadSOOrder]
[dbo].[ERPx_MFAttribute_SOOrderHeader]
[dbo].[ERPx_SOInvoiceHeader]
[dbo].[ERPx_SOOrderHeaderAttributes]
[dbo].[ERPx_SOOrderHeaderCertification]
[dbo].[ERPx_SOOrderHeaderHold]
[dbo].[ERPx_SOOrderHeaderNote]
[dbo].[ERPx_SOOrderItem]
[dbo].[FNx_CalcSOItemPrice]
[dbo].[FNx_GetCustomerBalance]
[dbo].[FNx_GetTransactionAccounts]
[dbo].[FNx_GetTransactionAmounts]
[dbo].[FNX_GetUnpostedBalances]
[dbo].[FNx_IMInventoryBalances]
[dbo].[IQx_ARSEL_ApplicationList]
[dbo].[IQx_ARSEL_CustomerHistory]
[dbo].[IQx_Billing]
[dbo].[IQx_ContainerDetails]
[dbo].[IQx_IMSEL_ItemHistory]
[dbo].[IQx_IMSEL_LotHistory]
[dbo].[IQx_LMSEL_LoadOrderList]
[dbo].[IQx_MFSEL_ApplicationList]
[dbo].[IQx_SalesOrderHeaderInquiry_StatusLookup]
[dbo].[IQx_TransactionHistory]
[dbo].[SPx_APPProcess_PurchaseOrder]
[dbo].[SPx_APSEL_POHeader]
[dbo].[SPx_ARINS_SettlementTransaction]
[dbo].[SPx_ARMerge_CustomerAndAddress]
[dbo].[SPx_ARProcess_Customer]




[dbo].[SPx_ARProcess_CustomerAddress]
[dbo].[SPx_ARProcess_PaymentReceipt]
[dbo].[SPx_ARProcess_RefreshAvgDaysToPay]
[dbo].[SPx_ARSEL_ApplyCreditAndRebateDetail]
[dbo].[SPx_ARSEL_ApplyCreditAndRebateHeader]
[dbo].[SPx_ARSEL_ApplyDocumentList]
[dbo].[SPx_ARSEL_ApplyDocumentsDetail]
[dbo].[SPx_ARSEL_ApplyDocumentsHeader]
[dbo].[SPx_ARSEL_CustomerBalanceList]
[dbo].[SPx_ARSEL_PaymentReceipt_ApplyDocumentsDetail]
[dbo].[SPx_ARUpdate_ApplyDocuments]
[dbo].[SPx_ARUpdate_ARCustomerAddressList]
[dbo].[SPx_ARUpdate_CustomerList]
[dbo].[SPx_ARUpdate_SettlementTransactionRollup]
[dbo].[SPx_GLSEL_JournalDetailDetailLine]
[dbo].[SPx_GLSEL_JournalDetailEntryLine]
[dbo].[SPx_GLSEL_JournalDetailHeader]
[dbo].[SPx_GLUpdate_FiscalYear]
[dbo].[SPx_GLUpdate_FiscalYearList]
[dbo].[SPx_IMPProcess_TransferTransaction]
[dbo].[SPx_IMSEL_AllocationAndCommitment]
[dbo].[SPx_IMSEL_AllocationAndCommitmentList]
[dbo].[SPx_IMSEL_CycleCountList]
[dbo].[SPx_IMSEL_GetLotBalance]
[dbo].[SPx_IMUpdate_CheckForLots]
[dbo].[SPx_IMUpdate_CleanUpLots]
[dbo].[SPx_IMUpdate_TransactionMoreActions]
[dbo].[SPx_IMUpdate_TransactionSOShipmentReturn]
[dbo].[SPx_INTEG_BWInvoiceHeaderItem_XML]
[dbo].[SPx_INTEG_BWLMHeader]
[dbo].[SPx_INTEG_BWOrderHeaderItem_XML]
[dbo].[SPx_INTEG_GPConvertSODoc]
[dbo].[SPx_INTEG_GPINVInquiry]
[dbo].[SPx_INTEG_GPSOHeader]
[dbo].[SPx_INTEG_GPSOInvoice]
[dbo].[SPx_INTEG_GPSOInvoiceAndLines]
[dbo].[SPx_INTEG_GPSOItem]
[dbo].[SPx_INTEG_GPSPPProgramAccrual]
[dbo].[SPx_LMINS_LoadBuilder]
[dbo].[SPx_LMINS_NewLoad]
[dbo].[SPx_LMINS_NewOrderForLoad]
[dbo].[SPx_LMProcess_MFShipment]
[dbo].[SPx_LMSEL_CalculateLoadTransactionLegDetails]
[dbo].[SPx_LMSEL_LoadOrderList]
[dbo].[SPx_LMSEL_LoadRecordOrderFreightCostList]
[dbo].[SPx_LMSEL_LoadRecordOrderItems]
[dbo].[SPx_LMSEL_LoadRecordOrders]
[dbo].[SPx_LMSEL_LoadSOOrderList]
[dbo].[SPx_LMSEL_MFShipmentLegList_NewRow]
[dbo].[SPx_LMUpdate_AssignFreightTerms]
[dbo].[SPx_LMUpdate_Load]
[dbo].[SPx_LMUpdate_LoadHeaderRollup]
[dbo].[SPx_LMUpdate_LoadList]

[dbo].[SPx_LMUpdate_LoadOrderList]
[dbo].[SPx_LMUpdate_LoadTransactionFreight]
[dbo].[SPx_Load_ARCustomerFavorites]
[dbo].[SPx_Load_ImportSOOrdersFromGP]
[dbo].[SPx_MFDEL_DeleteCompany]
[dbo].[SPx_MFFilter_SOTransaction]
[dbo].[SPx_MFINSUPDDEL_Site_XML]
[dbo].[SPx_MFManage_NoteAssignment]
[dbo].[SPx_MFProcess_Carrier]
[dbo].[SPx_MFSEL_AllocateDetails]
[dbo].[SPx_MFSEL_AllocateHeader]
[dbo].[SPx_MFSEL_AllocateItemLookup]
[dbo].[SPx_MFSEL_CashReceiptARList]
[dbo].[SPx_MFSEL_ChangeAddressList]
[dbo].[SPx_MFSEL_ChangeAddressLookup]
[dbo].[SPx_MFSEL_NoteList]
[dbo].[SPx_MFSEL_TransactionClassLookup]
[dbo].[SPx_MFSEL_VoidTransactionApplicationList]
[dbo].[SPx_MFSEL_VoidTransactionHeader]
[dbo].[SPx_MFUpdate_ChangeAddress]
[dbo].[SPx_MFUpdate_JournalDetails]
[dbo].[SPx_MFUpdate_MassUpdate]
[dbo].[SPx_MFUpdate_PaymentTermList]
[dbo].[SPx_MFUpdate_RecordLookup]
[dbo].[SPx_MFUpdate_Site]
[dbo].[SPx_SCUPD_ContractHeaderRollup]
[dbo].[SPx_SOAssignBOLNumber]
[dbo].[SPx_SOINS_AddOrderHeader]
[dbo].[SPx_SOINS_BWInboundInvoice_XML]
[dbo].[SPx_SOINS_BWInboundInvoicee_XML]
[dbo].[SPx_SOINS_SalesInvoiceExecutionHistory]
[dbo].[SPx_SOINSUPD_OrderHeaderHold]
[dbo].[SPx_SOPProcess_AssignInvoiceNumber]
[dbo].[SPx_SOPProcess_OrderSubstitutionItem]
[dbo].[SPx_SOPProcess_PurchaseOrder]
[dbo].[SPx_SOPProcess_SalesProgramDetail]
[dbo].[SPx_SOPProcess_Transaction]
[dbo].[SPx_SOPProcess_Transaction_AssignInvoiceNumber]
[dbo].[SPx_SOPProcess_Transaction_InsertOrderHeader]
[dbo].[SPx_SOPProcess_Transaction_OrderHold]
[dbo].[SPx_SOPProcess_Transaction_Post]
[dbo].[SPx_SOPProcess_Transaction_UpdateOrderHeader]
[dbo].[SPx_SOPProcess_Transaction_Validations]
[dbo].[SPx_SOPProcess_Transaction_VoidOrder]
[dbo].[SPx_SOPProcess_ValidateTransaction]
[dbo].[SPx_SOSEL_Allocate_HeaderOrderSummary]
[dbo].[SPx_SOSEL_CarrierLookup]
[dbo].[SPx_SOSEL_FindItems_CustomerInfo]
[dbo].[SPx_SOSEL_FindItems_Detail]
[dbo].[SPx_SOSEL_FindItems_Header]
[dbo].[SPx_SOSEL_FindItems_OrderSummary]
[dbo].[SPx_SOSEL_FindItemsWithBalances_CustomerInfo]
[dbo].[SPx_SOSEL_FindItemsWithBalances_Detail]

[dbo].[SPx_SOSEL_FindItemsWithBalances_Header]
[dbo].[SPx_SOSEL_FindItemsWithBalances_OrderSummary]
[dbo].[SPx_SOSEL_FindItemsWithBalances_SiteLookup]
[dbo].[SPx_SOSEL_FindLotDetails]
[dbo].[SPx_SOSEL_FindLots_AllocateFromSiteLookup]
[dbo].[SPx_SOSEL_FindLots_HeaderHome]
[dbo].[SPx_SOSEL_FindLots_HeaderOrderSummary]
[dbo].[SPx_SOSEL_HeaderAllocationValues]
[dbo].[SPx_SOSEL_HoldCodeLookup]
[dbo].[SPx_SOSEL_IsPOUsed]
[dbo].[SPx_SOSEL_ItemContractLookup]
[dbo].[SPx_SOSEL_ItemDefaultLookup]
[dbo].[SPx_SOSEL_ItemLookup]
[dbo].[SPx_SOSEL_OrderHeader]
[dbo].[SPx_SOSEL_OrderHeaderList]
[dbo].[SPx_SOSEL_OrderItemNotesList]
[dbo].[SPx_SOSEL_OrderNotesList]
[dbo].[SPx_SOSEL_OrderStatusLookup]
[dbo].[SPx_SOSEL_OrderTypeLookup]
[dbo].[SPx_SOSEL_PriceAdjustmentHeaderHome]
[dbo].[SPx_SOSEL_PriceAdjustmentItems]
[dbo].[SPx_SOSEL_ReturnHeaderHome]
[dbo].[SPx_SOSEL_ReturnItems]
[dbo].[SPx_SOSEL_SalesProgramDetail_Accrual]
[dbo].[SPx_SOSEL_SalesProgramDetail_Header]
[dbo].[SPx_SOSEL_SalesProgramDetail_OnInvoice]
[dbo].[SPx_SOSEL_ShipmentContainersList]
[dbo].[SPx_SOSEL_ShipmentContainersListNew]
[dbo].[SPx_SOSEL_ShipmentList]
[dbo].[SPx_SOSEL_SiteLookup]
[dbo].[SPx_SOSEL_SOAdjustmentItemList]
[dbo].[SPx_SOSEL_SOAdjustmentItemList_Messages]
[dbo].[SPx_SOSEL_TransactionAttributeList]
[dbo].[SPx_SOSEL_TransactionCatalogSiteLookup]
[dbo].[SPx_SOSEL_TransactionClassLookup]
[dbo].[SPx_SOSEL_TransactionDetailItem]
[dbo].[SPx_SOSEL_TransactionDetailItemAttributeList]
[dbo].[SPx_SOSEL_TransactionDetailItemNewRow]
[dbo].[SPx_SOSEL_TransactionDetailShipmentLookup]
[dbo].[SPx_SOSEL_TransactionHeaderHome]
[dbo].[SPx_SOSEL_TransactionHeaderProperty]
[dbo].[SPx_SOSEL_TransactionHeaderShipment]
[dbo].[SPx_SOSEL_TransactionItemList]
[dbo].[SPx_SOSEL_TransactionListOrderStatusLookup]
[dbo].[SPx_SOSEL_TransactionSalespersonLookup]
[dbo].[SPx_SOSEL_TransactionShipToAddress]
[dbo].[SPx_SOSEL_TransactionShipToHeader]
[dbo].[SPx_SOSEL_TransactionShipToLookup]
[dbo].[SPx_SOSEL_TransactionSubstituteItemDetail]
[dbo].[SPx_SOSEL_TransactionSubstituteItemHeader]
[dbo].[SPx_SOSEL_WorkflowLookup]
[dbo].[SPx_SOUPD_ApplyProgramToOrder]
[dbo].[SPx_SOUPD_OrderHeaderRollup]

[dbo].[SPx_SOUPD_OrderItemRollup]
[dbo].[SPx_SOUPD_TransactionShipAddress]
[dbo].[SPx_SOUUpdate_Carrier]
[dbo].[SPx_SOUUpdate_ChangeCustomer]
[dbo].[SPx_SOUUpdate_InvoiceHeaderRollup]
[dbo].[SPx_SOUUpdate_PriceAdjustment]
[dbo].[SPx_SOUUpdate_RepriceOrders]
[dbo].[SPx_SOUUpdate_Return]
[dbo].[SPx_SOUUpdate_Salesperson]
[dbo].[SPx_SOUUpdate_SalesProgramDetail]
[dbo].[SPx_SOUUpdate_Transaction]
[dbo].[SPx_SOUUpdate_TransactionClassList]
[dbo].[SPx_SOUUpdate_TransactionDetailAutoAllocate]
[dbo].[SPx_SOUUpdate_TransactionItem]
[dbo].[SPx_SOUUpdate_TransactionShipTo]
[dbo].[SPx_SOUUpdate_TransactionSubstituteltem]
[dbo].[SPx_SOUUpdate_WorkflowOrStatus]
[dbo].[SPx_SP_CalculateOrderPrograms]
[dbo].[SPx_SPPProcess_SettlementBatch]
[dbo].[SPx_SPSEL_BrokerActivity]
[dbo].[SPx_SPSEL_ProcessSettlementBatchItems]
[dbo].[SPx_SPSEL_ProcessSettlementsList]
[dbo].[SPx_SPSEL_SettlementHeader]
[dbo].[SPx_WKDEL_Workflow]
[dbo].[SPx_WKDEL_WorkflowGroup]
[dbo].[VWx_IMInventoryBalances]
[dbo].[VWx_LotBalances]
[dbo].[VWx_MFAllocateLotBalance]
[dbo].[VWx_SOSEL_SalesTransactionDetail]
[hist].[SPx_SOHistory_SynchHistory]

[dbo].[ERPx_SOOrderHeaderAttributes]**Columns**

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity
	OrderHeaderAttributeSK	bigint	8	NOT NULL	1 - 1
	OrderHeaderSK	bigint	8	NOT NULL	
	AttributeSK	bigint	8	NOT NULL	
	AttributeValue	varchar(200)	200	NULL allowed	

Indexes

Key	Name	Key Columns	Unique
	PK_ERPx_SOOrderHeaderAttributes	OrderHeaderAttributeSK	True
	UK_ERPx_SOOrderHeaderAttributes_1	OrderHeaderSK, AttributeSK	True

Foreign Keys

Name	No Check	Columns
FK_ERPx_SOOrderHeaderAttributes_ERPx_MFAttribute		AttributeSK->[dbo].[ERPx_MFAttribute].[AttributeSK]
FK_ERPx_SOOrderHeaderAttributes_ERPx_SOOrderHeader	True	OrderHeaderSK->[dbo].[ERPx_SOOrderHeader].[OrderHeaderSK]

Uses






[dbo].[ERPx_MFAttribute]
[dbo].[ERPx_SOOrderHeader]

Used By



[dbo].[SPx_INTEG_BWInvoiceHeaderItem_XML]
[dbo].[SPx_MFDEL_Attribute]
[dbo].[SPx_MFDEL_DeleteCompany]
[dbo].[SPx_MFUpdate_MassUpdate]
[dbo].[SPx_SOPProcess_Transaction_UpdateAttributes]
[dbo].[SPx_SOPProcess_Transaction_Validations]
[dbo].[SPx_SOSEL_OrderHeaderAttributeSelectedValue]
[dbo].[SPx_SOSEL_TransactionAttributeList]
[dbo].[SPx_SOUPD_OrderHeaderAttributeSelectedValue]
[dbo].[SPx_SOUUpdate_PriceAdjustment]
[dbo].[SPx_SOUUpdate_Return]

[hist].[SPx_SOPProcess_SearchMetadata_RefreshOrder]

[dbo].[ERPx_SOOrderHeaderCertification]**Columns**

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity
 	OrderHeaderCertificationSK	bigint	8	NOT NULL	1 - 1
	OrderHeaderSK	bigint	8	NOT NULL	
	CertificationSK	bigint	8	NOT NULL	
	LastUser	varchar(200)	200	NOT NULL	
	LastUpdated	datetime	8	NOT NULL	
	DataEntityCompanySK	bigint	8	NOT NULL	

Indexes

Key	Name	Key Columns	Unique
 	PK_ERPx_SOOrderHeaderCertification	OrderHeaderCertificationSK	True
	IX_ERPx_SOOrderHeaderCertification	DataEntityCompanySK, CertificationSK, OrderHeaderSK	True

Foreign Keys

Name	Columns
FK_ERPx_SOOrderHeaderCertification_ERPx_IMCertification	CertificationSK->[dbo].[ERPx_IMCertification].[CertificationSK]
FK_ERPx_SOOrderHeaderCertification_ERPx_MFDataEntityCompany	DataEntityCompanySK->[dbo].[ERPx_MFDataEntityCompany].[DataEntityCompanySK]
FK_ERPx_SOOrderHeaderCertification_ERPx_SOOrderHeader	OrderHeaderSK->[dbo].[ERPx_SOOrderHeader].[OrderHeaderSK]






Uses

[dbo].[ERPx_IMCertification]
 [dbo].[ERPx_MFDataEntityCompany]
 [dbo].[ERPx_SOOrderHeader]

Used By

[dbo].[SPx_MFDEL_DeleteCompany]
 [dbo].[SPx_SOINS_AddOrderHeader]
 [dbo].[SPx_SOPProcess_Transaction]
 [dbo].[SPx_SOPProcess_Transaction_Certification]
 [dbo].[SPx_SOSEL_TransactionHeaderProperty]

[dbo].[ERPx_SOOrderHeaderHold]**Columns**

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity	Default
 	HeaderHoldSK	bigint	8	NOT NULL	1 - 1	
	OrderHeaderSK	bigint	8	NOT NULL		
	HoldCodeSK	bigint	8	NOT NULL		
	AppliedByUser	varchar(110)	110	NOT NULL		
	AppliedOn	datetime	8	NOT NULL		(getdate())
	RemovedByUser	varchar(110)	110	NULL allowed		
	RemovedOn	datetime	8	NULL allowed		
	IsRemoved	bit	1	NULL allowed		((0))
	LastUpdated	datetime	8	NOT NULL		(getdate())
	LastUser	varchar(110)	110	NOT NULL		
	DataEntityCompanySK	bigint	8	NOT NULL		

Indexes

Key	Name	Key Columns	Unique
 	PK_ERPx_SOOrderHeaderHold	HeaderHoldSK	True
	IX_ERPx_SOOrderHeaderHold	DataEntityCompanySK, OrderHeaderSK, HoldCodeSK	

Foreign Keys

Name	Columns
FK_ERPx_SOOrderHeaderHold_ERPx_MFData-EntityCompany	DataEntityCompanySK->[dbo].[ERPx_MFDataEntityCompany].[Data-EntityCompanySK]
FK_ERPx_SOOrderHeaderHold_ERPx_MFHoldCode	HoldCodeSK->[dbo].[ERPx_MFHoldCode].[HoldCodeSK]
FK_ERPx_SOOrderHeaderHold_ERPx_SOOrder-HeaderHold	OrderHeaderSK->[dbo].[ERPx_SOOrderHeader].[OrderHeaderSK]

Uses





[dbo].[ERPx_MFDataEntityCompany]
 [dbo].[ERPx_MFHoldCode]
 [dbo].[ERPx_SOOrderHeader]

Used By


[dbo].[FNx_GetSalesTransactionHoldCodeSK]

[dbo].[FNx_IsSalesTransactionOnHold]
[dbo].[SPx_MFDEL_DeleteCompany]
[dbo].[SPx_MFFilter_SOTransaction]
[dbo].[SPx_MFUpdate_HoldCode]
[dbo].[SPx_MFUpdate_HoldCodes]
[dbo].[SPx_MFUpdate_MassUpdate]
[dbo].[SPx_SOINSUPD_OrderHeaderHold]
[dbo].[SPx_SOPProcess_Transaction_OrderHold]
[dbo].[SPx_SOPProcess_Transaction_Validations]
[dbo].[SPx_SOSEL_OrderHeader]
[dbo].[SPx_SOSEL_OrderHeaderList]
[dbo].[SPx_SOSEL_TransactionHeaderHome]
[dbo].[SPx_SOSEL_TransactionItemList]
[dbo].[SPx_SOUUpdate_ChangeCustomer]
[dbo].[SPx_SOUUpdate_HoldCodes]

[dbo].[ERPx_SOOrderHeaderNote]**Columns**

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity	Default
 PK	HeaderNoteSK	bigint	8	NOT NULL	1 - 1	
 FK	OrderHeaderSK	bigint	8	NOT NULL		
 FK	NoteTypeSK	bigint	8	NOT NULL		
	Note	varchar(max)	max	NULL allowed		
	LastUpdated	datetime	8	NULL allowed		(getdate())
	LastUser	varchar(110)	110	NULL allowed		
 FK	DataEntityCompanySK	bigint	8	NOT NULL		
	NoteHTML	varchar(max)	max	NULL allowed		

Indexes

Key	Name	Key Columns	Unique
 PK	PK_ERPx_SOOrderHeaderNote	HeaderNoteSK	True
	UK_ERPx_SOOrderHeaderNote_1	OrderHeaderSK, NoteTypeSK, DataEntityCompanySK	True

Foreign Keys

Name	Columns
FK_ERPx_SOOrderHeaderNote_ERPx_MFNoteType	NoteTypeSK->[dbo].[ERPx_MFNoteType].[NoteTypeSK]
FK_ERPx_SOOrderHeaderNote_ERPx_SOOrderHeader	OrderHeaderSK->[dbo].[ERPx_SOOrderHeader].[OrderHeaderSK]

Uses

[dbo].[ERPx_MFNoteType]
[dbo].[ERPx_SOOrderHeader]


Used By

[dbo].[SPx_MFDEL_DeleteCompany]
[dbo].[SPx_MFManage_NoteAssignment]
[dbo].[SPx_MFSEL_NoteList]
[dbo].[SPx_SOINS_AddOrderHeader]
[dbo].[SPx_SOPProcess_Transaction_InsertOrderHeader]
[dbo].[SPx_SOSEL_OrderNotesList]
[dbo].[SPx_SOSEL_TransactionItemList]
[dbo].[SPx_SOUPDINS_OrderNotes]


 [dbo].[ERPx_SOOrderHeaderShipmentTemp]




Columns

Name	Data Type	Max Length (Bytes)	Nullability
OrderHeaderSK	bigint	8	NOT NULL


 [dbo].[ERPx_SOOrderItem]

Columns

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity	Default
	OrderItemSK	bigint	8	NOT NULL	1 - 1	
 (5)	OrderHeaderSK	bigint	8	NOT NULL		
	ItemTypeSK	bigint	8	NOT NULL		
 (2)	ItemSK	bigint	8	NOT NULL		
	ItemPrice	numeric(18,5)	9	NOT NULL		
	PriceOptionSK	bigint	8	NOT NULL		
	OrderedUnits	numeric(18,5)	9	NOT NULL		((0.00))
	UnitsUOMSK	bigint	8	NOT NULL		
	OrderedWeight	numeric(18,5)	9	NOT NULL		((0.00))
	WeightUOMSK	bigint	8	NOT NULL		
	OrderedAmount	numeric(18,5)	9	NOT NULL		((0.00))
	AllocatedUnits	numeric(18,5)	9	NOT NULL		((0.00))
	AllocatedWeight	numeric(18,5)	9	NOT NULL		((0.00))
	AllocatedAmount	numeric(18,5)	9	NOT NULL		((0.00))
	InventoryUnits	numeric(18,5)	9	NOT NULL		((0.00))
	InventoryWeight	numeric(18,5)	9	NOT NULL		((0.00))
	DiscountMethodSK	bigint	8	NULL allowed		
	DiscountRate	numeric(18,5)	9	NOT NULL		((0.00))
	DiscountAmount	numeric(18,5)	9	NOT NULL		((0.00))
	InvoicedAmount	numeric(18,5)	9	NULL allowed		((0.00))
	IsContractLine	bit	1	NOT NULL		((0))
	ContractHeaderSK	bigint	8	NULL allowed		
	ContractItemSK	bigint	8	NULL allowed		
	IsAutoAddedItem	bit	1	NOT NULL		((0))
	PriceListHeaderSK	bigint	8	NULL allowed		
	PriceListPrice	numeric(18,5)	9	NULL allowed		
	PriceOverrideBy	varchar(110)	110	NULL allowed		
	PriceOverrideDate	datetime	8	NULL allowed		
	ReturnsIsDamaged	bit	1	NULL allowed		
	HostLineNumber	bigint	8	NULL allowed		
	OriginOrderItemSK	bigint	8	NULL allowed		
	CreatedBy	varchar(150)	150	NULL allowed		

	CreatedDate	datetime	8	NULL allowed		
	LastUpdated	datetime	8	NOT NULL		
	LastUser	varchar(150)	150	NULL allowed		
 (2)	DataEntityCompanySK	bigint	8	NOT NULL		
	ItemSalesInvoiceDescription	varchar(105)	105	NULL allowed		
	OriginTransactionItemSK	bigint	8	NULL allowed		
 (2)	OriginItemTypeEN	bigint	8	NULL allowed		
	IMItemActualCost	numeric(18,5)	9	NULL allowed		((0.00))
	IMItemActualCostUOMSK	bigint	8	NULL allowed		
	OrderItemActualCost	numeric(18,5)	9	NULL allowed		((0.00))
	LoadHeaderSK	bigint	8	NULL allowed		
	DeliveryCharge	numeric(18,5)	9	NULL allowed		
	Surcharge	numeric(18,5)	9	NULL allowed		
	OtherCharge	numeric(18,5)	9	NULL allowed		
	AdditionalWeight	numeric(18,5)	9	NULL allowed		
	TotalFreight	numeric(18,5)	9	NULL allowed		
	OrderItemGUID	uniqueidentifier	16	NULL allowed		

Indexes

Key	Name	Key Columns	Included Columns	Unique
	PK_ERPx_SOItems	OrderItemSK		True
	IX_ERPx_SOOrderItem	ItemSK, ItemSort, OrderHeaderSK, DataEntity-CompanySK		True
	IX_ERPx_SOOrderItem_OrderHeader-ItemPrice	OrderHeaderSK, ItemPrice		
	IX_ERPx_SOOrderItem_OriginItemType	OriginItemTypeEN	OrderHeaderSK	
	IX_SOOrderItem_OrderHeaderOrder-ItemItem	DataEntityCompanySK, OrderHeaderSK, Order-ItemSK, ItemSK		
	IX_SOOrderItem_OrderHeaderSKOrigin-ItemTypeEN	OrderHeaderSK, OriginItemTypeEN		

Foreign Keys

Name	Columns
FK_ERPx_SOOrderItem_ERPx_IMItem	ItemSK->[dbo].[ERPx_IMItem].[ItemSK]
FK_ERPX_SOOrderItem_ERPx_IMUOM_UOMSK	IMItemActualCostUOMSK->[dbo].[ERPx_IMUOM].[UOMSK]
FK_ERPx_SOOrderItem_ERPx_SOOrderHeader	OrderHeaderSK->[dbo].[ERPx_SOOrderHeader].[OrderHeaderSK]

Uses

[dbo].[ERPx_IMItem]
[dbo].[ERPx_IMUOM]
[dbo].[ERPx_SOOrderHeader]





Used By

[dbo].[ERPx_MFAttribute_SOOrderItem]
[dbo].[ERPx_SOOrderItemAttributes]
[dbo].[ERPx_SOOrderItemCertification]
[dbo].[ERPx_SOOrderItemLot]
[dbo].[ERPx_SOOrderItemNote]
[dbo].[ERPx_SOOrderItemSubstitution]
[dbo].[FNx_CalcSOItemPrice]
[dbo].[FNx_GetTransactionAccounts]
[dbo].[FNx_GetTransactionAmounts]
[dbo].[FNX_GetUnpostedBalances]
[dbo].[FNx_IMInventoryBalances]
[dbo].[FNx_LMLoadLegFreightWeightDetails]
[dbo].[FNx_LMLoadWeightDetails]
[dbo].[IQx_IMSEL_ItemHistory]
[dbo].[IQx_IMSEL_LotHistory]
[dbo].[IQx_LMSEL_LoadList]
[dbo].[IQx_SOSEL_ItemHistory]
[dbo].[IQx_SOSEL_ShipmentHistory]
[dbo].[SPx_IMProcess_TransferTransaction]
[dbo].[SPx_IMSEL_AllocationAndCommitmentList]
[dbo].[SPx_IMSEL_CycleCountList]
[dbo].[SPx_IMSEL_GetLotBalance]
[dbo].[SPx_IMSEL_ItemProperties]
[dbo].[SPx_IMSEL_ItemPropertiesAdvanced]
[dbo].[SPx_IMUpdate_CleanUpLots]
[dbo].[SPx_IMUpdate_RecalculateLotBalance]
[dbo].[SPx_IMUpdate_TransactionMoreActions]
[dbo].[SPx_IMUpdate_TransactionSOShipmentReturn]
[dbo].[SPx_INTEG_BWInvoiceHeaderItem_XML]
[dbo].[SPx_INTEG_BWLMHeader]
[dbo].[SPx_INTEG_GPSOHeader]
[dbo].[SPx_INTEG_GPSOHeaderAndLines]
[dbo].[SPx_INTEG_GPSOInvoice]
[dbo].[SPx_INTEG_GPSOItem]
[dbo].[SPx_INTEG_GPSPPProgramAccrual]
[dbo].[SPx_LMINS_LoadBuilder]
[dbo].[SPx_LMINS_NewLoad]
[dbo].[SPx_LMINS_NewOrderForLoad]
[dbo].[SPx_LMProcess_MFShipment]
[dbo].[SPx_LMSEL_LoadRecordHeader]
[dbo].[SPx_LMSEL_LoadRecordOrderItems]
[dbo].[SPx_LMSEL_LoadSOOrderList]
[dbo].[SPx_LMUPD_MoveSOOrder]
[dbo].[SPx_LMUpdate_DeleteOrphanedLoads]
[dbo].[SPx_LMUpdate_Load]

[dbo].[SPx_LMUpdate_LoadHeaderRollup]
[dbo].[SPx_LMUpdate_LoadList]
[dbo].[SPx_LMUpdate_LoadOrderList]
[dbo].[SPx_LMUpdate_LoadTransactionFreight]
[dbo].[SPx_LMUpdate_LoadTransactionFreightRollup]
[dbo].[SPx_Load_ARCustomerFavorites]
[dbo].[SPx_MFDEL_DeleteCompany]
[dbo].[SPx_MFManage_NoteAssignment]
[dbo].[SPx_MFSEL_AllocateDetails]
[dbo].[SPx_MFSEL_AllocateItemLookup]
[dbo].[SPx_MFSEL_NoteList]
[dbo].[SPx_MFUpdate_Allocate]
[dbo].[SPx_MFUpdate_JournalDetails]
[dbo].[SPx_MFUpdate_MassUpdate]
[dbo].[SPx_MFUpdate_PriceList]
[dbo].[SPx_MFUpdate_PriceListList]
[dbo].[SPx_SCDEL_ContractHeader]
[dbo].[SPx_SCUPD_ContractHeaderRollup]
[dbo].[SPx_SCUUpdate_ContractHeader]
[dbo].[SPx_SOINs_BWInboundInvoice_XML]
[dbo].[SPx_SOINs_BWInboundInvoicee_XML]
[dbo].[SPx_SOINS_SalesInvoiceExecutionHistory]
[dbo].[SPx_SOPProcess_FindItems]
[dbo].[SPx_SOPProcess_FindItemsWithBalances]
[dbo].[SPx_SOPProcess_OrderSubstitutionItem]
[dbo].[SPx_SOPProcess_Transaction]
[dbo].[SPx_SOPProcess_Transaction_DeleteItem]
[dbo].[SPx_SOPProcess_Transaction_InsertItem]
[dbo].[SPx_SOPProcess_Transaction_UpdateItem]
[dbo].[SPx_SOPProcess_Transaction_Validations]
[dbo].[SPx_SOPProcess_Transaction_VoidOrder]
[dbo].[SPx_SOPProcess_ValidateTransaction]
[dbo].[SPx_SOSEL_Allocate_HeaderOrderSummary]
[dbo].[SPx_SOSEL_FindItems_OrderSummary]
[dbo].[SPx_SOSEL_FindItemsWithBalances_OrderSummary]
[dbo].[SPx_SOSEL_FindLots_HeaderOrderSummary]
[dbo].[SPx_SOSEL_ItemAllocationDetails]
[dbo].[SPx_SOSEL_ItemContractLookup]
[dbo].[SPx_SOSEL_ItemLookup]
[dbo].[SPx_SOSEL_OrderItemLookup]
[dbo].[SPx_SOSEL_OrderItemNotesList]
[dbo].[SPx_SOSEL_OrdersWithZeroPriceItems]
[dbo].[SPx_SOSEL_PriceAdjustmentItems]
[dbo].[SPx_SOSEL_ReturnItems]
[dbo].[SPx_SOSEL_SalesProgramDetail_Accrual]
[dbo].[SPx_SOSEL_SalesProgramDetail_OnInvoice]
[dbo].[SPx_SOSEL_ShipmentList]
[dbo].[SPx_SOSEL_SOAdjustmentItemList]
[dbo].[SPx_SOSEL_TransactionDetailItem]
[dbo].[SPx_SOSEL_TransactionDetailShipmentLookup]
[dbo].[SPx_SOSEL_TransactionHeaderHome]
[dbo].[SPx_SOSEL_TransactionHeaderShipment]
[dbo].[SPx_SOSEL_TransactionItemList]

[dbo].[SPx_SOSEL_TransactionSubstituteltemDetail]
[dbo].[SPx_SOSEL_TransactionSubstituteltemHeader]
[dbo].[SPx_SOSEL_TransactionSubstituteltemLookup]
[dbo].[SPx_SOSEL_TransactionSubstitutionParentItemLookup]
[dbo].[SPx_SOUPD_ApplyProgramToOrder]
[dbo].[SPx_SOUPD_OrderHeaderRollup]
[dbo].[SPx_SOUPD_OrderItemRollup]
[dbo].[SPx_SOUPD_SalesProgramItem]
[dbo].[SPx_SOUUpdate_ChangeCustomer]
[dbo].[SPx_SOUUpdate_FindLots]
[dbo].[SPx_SOUUpdate_InvoiceHeaderRollup]
[dbo].[SPx_SOUUpdate_PriceAdjustment]
[dbo].[SPx_SOUUpdate_RepriceOrders]
[dbo].[SPx_SOUUpdate_Return]
[dbo].[SPx_SOUUpdate_Transaction]
[dbo].[SPx_SOUUpdate_TransactionDetailAutoAllocate]
[dbo].[SPx_SOUUpdate_TransactionItem]
[dbo].[SPx_SOUUpdate_TransactionSubstituteltem]
[dbo].[SPx_SP_CalculateOrderPrograms]
[dbo].[SPx_SPSEL_BrokerActivity]
[dbo].[SPx_SPUUpdate_ProcessSettlementItemsFifo]
[dbo].[VWx_IMInventoryBalances]
[dbo].[VWx_LotBalances]
[dbo].[VWx_MFAllocateLotBalance]
[dbo].[VWx_SOSEL_SalesTransactionDetail]
[hist].[SPx_SOHistory_SynchHistory]

[dbo].[ERPx_SOOrderItemAttributes]**Columns**

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity
	OrderItemAttributeSK	bigint	8	NOT NULL	1 - 1
	OrderItemSK	bigint	8	NOT NULL	
	AttributeSK	bigint	8	NOT NULL	
	AttributeValue	varchar(200)	200	NULL allowed	
	LastUpdated	datetime	8	NOT NULL	
	LastUser	varchar(150)	150	NOT NULL	
	DataEntityCompanySK	bigint	8	NOT NULL	

Indexes

Key	Name	Key Columns	Unique
	PK_SOOrderItemAttributes	OrderItemAttributeSK	True
	UK_ERPx_SOOrderItemAttributes_1	OrderItemSK, AttributeSK	True

Foreign Keys

Name	No Check	Columns
FK_ERPx_SOOrderItemAttributes_ERPx_MFAttribute_AttributeSK		AttributeSK->[dbo].[ERPx_MFAttribute].[AttributeSK]
FK_ERPx_SOOrderItemAttributes_ERPx_MFDataEntityCompany_DataEntityCompanySK	True	DataEntityCompanySK->[dbo].[ERPx_MFDataEntityCompany].[DataEntityCompanySK]
FK_ERPx_SOOrderItemAttributes_ERPx_SOOrderItem_OrderItemSK	True	OrderItemSK->[dbo].[ERPx_SOOrderItem].[OrderItemSK]

Uses






[dbo].[ERPx_MFAttribute]
 [dbo].[ERPx_MFDataEntityCompany]
 [dbo].[ERPx_SOOrderItem]

Used By



[dbo].[SPx_MFDEL_Attribute]
 [dbo].[SPx_MFDEL_AttributeValue]
 [dbo].[SPx_SOPProcess_Transaction_Deleteltem]
 [dbo].[SPx_SOPProcess_Transaction_UpdateAttributes]

[dbo].[SPx_SOProcess_Transaction_Validations]
[dbo].[SPx_SOUupdate_PriceAdjustment]
[dbo].[SPx_SOUupdate_Return]
[dbo].[SPx_SOUupdate_Transaction]
[hist].[SPx_SOProcess_SearchMetadata_RefreshOrder]

[dbo].[ERPx_SOOrderItemCertification]**Columns**

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity
 	OrderItemCertificationSK	bigint	8	NOT NULL	1 - 1
 (2)	OrderItemSK	bigint	8	NOT NULL	
 (2)	CertificationSK	bigint	8	NOT NULL	
	LastUser	varchar(200)	200	NOT NULL	
	LastUpdated	datetime	8	NOT NULL	
	DataEntityCompanySK	bigint	8	NOT NULL	

Indexes

Key	Name	Key Columns	Unique
 	PK_ERPx_SOOrderItemCertification	OrderItemCertificationSK	True
	IX_ERPx_SOOrderItemCertification	DataEntityCompanySK, CertificationSK, OrderItemSK	True
	IX_ERPx_SOOrderItemCertification_CertificationOrderItem	CertificationSK, OrderItemSK	

Foreign Keys

Name	Columns
FK_ERPx_SOOrderItemCertification_ERPx_IMCertification	CertificationSK->[dbo].[ERPx_IMCertification].[CertificationSK]
FK_ERPx_SOOrderItemCertification_ERPx_MFDataEntityCompany	DataEntityCompanySK->[dbo].[ERPx_MFDataEntityCompany].[DataEntityCompanySK]
FK_ERPx_SOOrderItemCertification_ERPx_SOOrderItem	OrderItemSK->[dbo].[ERPx_SOOrderItem].[OrderItemSK]

Uses

[dbo].[ERPx_IMCertification]
 [dbo].[ERPx_MFDataEntityCompany]
 [dbo].[ERPx_SOOrderItem]

Used By

[dbo].[SPx_MFDEL_DeleteCompany]
 [dbo].[SPx_MFSEL_AllocateDetails]
 [dbo].[SPx_SOPProcess_Transaction_Certification]

[dbo].[SPx_SOProcess_Transaction_DeleteItem]








[dbo].[SPx_SOProcess_Transaction_InsertItem]

[dbo].[SPx_SOSEL_TransactionDetailItem]

[dbo].[SPx_SOUUpdate_TransactionDetailAutoAllocate]

[dbo].[ERPx_SOOrderItemLot]

Columns

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity
	OrderItemLotSK	bigint	8	NOT NULL	1 - 1
	OrderItemSK	bigint	8	NOT NULL	
	LotSK	bigint	8	NULL allowed	
	BinSK	bigint	8	NULL allowed	
	AllocatedUnits	numeric(18,5)	9	NOT NULL	
	UnitsUOMSK	bigint	8	NULL allowed	
	EffectOnInventoryUnits	numeric(18,5)	9	NULL allowed	
	EffectOnInventoryUnitsUOMSK	bigint	8	NULL allowed	
	TransactionToInventoryUnitsConversionValue	numeric(32,19)	17	NULL allowed	
	AllocatedWeight	numeric(18,5)	9	NOT NULL	
	WeightUOMSK	bigint	8	NULL allowed	
	EffectOnInventoryWeight	numeric(18,5)	9	NULL allowed	
	EffectOnInventoryWeightUOMSK	bigint	8	NULL allowed	
	EffectOnInventoryUnitsVariance	numeric(18,5)	9	NULL allowed	
	EffectOnInventoryWeightVariance	numeric(18,5)	9	NULL allowed	
	TransactionToInventoryWeightConversionValue	numeric(32,19)	17	NULL allowed	
	LastUpdated	datetime	8	NOT NULL	
	LastUser	varchar(110)	110	NULL allowed	
	DataEntityCompanySK	bigint	8	NOT NULL	
	ReasonCodeSK	bigint	8	NULL allowed	

Indexes

Key	Name	Key Columns	Unique
	PK_ERPx_SOOrderItemLot	OrderItemLotSK	True
	IX_ERPx_SOOrderItemLot	OrderItemSK, LotSK, ReasonCodeSK	True

Foreign Keys

Name	Columns
FK_ERPx_SOOrderItemLot_EffectOnInventoryUnits-UOMSK_ERPx_IMUOM	EffectOnInventoryUnitsUOMSK->[dbo].[ERPx_IMUOM].[UOMSK]
FK_ERPx_SOOrderItemLot_EffectOnInventoryWeight-	EffectOnInventoryWeightUOMSK->[dbo].[ERPx_IMUOM].[UOMSK]

UOMSK_ERPx_IMUOM	
FK_ERPx_SOOrderItemLot_ERPx_MFDataEntityCompany	DataEntityCompanySK->[dbo].[ERPx_MFDataEntity-Company].[DataEntityCompanySK]
FK_ERPx_SOOrderItemLot_ERPx_SOOrderItem	OrderItemSK->[dbo].[ERPx_SOOrderItem].[OrderItemSK]

Uses

[dbo].[ERPx_IMUOM]
[dbo].[ERPx_MFDataEntityCompany]
[dbo].[ERPx_SOOrderItem]

Used By

[dbo].[ERPx_SOOrderItemLotNote]
[dbo].[FNX_GetUnpostedBalances]
[dbo].[FNX_IMInventoryBalances]
[dbo].[IQx_IMSEL_ItemHistory]
[dbo].[IQx_IMSEL_LotHistory]
[dbo].[SPx_IMPProcess_TransferTransaction]
[dbo].[SPx_IMSEL_AllocationAndCommitmentList]
[dbo].[SPx_IMSEL_CycleCountList]
[dbo].[SPx_IMSEL_GetLotBalance]
[dbo].[SPx_IMUpdate_CleanUpLots]
[dbo].[SPx_IMUpdate_RecalculateLotBalance]
[dbo].[SPx_IMUpdate_TransactionMoreActions]
[dbo].[SPx_IMUpdate_TransactionSOShipmentReturn]
[dbo].[SPx_INTEG_GPSOInvoice]
[dbo].[SPx_INTEG_GPSOItem]
[dbo].[SPx_LMUpdate_Load]
[dbo].[SPx_MFDEL_DeleteCompany]
[dbo].[SPx_MFINSUPDDEL_Site_XML]
[dbo].[SPx_MFManage_NoteAssignment]
[dbo].[SPx_MFSEL_AllocateDetails]
[dbo].[SPx_MFSEL_NoteList]
[dbo].[SPx_MFUpdate_Allocate]
[dbo].[SPx_MFUpdate_MassUpdate]
[dbo].[SPx_MFUpdate_Site]
[dbo].[SPx_SOINs_BWInboundInvoice_XML]
[dbo].[SPx_SOPProcess_Transaction]
[dbo].[SPx_SOPProcess_Transaction_DeleteItem]
[dbo].[SPx_SOPProcess_Transaction_DeleteOrderItemLot]
[dbo].[SPx_SOPProcess_Transaction_InsertItem]
[dbo].[SPx_SOPProcess_Transaction_InsertOrderItemLot]
[dbo].[SPx_SOPProcess_Transaction_UpdateOrderItemLot]
[dbo].[SPx_SOPProcess_Transaction_Validations]
[dbo].[SPx_SOSEL_ItemLotsAndBins]
[dbo].[SPx_SOSEL_PriceAdjustmentItems]
[dbo].[SPx_SOSEL_ReturnItems]
[dbo].[SPx_SOUPD_OrderItemRollup]
[dbo].[SPx_SOUUpdate_FindLots]
[dbo].[SPx_SOUUpdate_PriceAdjustment]
[dbo].[SPx_SOUUpdate_Return]


[dbo].[SPx_SOUpdate_TransactionDetailAutoAllocate]





[dbo].[VWx_IMInventoryBalances]

[dbo].[VWx_LotBalances]

[dbo].[VWx_MFAllocateLotBalance]

[hist].[SPx_SOHistory_SynchHistory]





 **[dbo].[ERPx_SOOrderItemLot_OriginalReservation]**
Columns

Key	Name	Data Type	Max Length (Bytes)	Nullability
	OrderItemLotSK	bigint	8	NOT NULL
	OrderItemSK	bigint	8	NOT NULL
	LotSK	bigint	8	NULL allowed
	BinSK	bigint	8	NULL allowed
	AllocatedUnits	numeric(18,5)	9	NOT NULL
	UnitsUOMSK	bigint	8	NULL allowed
	AllocatedWeight	numeric(18,5)	9	NOT NULL
	WeightUOMSK	bigint	8	NULL allowed
	LastUpdated	datetime	8	NOT NULL
	LastUser	varchar(110)	110	NULL allowed
	DataEntityCompanySK	bigint	8	NOT NULL


Indexes

Key	Name	Key Columns	Unique
	PK_ERPx_SOOrderItemLot_OriginalReservation	OrderItemLotSK	True
	IX_ERPx_SOOrderItemLot_OriginalReservation	OrderItemSK, LotSK, BinSK	True

[dbo].[ERPx_SOOrderItemLotNote]**Columns**

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity	Default
	ItemLotNoteSK	bigint	8	NOT NULL	1 - 1	
	OrderItemLotSK	bigint	8	NOT NULL		
	NoteTypeSK	bigint	8	NOT NULL		
	ReasonCodeSK	bigint	8	NULL allowed		
	Note	varchar(max)	max	NULL allowed		
	LastUpdated	datetime	8	NULL allowed		(getdate())
	LastUser	varchar(110)	110	NULL allowed		
	DataEntityCompanySK	bigint	8	NOT NULL		
	NoteHTML	varchar(max)	max	NULL allowed		

Indexes

Key	Name	Key Columns	Unique
	PK_ERPx_SOOrderItemLotNote	ItemLotNoteSK	True
	UK_ERPx_SOOrderItemLotNote_1	OrderItemLotSK, NoteTypeSK, DataEntityCompanySK	True

Foreign Keys

Name	Columns
FK_ERPx_SOOrderItemLotNote_ERPx_SOOrderItemLot	OrderItemLotSK->[dbo].[ERPx_SOOrderItemLot].[OrderItemLotSK]

Uses

[dbo].[ERPx_SOOrderItemLot]

Used By





[dbo].[SPx_MFManage_NoteAssignment]

[dbo].[SPx_MFSEL_NoteList]


[dbo].[SPx_SOPProcess_Transaction_Deleteltem]

 [dbo].[ERPx_SOOrderItemNote]

Columns

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity	Default
	ItemNoteSK	bigint	8	NOT NULL	1 - 1	
	OrderItemSK	bigint	8	NOT NULL		
	NoteTypeSK	bigint	8	NOT NULL		
	ReasonCodeSK	bigint	8	NULL allowed		
	Note	varchar(max)	max	NULL allowed		
	LastUpdated	datetime	8	NULL allowed		(getdate())
	LastUser	varchar(110)	110	NULL allowed		
	DataEntityCompanySK	bigint	8	NOT NULL		
	NoteHTML	varchar(max)	max	NULL allowed		

Indexes

Key	Name	Key Columns	Unique
	PK_ERPx_SOOrderItemNote	ItemNoteSK	True
	UK_ERPx_SOOrderItemNote_1	OrderItemSK, NoteTypeSK, DataEntityCompanySK	True

Foreign Keys

Name	Columns
FK_ERPx_SOOrderItemNote_ERPx_MFNoteType	NoteTypeSK->[dbo].[ERPx_MFNoteType].[NoteTypeSK]
FK_ERPx_SOOrderItemNote_ERPx_SOOrderItem	OrderItemSK->[dbo].[ERPx_SOOrderItem].[OrderItemSK]

Uses

[dbo].[ERPx_MFNoteType]
 [dbo].[ERPx_SOOrderItem]

Used By

[dbo].[IQx_SOSEL_ItemHistory]
 [dbo].[SPx_INTEG_GPSOHeader]
 [dbo].[SPx_INTEG_GPSOItem]
 [dbo].[SPx_MFDEL_DeleteCompany]
 [dbo].[SPx_MFManage_NoteAssignment]
 [dbo].[SPx_MFSEL_NoteList]
 [dbo].[SPx_SOPProcess_Transaction_Deleteltem]

[dbo].[SPx_SOProcess_Transaction_InsertItem]






[dbo].[SPx_SOSEL_OrderItemNotesList]

[dbo].[SPx_SOSEL_TransactionItemList]


[dbo].[SPx_SOUUpdate_ChangeCustomer]

[dbo].[SPx_SOUPDINS_OrderItemNotes]

[dbo].[ERPx_SOOrderItemSubstitution]**Columns**

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity
	OrderItemSubstitutionSK	bigint	8	NOT NULL	1 - 1
	OrderItemSK	bigint	8	NOT NULL	
	ParentItemSK	bigint	8	NOT NULL	
	SubstituteltemSK	bigint	8	NOT NULL	
	LastUser	varchar(110)	110	NULL allowed	
	LastUpdated	datetime	8	NOT NULL	
	DataEntityCompanySK	bigint	8	NOT NULL	
	Sequence	bigint	8	NOT NULL	

Indexes

Key	Name	Key Columns	Unique
	PK_ERPx_SOOrderItemSubstitution	OrderItemSubstitutionSK	True
	IX_ERPx_SOOrderItemSubstitution	OrderItemSK, ParentItemSK, SubstituteltemSK	True

Foreign Keys

Name	Columns
FK_ERPx_SOOrderItemSubstitution_ERPx_IMItem	ParentItemSK->[dbo].[ERPx_IMItem].[ItemSK]
FK_ERPx_SOOrderItemSubstitution_ERPx_IMItem1	SubstituteltemSK->[dbo].[ERPx_IMItem].[ItemSK]
FK_ERPx_SOOrderItemSubstitution_ERPx_MFData-EntityCompany	DataEntityCompanySK->[dbo].[ERPx_MFDataEntityCompany].[Data-EntityCompanySK]
FK_ERPx_SOOrderItemSubstitution_ERPx_SOOrder-Item	OrderItemSK->[dbo].[ERPx_SOOrderItem].[OrderItemSK]

Uses

[dbo].[ERPx_IMItem]
 [dbo].[ERPx_MFDataEntityCompany]
 [dbo].[ERPx_SOOrderItem]


Used By

[dbo].[SPx_Load_ARCustomerFavorites]
 [dbo].[SPx_SOPProcess_OrderSubstitutionItem]
 [dbo].[SPx_SOPProcess_Transaction_Deleteltem]

[dbo].[SPx_SOSEL_TransactionSubstituteltemDetail]
[dbo].[SPx_SOSEL_TransactionSubstituteltemLookup]
[dbo].[SPx_SOUupdate_TransactionSubstituteltem]

 [dbo].[ERPx_SOOrderPending]

Columns

Key	Name	Data Type	Max Length (Bytes)	Nullability	Default
	OrderPendingSK	uniqueidentifier	16	NOT NULL	(newid())
	CustomerSK	bigint	8	NOT NULL	
	ShipAddressSK	bigint	8	NULL allowed	
	TransactionTypeSK	bigint	8	NULL allowed	
	ScheduledShipDate	datetime	8	NULL allowed	
	DocumentID	varchar(15)	15	NULL allowed	
	PurchaseOrder	varchar(35)	35	NULL allowed	
	SiteSK	varchar(200)	200	NULL allowed	
	SelectedItemsXML	xml	max	NULL allowed	
	DataEntityCompanySK	bigint	8	NOT NULL	
	UserSK	bigint	8	NOT NULL	
	LastUpdated	datetime	8	NOT NULL	
	OrderDate	datetime	8	NULL allowed	
	ScheduledDeliveryDate	datetime	8	NULL allowed	
	OrderHeaderSK	bigint	8	NULL allowed	
	CarrierSK	bigint	8	NULL allowed	
	OriginTransID	varchar(50)	50	NULL allowed	
	OriginTransTypeSK	bigint	8	NULL allowed	
	OriginLoadTransactionSK	bigint	8	NULL allowed	
	ReasonCodeSK	bigint	8	NULL allowed	
	SiteSKCSV	varchar(max)	max	NULL allowed	
	CertificationCSV	varchar(max)	max	NULL allowed	
	FreightTermsSK	bigint	8	NULL allowed	

Indexes

Key	Name	Key Columns	Unique
	PK_ERPx_SOOrderPending	OrderPendingSK	True

Used By

[dbo].[SPx_MFDEL_DeleteCompany]
 [dbo].[SPx_MFINSUPDDEL_Site_XML]
 [dbo].[SPx_MFUpdate_Site]
 [dbo].[SPx_SOSEL_FindItems_Detail]

[dbo].[SPx_SOSEL_FindItemsWithBalances_Detail]

[dbo].[SPx_SOSEL_PriceAdjustmentItems]



[dbo].[SPx_SOUPD_OrderPending]

[dbo].[SPx_SOUupdate_PriceAdjustment]

[dbo].[SPx_SOUupdate_Return]

 [dbo].[ERPx_SOOrderProperty]

Columns

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity	Default
	OrderPropertySK	bigint	8	NOT NULL	1 - 1	
	PropertyGroupDescription	varchar(200)	200	NOT NULL		
	PropertyName	varchar(50)	50	NOT NULL		
	PropertyDescription	varchar(200)	200	NOT NULL		
	PropertyDefinitionSK	bigint	8	NOT NULL		
	Sort	bigint	8	NOT NULL		
	Group	varchar(100)	100	NULL allowed		
	LastUpdated	datetime	8	NOT NULL		(getdate())
	LastUser	varchar(150)	150	NOT NULL		
	DataEntityCompanySK	bigint	8	NOT NULL		
	IsReadOnly	bit	1	NOT NULL		((0))

Indexes

Key	Name	Key Columns	Unique
	PK_ERPx_SOOrderProperty	OrderPropertySK	True

Foreign Keys

Name	Columns
FK_ERPx_SOOrderProperty_ERPx_MFDataEntity-Company	DataEntityCompanySK->[dbo].[ERPx_MFDataEntityCompany].[DataEntity-CompanySK]

Uses



[dbo].[ERPx_MFDataEntityCompany]

Used By


[dbo].[SPx_MFDEL_DeleteCompany]

[dbo].[SPx_SOSEL_TransactionHeaderProperty]

[dbo].[ERPx_SOOrderStatus]**Columns**

Key	Name	Data Type	Max Length (Bytes)	Nullability
	OrderStatusSK	bigint	8	NOT NULL
	OrderStatusName	varchar(25)	25	NOT NULL
	Sequence	int	4	NOT NULL

Indexes





Key	Name	Key Columns	Unique
	PK_ERPx_SOOrderHeaderStatus	OrderStatusSK	True
	UK_ERPx_SOOrderStatus_1	OrderStatusName	True

Used By


[dbo].[ERPx_MFContactTypeReportMappingTypeDocumentStatus]
 [dbo].[ERPx_SOOrderStatusRule]
 [dbo].[IQx_ARSEL_CustomerHistory]
 [dbo].[IQx_Billing]
 [dbo].[IQx_BillingStatusLookup]
 [dbo].[IQx_SalesHistory_StausLookup]
 [dbo].[IQx_SalesOrderHeaderInquiry_StatusLookup]
 [dbo].[IQx_SOSEL_ItemHistory]
 [dbo].[IQx_SOSEL_SalesHistory]
 [dbo].[IQx_SOSEL_ShipmentHistory]
 [dbo].[IQx_TransactionHistory]
 [dbo].[SPx_IMSEL_AllocationAndCommitment]
 [dbo].[SPx_IMSEL_GetLotBalance]
 [dbo].[SPx_INTEG_BWLMHeader]
 [dbo].[SPx_INTEG_GPSOHeader]
 [dbo].[SPx_INTEG_GPSOInvoice]
 [dbo].[SPx_INTEG_GPSOItem]
 [dbo].[SPx_LMSEL_LoadRecordOrders]
 [dbo].[SPx_LMSEL_LoadSOOrderList]
 [dbo].[SPx_MFDEL_DeleteCompany]
 [dbo].[SPx_MFSEL_ContactTypeReportMappingTypeDocumentStatus]
 [dbo].[SPx_MFSEL_LMPreferences]
 [dbo].[SPx_SCUPD_ContractHeaderRollup]
 [dbo].[SPx_SOAssignBOLNumber]
 [dbo].[SPx_SOINS_AddOrderHeader]
 [dbo].[SPx_SOINS_SalesInvoiceExecutionHistory]
 [dbo].[SPx_SOPProcess_Transaction]
 [dbo].[SPx_SOPProcess_Transaction_Validations]

[dbo].[SPx_SOSEL_OrderHeader]
[dbo].[SPx_SOSEL_OrderHeaderList]
[dbo].[SPx_SOSEL_OrderItemNotesList]
[dbo].[SPx_SOSEL_OrderStatusLookup]
[dbo].[SPx_SOSEL_OrderStatusRule]
[dbo].[SPx_SOSEL_QuoteConversionOrderStatusLookup]
[dbo].[SPx_SOSEL_SalesProgramDetail_Accrual]
[dbo].[SPx_SOSEL_SalesProgramDetail_OnInvoice]
[dbo].[SPx_SOSEL_ShipmentList]
[dbo].[SPx_SOSEL_TransactionClassProperty]
[dbo].[SPx_SOSEL_TransactionDetailItem]
[dbo].[SPx_SOSEL_TransactionItemList]
[dbo].[SPx_SOSEL_TransactionListOrderStatusLookup]
[dbo].[SPx_SOUPD_OrderPending]
[dbo].[SPx_SOUupdate_Transaction]
[dbo].[SPx_SOUupdate_WorkflowOrStatus]
[dbo].[SPx_WKSEL_WorkflowGroupStep]
[dbo].[SPx_WKSEL_WorkflowStatusLookup]
[dbo].[VWx_SOSEL_SalesTransactionDetail]

[dbo].[ERPx_SOOrderStatusRule]**Columns**

Key	Name	Data Type	Max Length (Bytes)	Nullability	Default
	OrderTypeSK	bigint	8	NOT NULL	
	OrderStatusSK	bigint	8	NOT NULL	
	AlternateStatusName	varchar(25)	25	NULL allowed	
	StatusManagedEN	bigint	8	NOT NULL	((1))
	AllowMoveBackwards	bit	1	NOT NULL	((1))
	AllowTransactionDelete	bit	1	NOT NULL	((1))
	AllowInvAdd	bit	1	NOT NULL	((1))
	AllowInvDelete	bit	1	NOT NULL	((1))
	AllowInvOrdQtyEdit	bit	1	NOT NULL	((1))
	AllowInvAllocQtyEdit	bit	1	NOT NULL	((1))
	AllowInvPriceEdit	bit	1	NOT NULL	((1))
	AllowNonInvAdd	bit	1	NOT NULL	((1))
	AllowNonInvDelete	bit	1	NOT NULL	((1))
	AllowNonInvOrdQtyEdit	bit	1	NOT NULL	((1))
	AllowNonInvAllocQtyEdit	bit	1	NOT NULL	((1))
	AllowNonInvPriceEdit	bit	1	NOT NULL	((1))
	AdvanceToNextDocType	bit	1	NOT NULL	((0))
	DataEntityCompanySK	bigint	8	NOT NULL	

Indexes

Key	Name	Key Columns	Unique
	PK_ERPx_SOOrderStatusRules	OrderTypeSK, OrderStatusSK, DataEntityCompanySK	True

Check Constraints

Name	On Column	Constraint
CK_ERPx_SOOrderStatus-Rules	StatusManaged-EN	([StatusManagedEN]=[dbo].[FNx_ValidateEnumValue]('SOStatus-Managed',[StatusManagedEN]))

Foreign Keys

Name	Columns
------	---------


FK_ERPx_SOOrderStatusRule_ERPx_SOOrderStatus	OrderStatusSK->[dbo].[ERPx_SOOrderStatus].[OrderStatusSK]
--	---

Uses



[dbo].[ERPx_SOOrderStatus]
[dbo].[FNx_ValidateEnumValue]

Used By

[dbo].[SPx_MFDEL_DeleteCompany]
[dbo].[SPx_MFSEL_ContactTypeReportMappingTypeDocumentStatus]
[dbo].[SPx_SOINS_AddOrderHeader]
[dbo].[SPx_SOPProcess_Transaction_Validations]
[dbo].[SPx_SOSEL_FindItems_Detail]
[dbo].[SPx_SOSEL_FindItemsWithBalances_Detail]
[dbo].[SPx_SOSEL_ItemLookup]
[dbo].[SPx_SOSEL_OrderHeader]
[dbo].[SPx_SOSEL_OrderStatusLookup]
[dbo].[SPx_SOSEL_OrderStatusRule]
[dbo].[SPx_SOSEL_QuoteConversionOrderStatusLookup]
[dbo].[SPx_SOSEL_TransactionDetailItem]
[dbo].[SPx_SOSEL_TransactionHeaderHome]
[dbo].[SPx_SOSEL_TransactionItemList]
[dbo].[SPx_SOSEL_TransactionListOrderStatusLookup]
[dbo].[SPx_SOSEL_TransactionTypeMenuLookup]
[dbo].[SPx_SOUPD_OrderPending]
[dbo].[SPx_SOUPD_OrderStatusRule]
[dbo].[SPx_WKSEL_WorkflowStatusLookup]

 [dbo].[ERPx_SOOrderType]

Columns

Key	Name	Data Type	Max Length (Bytes)	Nullability	Default
	OrderTypeSK	bigint	8	NOT NULL	
	HostOrderTypeSK	varchar(25)	25	NULL allowed	
	OrderTypeName	varchar(25)	25	NOT NULL	
	IsEnabled	bit	1	NOT NULL	((1))
	Sort	int	4	NOT NULL	((0))

Indexes

Key	Name	Key Columns	Unique
	PK_ERPx_SOOrderType	OrderTypeSK	True
	IX_ERPx_SOOrderType	OrderTypeName	True

Foreign Keys

Name	Columns
FK_ERPx_SOOrderType_ERPx_SOOrderType	OrderTypeSK->[dbo].[ERPx_SOOrderType].[OrderTypeSK]








Used By




[dbo].[ERPx_ARTransactionType]
 [dbo].[ERPx_MFContactTypeReportMappingTypeDocumentStatus]
 [dbo].[ERPx_SOOrderTypeDocument]
 [dbo].[FNx_GetDynamicRecordViewURL]
 [dbo].[FNx_GetTransactionRecordViewURL]
 [dbo].[IQx_Billing]
 [dbo].[IQx_BillingTransTypeLookup]
 [dbo].[IQx_ContainerDetails]
 [dbo].[IQx_IMSEL_ItemHistory]
 [dbo].[IQx_IMSEL_LotHistory]
 [dbo].[IQx_LMSEL_LoadOrderList]
 [dbo].[IQx_SOSEL_BillingHistory_TransactionClassLookup]
 [dbo].[IQx_SOSEL_ItemHistory]
 [dbo].[IQx_SOSEL_ItemHistory_TransactionClassLookup]
 [dbo].[IQx_SOSEL_SalesHistory]
 [dbo].[IQx_SOSEL_SalesHistory_TransactionClassLookup]
 [dbo].[IQx_SOSEL_ShipmentHistory]
 [dbo].[IQx_SOSEL_ShipmentHistory_TransactionClassLookup]
 [dbo].[IQx_TransactionHistory]

[dbo].[SPx_APSEL_POHeader]
[dbo].[SPx_IMSEL_AllocationAndCommitment]
[dbo].[SPx_IMSEL_AllocationAndCommitmentList]
[dbo].[SPx_INTEG_GPCConvertSODoc]
[dbo].[SPx_INTEG_GPSOHeader]
[dbo].[SPx_INTEG_GPSOInvoice]
[dbo].[SPx_INTEG_GPSOItem]
[dbo].[SPx_LMSEL_LoadOrderList]
[dbo].[SPx_LMSEL_LoadRecordOrderFreightCostList]
[dbo].[SPx_LMSEL_LoadRecordOrderItems]
[dbo].[SPx_LMSEL_LoadRecordOrders]
[dbo].[SPx_MFDEL_DeleteCompany]
[dbo].[SPx_MFINS_AttributeClass]
[dbo].[SPx_MFSEL_ClassHeader]
[dbo].[SPx_MFSEL_ClassLookupByForm]
[dbo].[SPx_MFSEL_ContactTypeReportMappingTypeDocumentStatus]
[dbo].[SPx_MFSEL_HoldCodeList]
[dbo].[SPx_MFSEL_HoldCodeTransactionLookup]
[dbo].[SPx_MFUpdate_MassUpdate]
[dbo].[SPx_SOINS_AddOrderHeader]
[dbo].[SPx_SOINS_SalesInvoiceExecutionHistory]
[dbo].[SPx_SOPProcess_Transaction_Validations]
[dbo].[SPx_SOSEL_HoldCodeLookup]
[dbo].[SPx_SOSEL_OrderHeader]
[dbo].[SPx_SOSEL_OrderHeaderList]
[dbo].[SPx_SOSEL_OrderStatusRule]
[dbo].[SPx_SOSEL_OrderTypeLookup]
[dbo].[SPx_SOSEL_PriceAdjustmentHeaderHome]
[dbo].[SPx_SOSEL_ReasonCodeLookup]
[dbo].[SPx_SOSEL_ReturnHeaderHome]
[dbo].[SPx_SOSEL_ShipmentList]
[dbo].[SPx_SOSEL_TransactionAttributeList]
[dbo].[SPx_SOSEL_TransactionClassList]
[dbo].[SPx_SOSEL_TransactionClassProperty]
[dbo].[SPx_SOSEL_TransactionHeaderProperty]
[dbo].[SPx_SOSEL_TransactionItemList]
[dbo].[SPx_SOSEL_TransactionTypeMenuLookup]
[dbo].[SPx_SOUUpdate_PriceAdjustment]
[dbo].[SPx_SOUUpdate_Return]
[dbo].[SPx_SOUUpdate_Transaction]
[dbo].[SPx_SPSEL_ProcessSettlementBatchItems]
[dbo].[SPx_SPSEL_ProcessSettlementsList]
[dbo].[SPx_WKSEL_ModuleTransactionList]
[dbo].[SPx_WKSEL_WorkflowGroup]
[dbo].[SPx_WKSEL_WorkFlows]
[dbo].[SPx_WKSEL_WorkflowStatusLookup]
[dbo].[VWx_SOSEL_SalesTransactionDetail]


 [dbo].[ERPx_SOOrderTypeDocument]

Columns

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity	Default
 	OrderTypeSK	bigint	8	NOT NULL		
 	DocumentID	varchar(15)	15	NOT NULL		
	DocumentPrefix	varchar(10)	10	NULL allowed		
	NextDocNumber	varchar(15)	15	NOT NULL		((10000))
	DocumentLogoLocation	varchar(1000)	1000	NULL allowed		
 	DataEntityCompanySK	bigint	8	NOT NULL		
	IsInactive	bit	1	NOT NULL		((0))
	AllowMultipleShipments	bit	1	NOT NULL		((0))
	AllowIntegrationToHostSystem	bit	1	NOT NULL		((1))
	OrderTypeDocumentSK	bigint	8	NOT NULL	1 - 1	
	NextInvoiceSourceNumberEN	bigint	8	NULL allowed		
	InvoiceOrderTypeDocumentSK	bigint	8	NULL allowed		
	NextPriceAdjSourceNumberEN	bigint	8	NULL allowed		
	PriceAdjOrderTypeDocumentSK	bigint	8	NULL allowed		
	NextReturnSourceNumberEN	bigint	8	NULL allowed		
	ReturnOrderTypeDocumentSK	bigint	8	NULL allowed		
	InvoiceDateModeEN	bigint	8	NULL allowed		
	SingleDateManagement	bit	1	NULL allowed		
	DefaultPaymentTermSK	bigint	8	NULL allowed		
	IsShipByDateRequired	bit	1	NULL allowed		
	IsDeliverOnDateRequired	bit	1	NULL allowed		
	IsAttributeEditAllowedAfterApproval	bit	1	NULL allowed		
	SendInvoicesToHostSystemEN	bigint	8	NULL allowed		
	IntegrationMethodEN	bigint	8	NOT NULL		

	AreFreightTermsRequired	bit	1	NULL allowed		
	AllowDeleteltemsWithAllocation	bigint	8	NULL allowed		
	AllowQuote	bit	1	NULL allowed		
	NextQuoteSourceNumberEN	bigint	8	NULL allowed		
	QuoteOrderTypeDocumentSK	bigint	8	NULL allowed		
	QuoteConversionDefaultOrderStatus	bigint	8	NULL allowed		
	AllowAllocationOfNonLotTrackedItems-FromSORV	bit	1	NOT NULL		((0))
	RequireInsideSalesperson	bit	1	NULL allowed		
	RequireOutsideSalesperson	bit	1	NULL allowed		
	DefaultShipFromSiteSK	bigint	8	NULL allowed		
	DefaultCarrierSK	bigint	8	NULL allowed		
	DefaultFreightTermsSK	bigint	8	NULL allowed		
	IsCarrierRequired	bit	1	NOT NULL		((0))
	DefaultFreightFreightRateTypeEN	bigint	8	NULL allowed		
	DefaultHandlingFreightRateTypeEN	bigint	8	NULL allowed		
	AutoCreatePurchaseOrderForDelivered-Freight	bit	1	NOT NULL		((0))
	FreightVarianceGLAccountSKForDelivered-Freight	bigint	8	NULL allowed		
	PurchaseOrderClassSKForDelivered-Freight	bigint	8	NULL allowed		
	FreightAndSurchargeItemSKForDelivered-FreightPurchaseOrder	bigint	8	NULL allowed		
	HandlingItemSKForDeliveredFreight-PurchaseOrder	bigint	8	NULL allowed		
	OtherChargeItemSKForDeliveredFreight-PurchaseOrder	bigint	8	NULL allowed		
	RemitToAddressSK	bigint	8	NOT NULL		
	SalesFreightAccrualGLAccountSK	bigint	8	NULL allowed		

Indexes

Key	Name	Key Columns	Unique
	PK_ERPx_SOOrderTypeDocument	OrderTypeSK, DocumentID, DataEntityCompanySK	True

	IX_ERPx_SOOrderTypeDocument	OrderTypeSK, DocumentID, DataEntityCompanySK	True
	UK_ERPx_SOOrderTypeDocument	OrderTypeDocumentSK	True

Foreign Keys

Name	Columns
FK_ERPx_SOOrderTypeDocument_ERPx_-APTransactionClass	PurchaseOrderClassSKForDeliveredFreight->[dbo].[ERPx_-APTransactionClass].[TransactionClassSK]
FK_ERPx_SOOrderTypeDocument_ERPx_GLAccount	FreightVarianceGLAccountSKForDeliveredFreight->[dbo].[ERPx_-GLAccount].[AccountSK]
FK_ERPx_SOOrderTypeDocument_ERPx_IMItem_-FreightAndSurchargerItem	FreightAndSurchargerItemSKForDeliveredFreightPurchaseOrder->[dbo].[ERPx_-IMItem].[ItemSK]
FK_ERPx_SOOrderTypeDocument_ERPx_IMItem_-HandlingItem	HandlingItemSKForDeliveredFreightPurchaseOrder->[dbo].[ERPx_-IMItem].[ItemSK]
FK_ERPx_SOOrderTypeDocument_ERPx_IMItem_-OtherChargerItem	OtherChargerItemSKForDeliveredFreightPurchaseOrder->[dbo].[ERPx_-IMItem].[ItemSK]
FK_ERPx_SOOrderTypeDocument_ERPx_-MFAddress	RemitToAddressSK->[dbo].[ERPx_-MFAddress].[AddressSK]
FK_ERPx_SOOrderTypeDocument_ERPx_MFSite	DefaultShipFromSiteSK->[dbo].[ERPx_-MFSite].[SiteSK]
FK_ERPx_SOOrderTypeDocument_ERPx_SOCarrier	DefaultCarrierSK->[dbo].[ERPx_-SOCarrier].[CarrierSK]
FK_ERPx_SOOrderTypeDocument_ERPx_SOFreightTerms	DefaultFreightTermsSK->[dbo].[ERPx_-SOFreightTerms].[FreightTermsSK]
FK_ERPx_SOOrderTypeDocument_ERPx_SOOrderType	OrderTypeSK->[dbo].[ERPx_-SOOrderType].[OrderTypeSK]
FK_ERPx_SOOrderTypeDocument_ERPx_SOOrderTypeDocument	QuoteOrderTypeDocumentSK->[dbo].[ERPx_-SOOrderTypeDocument].[OrderTypeDocumentSK]

Uses

[dbo].[ERPx_-APTransactionClass]
 [dbo].[ERPx_-GLAccount]
 [dbo].[ERPx_-IMItem]
 [dbo].[ERPx_-MFAddress]
 [dbo].[ERPx_-MFSite]
 [dbo].[ERPx_-SOCarrier]
 [dbo].[ERPx_-SOFreightTerms]
 [dbo].[ERPx_-SOOrderType]




Used By

[dbo].[IQx_-Billing]
 [dbo].[IQx_-SOSEL_-BillingHistory_-TransactionClassLookup]
 [dbo].[IQx_-SOSEL_-ItemHistory]
 [dbo].[IQx_-SOSEL_-ItemHistory_-TransactionClassLookup]
 [dbo].[IQx_-SOSEL_-SalesHistory_-TransactionClassLookup]
 [dbo].[IQx_-SOSEL_-ShipmentHistory_-TransactionClassLookup]
 [dbo].[SPx_-APPProcess_-PurchaseOrder]
 [dbo].[SPx_-APSEL_-POHeader]
 [dbo].[SPx_-INTEG_-BWInvoiceHeaderItem_XML]


[dbo].[SPx_INTEG_BWOrderHeaderItem_XML]
[dbo].[SPx_INTEG_GPCConvertSODoc]
[dbo].[SPx_INTEG_GPSOInvoice]
[dbo].[SPx_INTEG_GPSOTransactionClass]
[dbo].[SPx_LMINS_LoadBuilder]
[dbo].[SPx_LMProcess_MFShipment]
[dbo].[SPx_LMSEL_CalculateLoadTransactionLegDetails]
[dbo].[SPx_LMSEL_MFShipmentLegList_NewRow]
[dbo].[SPx_MFDEL_DeleteCompany]
[dbo].[SPx_MFSEL_ClassHeader]
[dbo].[SPx_MFSEL_ClassLookupByForm]
[dbo].[SPx_MFSEL_ContactTypeReportMappingTypeDocumentStatus]
[dbo].[SPx_MFSEL_TransactionClassLookup]
[dbo].[SPx_MFUpdate_AddressList]
[dbo].[SPx_MFUpdate_MassUpdate]
[dbo].[SPx_SOINS_AddOrderHeader]
[dbo].[SPx_SOINS_SalesInvoiceExecutionHistory]
[dbo].[SPx_SOPProcess_AssignInvoiceNumber]
[dbo].[SPx_SOPProcess_PurchaseOrder]
[dbo].[SPx_SOPProcess_Transaction]
[dbo].[SPx_SOPProcess_Transaction_AssignInvoiceNumber]
[dbo].[SPx_SOPProcess_Transaction_InsertOrderHeader]
[dbo].[SPx_SOPProcess_Transaction_InsertShipments]
[dbo].[SPx_SOPProcess_Transaction_UpdateOrderHeader]
[dbo].[SPx_SOPProcess_Transaction_Validations]
[dbo].[SPx_SOPProcess_ValidateTransaction]
[dbo].[SPx_SOSEL_DocumentIDLookup]
[dbo].[SPx_SOSEL_GetNextSODocNumber]
[dbo].[SPx_SOSEL_PaymentTermsLookup]
[dbo].[SPx_SOSEL_PriceAdjustmentDocIDLookup]
[dbo].[SPx_SOSEL_PriceAdjustmentHeaderHome]
[dbo].[SPx_SOSEL_ReturnDocIDLookup]
[dbo].[SPx_SOSEL_ReturnHeaderHome]
[dbo].[SPx_SOSEL_TransactionAttributeList]
[dbo].[SPx_SOSEL_TransactionClass_AccountLookup]
[dbo].[SPx_SOSEL_TransactionClass_ItemLookup]
[dbo].[SPx_SOSEL_TransactionClass_POClassLookup]
[dbo].[SPx_SOSEL_TransactionClass_RemitToAddress]
[dbo].[SPx_SOSEL_TransactionClass_SalesFreightAccountLookup]
[dbo].[SPx_SOSEL_TransactionClassCarrierLookup]
[dbo].[SPx_SOSEL_TransactionClassList]
[dbo].[SPx_SOSEL_TransactionClassLookup]
[dbo].[SPx_SOSEL_TransactionClassProperty]
[dbo].[SPx_SOSEL_TransactionClassSiteLookup]
[dbo].[SPx_SOSEL_TransactionDetailItem]
[dbo].[SPx_SOSEL_TransactionDetailItemNewRow]
[dbo].[SPx_SOSEL_TransactionHeaderHome]
[dbo].[SPx_SOSEL_TransactionHeaderShipment]
[dbo].[SPx_SOSEL_TransactionShipToHeader]
[dbo].[SPx_SOSEL_TransactionTypeMenuLookup]
[dbo].[SPx_SOUUpdate_PriceAdjustment]
[dbo].[SPx_SOUUpdate_Return]
[dbo].[SPx_SOUUpdate_Transaction]

[dbo].[SPx_SOUupdate_TransactionClass]
[dbo].[SPx_SOUupdate_TransactionClassList]
[dbo].[SPx_SOUupdate_TransactionShipTo]

[dbo].[ERPx_SOSalesperson]**Columns**

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity	Default
	SalespersonSK	bigint	8	NOT NULL	1 - 1	
	HostSystemLink	varchar(100)	100	NULL allowed		
	SalespersonID	varchar(15)	15	NOT NULL		
	SalespersonName	varchar(50)	50	NOT NULL		
	Email	varchar(200)	200	NULL allowed		
	IsInactive	bit	1	NOT NULL		((0))
	DataEntityCompanySK	bigint	8	NOT NULL		
	SalespersonTypeEN	int	4	NOT NULL		((1))
	LastUpdated	datetime	8	NULL allowed		(getdate())
	LastUser	varchar(110)	110	NULL allowed		

Indexes







Key	Name	Key Columns	Unique
	PK_ERPx_SOSalesperson	SalespersonSK	True
	UK_ERPx_SOSalesperson_1	SalespersonID, DataEntityCompanySK	True

Used By


[dbo].[ERPx_ARCustomerAddress]
 [dbo].[IQx_Billing]
 [dbo].[IQx_LMSEL_LoadOrderList]
 [dbo].[IQx_SOSEL_ItemHistory]
 [dbo].[IQx_SOSEL_SalesHistory]
 [dbo].[IQx_SOSEL_ShipmentHistory]
 [dbo].[IQx_TransactionHistory]
 [dbo].[SPx_ARSEL_CustomerAddressList]
 [dbo].[SPx_ARSEL_CustomerAddressLookup]
 [dbo].[SPx_ARSEL_CustomerAddressProperties]
 [dbo].[SPx_ARSEL_SOCustomerAddressList]
 [dbo].[SPx_IMSEL_AllocationAndCommitment]
 [dbo].[SPx_IMSEL_AllocationAndCommitmentList]
 [dbo].[SPx_INTEG_GPCustomerAddress]
 [dbo].[SPx_INTEG_GPSInvoice]
 [dbo].[SPx_LMSEL_LoadOrderList]
 [dbo].[SPx_MFDEL_DeleteCompany]
 [dbo].[SPx_MFExport_ARCustomersAndAddresses]
 [dbo].[SPx_MFINSUPDDEL_SalesPerson_XML]

[dbo].[SPx_SOINS_AddOrderHeader]
[dbo].[SPx_SOINS_SalesInvoiceExecutionHistory]
[dbo].[SPx_SOSEL_OrderHeader]
[dbo].[SPx_SOSEL_OrderHeaderList]
[dbo].[SPx_SOSEL_SalespersonList]
[dbo].[SPx_SOSEL_SalespersonLookup]
[dbo].[SPx_SOSEL_ShipmentList]
[dbo].[SPx_SOSEL_TransactionHeaderProperty]
[dbo].[SPx_SOSEL_TransactionItemList]
[dbo].[SPx_SOSEL_TransactionSalespersonLookup]
[dbo].[SPx_SOUPD_Salesperson]
[dbo].[SPx_SOUupdate_Salesperson]

[dbo].[ERPx_SOTransactionTax]**Columns**

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity
	TransactionTaxSK	bigint	8	NOT NULL	1 - 1
	TransactionSK	bigint	8	NOT NULL	
	TransactionTypeSK	bigint	8	NOT NULL	
	TaxDetailSK	bigint	8	NOT NULL	
	AccountSK	bigint	8	NOT NULL	
	TaxAmount	numeric(18,5)	9	NOT NULL	
	MaxTransactionAmount	numeric(18,5)	9	NULL allowed	
	LastUpdated	datetime	8	NOT NULL	
	LastUser	varchar(150)	150	NOT NULL	
	DataEntityCompanySK	bigint	8	NOT NULL	

Indexes

Key	Name	Key Columns	Unique
	PK_ERPx_SOTransactionTax	TransactionTaxSK	True
	IX_ERPx_SOTransactionTax	TransactionSK, TransactionTypeSK, TaxDetailSK, DataEntityCompanySK	True

Foreign Keys

Name	Columns
FK_ERPx_SOTransactionTax_ERPx_GLAccount	AccountSK->[dbo].[ERPx_GLAccount].[AccountSK]
FK_ERPx_SOTransactionTax_ERPx_MFDataEntity-Company	DataEntityCompanySK->[dbo].[ERPx_MFDataEntityCompany].[DataEntity-CompanySK]
FK_ERPx_SOTransactionTax_ERPx_MFTaxDetail	TaxDetailSK->[dbo].[ERPx_MFTaxDetail].[TaxDetailSK]

Uses

[dbo].[ERPx_GLAccount]
 [dbo].[ERPx_MFDataEntityCompany]
 [dbo].[ERPx_MFTaxDetail]




Used By

[dbo].[FNx_GetTransactionAccounts]
 [dbo].[FNx_GetTransactionAmounts]


[dbo].[SPx_ARSEL_SaleInvoiceLineList]
[dbo].[SPx_ARUPD_TransactionHeaderRollup]
[dbo].[SPx_INTEG_GPARInvoiceOutbound]
[dbo].[SPx_MFDEL_DeleteCompany]
[dbo].[SPx_MFUpdate_JournalDetails]
[dbo].[SPx_MFUpdate_TaxDetailList]
[dbo].[SPx_MFUpdate_TransactionTax]

 [dbo].[ERPx_SPPProgramCarrier]

Columns

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity
	ProgramCarrierSK	bigint	8	NOT NULL	1 - 1
	ProgramHeaderSK	bigint	8	NOT NULL	
	CarrierSK	bigint	8	NOT NULL	

Indexes

Key	Name	Key Columns	Unique
	PK_ERPx_SPPProgramCarrier	ProgramCarrierSK	True
	UK_ERPx_SPPProgramCarrier_1	ProgramHeaderSK, CarrierSK	True

Foreign Keys

Name	Columns
FK_ERPx_SPPProgramCarrier_ERPx_MFCarrier	CarrierSK->[dbo].[ERPx_SOCarrier].[CarrierSK]
FK_ERPx_SPPProgramCarrier_ERPx_SPPProgram-Header	ProgramHeaderSK->[dbo].[ERPx_SPPProgramHeader].[ProgramHeaderSK]





Uses

[dbo].[ERPx_SOCarrier]
 [dbo].[ERPx_SPPProgramHeader]


Used By

[dbo].[SPx_MFDEL_DeleteCompany]
 [dbo].[SPx_MFProcess_Carrier]
 [dbo].[SPx_SOUUpdate_Carrier]
 [dbo].[SPx_SP_CalculateOrderPrograms]
 [dbo].[SPx_SPINS_ProgramCarrier]
 [dbo].[SPx_SPPProcess_Program]
 [dbo].[SPx_SPSEL_CarrierList]
 [dbo].[SPx_SPUUpdate_Program]
 [dbo].[SPx_SPUUpdate_ProgramList]

[dbo].[ERPx_SPPProgramClass]**Columns**

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity	Default
	ProgramClassSK	bigint	8	NOT NULL	1 - 1	
	ProgramTypeSK	bigint	8	NOT NULL		
	ClassName	varchar(25)	25	NOT NULL		
	Description	varchar(100)	100	NULL allowed		
	ProgramPrefix	varchar(10)	10	NULL allowed		
	NextProgramID	bigint	8	NOT NULL		
	Sequence	bigint	8	NOT NULL		
	IsInactive	bit	1	NOT NULL		((0))
	DataEntityCompanySK	bigint	8	NOT NULL		
	LastUser	varchar(150)	150	NOT NULL		
	LastUpdated	datetime	8	NOT NULL		

Indexes




Key	Name	Key Columns	Unique
	PK_ERPx_SPPProgramClass	ProgramClassSK	True
	UK_ERPx_SPPProgramClass_1	ClassName, ProgramTypeSK, DataEntityCompanySK	True

Used By


[dbo].[ERPx_SPPProgramHeader]
 [dbo].[IQx_SPSEL_FreightRatesByItem]
 [dbo].[IQx_SPSEL_FreightRatesByItemSet]
 [dbo].[SPx_ARSEL_CustomerSalesProgramList]
 [dbo].[SPx_MFDEL_DeleteCompany]
 [dbo].[SPx_MFSEL_DataEntityMap]
 [dbo].[SPx_SOSEL_SalesProgramDetail_Accrual]
 [dbo].[SPx_SP_CalculateOrderPrograms]
 [dbo].[SPx_SPPProcess_Program]
 [dbo].[SPx_SPPProcess_ProgramClass]
 [dbo].[SPx_SPPProcess_ProgramClass_Validations]
 [dbo].[SPx_SPPProcess_SalesProgram_Validations]
 [dbo].[SPx_SPPProcess_SettlementBatch]
 [dbo].[SPx_SPSEL_ProcessSettlements_ProgramClassLookup]
 [dbo].[SPx_SPSEL_ProgramClassList]
 [dbo].[SPx_SPSEL_ProgramClassList_NewRow]
 [dbo].[SPx_SPSEL_ProgramClassLookup]

[dbo].[SPx_SPSEL_ProgramHeader]
[dbo].[SPx_SPSEL_ProgramIDLookup]
[dbo].[SPx_SPSEL_ProgramItemSetList]
[dbo].[SPx_SPSEL_ProgramList]
[dbo].[SPx_SPSEL_ProgramNewButtonLookup]
[dbo].[SPx_SPSEL_ProgramPromotionFreightItemsList]
[dbo].[SPx_SPSEL_ProgramSettlementBatchLookup]
[dbo].[SPx_SPSEL_ProgramSettlementProgramLookup]
[dbo].[SPx_SPSEL_SalesProgram_ProgramClassLookup]
[dbo].[SPx_SPSEL_SalesProgram_Property]
[dbo].[SPx_SPUUpdate_Program]

[dbo].[ERPx_SPPProgramCustomerAddress]**Columns**

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity
	ProgramCustomerAddressSK	bigint	8	NOT NULL	1 - 1
	ProgramHeaderSK	bigint	8	NOT NULL	
	CustomerAddressSK	bigint	8	NOT NULL	
	CustomerStartDate	datetime	8	NULL allowed	

Indexes

Key	Name	Key Columns	Unique
	PK_ERPx_SPPProgramCustomerAddress	ProgramCustomerAddressSK	True
	UK_ERPx_SPPProgramCustomerAddress_1	ProgramHeaderSK, CustomerAddressSK	True

Foreign Keys

Name	Columns
FK_ERPx_SPPProgramCustomerAddress_ERPx_ARCustomerAddress	CustomerAddressSK->[dbo].[ERPx_ARCustomerAddress].[CustomerAddressSK]
FK_ERPx_SPPProgramCustomerAddress_ERPx_SPPProgramHeader	ProgramHeaderSK->[dbo].[ERPx_SPPProgramHeader].[ProgramHeaderSK]

Uses

[dbo].[ERPx_ARCustomerAddress]
 [dbo].[ERPx_SPPProgramHeader]




Used By

[dbo].[SPx_ARMerge_CustomerAndAddress]
 [dbo].[SPx_ARProcess_Customer]
 [dbo].[SPx_ARProcess_CustomerAddress]
 [dbo].[SPx_ARSEL_CustomerSalesProgramList]
 [dbo].[SPx_ARUpdate_ARCustomerAddressList]
 [dbo].[SPx_ARUpdate_CustomerList]
 [dbo].[SPx_MFDEL_DeleteCompany]
 [dbo].[SPx_MFUpdate_MassUpdate]
 [dbo].[SPx_SP_CalculateOrderPrograms]
 [dbo].[SPx_SPINS_ProgramCustomer]
 [dbo].[SPx_SPPProcess_Program]
 [dbo].[SPx_SPSEL_CustomerAddressList]


[dbo].[SPx_SPUUpdate_Program]

[dbo].[SPx_SPUUpdate_ProgramList]

[dbo].[ERPx_SPPProgramCustomerAddrSet]**Columns**

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity
	ProgramCustomerAddrSetSK	bigint	8	NOT NULL	1 - 1
	ProgramHeaderSK	bigint	8	NOT NULL	
	CustomerAddrSetSK	bigint	8	NOT NULL	

Indexes

Key	Name	Key Columns	Unique
	PK_ERPx_SPPProgramCustomerAddrSet	ProgramCustomerAddrSetSK	True
	UK_ERPx_SPPProgramCustomerAddrSet_1	ProgramHeaderSK, CustomerAddrSetSK	True

Foreign Keys

Name	Columns
FK_ERPx_SPPProgramCustomerAddrSet_ERPx_ARCustomerAddrSet	CustomerAddrSetSK->[dbo].[ERPx_ARCustomerAddrSet].[CustomerAddrSetSK]
FK_ERPx_SPPProgramCustomerAddrSet_ERPx_SPPProgramHeader	ProgramHeaderSK->[dbo].[ERPx_SPPProgramHeader].[ProgramHeaderSK]

Uses








[dbo].[ERPx_ARCustomerAddrSet]
 [dbo].[ERPx_SPPProgramHeader]

Used By

[dbo].[IQx_SPSEL_FreightRatesByItem]
 [dbo].[IQx_SPSEL_FreightRatesByItemSet]
 [dbo].[SPx_ARDEL_CustomerAddrSet]
 [dbo].[SPx_ARSEL_CustomerSalesProgramList]
 [dbo].[SPx_MFDEL_DeleteCompany]
 [dbo].[SPx_SP_CalculateOrderPrograms]
 [dbo].[SPx_SPINS_CustomerAddrSet]
 [dbo].[SPx_SPPProcess_Program]
 [dbo].[SPx_SPSEL_CustomerAddrSetList]
 [dbo].[SPx_SPUUpdate_Program]
 [dbo].[SPx_SPUUpdate_ProgramList]


 [dbo].[ERPx_SPPProgramHeader]

Columns

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity	Default
	ProgramHeaderSK	bigint	8	NOT NULL	1 - 1	
	ProgramID	varchar(15)	15	NOT NULL		
	Description	varchar(200)	200	NULL allowed		
	ProgramClassSK	bigint	8	NOT NULL		
	SettlementMethodSK	bigint	8	NOT NULL		
	SettlementFrequencySK	bigint	8	NULL allowed		
	ProgramEntitySK	bigint	8	NULL allowed		
	StartDate	datetime	8	NOT NULL		
	EndDate	datetime	8	NULL allowed		
	DRAccountSK	bigint	8	NULL allowed		
	CRAccountSK	bigint	8	NULL allowed		
	DataEntityCompanySK	bigint	8	NOT NULL		
	AccountingRuleEN	int	4	NULL allowed		
	IsInactive	bit	1	NOT NULL		((0))
	AddressFilterEN	bigint	8	NOT NULL		
	CurrencySK	bigint	8	NOT NULL		
	LastUser	varchar(100)	100	NOT NULL		
	LastUpdated	datetime	8	NOT NULL		
	CreatedBy	varchar(150)	150	NULL allowed		
	CreatedDateTime	datetime	8	NOT NULL		(getdate())
	ConsolidateSettlementTransactionsBy-EN	bigint	8	NULL allowed		
	IsFreightAccrual	bit	1	NULL allowed		

Indexes

Key	Name	Key Columns	Unique
-----	------	-------------	--------

	PK_ERPx_SPPProgramHeader	ProgramHeaderSK	True
	UK_ERPx_SPPProgramHeader_1	ProgramID, ProgramClassSK, DataEntityCompanySK	True

Foreign Keys

Name	Columns
FK_ERPx_SPPProgramHeader_ERPx_GLAccount_-CRAccountSK	CRAccountSK->[dbo].[ERPx_GLAccount].[AccountSK]
FK_ERPx_SPPProgramHeader_ERPx_GLAccount_-DRAccountSK	DRAccountSK->[dbo].[ERPx_GLAccount].[AccountSK]
FK_ERPx_SPPProgramHeader_ERPx_MFCurrency_-CurrencySK	CurrencySK->[dbo].[ERPx_MFCurrency].[CurrencySK]
FK_ERPx_SPPProgramHeader_ERPx_MFDataEntity-Company	DataEntityCompanySK->[dbo].[ERPx_MFDataEntityCompany].[Data-EntityCompanySK]
FK_ERPx_SPPProgramHeader_ERPx_SPPProgram-Class	ProgramClassSK->[dbo].[ERPx_SPPProgramClass].[ProgramClassSK]

Uses





[dbo].[ERPx_GLAccount]
 [dbo].[ERPx_MFCurrency]
 [dbo].[ERPx_MFDataEntityCompany]
 [dbo].[ERPx_SPPProgramClass]

Used By


[dbo].[ERPx_SPPProgramCarrier]
 [dbo].[ERPx_SPPProgramCustomerAddress]
 [dbo].[ERPx_SPPProgramCustomerAddrSet]
 [dbo].[ERPx_SPPProgramHeaderNote]
 [dbo].[ERPx_SPPProgramItemSet]
 [dbo].[ERPx_SPPProgramSite]
 [dbo].[FNx_GetTransactionAccounts]
 [dbo].[IQx_SPSEL_FreightRatesByItem]
 [dbo].[IQx_SPSEL_FreightRatesByItemSet]
 [dbo].[SPx_APProcess_Vendor]
 [dbo].[SPx_APUUpdate_VendorList]
 [dbo].[SPx_ARMerge_CustomerAndAddress]
 [dbo].[SPx_ARProcess_Customer]
 [dbo].[SPx_ARSEL_CustomerSalesProgramList]
 [dbo].[SPx_ARUpdate_CustomerList]
 [dbo].[SPx_FAUpdate_FishermanTenderList]
 [dbo].[SPx_FAUpdate_LoanList]
 [dbo].[SPx_MFDEL_DeleteCompany]
 [dbo].[SPx_MFSEL_DataEntityMap]
 [dbo].[SPx_SOSEL_SalesProgramDetail_Accrual]
 [dbo].[SPx_SOSEL_SalesProgramDetail_OnInvoice]
 [dbo].[SPx_SP_CalculateOrderPrograms]
 [dbo].[SPx_SPProcess_Program]
 [dbo].[SPx_SPProcess_ProgramClass_Validations]

[dbo].[SPx_SPPProcess_SalesProgram_Validations]
[dbo].[SPx_SPPProcess_SettlementBatch]
[dbo].[SPx_SPSEL_CustomerAddressList]
[dbo].[SPx_SPSEL_GLAccountLookup]
[dbo].[SPx_SPSEL_ProcessSettlementBatchItems]
[dbo].[SPx_SPSEL_ProgramClassList]
[dbo].[SPx_SPSEL_ProgramClassLookup]
[dbo].[SPx_SPSEL_ProgramHeader]
[dbo].[SPx_SPSEL_ProgramIDLookup]
[dbo].[SPx_SPSEL_ProgramItemSetList]
[dbo].[SPx_SPSEL_ProgramList]
[dbo].[SPx_SPSEL_ProgramPromotionFreightItemsList]
[dbo].[SPx_SPSEL_ProgramSettlementBatchLookup]
[dbo].[SPx_SPSEL_ProgramSettlementProgramLookup]
[dbo].[SPx_SPSEL_SalesProgram_OffBookGLAccountLookup]
[dbo].[SPx_SPSEL_SalesProgram_ProgramClassLookup]
[dbo].[SPx_SPSEL_SalesProgram_Property]
[dbo].[SPx_SPUUpdate_Program]
[dbo].[SPx_SPUUpdate_ProgramList]

[dbo].[ERPx_SPPProgramHeaderNote]**Columns**

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity	Default
	HeaderNoteSK	bigint	8	NOT NULL	1 - 1	
	ProgramHeaderSK	bigint	8	NOT NULL		
	NoteTypeSK	bigint	8	NOT NULL		
	Note	varchar(2000)	2000	NULL allowed		
	LastUpdated	datetime	8	NULL allowed		(getdate())
	LastUser	varchar(110)	110	NULL allowed		
	DataEntityCompanySK	bigint	8	NOT NULL		
	NoteHTML	varchar(max)	max	NULL allowed		

Indexes

Key	Name	Key Columns	Unique
	PK_ERPx_SPPProgramHeaderNote	HeaderNoteSK	True
	UK_ERPx_SPPProgramHeaderNote_1	ProgramHeaderSK, NoteTypeSK, DataEntityCompanySK	True

Foreign Keys

Name	Columns
FK_ERPx_SPPProgramHeaderNote_ERPx_MFNoteType	NoteTypeSK->[dbo].[ERPx_MFNoteType].[NoteTypeSK]
FK_ERPx_SPPProgramHeaderNote_ERPx_SPPProgram-Header	ProgramHeaderSK->[dbo].[ERPx_SPPProgramHeader].[Program-HeaderSK]




Uses

[dbo].[ERPx_MFNoteType]
[dbo].[ERPx_SPPProgramHeader]

Used By

[dbo].[IQx_SPSEL_FreightRatesByItem]
[dbo].[IQx_SPSEL_FreightRatesByItemSet]
[dbo].[SPx_MFDEL_DeleteCompany]
[dbo].[SPx_MFManage_NoteAssignment]
[dbo].[SPx_MFSEL_NoteList]
[dbo].[SPx_SPPProcess_Program]
[dbo].[SPx_SPUUpdate_Program]
[dbo].[SPx_SPUUpdate_ProgramList]

[dbo].[ERPx_SPPProgramHeaderProperty]**Columns**

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity	Default
	SPPProgramPropertySK	bigint	8	NOT NULL	1 - 1	
	PropertyGroupDescription	varchar(200)	200	NULL allowed		
	PropertyName	varchar(50)	50	NOT NULL		
	PropertyDescription	varchar(200)	200	NOT NULL		
	PropertyDefinitionSK	bigint	8	NULL allowed		
	Sort	bigint	8	NOT NULL		
	LastUpdated	datetime	8	NOT NULL		(getdate())
	LastUser	varchar(150)	150	NOT NULL		
	DataEntityCompanySK	bigint	8	NOT NULL		
	IsReadOnly	bit	1	NOT NULL		((0))
	TabLocation	varchar(50)	50	NOT NULL		('Properties')
	MaxLengthOrDecimals	bigint	8	NULL allowed		
	ProgramTypeEN	bigint	8	NOT NULL		

Indexes

Key	Name	Key Columns	Unique
	PK_ERPx_SPPProgramHeaderProperty	SPPProgramPropertySK	True

Foreign Keys

Name	Columns
FK_ERPx_SPPProgramHeaderProperty_ERPx_MFData-EntityCompany	DataEntityCompanySK->[dbo].[ERPx_MFDataEntityCompany].[Data-EntityCompanySK]
FK_ERPx_SPPProgramHeaderProperty_ERPx_-MFPropertyDefinition	PropertyDefinitionSK->[dbo].[ERPx_MFPropertyDefinition].[Property-DefinitionSK]

Uses

[dbo].[ERPx_MFDataEntityCompany]




[dbo].[ERPx_MFPropertyDefinition]

Used By


[dbo].[SPx_SPSEL_SalesProgram_Property]

[dbo].[ERPx_SPPProgramItemSet]

Columns

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity
	ProgramItemSetSK	bigint	8	NOT NULL	1 - 1
	ProgramHeaderSK	bigint	8	NOT NULL	
	ItemSetSK	bigint	8	NOT NULL	
	PromoProgramItemSK	bigint	8	NULL allowed	
	ProgramCalcMethodSK	bigint	8	NOT NULL	
	CalcUnit	bigint	8	NULL allowed	
	Rate	decimal(18,5)	9	NOT NULL	
	Sequence	bigint	8	NOT NULL	

Indexes

Key	Name	Key Columns	Unique
	PK_ERPx_SPPProgramItemSet	ProgramItemSetSK	True
	UK_ERPx_SPPProgramItemSet	ProgramHeaderSK, ItemSetSK	True

Foreign Keys

Name	Columns
FK_ERPx_SPPProgramItemSet_ERPx_IMItemSet	ItemSetSK->[dbo].[ERPx_IMItemSet].[ItemSetSK]
FK_ERPx_SPPProgramItemSet_ERPx_SPPProgram-Header	ProgramHeaderSK->[dbo].[ERPx_SPPProgramHeader].[ProgramHeader-SK]

Uses

[dbo].[ERPx_IMItemSet]
[dbo].[ERPx_SPPProgramHeader]

Used By

[dbo].[IQx_SPSEL_FreightRatesByItem]
[dbo].[IQx_SPSEL_FreightRatesByItemSet]
[dbo].[SPx_IMSEL_ItemSet]
[dbo].[SPx_IMUpdate_ItemSet]
[dbo].[SPx_IMUpdate_ItemSetList]
[dbo].[SPx_MFDEL_DeleteCompany]
[dbo].[SPx_SP_CalculateOrderPrograms]
[dbo].[SPx_SPPProcess_Program]



[dbo].[SPx_SPSEL_ProgramItemSet_NewRow]

[dbo].[SPx_SPSEL_ProgramItemSetList]

[dbo].[SPx_SPUUpdate_Program]

[dbo].[SPx_SPUUpdate_ProgramList]

[dbo].[ERPx_SPPProgramSettlementBatch]**Columns**

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity	Default
	SettlementBatchSK	bigint	8	NOT NULL	1 - 1	
	BatchID	varchar(125)	125	NULL allowed		
	InvoiceDateThrough	date	3	NULL allowed		
	PaidInFullThrough	date	3	NULL allowed		
	Payee	varchar(125)	125	NULL allowed		
	ProgramSKCSV	varchar(max)	max	NULL allowed		
	EligibleToPay	varchar(5)	5	NULL allowed		
	SOCustomer	varchar(125)	125	NULL allowed		
	Invoice	varchar(75)	75	NULL allowed		
	PurchaseOrderNumber	varchar(50)	50	NULL allowed		
	SettlementDate	date	3	NULL allowed		
	IsValid	bit	1	NOT NULL		((0))
	IsProcessed	bit	1	NOT NULL		((0))
	LastUpdated	datetime	8	NOT NULL		
	LastUser	varchar(150)	150	NOT NULL		
	DataEntityCompanySK	bigint	8	NOT NULL		
	SPSettlePerEN	bigint	8	NULL allowed		
	SPSettleToEN	bigint	8	NULL allowed		
	Comment	varchar(200)	200	NULL allowed		
	IncludeUnpaidInvoices	bit	1	NULL allowed		
	ProgramClassSKCSV	varchar(max)	max	NULL allowed		
	ProgramTypeEN	bigint	8	NULL allowed		

Indexes

Key	Name	Key Columns	Unique
	PK_ERPx_SPPProgramSettlementBatch	SettlementBatchSK	True

Foreign Keys

Name	Columns
FK_ERPx_SPPProgramSettlementBatch_ERPx_MFData-EntityCompany	DataEntityCompanySK->[dbo].[ERPx_MFDataEntityCompany].[Data-EntityCompanySK]





Uses

[dbo].[ERPx_MFDataEntityCompany]

Used By

[dbo].[ERPx_SPPProgramSettlementBatchItem]
[dbo].[ERPx_SPPProgramSettlementBatchPayment]
[dbo].[SPx_ARProcess_PaymentReceipt_SettleRebates]
[dbo].[SPx_SPPProcess_SettlementBatch]
[dbo].[SPx_SPSEL_ProcessSettlementBatch]
[dbo].[SPx_SPSEL_ProcessSettlementBatchItems]
[dbo].[SPx_SPSEL_ProcessSettlementItems]
[dbo].[SPx_SPSEL_ProgramSettlementBatchLookup]
[dbo].[SPx_SPSEL_ProgramSettlementProgramLookup]
[dbo].[SPx_SPUUpdate_ProcessSettlementItems]
[dbo].[SPx_SPUUpdate_SettlementRollup]

[dbo].[ERPx_SPPProgramSettlementBatchItem]**Columns**

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity
	SettlementBatchItemSK	bigint	8	NOT NULL	1 - 1
	SettlementBatchSK	bigint	8	NOT NULL	
	SettlementHeaderSK	bigint	8	NOT NULL	
	LastUpdated	datetime	8	NOT NULL	
	LastUser	varchar(150)	150	NOT NULL	
	DataEntityCompanySK	bigint	8	NOT NULL	

Indexes

Key	Name	Key Columns	Unique
	PK_ERPx_SPPProgramSettlementBatchItem	SettlementBatchItemSK	True

Foreign Keys

Name	Columns
FK_ERPx_SPPProgramSettlementBatchItem_ERPx_MFDataEntityCompany	DataEntityCompanySK->[dbo].[ERPx_MFDataEntityCompany].[DataEntityCompanySK]
FK_ERPx_SPPProgramSettlementBatchItem_ERPx_SPPProgramSettlementBatch	SettlementBatchSK->[dbo].[ERPx_SPPProgramSettlementBatch].[SettlementBatchSK]
FK_ERPx_SPPProgramSettlementBatchItem_ERPx_SPPProgramSettlementHeader	SettlementHeaderSK->[dbo].[ERPx_SPPProgramSettlementHeader].[SettlementHeaderSK]

Uses







[dbo].[ERPx_MFDataEntityCompany]
 [dbo].[ERPx_SPPProgramSettlementBatch]
 [dbo].[ERPx_SPPProgramSettlementHeader]

Used By

[dbo].[ERPx_SPPProgramSettlementBatchPayment]
 [dbo].[SPx_ARProcess_PaymentReceipt_SettleRebates]
 [dbo].[SPx_MFUpdate_VoidTransaction]
 [dbo].[SPx_SPPProcess_SettlementBatch]
 [dbo].[SPx_SPSEL_ProcessSettlementBatch]
 [dbo].[SPx_SPSEL_ProcessSettlementBatchItems]
 [dbo].[SPx_SPSEL_ProcessSettlementItems]
 [dbo].[SPx_SPUUpdate_ProcessSettlementItemsFifo]

[dbo].[SPx_SPUdate_SettlementRollup]

[dbo].[ERPx_SPPProgramSettlementBatchPayment]**Columns**

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity	Default
	SettlementBatchPaymentSK	bigint	8	NOT NULL	1 - 1	
	SettlementBatchSK	bigint	8	NOT NULL		
	SettlementItemSK	bigint	8	NOT NULL		
	AmountToPay	numeric(18,5)	9	NULL allowed		
	WriteoffAmount	numeric(18,5)	9	NULL allowed		
	WriteoffReasonCode	bigint	8	NULL allowed		
	WriteoffAccountSK	bigint	8	NULL allowed		
	IsVoid	bit	1	NOT NULL		((0))
	LastUpdated	datetime	8	NOT NULL		
	LastUser	varchar(150)	150	NOT NULL		
	DataEntityCompanySK	bigint	8	NOT NULL		
	SettlementBatchItemSK	bigint	8	NULL allowed		

Indexes

Key	Name	Key Columns	Unique
	PK_ERPx_SPPProgramSettlementBatchPayment	SettlementBatchPaymentSK	True

Foreign Keys

Name	Columns
FK_ERPx_SPPProgramSettlementBatchPayment_ERPx_GLAccount	WriteoffAccountSK->[dbo].[ERPx_GLAccount].[AccountSK]
FK_ERPx_SPPProgramSettlementBatchPayment_ERPx_MFDataEntityCompany	DataEntityCompanySK->[dbo].[ERPx_MFDataEntityCompany].[DataEntityCompanySK]
FK_ERPx_SPPProgramSettlementBatchPayment_ERPx_SPPProgramSettlementBatch	SettlementBatchSK->[dbo].[ERPx_SPPProgramSettlementBatch].[SettlementBatchSK]
FK_ERPx_SPPProgramSettlementBatchPayment_ERPx_SPPProgramSettlementBatchItem	SettlementBatchItemSK->[dbo].[ERPx_SPPProgramSettlementBatchItem].[SettlementBatchItemSK]
FK_ERPx_SPPProgramSettlementBatchPayment_ERPx_SPPProgramSettlementItem	SettlementItemSK->[dbo].[ERPx_SPPProgramSettlementItem].[SettlementItemSK]

Uses

[dbo].[ERPx_GLAccount]




[dbo].[ERPx_MFDataEntityCompany]
[dbo].[ERPx_SPPProgramSettlementBatch]
[dbo].[ERPx_SPPProgramSettlementBatchItem]
[dbo].[ERPx_SPPProgramSettlementItem]


Used By

[dbo].[FNx_GetTransactionAccounts]
[dbo].[FNx_GetTransactionAmounts]
[dbo].[SPx_ARProcess_PaymentReceipt_SettleRebates]
[dbo].[SPx_MFUpdate_VoidTransaction]
[dbo].[SPx_SPPProcess_SettlementBatch]
[dbo].[SPx_SPSEL_ProcessSettlementBatch]
[dbo].[SPx_SPSEL_ProcessSettlementBatchItems]
[dbo].[SPx_SPSEL_ProcessSettlementItems]
[dbo].[SPx_SPUUpdate_ProcessSettlementItems]
[dbo].[SPx_SPUUpdate_ProcessSettlementItemsFifo]
[dbo].[SPx_SPUUpdate_SettlementRollup]


 [dbo].[ERPx_SPPProgramSettlementHeader]

Columns

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity	Default
	SettlementHeaderSK	bigint	8	NOT NULL	1 - 1	
	InProcessBatch	varchar(15)	15	NULL allowed		
	UserWhoCreatedBatch	varchar(110)	110	NULL allowed		
	SettlementStatusEN	bigint	8	NOT NULL		((1))
	OrderSource	varchar(25)	25	NOT NULL		
	OrderHeaderSK	bigint	8	NULL allowed		
	OrderTypeSK	bigint	8	NOT NULL		
	OrderID	varchar(50)	50	NOT NULL		
	OrderDate	datetime	8	NOT NULL		
	OrderPaidOffDate	datetime	8	NULL allowed		
	OrderSettleAfterDate	datetime	8	NULL allowed		
	PONumber	varchar(50)	50	NULL allowed		
	CustomerSK	bigint	8	NULL allowed		
	CustomerAddressSK	bigint	8	NULL allowed		
	CustomerID	varchar(50)	50	NOT NULL		
	CustomerName	varchar(100)	100	NOT NULL		
	CustomerShipAddressID	varchar(25)	25	NOT NULL		
	CustomerBillAddressID	varchar(25)	25	NOT NULL		
	TotalOrderAmount	numeric(18,5)	9	NULL allowed		
	OrderItemAmount	numeric(18,5)	9	NULL allowed		
	ProgramClassSK	bigint	8	NOT NULL		
	ClassName	varchar(25)	25	NOT NULL		
	ProgramClassSequence	bigint	8	NOT NULL		
	ProgramHeaderSK	bigint	8	NOT NULL		
	ProgramID	varchar(15)	15	NOT NULL		
	ProgramDescription	varchar(200)	200	NOT NULL		
	ProgramTypeSK	bigint	8	NOT NULL		
	ProgramTypeName	varchar(25)	25	NOT NULL		
	CustomerProgramStartDate	datetime	8	NULL allowed		
	ProgramStartDate	datetime	8	NOT NULL		
	ProgramEndDate	datetime	8	NULL allowed		
	SettlementMethodSK	bigint	8	NOT NULL		
	SettlementMethodName	varchar(50)	50	NULL allowed		

	SettleToEntityID	varchar(50)	50	NULL allowed	
	CreatedDate	datetime	8	NOT NULL	(getdate())
	ComputedAmount	numeric(18,5)	9	NOT NULL	((0))
	SettledAmount	numeric(18,5)	9	NOT NULL	((0.00))
	WriteoffAmount	numeric(18,5)	9	NOT NULL	((0.0))
	LastChange	datetime	8	NULL allowed	(getdate())
	LastUser	varchar(110)	110	NULL allowed	
	DataEntityCompanySK	bigint	8	NOT NULL	
	LoadTransactionSK	bigint	8	NULL allowed	
	InvoiceNumber	varchar(50)	50	NULL allowed	
	InvoiceDate	datetime	8	NULL allowed	
	SettleToEntityName	varchar(200)	200	NULL allowed	
	SettleToEntitySK	bigint	8	NULL allowed	

Indexes

Key	Name	Key Columns	Unique
	PK_ERPx_SPPProgramSettlementHeader	SettlementHeaderSK	True
	IX_ERPx_SPPProgramSettlementHeader	OrderHeaderSK, LoadTransactionSK, ProgramHeaderSK	True





Used By

[dbo].[ERPx_SPPProgramSettlementBatchItem]
 [dbo].[ERPx_SPPProgramSettlementItem]
 [dbo].[ERPx_SPSettlementHeaderCurrency]
 [dbo].[FNx_GetTransactionAccounts]
 [dbo].[FNx_GetTransactionAmounts]
 [dbo].[SPx_APProcess_Vendor]
 [dbo].[SPx_APUupdate_VendorList]
 [dbo].[SPx_ARINS_SettlementTransaction]
 [dbo].[SPx_ARMerge_CustomerAndAddress]
 [dbo].[SPx_ARProcess_Customer]
 [dbo].[SPx_ARProcess_PaymentReceipt_SettleRebates]
 [dbo].[SPx_ARSEL_ApplyCreditAndRebateDetail]
 [dbo].[SPx_ARSEL_PaymentReceipt_ApplyDocumentsDetail]
 [dbo].[SPx_ARSEL_PaymentReceiptHeader]
 [dbo].[SPx_ARUpdate_CustomerList]
 [dbo].[SPx_ARUpdate_SettlementTransactionRollup]
 [dbo].[SPx_FAUpdate_FishermanTenderList]
 [dbo].[SPx_FAUpdate_LoanList]
 [dbo].[SPx_INTEG_GPSPPProgramAccrual]
 [dbo].[SPx_LMINS_LoadBuilder]
 [dbo].[SPx_MFDEL_DeleteCompany]
 [dbo].[SPx_MFUpdate_JournalDetails]
 [dbo].[SPx_SOPProcess_SalesProgramDetail]
 [dbo].[SPx_SOPProcess_Transaction_VoidOrder]

[dbo].[SPx_SOSEL_SalesProgramDetail_Accrual]
[dbo].[SPx_SOSEL_SalesProgramDetail_OnInvoice]
[dbo].[SPx_SOUPD_ApplyProgramToOrder]
[dbo].[SPx_SOUPD_SalesProgramItem]
[dbo].[SPx_SOUUpdate_ChangeCustomer]
[dbo].[SPx_SOUUpdate_SalesProgramDetail]
[dbo].[SPx_SP_CalculateOrderPrograms]
[dbo].[SPx_SPPProcess_SalesProgram_Validations]
[dbo].[SPx_SPPProcess_SettlementBatch]
[dbo].[SPx_SPSEL_BrokerActivity]
[dbo].[SPx_SPSEL_ProcessSettlementBatch]
[dbo].[SPx_SPSEL_ProcessSettlementBatchItems]
[dbo].[SPx_SPSEL_ProcessSettlementItems]
[dbo].[SPx_SPSEL_ProcessSettlementsList]
[dbo].[SPx_SPSEL_ProgramClassList]
[dbo].[SPx_SPSEL_ProgramList_Balances]
[dbo].[SPx_SPSEL_SalesProgram_Property]
[dbo].[SPx_SPSEL_SettlementHeader]
[dbo].[SPx_SPUUPD_SettlementRollup]
[dbo].[SPx_SPUUpdate_ProcessSettlementItems]
[dbo].[SPx_SPUUpdate_ProcessSettlementItemsFifo]
[dbo].[SPx_SPUUpdate_Program]
[dbo].[SPx_SPUUpdate_ProgramList]
[dbo].[SPx_SPUUpdate_SettlementRollup]


 [dbo].[ERPx_SPPProgramSettlementItem]

Columns

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity	Default
	SettlementItemSK	bigint	8	NOT NULL	1 - 1	
	SettlementHeaderSK	bigint	8	NOT NULL		
	SettlementStatusEN	bigint	8	NULL allowed		
	OrderItemSK	bigint	8	NULL allowed		
	ItemSK	bigint	8	NULL allowed		
	ItemOccurrence	bigint	8	NULL allowed		
	ItemID	varchar(50)	50	NULL allowed		
	ItemDescription	varchar(101)	101	NULL allowed		
	OrderItemAmount	numeric(18,5)	9	NULL allowed		
	ConvOrderUnits	numeric(18,5)	9	NULL allowed		
	ProgramItemSetSK	bigint	8	NOT NULL		
	ItemSetSK	bigint	8	NULL allowed		
	ItemSetName	varchar(50)	50	NULL allowed		
	ProgramItemSetSequence	bigint	8	NOT NULL		
	PromoProgramItemSK	bigint	8	NULL allowed		
	PromoProgramItemID	varchar(50)	50	NULL allowed		
	ItemSetRate	numeric(18,5)	9	NOT NULL		
	DeliveredFreightAmount	numeric(18,5)	9	NULL allowed		
	OverrideRate	numeric(18,5)	9	NULL allowed		
	OverrideBy	varchar(110)	110	NULL allowed		
	OverrideDate	datetime	8	NULL allowed		
	ProgramCalcMethodSK	bigint	8	NOT NULL		
	ProgramCalcMethod	varchar(25)	25	NOT NULL		
	ProgramCalcUOMSK	bigint	8	NULL allowed		
	ComputedDate	datetime	8	NOT NULL		
	ComputedAmount	numeric(18,5)	9	NOT NULL		
	SettledAmount	numeric(18,5)	9	NOT NULL		((0.00))
	WriteoffAmount	numeric(18,5)	9	NOT NULL		((0.0))
	AccruedDRAccountSK	bigint	8	NULL allowed		
	AccruedCRAccountSK	bigint	8	NULL allowed		
	SettleDRAccountSK	bigint	8	NULL allowed		
	SettleCRAccountSK	bigint	8	NULL allowed		
	AccruedDRAccount	varchar(75)	75	NULL allowed		

	AccruedCRAccount	varchar(75)	75	NULL allowed		
	SettleDRAccount	varchar(75)	75	NULL allowed		
	SettleCRAccount	varchar(75)	75	NULL allowed		
	LastChange	datetime	8	NULL allowed		(getdate())
	LastUser	varchar(110)	110	NULL allowed		
	DataEntityCompanySK	bigint	8	NOT NULL		
	OrderItemUnits	numeric(18,5)	9	NULL allowed		
	OrderItemUnitsUOMSK	bigint	8	NULL allowed		
	OrderItemWeight	numeric(18,5)	9	NULL allowed		
	OrderItemWeightUOMSK	bigint	8	NULL allowed		

Indexes

Key	Name	Key Columns	Unique
	PK_ERPx_SPPProgramSettlementDetail	SettlementItemSK	True
	IX_ERPx_SPPProgramSettlementItem	SettlementHeaderSK, OrderItemSK, ProgramItemSetSK	True

Foreign Keys

Name	Columns
FK_ERPx_SPPProgramSettlementItem_ERPx_GLAccount	AccruedCRAccountSK->[dbo].[ERPx_GLAccount].[AccountSK]
FK_ERPx_SPPProgramSettlementItem_ERPx_GLAccount1	AccruedDRAccountSK->[dbo].[ERPx_GLAccount].[AccountSK]
FK_ERPx_SPPProgramSettlementItem_ERPx_GLAccount2	SettleCRAccountSK->[dbo].[ERPx_GLAccount].[AccountSK]
FK_ERPx_SPPProgramSettlementItem_ERPx_GLAccount3	SettleDRAccountSK->[dbo].[ERPx_GLAccount].[AccountSK]
FK_ERPx_SPPProgramSettlementItem_ERPx_SPPProgramSettlementHeader	SettlementHeaderSK->[dbo].[ERPx_SPPProgramSettlement-Header].[SettlementHeaderSK]

Uses




[dbo].[ERPx_GLAccount]
 [dbo].[ERPx_SPPProgramSettlementHeader]

Used By


[dbo].[ERPx_SPPProgramSettlementBatchPayment]
 [dbo].[ERPx_SPPProgramSettlementPayment]
 [dbo].[FNx_GetTransactionAccounts]
 [dbo].[FNx_GetTransactionAmounts]
 [dbo].[SPx_ARProcess_PaymentReceipt_SettleRebates]
 [dbo].[SPx_IMUpdate_ItemSet]
 [dbo].[SPx_IMUpdate_ItemSetList]
 [dbo].[SPx_INTEG_GPSPPProgramAccrual]
 [dbo].[SPx_LMINS_LoadBuilder]

[dbo].[SPx_MFDEL_DeleteCompany]
[dbo].[SPx_MFUpdate_JournalDetails]
[dbo].[SPx_SOPProcess_SalesProgramDetail]
[dbo].[SPx_SOPProcess_Transaction_VoidOrder]
[dbo].[SPx_SOSEL_SalesProgramDetail_Accrual]
[dbo].[SPx_SOSEL_SalesProgramDetail_OnInvoice]
[dbo].[SPx_SOUPD_ApplyProgramToOrder]
[dbo].[SPx_SOUPD_SalesProgramItem]
[dbo].[SPx_SOUpdate_ChangeCustomer]
[dbo].[SPx_SOUpdate_SalesProgramDetail]
[dbo].[SPx_SP_CalculateOrderPrograms]
[dbo].[SPx_SPPProcess_SalesProgram_Validations]
[dbo].[SPx_SPPProcess_SettlementBatch]
[dbo].[SPx_SPSEL_BrokerActivity]
[dbo].[SPx_SPSEL_ProcessSettlementBatchItems]
[dbo].[SPx_SPSEL_ProcessSettlementItems]
[dbo].[SPx_SPSEL_SettlementHeader]
[dbo].[SPx_SPUPD_SettlementRollup]
[dbo].[SPx_SPUUpdate_ProcessSettlementItems]
[dbo].[SPx_SPUUpdate_ProcessSettlementItemsFifo]
[dbo].[SPx_SPUUpdate_Program]
[dbo].[SPx_SPUUpdate_ProgramList]
[dbo].[SPx_SPUUpdate_SettlementRollup]

[dbo].[ERPx_SPPProgramSettlementPayment]**Columns**

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity	Default
	SettlementPaymentSK	bigint	8	NOT NULL	1 - 1	
	SettlementItemSK	bigint	8	NOT NULL		
	IsProcessed	bit	1	NOT NULL		((0))
	SettledInBatch	varchar(50)	50	NULL allowed		
	SettledToDoc	varchar(50)	50	NULL allowed		
	SettledDate	datetime	8	NULL allowed		
	SettledAmount	numeric(18,5)	9	NOT NULL		((0))
	WriteOffAmount	numeric(18,5)	9	NOT NULL		((0))
	LastChange	datetime	8	NOT NULL		(getdate())
	LastUser	varchar(110)	110	NULL allowed		
	DataEntityCompanySK	bigint	8	NOT NULL		
	WriteOffReasonCodeSK	bigint	8	NULL allowed		
	WriteOffAccountSK	bigint	8	NULL allowed		

Indexes

Key	Name	Key Columns	Unique
	PK_ERPx_SOPProgramSettlementPayment	SettlementPaymentSK	True
	IX_ERPx_SPPProgramSettlementPayment	SettledInBatch, SettlementItemSK	True

Foreign Keys

Name	Columns
FK_ERPx_SPPProgramSettlementPayment_ERPx_SPPProgramSettlementItem	SettlementItemSK->[dbo].[ERPx_SPPProgramSettlementItem].[SettlementItemSK]

Uses




[dbo].[ERPx_SPPProgramSettlementItem]

Used By


[dbo].[SPx_MFDEL_DeleteCompany]
[dbo].[SPx_SPSEL_SettlementHeader]
[dbo].[SPx_SPUPD_SettlementRollup]

 [dbo].[ERPx_SPProgramSite]

Columns

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity
	ProgramSiteSK	bigint	8	NOT NULL	1 - 1
	ProgramHeaderSK	bigint	8	NOT NULL	
	SiteSK	bigint	8	NOT NULL	

Indexes

Key	Name	Key Columns	Unique
	PK_ERPx_SPProgramSite	ProgramSiteSK	True
	UK_ERPx_SPProgramSite_1	ProgramHeaderSK, SiteSK	True

Foreign Keys

Name	Columns
FK_ERPx_SPProgramSite_ERPx_MFSite	SiteSK->[dbo].[ERPx_MFSite].[SiteSK]
FK_ERPx_SPProgramSite_ERPx_SPProgram-Header	ProgramHeaderSK->[dbo].[ERPx_SPProgramHeader].[ProgramHeader-SK]

Uses






[dbo].[ERPx_MFSite]
 [dbo].[ERPx_SPProgramHeader]

Used By

[dbo].[SPx_MFDEL_DeleteCompany]
 [dbo].[SPx_MFINSUPDDEL_Site_XML]
 [dbo].[SPx_MFUpdate_Site]
 [dbo].[SPx_SP_CalculateOrderPrograms]
 [dbo].[SPx_SPINS_ProgramSite]
 [dbo].[SPx_SPPProcess_Program]
 [dbo].[SPx_SPSEL_SiteList]
 [dbo].[SPx_SPUUpdate_Program]
 [dbo].[SPx_SPUUpdate_ProgramList]

 [dbo].[ERPx_SPSettlementHeaderCurrency]

Columns

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity
	SettlementHeaderCurrencySK	bigint	8	NOT NULL	1 - 1
	SettlementHeaderSK	bigint	8	NOT NULL	
	SPCurrencyExchangeTypeEN	bigint	8	NOT NULL	
	FromCurrencySK	bigint	8	NOT NULL	
	ToCurrencySK	bigint	8	NOT NULL	
	ExchangeSK	bigint	8	NULL allowed	
	ExchangeRate	numeric(19,7)	9	NOT NULL	
	ExchangeCalculationMethodEN	bigint	8	NOT NULL	

Indexes

Key	Name	Key Columns	Unique
	PK_ERPx_SPSettlementHeaderCurrency	SettlementHeaderCurrencySK	True

Foreign Keys

Name	Columns
FK_ERPx_SPSettlementHeaderCurrency_ERPx_MFCurrency	FromCurrencySK->[dbo].[ERPx_MFCurrency].[CurrencySK]
FK_ERPx_SPSettlementHeaderCurrency_ERPx_MFCurrency1	ToCurrencySK->[dbo].[ERPx_MFCurrency].[CurrencySK]
FK_ERPx_SPSettlementHeaderCurrency_ERPx_MFCurrencyExchange	ExchangeSK->[dbo].[ERPx_MFCurrencyExchange].[ExchangeSK]
FK_ERPx_SPSettlementHeaderCurrency_ERPx_SPPProgramSettlementHeader	SettlementHeaderSK->[dbo].[ERPx_SPPProgramSettlementHeader].[SettlementHeaderSK]

Uses






[dbo].[ERPx_MFCurrency]
 [dbo].[ERPx_MFCurrencyExchange]
 [dbo].[ERPx_SPPProgramSettlementHeader]

Used By


[dbo].[SPx_ARSEL_PaymentReceiptHeader]
 [dbo].[SPx_SOUpdate_ChangeCustomer]
 [dbo].[SPx_SP_CalculateOrderPrograms]

[dbo].[SPx_SPPProcess_SettlementBatch]
[dbo].[SPx_SPSEL_BrokerActivity]
[dbo].[SPx_SPSEL_ProcessSettlementBatch]
[dbo].[SPx_SPSEL_ProcessSettlementsList]
[dbo].[SPx_SPSEL_ProgramList_Balances]

[dbo].[ERPx_WKWorkflow]**Columns**

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity	Default
	WorkflowSK	bigint	8	NOT NULL	1 - 1	
	WorkflowGroupSK	bigint	8	NOT NULL		
	WorkflowName	varchar(100)	100	NOT NULL		
	WorkflowSequence	bigint	8	NOT NULL		
	AllowBackwardsMove	bit	1	NOT NULL		((1))
	MoveToStatusSK	bigint	8	NULL allowed		
	LastUpdate	datetime	8	NOT NULL		(getdate())
	LastUser	varchar(110)	110	NULL allowed		
	DataEntityCompanySK	bigint	8	NOT NULL		

Indexes

Key	Name	Key Columns	Unique
	PK_ERPx_WKWorkflow	WorkflowSK	True
	IX_ERPx_WKWorkflow	WorkflowGroupSK, WorkflowName, WorkflowSequence, DataEntityCompanySK	True

Foreign Keys

Name	Columns
FK_ERPx_WKWorkflow_ERPx_WKWorkflowGroup	WorkflowGroupSK->[dbo].[ERPx_WKWorkflowGroup].[WorkflowGroupSK]

Uses

[dbo].[ERPx_WKWorkflowGroup]





Used By

[dbo].[ERPx_CPTicketHeader]
 [dbo].[ERPx_MFContactTypeReportMappingWorkflowList]
 [dbo].[ERPx_SOOrderHeader]
 [dbo].[IQx_Billing]
 [dbo].[IQx_SOSEL_ItemHistory]
 [dbo].[IQx_SOSEL_SalesHistory]
 [dbo].[IQx_SOSEL_ShipmentHistory]
 [dbo].[SPx_IMSEL_WorkFlowLookup]
 [dbo].[SPx_INTEG_GPSOHeader]


[dbo].[SPx_INTEG_GPSInvoice]
[dbo].[SPx_INTEG_NSIMInventoryTrans]
[dbo].[SPx_Load_ImportSOOrdersFromGP]
[dbo].[SPx_MFDEL_DeleteCompany]
[dbo].[SPx_MFSEL_AllocateDetails]
[dbo].[SPx_MFSEL_ContactTypeReportMappingWorkflows]
[dbo].[SPx_MFSEL_DataEntityMap]
[dbo].[SPx_MFUpdate_MassUpdate]
[dbo].[SPx_SOINS_AddOrderHeader]
[dbo].[SPx_SOPProcess_Transaction]
[dbo].[SPx_SOPProcess_Transaction_InsertOrderHeader]
[dbo].[SPx_SOPProcess_Transaction_UpdateOrderHeader]
[dbo].[SPx_SOSEL_OrderHeader]
[dbo].[SPx_SOSEL_OrderHeaderList]
[dbo].[SPx_SOSEL_ShipmentList]
[dbo].[SPx_SOSEL_TransactionAttributeList]
[dbo].[SPx_SOSEL_TransactionDetailItem]
[dbo].[SPx_SOSEL_TransactionHeaderHome]
[dbo].[SPx_SOSEL_TransactionHeaderProperty]
[dbo].[SPx_SOSEL_TransactionHeaderShipment]
[dbo].[SPx_SOSEL_TransactionItemList]
[dbo].[SPx_SOSEL_WorkflowLookup]
[dbo].[SPx_SOUPD_OrderPending]
[dbo].[SPx_SOUpdate_Transaction]
[dbo].[SPx_SOUpdate_WorkflowOrStatus]
[dbo].[SPx_WKDEL_Workflow]
[dbo].[SPx_WKDEL_WorkflowGroup]
[dbo].[SPx_WKINS_Workflow]
[dbo].[SPx_WKSEL_WorkflowGroupStep]
[dbo].[SPx_WKSEL_WorkFlows]
[dbo].[SPx_WKUPD_Workflow]

 [dbo].[ERPx_WKWorkflowGroup]

Columns

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity	Default
	WorkflowGroupSK	bigint	8	NOT NULL	1 - 1	
	GroupName	varchar(100)	100	NOT NULL		
	ModuleSK	bigint	8	NOT NULL		
	ModuleTransactionSK	bigint	8	NOT NULL		
	LastUpdate	datetime	8	NOT NULL		(getdate())
	LastUser	varchar(110)	110	NULL allowed		
	DataEntityCompanySK	bigint	8	NOT NULL		

Indexes

Key	Name	Key Columns	Unique
	PK_ERPx_WKWorkflowGroup	WorkflowGroupSK	True
	IX_ERPx_WKWorkflowGroup	GroupName, ModuleSK, DataEntityCompanySK	True

Foreign Keys

Name	Columns
FK_ERPx_WKWorkflowGroup_ERPx_MFModule	ModuleSK->[dbo].[ERPx_MFModule].[ModuleSK]

Uses




[dbo].[ERPx_MFModule]

Used By

[dbo].[ERPx_WKWorkflow]
 [dbo].[ERPx_WKWorkflowSite]
 [dbo].[IQx_Billing]
 [dbo].[IQx_SOSEL_ItemHistory]
 [dbo].[IQx_SOSEL_SalesHistory]
 [dbo].[IQx_SOSEL_ShipmentHistory]
 [dbo].[SPx_IMSEL_WorkFlowLookup]
 [dbo].[SPx_Load_ImportSOOrdersFromGP]
 [dbo].[SPx_MFDEL_DeleteCompany]
 [dbo].[SPx_MFINSUPDDEL_Site_XML]
 [dbo].[SPx_MFSEL_AllocateDetails]
 [dbo].[SPx_MFSEL_ContactTypeReportMappingWorkflows]

[dbo].[SPx_MFSEL_DataEntityMap]
[dbo].[SPx_MFUpdate_MassUpdate]
[dbo].[SPx_MFUpdate_Site]
[dbo].[SPx_SOINS_AddOrderHeader]
[dbo].[SPx_SOPProcess_Transaction_InsertOrderHeader]
[dbo].[SPx_SOPProcess_Transaction_UpdateOrderHeader]
[dbo].[SPx_SOSEL_OrderHeaderList]
[dbo].[SPx_SOSEL_ShipmentList]
[dbo].[SPx_SOSEL_TransactionAttributeList]
[dbo].[SPx_SOSEL_TransactionDetailItem]
[dbo].[SPx_SOSEL_TransactionHeaderHome]
[dbo].[SPx_SOSEL_TransactionHeaderProperty]
[dbo].[SPx_SOSEL_TransactionHeaderShipment]
[dbo].[SPx_SOSEL_TransactionItemList]
[dbo].[SPx_SOSEL_WorkflowLookup]
[dbo].[SPx_SOUPD_OrderPending]
[dbo].[SPx_WKDEL_WorkflowGroup]
[dbo].[SPx_WKINS_WorkflowGroup]
[dbo].[SPx_WKSEL_WorkflowGroup]
[dbo].[SPx_WKSEL_WorkflowGroupLookup]
[dbo].[SPx_WKSEL_WorkFlows]
[dbo].[SPx_WKUPD_WorkflowGroup]
[dbo].[SPx_WKUPD_WorkflowGroupSite]
[dbo].[SPx_WKUPD_WorkflowSite]

[dbo].[ERPx_WKWorkflowSite]**Columns**

Key	Name	Data Type	Max Length (Bytes)	Nullability	Identity	Default
 PK	WorkflowSiteSK	bigint	8	NOT NULL	1 - 1	
 FK	WorkflowGroupSK	bigint	8	NOT NULL		
 FK	SiteSK	bigint	8	NOT NULL		
	LastChanged	datetime	8	NOT NULL		(getdate())
	LastUser	varchar(110)	110	NOT NULL		
	DataEntityCompanySK	bigint	8	NOT NULL		

Indexes

Key	Name	Key Columns	Unique
 PK	PK_ERPx_WKWorkflowSite	WorkflowSiteSK	True
	IX_ERPx_WKWorkflowSite	WorkflowSiteSK	

Foreign Keys

Name	Columns
FK_ERPx_WKWorkflowSite_ERPx_MFSite	SiteSK->[dbo].[ERPx_MFSite].[SiteSK]
FK_ERPx_WKWorkflowSite_ERPx_WKWorkflowGroup	WorkflowGroupSK->[dbo].[ERPx_WKWorkflowGroup].[WorkflowGroupSK]

Uses

[dbo].[ERPx_MFSite]
[dbo].[ERPx_WKWorkflowGroup]


Used By

[dbo].[SPx_IMSEL_WorkFlowLookup]
[dbo].[SPx_Load_ImportSOOrdersFromGP]
[dbo].[SPx_MFDEL_DeleteCompany]
[dbo].[SPx_MFINSUPPDEL_Site_XML]
[dbo].[SPx_MFUpdate_Site]
[dbo].[SPx_SOINS_AddOrderHeader]
[dbo].[SPx_SOPProcess_Transaction_InsertOrderHeader]
[dbo].[SPx_SOPProcess_Transaction_UpdateOrderHeader]
[dbo].[SPx_SOSEL_WorkflowLookup]
[dbo].[SPx_SOUPD_OrderPending]

[dbo].[SPx_WKDEL_WorkflowGroup]
[dbo].[SPx_WKSEL_WorkflowGroupSite]
[dbo].[SPx_WKSEL_WorkFlows]
[dbo].[SPx_WKUPD_WorkflowGroupSite]
[dbo].[SPx_WKUPD_WorkflowSite]

 [hist].[ERPh_IMTransactionDetail]

Columns

Key	Name	Data Type	Max Length (Bytes)	Nullability
	TransactionDetailSK	bigint	8	NOT NULL
	TransactionHeaderSK	bigint	8	NOT NULL
	TransactionHeaderID	varchar(50)	50	NOT NULL
	SiteSK	bigint	8	NULL allowed
	Site	varchar(58)	58	NULL allowed
	ItemSort	bigint	8	NOT NULL
	ItemSK	bigint	8	NOT NULL
	Item	varchar(157)	157	NOT NULL
	LotSK	bigint	8	NOT NULL
	ProductionLotSK	bigint	8	NULL allowed
	ProductionLotID	varchar(50)	50	NULL allowed
	WarehouseLotSK	bigint	8	NULL allowed
	WarehouseLotID	varchar(50)	50	NULL allowed
	LotOwnerSK	bigint	8	NOT NULL
	LotOwnerName	varchar(25)	25	NOT NULL
	ToLotSK	bigint	8	NULL allowed
	ToLotProductionLotSK	bigint	8	NULL allowed
	ToLotProductionLotID	varchar(50)	50	NULL allowed
	ToLotWarehouseLotSK	bigint	8	NULL allowed
	ToLotWarehouseLotID	varchar(50)	50	NULL allowed
	ToLotOwnerSK	bigint	8	NULL allowed
	ToLotOwnerName	varchar(25)	25	NULL allowed
	TransactionUnits	numeric(18,5)	9	NULL allowed
	TransactionWeight	numeric(18,5)	9	NULL allowed
	EffectOnInventoryUnits	numeric(18,5)	9	NULL allowed
	EffectOnInventoryWeight	numeric(18,5)	9	NULL allowed
	AllocatedUnits	numeric(18,5)	9	NULL allowed
	AllocatedWeight	numeric(18,5)	9	NULL allowed
	TransactionUnitsUOMSK	bigint	8	NULL allowed
	TransactionUnitsUOM	varchar(37)	37	NULL allowed
	TransactionWeightUOMSK	bigint	8	NULL allowed
	TransactionWeightUOM	varchar(37)	37	NULL allowed
	EffectOnInventoryUnitsUOMSK	bigint	8	NULL allowed
	EffectOnInventoryWeightUOMSK	bigint	8	NULL allowed

TransactionToInventoryUnitsConversionValue	numeric(32,19)	17	NULL allowed
TransactionToInventoryWeightConversionValue	numeric(32,19)	17	NULL allowed
IsAddedFromTemplate	bit	1	NOT NULL
IsAddedFromTemplateValue	varchar(3)	3	NOT NULL
TransactionTypeSK	bigint	8	NULL allowed
TransactionType	varchar(252)	252	NULL allowed
LineItemTypeEN	bigint	8	NULL allowed
LineItemType	varchar(250)	250	NULL allowed
SiteLineSK	bigint	8	NULL allowed
SiteLineName	varchar(100)	100	NULL allowed
SiteShiftSK	bigint	8	NULL allowed
SiteShiftName	varchar(100)	100	NULL allowed
WorkOrder	varchar(100)	100	NULL allowed
ReasonCodeSK	bigint	8	NULL allowed
ReasonCode	varchar(25)	25	NULL allowed
ToWarehouseLotID	varchar(100)	100	NULL allowed
GrossWeight	numeric(18,5)	9	NULL allowed
ItemPrice	numeric(18,5)	9	NULL allowed
PriceOptionEN	bigint	8	NULL allowed
PriceOption	varchar(250)	250	NULL allowed
LineAmount	numeric(18,5)	9	NULL allowed
PriceListItemSK	bigint	8	NULL allowed
PriceListItem	varchar(157)	157	NULL allowed
PriceListPrice	numeric(18,5)	9	NULL allowed
PriceListOverrideBy	varchar(110)	110	NULL allowed
PriceListOverrideDate	datetime	8	NULL allowed
CorrectedFromTransactionDetailSK	bigint	8	NULL allowed
CreatedBy	varchar(110)	110	NULL allowed
CreatedDate	datetime	8	NOT NULL
LastUpdated	datetime	8	NULL allowed
LastUser	varchar(110)	110	NULL allowed
DataEntityCompanySK	bigint	8	NOT NULL
DataEntityCompany	varchar(117)	117	NOT NULL
LineDescription	varchar(200)	200	NULL allowed
POLineSK	bigint	8	NULL allowed
LineComment	varchar(200)	200	NULL allowed

Indexes

Key	Name	Key Columns	Unique
-----	------	-------------	--------

 PK	PK_ERPh_IMTransactionDetail	TransactionDetailSK	True
--	-----------------------------	---------------------	------

Uses

[hist]

Used By

[dbo].[IQx_IMSEL_InventoryAsOf]
[dbo].[IQx_IMSEL_ItemHistory]
[dbo].[IQx_IMSEL_LotHistory]
[dbo].[SPx_IMProcess_PostLotCosts]
[dbo].[SPx_IMSEL_UpdateCostList]
[hist].[SPx_IMRollup]

 [hist].[ERPh_IMTransactionHeader]

Columns

Key	Name	Data Type	Max Length (Bytes)	Nullability
	TransactionHeaderSK	bigint	8	NOT NULL
	TransactionID	varchar(50)	50	NOT NULL
	TransactionTypeSK	bigint	8	NOT NULL
	TransactionType	varchar(252)	252	NOT NULL
	TransactionClassSK	bigint	8	NULL allowed
	TransactionClassID	varchar(50)	50	NULL allowed
	TransactionStatusSK	bigint	8	NOT NULL
	TransactionStatusName	varchar(25)	25	NOT NULL
	SiteSK	bigint	8	NULL allowed
	Site	varchar(58)	58	NULL allowed
	ViaSiteSK	bigint	8	NULL allowed
	ViaSite	varchar(58)	58	NULL allowed
	ToSiteSK	bigint	8	NULL allowed
	ToSite	varchar(58)	58	NULL allowed
	TransactionDate	date	3	NOT NULL
	ShipByDate	datetime	8	NULL allowed
	DeliverOnDate	date	3	NULL allowed
	ActualShipDate	datetime	8	NULL allowed
	CarrierSK	bigint	8	NULL allowed
	CarrierName	varchar(50)	50	NULL allowed
	WorkOrderID	varchar(50)	50	NULL allowed
	VirtualLineID	varchar(50)	50	NULL allowed
	ProductionLineID	varchar(50)	50	NULL allowed
	ShiftID	varchar(50)	50	NULL allowed
	ReasonCodeSK	bigint	8	NULL allowed
	ReasonCode	varchar(25)	25	NULL allowed
	TransactionUnits	numeric(18,5)	9	NULL allowed
	TransactionWeight	numeric(18,5)	9	NULL allowed
	SourceModuleSK	bigint	8	NULL allowed
	SourceModule	varchar(64)	64	NULL allowed
	SourceTransactionSK	bigint	8	NULL allowed
	SourceTransactionID	varchar(50)	50	NULL allowed
	Truck	varchar(50)	50	NULL allowed
	Trailer	varchar(50)	50	NULL allowed

SealNumber	varchar(100)	100	NULL allowed
CrossDockDate	datetime	8	NULL allowed
BOL	varchar(100)	100	NULL allowed
Waybill	varchar(50)	50	NULL allowed
TrackingNumber	varchar(50)	50	NULL allowed
Reference	varchar(100)	100	NULL allowed
PONumber	varchar(100)	100	NULL allowed
SiteLineSK	bigint	8	NULL allowed
SiteLineName	varchar(100)	100	NULL allowed
SiteShiftSK	bigint	8	NULL allowed
SiteShiftName	varchar(100)	100	NULL allowed
AttributeClassSK	bigint	8	NULL allowed
AttributeClassDescription	varchar(50)	50	NULL allowed
SourceSystem	varchar(50)	50	NULL allowed
TransferPartEN	bigint	8	NULL allowed
TransferPart	varchar(250)	250	NULL allowed
AutoCreateLotsEN	bigint	8	NULL allowed
AutoCreateLots	varchar(250)	250	NULL allowed
NegativeBalancesEN	bigint	8	NULL allowed
NegativeBalances	varchar(250)	250	NULL allowed
InputAutoCreateLotsEN	bigint	8	NULL allowed
InputAutoCreateLots	varchar(250)	250	NULL allowed
InputNegativeBalancesEN	bigint	8	NULL allowed
InputNegativeBalances	varchar(250)	250	NULL allowed
GLDate	date	3	NULL allowed
PriceListHeaderSK	bigint	8	NULL allowed
PriceList	varchar(77)	77	NULL allowed
OriginalTransferTransactionHeaderSK	bigint	8	NULL allowed
OriginalTransferTransactionID	varchar(50)	50	NULL allowed
VoidDate	date	3	NULL allowed
VoidedBy	varchar(150)	150	NULL allowed
CorrectedFromTransactionHeaderSK	bigint	8	NULL allowed
CorrectedFromTransactionID	varchar(50)	50	NULL allowed
IsCorrectionComplete	bit	1	NOT NULL
IsCorrectionCommpleteValue	varchar(3)	3	NOT NULL
CreatedBy	varchar(110)	110	NULL allowed
CreatedDate	datetime	8	NOT NULL
LastUpdated	datetime	8	NULL allowed
LastUser	varchar(110)	110	NULL allowed
DataEntityCompanySK	bigint	8	NOT NULL
DataEntityCompany	varchar(117)	117	NOT NULL

	POHeaderSK	bigint	8	NULL allowed
	ReceivedFromVendorSK	bigint	8	NULL allowed
	Description	varchar(150)	150	NULL allowed
	ReceivedFrom	varchar(250)	250	NULL allowed
	FreightPOEN	bigint	8	NULL allowed

Indexes


Key	Name	Key Columns	Unique
	PK_ERPh_IMTransactionHeader	TransactionHeaderSK	True
	IX_ERPh_IMTransactionHeader_TransactionHeaderSK	TransactionHeaderSK	

Uses

[hist]

Used By

[dbo].[IQx_IMSEL_InventoryAsOf]
 [dbo].[IQx_IMSEL_ItemHistory]
 [dbo].[IQx_IMSEL_LotHistory]
 [dbo].[SPx_IMProcess_PostLotCosts]
 [dbo].[SPx_IMProcess_Transfer_PurchaseOrder]
 [dbo].[SPx_IMSEL_UpdateCostList]
 [hist].[SPx_IMRollup]

 [hist].[ERPh_LMLoadHeader]

Columns


Key	Name	Data Type	Persisted	Computed	Max Length (Bytes)	Nullability
	LoadHeaderSK	bigint			8	NOT NULL
 (2)	BuildLoadModuleSK	bigint			8	NULL allowed
	LoadID	varchar(50)	True	True	50	NULL allowed
	LoadStatusSK	bigint			8	NOT NULL
	CarrierSK	bigint			8	NULL allowed
	SiteSK	bigint			8	NULL allowed
	ScheduledShipDate	datetime			8	NULL allowed
	ScheduledArrivalDate	datetime			8	NULL allowed
	ActualArrivalDate	datetime			8	NULL allowed
	ScheduledDepartureDate	datetime			8	NULL allowed
	ActualShipDate	datetime			8	NULL allowed
	SOOrderCount	bigint			8	NULL allowed
	LoadAddOrdersOptionSK	bigint			8	NOT NULL
	TruckSK	bigint			8	NULL allowed
	DriverName	varchar(50)			50	NULL allowed
	Trailer	varchar(50)			50	NULL allowed
	OrdersAddedFlag	varchar(1000)			1000	NULL allowed
	SOFreightTermsEN	bigint			8	NULL allowed
	FreightRateTypeEN	bigint			8	NULL allowed
	LastUpdated	datetime			8	NULL allowed
	LastUser	varchar(110)			110	NULL allowed
 (2)	DataEntityCompanySK	bigint			8	NOT NULL
	LoadingPort	varchar(200)			200	NULL allowed
	LoadingDate	datetime			8	NULL allowed
	EntryPort	varchar(200)			200	NULL allowed
	EntryDate	datetime			8	NULL allowed
	DischargePort	varchar(200)			200	NULL allowed
	DischargeDate	datetime			8	NULL allowed
	DeliveryPort	varchar(200)			200	NULL allowed
	DeliveryDate	datetime			8	NULL allowed
	ShippingLine	varchar(100)			100	NULL allowed
	Vessel	varchar(100)			100	NULL allowed
	VesselNumber	varchar(100)			100	NULL allowed

Forwarder	varchar(100)			100	NULL allowed
BookingNumber	varchar(100)			100	NULL allowed
FreightRate	numeric(18,5)			9	NULL allowed
AdditionalFreight	numeric(18,5)			9	NULL allowed
TotalFreight	numeric(18,5)			9	NULL allowed
AttributeClassSK	bigint			8	NULL allowed
ScheduledArrivalTime	varchar(50)			50	NULL allowed
ScheduledDepartureTime	varchar(50)			50	NULL allowed
ActualArrivalTime	varchar(50)			50	NULL allowed
ActualDepartureTime	varchar(50)			50	NULL allowed
WeightAllowed	numeric(18,5)			9	NULL allowed
AdditionalWeight	numeric(18,5)			9	NULL allowed
PalletsAllowed	numeric(18,5)			9	NULL allowed
OrderedPallets	numeric(18,5)			9	NULL allowed
EmptyAdditionalPallets	numeric(18,5)			9	NULL allowed
Surcharge	numeric(18,5)			9	NULL allowed
ScheduledBy	varchar(150)			150	NULL allowed
UOMSK	bigint			8	NULL allowed
LoadIDOverride	varchar(50)			50	NULL allowed
LoadGUID	uniqueidentifier			16	NULL allowed

Computed columns

Name	Column definition
LoadID	(isnull([LoadIDOverride],CONVERT([varchar](50),[LoadHeaderSK],(0))))

Indexes

Key	Name	Key Columns	Included Columns	Unique
	PK_ERPh_LMLoadHeader	LoadHeaderSK		True
	UK_ERPh_LMLoadHeader_1	LoadID, DataEntityCompanySK, BuildLoadModuleSK		True
	IX_LMLoadHeader_BuildLoadModuleSKDataEntity-CompanySKLoadHeaderSK	BuildLoadModuleSK, DataEntity-CompanySK	LoadHeaderSK	

Uses

[hist]

Used By

[hist],[ERPh_LMLoadTransaction]

[dbo].[IQx_SOSEL_ItemHistory]












[dbo].[IQx_SOSEL_ShipmentHistory]

[dbo].[SPx_SOUUpdate_ShipmentDetail]


[hist].[SPx_SOHistory_SynchHistory]

 [hist].[ERPh_LMLoadTransaction]

Columns

Key	Name	Data Type	Max Length (Bytes)	Nullability
 	LoadTransactionSK	bigint	8	NOT NULL
 (2)	TransactionModuleSK	bigint	8	NOT NULL
 (3) 	LoadHeaderSK	bigint	8	NOT NULL
 (3)	OrderHeaderSK	bigint	8	NOT NULL
	OrderSequence	bigint	8	NOT NULL
	BOL	varchar(100)	100	NULL allowed
	TrackingNumber	varchar(100)	100	NULL allowed
	Waybill	varchar(25)	25	NULL allowed
	LogisticsDocsReady	bit	1	NOT NULL
	SOFreightTermsEN	bigint	8	NULL allowed
	DeliverOnDate	datetime	8	NULL allowed
	FreightRateTypeEN	bigint	8	NULL allowed
	FreightRate	numeric(18,5)	9	NULL allowed
	FreightAmount	numeric(18,5)	9	NULL allowed
	Destination	varchar(50)	50	NULL allowed
	LastUpdated	datetime	8	NULL allowed
	LastUser	varchar(110)	110	NULL allowed
 (2)	DataEntityCompanySK	bigint	8	NOT NULL
	PalletCount	numeric(18,5)	9	NULL allowed
	BOLDocumentFirstPrintDate	datetime	8	NULL allowed
	Allocated	bit	1	NULL allowed
	AdditionalWeight	numeric(18,5)	9	NULL allowed
	DeliveryCharge	numeric(18,5)	9	NULL allowed
	Surcharge	numeric(18,5)	9	NULL allowed
	OtherCharges	numeric(18,5)	9	NULL allowed
	TotalFreight	numeric(18,5)	9	NULL allowed
	CountOfLegs	int	4	NOT NULL
 	InvoiceHeaderSK	bigint	8	NULL allowed
	ShowWeightForEN	bigint	8	NULL allowed
	FreightAccrualGLAccountSK	bigint	8	NULL allowed

Indexes

Key	Name	Key Columns	Included Columns	Unique
	PK_ERPh_LMLoadTransaction	LoadTransactionSK		True
	UK_ERPh_LMLoadTransaction	TransactionModuleSK, LoadHeaderSK, OrderHeaderSK, DataEntity-CompanySK		True
	IX_ERPh_LMLoadTransaction_LoadHeaderSK	LoadHeaderSK		
	IX_ERPh_LMLoadTransaction_LoadHeaderSKDataEntity-Company	LoadHeaderSK, DataEntity-CompanySK	LoadTransactionSK, LogisticsDocs-Ready, OrderHeaderSK, Transaction-ModuleSK	
	IX_LMLoadTransaction_Invoice-HeaderSK	InvoiceHeaderSK		
	IX_LMLoadTransaction_Order-HeaderSK	OrderHeaderSK		

Foreign Keys

Name	Columns
FK_ERPh_LMLoadTransaction_ERPh_LMLoadHeader	LoadHeaderSK->[hist].[ERPh_LMLoadHeader].[Load-HeaderSK]
FK_ERPh_LMLoadTransaction_ERPh_SOInvoiceHeader	InvoiceHeaderSK->[hist].[ERPh_SOInvoiceHeader].[Invoice-HeaderSK]
FK_ERPh_LMLoadTransaction_ERPx_GLAccount_FreightAccrual-GLAccountSK	FreightAccrualGLAccountSK->[dbo].[ERPx_-GLAccount].[AccountSK]

Uses




[dbo].[ERPx_GLAccount]
 [hist].[ERPh_LMLoadHeader]
 [hist].[ERPh_SOInvoiceHeader]
 [hist]

Used By


[hist].[ERPh_LMLoadTransactionLeg]
 [dbo].[IQx_SOSEL_ItemHistory]
 [dbo].[IQx_SOSEL_ShipmentHistory]
 [hist].[SPx_SOHistory_SyncHistory]
 [hist].[SPx_SOPProcess_SearchMetadata_RefreshOrder]

 [hist].[ERPh_LMLoadTransactionLeg]

Columns

Key	Name	Data Type	Max Length (Bytes)	Nullability	Default
	LoadTransactionLegSK	bigint	8	NOT NULL	
	LoadTransactionSK	bigint	8	NOT NULL	
	LegSequence	int	4	NOT NULL	
	CarrierSK	bigint	8	NULL allowed	
	FreightRateTypeEN	bigint	8	NULL allowed	
	FreightRate	numeric(18,5)	9	NOT NULL	
	FreightRateUOMSK	bigint	8	NULL allowed	
	FreightWeight	numeric(18,5)	9	NULL allowed	
	CurrencySK	bigint	8	NOT NULL	
	Surcharge	numeric(18,5)	9	NOT NULL	
	OtherCharges	numeric(18,5)	9	NOT NULL	
	TotalFreight	numeric(18,5)	9	NOT NULL	
	ExchangeRate	numeric(19,7)	9	NULL allowed	
	ExchangeSK	bigint	8	NULL allowed	
	ExchangeRateCalculationMethodEN	bigint	8	NULL allowed	
	IsInverseExchange	bit	1	NULL allowed	
	LoadTransactionLegSourceEN	bigint	8	NULL allowed	
	ExternalLoadID	varchar(50)	50	NULL allowed	
	ExternalLegID	varchar(50)	50	NULL allowed	
	AddressName	varchar(150)	150	NULL allowed	
	AddressLine1	varchar(75)	75	NULL allowed	
	AddressLine2	varchar(75)	75	NULL allowed	
	City	varchar(35)	35	NULL allowed	
	State	varchar(30)	30	NULL allowed	
	Zip	varchar(15)	15	NULL allowed	
	Country	varchar(50)	50	NULL allowed	
	LastUpdated	datetime	8	NOT NULL	
	LastUser	varchar(150)	150	NOT NULL	
	DataEntityCompanySK	bigint	8	NOT NULL	
	FreightTax	numeric(18,5)	9	NULL allowed	
	IsClosed	bit	1	NOT NULL	
	HandlingRateTypeEN	bigint	8	NULL allowed	
	HandlingFee	numeric(18,5)	9	NOT NULL	((0))

Indexes

Key	Name	Key Columns	Unique
	PK_ERPh_LMLoadTransactionLeg	LoadTransactionLegSK	True
	IX_ERPh_LMLoadTransactionLeg	LoadTransactionSK, LegSequence	True

Foreign Keys

Name	Columns
FK_ERPh_LMLoadTransactionLeg_ERPh_LMLoadTransaction	LoadTransactionSK->[hist].[ERPh_LMLoadTransaction].[LoadTransactionSK]





Uses

[hist].[ERPh_LMLoadTransaction]
[hist]


Used By

[dbo].[IQx_SOSEL_ShipmentHistory]
[hist].[SPx_SOHistory_SyncHistory]

[hist].[ERPh_SOInvoiceHeader]**Columns**

Key	Name	Data Type	Max Length (Bytes)	Nullability
 PK	InvoiceHeaderSK	bigint	8	NOT NULL
 FK	OrderHeaderSK	bigint	8	NOT NULL
 PK	InvoiceNumber	varchar(50)	50	NULL allowed
	InvoiceDate	date	3	NULL allowed
	GLDate	date	3	NULL allowed
	InvoiceDocumentFirstPrintDate	datetime	8	NULL allowed
	LastUpdated	datetime	8	NOT NULL
	LastUser	varchar(150)	150	NOT NULL
 PK	DataEntityCompanySK	bigint	8	NOT NULL
	ExtendedAmount	numeric(18,5)	9	NOT NULL

Indexes

Key	Name	Key Columns	Unique	Filtered
 PK	PK_ERPh_SOInvoiceHeader	InvoiceHeaderSK	True	
	IX_ERPh_SOInvoiceHeader	InvoiceNumber, DataEntityCompanySK	True	True

Foreign Keys

Name	Columns
FK_ERPh_SOInvoiceHeader_ERPh_SOOrderHeader	OrderHeaderSK->[hist].[ERPh_SOOrderHeader].[OrderHeaderSK]

Uses

[hist].[ERPh_SOOrderHeader]

[hist]

Used By

[hist].[ERPh_LMLoadTransaction]

[dbo].[IQx_Billing]

[dbo].[IQx_SOSEL_ItemHistory]












[dbo].[IQx_SOSEL_ShipmentHistory]

[hist].[SPx_SOHistory_SyncHistory]

[hist].[SPx_SOPProcess_SearchMetadata_RefreshOrder]

 [hist].[ERPh_SOOrder_SearchMetadata]


Columns

Key	Name	Data Type	Persisted	Computed	Max Length (Bytes)	Nullability
	OrderHeaderSK	bigint			8	NOT NULL
	OrderItemSK	bigint			8	NOT NULL
	Customer	varchar(250)			250	NOT NULL
	Site	varchar(250)			250	NOT NULL
	Carrier	varchar(250)			250	NULL allowed
	PurchaseOrder	varchar(250)			250	NULL allowed
	Order	varchar(250)			250	NOT NULL
	Invoice	varchar(250)			250	NOT NULL
	ItemSK	bigint			8	NOT NULL
	ItemID	varchar(50)			50	NOT NULL
	ItemDescription	varchar(105)			105	NOT NULL
	Item	varchar(158)	True	True	158	NOT NULL
	AttributeValues	varchar(max)			max	NULL allowed
	SearchText	varchar(max)	True	True	max	NOT NULL
	DataEntityCompanySK	bigint			8	NOT NULL

Computed columns

Name	Column definition
Item	((isnull([ItemID], '')+ ' ')+isnull([ItemDescription], ''))
Search-Text	((((((((((((((((((isnull([Customer], '')+ ' ')+isnull([Site], '')+ ' ')+isnull([Carrier], '')+ ' ')+isnull([PurchaseOrder], '')+ ' ')+isnull([Order], '')+ ' ')+isnull([Invoice], '')+ ' ')+isnull([ItemID], '')+ ' ')+isnull([ItemDescription], '')+ ' ')+isnull([Attribute-Values], '')+ ' '))))))))))))))

Indexes

Key	Name	Key Columns	Unique
	PK_ERPh_SOOrder_Search-Metadata	OrderItemSK	True
	IX_ERPh_SOOrder_Search-Metadata	Customer, Site, Carrier, PurchaseOrder, Order, Invoice, ItemID, Item-Description, DataEntityCompanySK	

Foreign Keys

Name	Columns
FK_ERPh_SOOrder_SearchMetadata_ERPh_SOOrder-Header	OrderHeaderSK->[hist].[ERPh_SOOrderHeader].[OrderHeaderSK]
FK_ERPh_SOOrder_SearchMetadata_ERPh_SOOrder-Item	OrderItemSK->[hist].[ERPh_SOOrderItem].[OrderItemSK]
FK_ERPh_SOOrder_SearchMetadata_ERPx_MFData-EntityCompany	DataEntityCompanySK->[dbo].[ERPx_MFDataEntityCompany].[Data-EntityCompanySK]

Uses

[dbo].[ERPx_MFDataEntityCompany]
[hist].[ERPh_SOOrderHeader]
[hist].[ERPh_SOOrderItem]
[hist]




























Used By

[hist].[SPx_SOHistory_SynchHistory]
[hist].[SPx_SOPProcess_SearchMetadata_RefreshOrder]

 [hist].[ERPh_SOOrderHeader]

Columns

Key	Name	Data Type	Persisted	Computed	Max Length (Bytes)	Nullability	Default
 	OrderHeaderSK	bigint			8	NOT NULL	
 (2)	OrderID	varchar(50)			50	NOT NULL	
	MasterNumberOverride	bigint			8	NULL allowed	
	MasterNumber	bigint	True	True	8	NOT NULL	
	OriginTransID	varchar(50)			50	NULL allowed	
	OriginTransTypeSK	bigint			8	NULL allowed	
	DocumentID	varchar(15)			15	NOT NULL	
	OrderTypeSK	bigint			8	NOT NULL	
	OrderStatusSK	bigint			8	NOT NULL	
	WorkflowSK	bigint			8	NULL allowed	
	CustomerSK	bigint			8	NOT NULL	
	PaymentTermsSK	bigint			8	NULL allowed	
	BillAddressSK	bigint			8	NOT NULL	
	ShipAddressSK	bigint			8	NOT NULL	
	ShipAddressLine1	varchar(75)			75	NULL allowed	
	ShipAddressLine2	varchar(75)			75	NULL allowed	
	ShipAddressLine3	varchar(75)			75	NULL allowed	
	ShipCity	varchar(35)			35	NULL allowed	
	ShipState	varchar(30)			30	NULL allowed	
	ShipZip	varchar(15)			15	NULL allowed	
	ShipCountry	varchar(50)			50	NULL allowed	
	ShipPhone1	varchar(25)			25	NULL allowed	
	ShipAttentionTo	varchar(60)			60	NULL allowed	


	PurchaseOrder	varchar(35)			35	NULL allowed	
	OrderDate	datetime			8	NOT NULL	
	ScheduledShipDate	datetime			8	NULL allowed	
	ScheduledDeliveryDate	datetime			8	NULL allowed	
	ActualShipDate	datetime			8	NULL allowed	
	CarrierSK	bigint			8	NULL allowed	
	SiteSK	bigint			8	NOT NULL	
	SalesPersonSK	bigint			8	NULL allowed	
	OrderedUnits	numeric(18,5)			9	NOT NULL	
	OrderedWeight	numeric(18,5)			9	NOT NULL	
	OrderedAmount	numeric(18,5)			9	NOT NULL	
	AllocatedUnits	numeric(18,5)			9	NOT NULL	
	AllocatedWeight	numeric(18,5)			9	NOT NULL	
	AllocatedAmount	numeric(18,5)			9	NOT NULL	
	InventoryUnits	numeric(18,5)			9	NOT NULL	
	InventoryWeight	numeric(18,5)			9	NOT NULL	
	PriceBasisSK	bigint			8	NULL allowed	
	DiscountMethodSK	bigint			8	NULL allowed	
	DiscountRate	numeric(18,5)			9	NULL allowed	
	DiscountAmount	numeric(18,5)			9	NULL allowed	
	ItemDiscountAmount	numeric(18,5)			9	NULL allowed	
	InvoicedAmount	numeric(18,5)			9	NULL allowed	
	IsContractOrder	bit			1	NULL allowed	
	ContractHeaderSK	bigint			8	NULL allowed	
	Truck	varchar(50)			50	NULL allowed	
	Trailer	varchar(50)			50	NULL allowed	
	SealNumber	varchar(100)			100	NULL allowed	
	BOL	varchar(100)			100	NULL allowed	
	Waybill	varchar(50)			50	NULL	

						allowed	
	SOTruckTare	numeric(18,5)			9	NOT NULL	
	TrackingNumber	varchar(50)			50	NULL allowed	
	EDIOrderStatusEN	int			4	NOT NULL	
	SOFreightTermsEN	int			4	NULL allowed	
	AdjustmentVersion	int			4	NULL allowed	
	AllowMultipleShipments	bit			1	NULL allowed	
	CreatedBy	varchar(110)			110	NULL allowed	
	CreatedDate	datetime			8	NOT NULL	
	LastUpdated	datetime			8	NOT NULL	
	LastUser	varchar(110)			110	NULL allowed	
 (2)	DataEntityCompanySK	bigint			8	NOT NULL	
	InsideSalespersonSK	bigint			8	NULL allowed	
	ShipAddressIs-Customized	bit			1	NULL allowed	
	ExtendedAmount	numeric(18,5)			9	NULL allowed	
	CurrencySK	bigint			8	NOT NULL	
	TransactionGUID	uniqueidentifier			16	NULL allowed	
	IsMultiShipment	bit			1	NULL allowed	((0))
	FreightPOEN	bigint			8	NULL allowed	

Computed columns

Name	Column definition
MasterNumber	(isnull([MasterNumberOverride],[OrderHeaderSK]))

Indexes

Key	Name	Key Columns	Included Columns	Unique
	PK_ERPh_-SOHeader	OrderHeader-SK		True
	UK_ERPh_-SOOrder-Header	OrderID, Data-Entity-CompanySK		True
	IX_ERPh_-SOOrder-	DataEntity-CompanySK,	ActualShipDate, AllocatedAmount, AllocatedUnits, AllocatedWeight, Trailer, Truck, Waybill, WorkflowSK, ShipCity, ShipCountry, ShipPhone1, ShipState,	


	Header_Order-Status	OrderStatus-SK	ShipZip, SiteSK, SealNumber, ShipAddressLine1, ShipAddressLine2, ShipAddressLine3, ShipAddressSK, ShipAttentionTo, PaymentTermsSK, PriceBasisSK, PurchaseOrder, SalesPersonSK, ScheduledDeliveryDate, ScheduledShipDate, OrderedUnits, OrderedWeight, OrderHeaderSK, OrderID, OrderTypeSK, OriginTransID, InvoicedAmount, IsContractOrder, EDIOrderStatusEN, ItemDiscountAmount, OrderDate, OrderedAmount, CustomerSK, DiscountAmount, DiscountMethodSK, DiscountRate, DocumentID, ExtendedAmount, BillAddressSK, BOL, CarrierSK, ContractHeaderSK, CreatedBy, CreatedDate	
--	---------------------	----------------	--	--

Uses







[hist]



Used By

[hist].[ERPh_SOInvoiceHeader]
 [hist].[ERPh_SOOrder_SearchMetadata]
 [hist].[ERPh_SOOrderItem]
 [dbo].[IQx_Billing]
 [dbo].[IQx_SOSEL_ItemHistory]
 [dbo].[IQx_SOSEL_SalesHistory]
 [dbo].[IQx_SOSEL_ShipmentHistory]
 [hist].[SPx_SOHistory_SynchHistory]
 [hist].[SPx_SOPProcess_SearchMetadata_RefreshOrder]


 [hist].[ERPh_SOOrderItem]

Columns

Key	Name	Data Type	Max Length (Bytes)	Nullability
 	OrderItemSK	bigint	8	NOT NULL
 (5) 	OrderHeaderSK	bigint	8	NOT NULL
	ItemTypeSK	bigint	8	NOT NULL
	ItemSort	bigint	8	NOT NULL
 (2)	ItemSK	bigint	8	NOT NULL
	ItemPrice	numeric(18,5)	9	NOT NULL
	PriceOptionSK	bigint	8	NOT NULL
	OrderedUnits	numeric(18,5)	9	NOT NULL
	UnitsUOMSK	bigint	8	NOT NULL
	OrderedWeight	numeric(18,5)	9	NOT NULL
	WeightUOMSK	bigint	8	NOT NULL
	OrderedAmount	numeric(18,5)	9	NOT NULL
	AllocatedUnits	numeric(18,5)	9	NOT NULL
	AllocatedWeight	numeric(18,5)	9	NOT NULL
	AllocatedAmount	numeric(18,5)	9	NOT NULL
	InventoryUnits	numeric(18,5)	9	NOT NULL
	InventoryWeight	numeric(18,5)	9	NOT NULL
	DiscountMethodSK	bigint	8	NULL allowed
	DiscountRate	numeric(18,5)	9	NOT NULL
	DiscountAmount	numeric(18,5)	9	NOT NULL
	InvoicedAmount	numeric(18,5)	9	NULL allowed
	IsContractLine	bit	1	NOT NULL
	ContractHeaderSK	bigint	8	NULL allowed
	ContractItemSK	bigint	8	NULL allowed
	IsAutoAddedItem	bit	1	NOT NULL
	PriceListHeaderSK	bigint	8	NULL allowed
	PriceListPrice	numeric(18,5)	9	NULL allowed
	PriceOverrideBy	varchar(110)	110	NULL allowed
	PriceOverrideDate	datetime	8	NULL allowed
	ReturnsIsDamaged	bit	1	NULL allowed
	HostLineNumber	bigint	8	NULL allowed
	OriginOrderItemSK	bigint	8	NULL allowed
	CreatedBy	varchar(150)	150	NULL allowed

	CreatedDate	datetime	8	NULL allowed
	LastUpdated	datetime	8	NOT NULL
	LastUser	varchar(150)	150	NULL allowed
 (2)	DataEntityCompanySK	bigint	8	NOT NULL
	ItemSalesInvoiceDescription	varchar(105)	105	NULL allowed
	OriginTransactionItemSK	bigint	8	NULL allowed
 (2)	OriginItemTypeEN	bigint	8	NULL allowed
	IMItemActualCost	numeric(18,5)	9	NULL allowed
	IMItemActualCostUOMSK	bigint	8	NULL allowed
	OrderItemActualCost	numeric(18,5)	9	NULL allowed
	LoadHeaderSK	bigint	8	NULL allowed
	TotalFreight	numeric(18,5)	9	NULL allowed
	OrderItemGUID	uniqueidentifier	16	NULL allowed

Indexes

Key	Name	Key Columns	Included Columns	Unique
	PK_ERPh_SOItems	OrderItemSK		True
	IX_ERPh_SOOrderItem	ItemSK, ItemSort, OrderHeaderSK, DataEntity-CompanySK		True
	IX_ERPh_SOOrderItem_OrderHeader-ItemPrice	OrderHeaderSK, ItemPrice		
	IX_ERPh_SOOrderItem_OriginItemType	OriginItemTypeEN	OrderHeaderSK	
	IX_SOOrderItem_OrderHeaderOrder-ItemItem	DataEntityCompanySK, OrderHeaderSK, Order-ItemSK, ItemSK		
	IX_SOOrderItem_OrderHeaderSKOrigin-ItemTypeEN	OrderHeaderSK, OriginItemTypeEN		

Foreign Keys

Name	Columns
FK_ERPh_SOOrderItem_ERPh_SOOrderHeader	OrderHeaderSK->[hist].[ERPh_SOOrderHeader].[OrderHeaderSK]

Uses

[hist].[ERPh_SOOrderHeader]
[hist]

Used By





[hist].[ERPh_SOOrder_SearchMetadata]
[hist].[ERPh_SOOrderItemLot]
[dbo].[IQx_SOSEL_ItemHistory]

[hist].[SPx_SOHistory_SyncHistory]

[hist].[SPx_SOPProcess_SearchMetadata_RefreshOrder]

 [hist].[ERPh_SOOrderItemLot]

Columns

Key	Name	Data Type	Max Length (Bytes)	Nullability
	OrderItemLotSK	bigint	8	NOT NULL
	OrderItemSK	bigint	8	NOT NULL
	LotSK	bigint	8	NULL allowed
	BinSK	bigint	8	NULL allowed
	AllocatedUnits	numeric(18,5)	9	NOT NULL
	UnitsUOMSK	bigint	8	NULL allowed
	EffectOnInventoryUnits	numeric(18,5)	9	NULL allowed
	EffectOnInventoryUnitsUOMSK	bigint	8	NULL allowed
	TransactionToInventoryUnitsConversionValue	numeric(32,19)	17	NULL allowed
	AllocatedWeight	numeric(18,5)	9	NOT NULL
	WeightUOMSK	bigint	8	NULL allowed
	EffectOnInventoryWeight	numeric(18,5)	9	NULL allowed
	EffectOnInventoryWeightUOMSK	bigint	8	NULL allowed
	EffectOnInventoryUnitsVariance	numeric(18,5)	9	NULL allowed
	EffectOnInventoryWeightVariance	numeric(18,5)	9	NULL allowed
	TransactionToInventoryWeightConversionValue	numeric(32,19)	17	NULL allowed
	LastUpdated	datetime	8	NOT NULL
	LastUser	varchar(110)	110	NULL allowed
	DataEntityCompanySK	bigint	8	NOT NULL
	ReasonCodeSK	bigint	8	NULL allowed

Indexes

Key	Name	Key Columns	Unique
	PK_ERPh_SOOrderItemLot	OrderItemLotSK	True
	IX_ERPh_SOOrderItemLot	OrderItemSK, LotSK, ReasonCodeSK	True

Foreign Keys

Name	Columns
FK_ERPh_SOOrderItemLot_ERPh_SOOrderItem	OrderItemSK->[hist].[ERPh_SOOrderItem].[OrderItemSK]

Uses

[hist].[ERPh_SOOrderItem]

[hist]

Used By

[hist].[SPx_SOHistory_SyncHistory]